

List of California-BLM Sensitive Plants,¹ Updated April 2004

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
VASCULAR PLANTS				
<i>Abronia umbellata</i>	ssp. <i>breviflora</i>	Pink sand-verbena	Nyctaginaceae	Arcata (K)
<i>Acanthomintha lanceolata</i>		Santa Clara thorn-mint	Lamiaceae	Hollister (K)
<i>Acanthomintha obovata</i>	ssp. <i>obovata</i>	San Benito thorn-mint	Lamiaceae	Hollister (K)
<i>Agrostis hooveri</i>		Hoover's bent grass	Poaceae	Bakersfield (K)
<i>Allium jepsonii</i>		Jepson's onion	Liliaceae	Folsom (K), Redding (S)
<i>Allium shivockii</i>		Spanish Needle onion	Liliaceae	Bakersfield (K), Ridgecrest (S)
<i>Allium tuolumnense</i>		Rawhide Hill onion	Liliaceae	Folsom (K)
<i>Ambrosia pumila</i>		San Diego ambrosia	Asteraceae	Palm Springs (S)
<i>Amsinckia lunaris</i>		bent-flowered fiddleneck	Boraginaceae	Redding (S)
<i>Anisocarpus scabridus</i>		scabrid alpine tarplant	Asteraceae	Redding (S)
<i>Arabis bodiensis</i>		Bodie Hills rock cress	Brassicaceae	Bishop (K)
<i>Arctostaphylos cruzensis</i>		La Cruz manzanita	Ericaceae	Hollister (S)
<i>Arctostaphylos hookeri</i>	ssp. <i>hookeri</i>	Hooker's manzanita	Ericaceae	Hollister (K)
<i>Arctostaphylos klamathensis</i>		Klamath manzanita	Ericaceae	Redding (S)
<i>Arctostaphylos montereyensis</i>		Monterey manzanita	Ericaceae	Hollister (K)
<i>Arctostaphylos nissenana</i>		Nissenan manzanita	Ericaceae	Folsom (K)
<i>Arctostaphylos otayensis</i>		Otay manzanita	Ericaceae	Palm Springs (K)
<i>Arctostaphylos pilosula</i>		Santa Margarita manzanita	Ericaceae	Bakersfield (K)
<i>Arctostaphylos pumila</i>		Sandmat manzanita	Ericaceae	Hollister (K)
<i>Arctostaphylos rudis</i>		Sand mesa manzanita	Ericaceae	Bakersfield (K)
<i>Aristocapsa insignis</i>		Indian Valley spineflower	Polygonaceae	Bakersfield (S)
<i>Astragalus agrestis</i>		Field milk-vetch	Fabaceae	Alturas (K), Eagle Lake (K)
<i>Astragalus anxius</i>		Ash Valley milk-vetch	Fabaceae	Alturas (K)
<i>Astragalus argophyllus</i>	var. <i>argophyllus</i>	Silverleaf milk-vetch	Fabaceae	Eagle Lake (K), Bishop (K)
<i>Astragalus atratus</i>	var. <i>mensanus</i>	Darwin Mesa milk-vetch	Fabaceae	Ridgecrest (K)
<i>Astragalus deanei</i>		Deane's milk-vetch	Fabaceae	Palm Springs (K)
<i>Astragalus douglasii</i>	var. <i>perstrictus</i>	Jacumba milkvetch	Fabaceae	Palm Springs (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Astragalus eriopodus</i>		Walker Pass milkvetch	Fabaceae	Ridgecrest (S)
<i>Astragalus eriopodus</i>		Walker Pass milkvetch	Fabaceae	Bakersfield (K)
<i>Astragalus funereus</i>		Black milk-vetch	Fabaceae	Barstow (K)
<i>Astragalus geyeri</i>	var. <i>geyeri</i>	Geyer's milkvetch	Fabaceae	Bishop (S), Eagle Lake (K), Ridgecrest (K), Surprise (S)
<i>Astragalus lemmonii</i>		Lemmon's milkvetch	Fabaceae	Eagle Lake (S)
<i>Astragalus lentiformis</i>		Lens-pod milk-vetch	Fabaceae	Eagle Lake (K)
<i>Astragalus mojavensis</i>	var. <i>hemigyrus</i>	Curved-pod milkvetch	Fabaceae	Ridgecrest (S)
<i>Astragalus oocarpus</i>		San Diego rattleweed	Fabaceae	Palm Springs (K)
<i>Astragalus pseudodanthus</i>		Tonopah milk-vetch	Fabaceae	Bishop (K)
<i>Astragalus pulcherrimus</i>	var. <i>pulcherrimus</i>	Pulsifer's milk-vetch	Fabaceae	Alturas (K), Eagle Lake (K)
<i>Astragalus pulcherrimus</i>	var. <i>suksdorffii</i>	Suksdorf's milk-vetch	Fabaceae	Eagle Lake (K)
<i>Astragalus rattanii</i>	var. <i>jepsonianus</i>	Jepson's milk-vetch	Fabaceae	Redding (S), Ukiah (K)
<i>Astragalus shevockii</i>		Shevock's milk-vetch	Fabaceae	Bakersfield (K)
<i>Astragalus tener</i>	var. <i>ferrisiae</i>	Ferris's milk-vetch	Fabaceae	Redding (S)
<i>Astragalus tiehmii</i>		Tiehm's milk-vetch	Fabaceae	Surprise (K)
<i>Astragalus webberi</i>		Webber's milk-vetch	Fabaceae	Eagle Lake (S)
<i>Atriplex cordulata</i>		Heart-leaved saltbush	Chenopodiaceae	Bakersfield (K)
<i>Atriplex erecticaulis</i>		Earlimart orache	Chenopodaceae	Bakersfield (S)
<i>Atriplex subtilis</i>		Subtle orache	Chenopodaceae	Bakersfield (S)
<i>Atriplex vallicola</i>		Lost Hills saltbush	Chenopodiaceae	Bakersfield (K)
<i>Balsamorhiza hookeri</i>	var. <i>lanata</i>	Woolly balsamroot	Asteraceae	Redding (K)
<i>Balsamorhiza macrolepis</i>	var. <i>macrolepis</i>	Big-scale balsamroot	Asteraceae	Folsom (K), Redding (K), Ukiah (K)
<i>Balsamorhiza sericea</i>		Silky balsamroot	Asteraceae	Redding (S)
<i>Brodiaea orcuttii</i>		Orcutt's brodiaea	Liliaceae	Palm Springs (K)
<i>Calochortus clavatus</i>	var. <i>avius</i>	Pleasant Valley mariposa lily	Liliaceae	Folsom (S)
<i>Calochortus excavatus</i>		Inyo mariposa	Liliaceae	Bishop (K)
<i>Calochortus greenei</i>		Greene's mariposa	Liliaceae	Redding (K)
<i>Calochortus longicarpus</i>	var. <i>longicarpus</i>	Long-haired star-tulip	Liliaceae	Alturas (S), Redding (S)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Calochortus monanthus</i>		Shasta River mariposa	Liliaceae	Redding (S)
<i>Calochortus obispoensis</i>		San Luis mariposa lily	Liliaceae	Bakersfield (S)
<i>Calochortus simulans</i>		San Luis Obispo mariposa lily	Liliaceae	Bakersfield (S)
<i>Calochortus striatus</i>		Alkali mariposa lily	Liliaceae	Bakersfield (K)
<i>Calochortus striatus</i>		Alkali mariposa lily	Liliaceae	Barstow (S), Ridgecrest (S)
<i>Calochortus westonii</i>		Shirley Meadows star-tulip	Liliaceae	Bakersfield (K)
<i>Calycadenia hooveri</i>		Hoover's calycadenia	Convolvulaceae	Bakersfield (S)
<i>Calycadenia oppositifolia</i>		Butte County calycadenia	Convolvulaceae	Redding (S)
<i>Calycadenia villosa</i>		Dwarf calycadenia	Convolvulaceae	Bakersfield (S)
<i>Calystegia atriplicifolia</i>	ssp. <i>buttenensis</i>	Butte County morning-glory	Convolvulaceae	Redding (K)
<i>Calystegia collina</i>	ssp. <i>venusta</i>	South Coast Range morning-glory	Convolvulaceae	Hollister (K)
<i>Camissonia hardhamiae</i>		Hardham's evening-primrose	Onagraceae	Hollister (S)
<i>Camissonia integrifolia</i>		Kern River evening-primrose	Onagraceae	Bakersfield (S)
<i>Campanula sharsmithiae</i>		Sharsmith's harebell	Campanulaceae	Hollister (S)
<i>Campanula shetleri</i>		Castle Crags harebell	Campanulaceae	Redding (S)
<i>Canbya candida</i>		Pygmy poppy	Papaveraceae	Bakersfield (K)
<i>Carex livida</i>		Livid sedge	Cyperaceae	Redding (S)
<i>Carex obispoensis</i>		San Luis Obispo sedge	Cyperaceae	Bakersfield (K)
<i>Carlquistia muirii</i>		Muir's raillardella	Asteraceae	Bakersfield (K), Ridgecrest (K)
<i>Castilleja ambigua</i>	ssp. <i>humboldtiensis</i>	Humbolt Bay owl's-clover	Scrophulariaceae	Arcata (K)
<i>Castilleja densiflora</i>	ssp. <i>obispoensis</i>	Obispo Indian paintbrush	Scrophulariaceae	Bakersfield (S)
<i>Castilleja mendocinensis</i>		Mendocino Coast paintbrush	Scrophulariaceae	Arcata (S)
<i>Castilleja rubicundula</i>	ssp. <i>rubicundula</i>	Pink creamsacs	Scrophulariaceae	Redding (S)
<i>Caulanthus coulteri</i>	var. <i>lemonii</i>	Lemmon's jewelflower	Brassicaceae	Bakersfield (K)
<i>Caulostrema jaegeri</i>		Jaeger's caulostrema	Brassicaceae	Bishop (S), Ridgecrest (K)
<i>Ceanothus confusus</i>		Rincon Ridge ceanothus	Rhamnaceae	Ukiah (S)
<i>Ceanothus cyaneus</i>		Lakeside ceanothus	Rhamnaceae	Palm Springs (K)
<i>Ceanothus divergens</i>		Calistoga ceanothus	Rhamnaceae	Ukiah (S)
<i>Centromadia parryi</i>	ssp. <i>congdonii</i>	Congdon's tarplant	Asteraceae	Hollister (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Chaenactis suffrutescens</i>		Shasta chaenactis	Asteraceae	Redding (K)
<i>Chamaesyce ocellata</i>	ssp. <i>rattanii</i>	Stony Creek spurge	Euphorbiaceae	Redding (K)
<i>Chamaesyce platysperma</i>		Flat-seeded spurge	Euphorbiaceae	El Centro (S), Palm Springs (S)
<i>Chlorogalum grandiflorum</i>		Red Hills soaproot	Liliaceae	Folsom (K)
<i>Chlorogalum pomeridianum</i>	var. <i>minus</i>	Dwarf soaproot	Liliaceae	Redding (K), Ukiah (K)
<i>Chorizanthe biloba</i>	var. <i>immemora</i>	San Benito spineflower	Polygonaceae	Hollister (K)
<i>Chorizanthe breweri</i>		Brewer's spineflower	Polygonaceae	Bakersfield (S)
<i>Chorizanthe rectispina</i>		Straight-awned spineflower	Polygonaceae	Bakersfield (K), Hollister (K)
<i>Cirsium crassicaule</i>		Slough thistle	Asteraceae	Bakersfield (S)
<i>Cirsium fontinale</i>	var. <i>campylon</i>	Mt. Hamilton thistle	Asteraceae	Hollister (S)
<i>Clarkia australis</i>		Small southern clarkia	Onagraceae	Bakersfield (S)
<i>Clarkia biloba</i>	ssp. <i>australis</i>	Mariposa clarkia	Onagraceae	Folsom (K)
<i>Clarkia biloba</i>	ssp. <i>brandegeae</i>	Brandegee's clarkia	Onagraceae	Folsom (K), Redding (S)
<i>Clarkia borealis</i>	ssp. <i>borealis</i>	Northern clarkia	Onagraceae	Redding (S)
<i>Clarkia borealis</i>	ssp. <i>arida</i>	Shasta clarkia	Onagraceae	Redding (K)
<i>Clarkia breweri</i>		Brewer's clarkia	Onagraceae	Hollister (K)
<i>Clarkia gracilis</i>	ssp. <i>albicaulis</i>	White-stemmed clarkia	Onagraceae	Redding (K)
<i>Clarkia mildrediae</i>	ssp. <i>mildrediae</i>	Mildred's clarkia	Onagraceae	Redding (S)
<i>Clarkia mosquinii</i>		Mosquin's clarkia	Onagraceae	Redding (S)
<i>Clarkia rostrata</i>		Beaked clarkia	Onagraceae	Folsom (K)
<i>Clarkia tembloriensis</i>	ssp. <i>calientensis</i>	Caliente clarkia	Onagraceae	Bakersfield (S)
<i>Cordylanthus maritimus</i>	ssp. <i>palustris</i>	Pt. Reyes bird'sbeak	Scrophulariaceae	Arcata (K)
<i>Cordylanthus mollis</i>	ssp. <i>hispidus</i>	Hispid bird's beak	Scrophulariaceae	Bakersfield (S), Hollister (S)
<i>Cordylanthus tecopensis</i>		Tecopa bird's beak	Scrophulariaceae	Barstow (K)
<i>Cordylanthus tenuis</i>	ssp. <i>pallescens</i>	Pallid bird's beak	Scrophulariaceae	Redding (S)
<i>Coreopsis hamiltonii</i>		Mt. Hamilton coreopsis	Asteraceae	Hollister (K)
<i>Cypripedium fasciculatum</i>		Clustered lady's-slipper	Orchidaceae	Redding (K)
<i>Cypripedium montanum</i>		Mountain lady's-slipper	Orchidaceae	Redding (K)
<i>Cryptantha crinita</i>		Silky cryptantha	Boraginaceae	Redding (K)
<i>Cryptantha ganderi</i>		Gander's cryptantha	Boraginaceae	Palm Springs (S)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Cryptantha mariposae</i>		Mariposa cryptantha	Boraginaceae	Folsom (K)
<i>Cryptantha schoolcraftii</i>		Schoolcraft's cryptantha	Boraginaceae	Surprise (K)
<i>Cupressus arizonica</i>	ssp. <i>nevadensis</i>	Piute cypress	Cupressaceae	Bakersfield (K)
<i>Cupressus forbesii</i>		Tecate cypress	Cupressaceae	Palm Springs (K)
<i>Cusickiella quadricostata</i>		Bodie Hills cusickiella	Brassicaceae	Bishop (K)
<i>Cymopterus deserticola</i>		Desert cymopterus	Apiaceae	Barstow (K), Ridgecrest (K)
<i>Cymopterus ripleyi</i>	var. <i>saniculoides</i>	Ripley's cymopterus	Apiaceae	Ridgecrest (K)
<i>Dalea ornata</i>		Ornate dalea	Fabaceae	Eagle Lake (K)
<i>Deinandra floribunda</i>		Tecate tarplant	Asteraceae	Palm Springs (K)
<i>Deinandra halliana</i>		Hall's tarplant	Asteraceae	Bakersfield (S), Hollister (K)
<i>Delphinium parryi</i>	ssp. <i>blochmaniae</i>	Dune larkspur	Ranunculaceae	Bakersfield (S)
<i>Delphinium purpusii</i>		Kern County Larkspur	Ranunculaceae	Bakersfield (K)
<i>Delphinium recurvatum</i>		Recurved larkspur	Ranunculaceae	Bakersfield (K), Hollister (K)
<i>Delphinium umbraculorum</i>		Umbrella larkspur	Ranunculaceae	Bakersfield (S)
<i>Dudleya abramsii</i>	ssp. <i>murina</i>	San Luis Obispo dudleya	Crassulaceae	Bakersfield (S)
<i>Dudleya multicaulis</i>		Many-stemmed dudleya	Crassulaceae	Palm Springs (K)
<i>Dudleya saxosa</i>	ssp. <i>saxosa</i>	Panamint dudleya	Crassulaceae	Ridgecrest (S)
<i>Dudleya variegata</i>		Variegated dudleya	Crassulaceae	Palm Springs (K)
<i>Echinocereus engelmannii</i>	var. <i>howei</i>	Howe's hedgehog cactus	Cactaceae	Needles (K)
<i>Enceliopsis covillei</i>		Panamint daisy	Asteraceae	Ridgecrest (K)
<i>Epilobium oreganum</i>		Oregon fireweed	Onagraceae	Redding (S)
<i>Eriastrum brandegeae</i>		Brandegee's eriastrum	Polemoniaceae	Redding (K), Ukiah (K)
<i>Eriastrum hooveri</i>		Hoover's woolly-star	Polemoniaceae	Bakersfield (K), Hollister (K)
<i>Eriastrum luteum</i>		Yellow-flowered eriastrum	Polemoniaceae	Bakersfield (K)
<i>Ericameria fasciculata</i>		Eastwood's goldenbush	Asteraceae	Hollister (K)
<i>Erigeron aequifolius</i>		Hall's daisy	Asteraceae	Ridgecrest (K)
<i>Erigeron blochmaniae</i>		Blochman's leafy daisy	Asteraceae	Bakersfield (K)
<i>Erigeron multiceps</i>		Kern River daisy	Asteraceae	Bakersfield (S)
<i>Eriogonum bifurcatum</i>		Forked buckwheat	Polygonaceae	Barstow (K)
<i>Eriogonum crosbyae</i>		Crosby's buckwheat	Polygonaceae	Surprise (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Eriogonum eremicola</i>		Wild Rose Canyon buckwheat	Polygonaceae	Bishop (S), Ridgecrest (K)
<i>Eriogonum heermannii</i>	var. <i>occidentale</i>	Western Herman's buckwheat	Polygonaceae	Hollister (K)
<i>Eriogonum kennedyi</i>	var. <i>pinicola</i>	Cache Peak buckwheat	Polygonaceae	Bakersfield (S), Ridgecrest (K)
<i>Eriogonum microthecum</i>	var. <i>panamintense</i>	Panamint Mountains buckwheat	Polygonaceae	Bishop (S), Ridgecrest (K)
<i>Eriogonum nervulosum</i>		Snow Mtn. buckwheat	Polygonaceae	Ukiah (K)
<i>Eriogonum nudum</i>	var. <i>murinum</i>	Mouse buckwheat	Polygonaceae	Bakersfield (K), Hollister (K)
<i>Eriogonum prociduum</i>		Prostrate buckwheat	Polygonaceae	Alturas (K), Surprise (S)
<i>Eriogonum temblorense</i>		Temblor buckwheat	Polygonaceae	Bakersfield (K)
<i>Eriogonum umbellatum</i>	var. <i>glaberrimum</i>	Green buckwheat	Polygonaceae	Alturas (S), Surprise (S)
<i>Eriophyllum mohavense</i>		Barstow woolly-sunflower	Asteraceae	Barstow (K), Ridgecrest (K)
<i>Erysimum ammophilum</i>		Coast wallflower	Brassicaceae	Hollister (K)
<i>Erythronium citrinum</i>	var. <i>roderickii</i>	Scott Mtn. fawn lily	Liliaceae	Redding (S)
<i>Erythronium tuolumnense</i>		Tuolumne fawn-lily	Liliaceae	Folsom (K)
<i>Eschscholzia minutiflora</i>	ssp. <i>twisselmannii</i>	Red Rock poppy	Papaveraceae	Ridgecrest (K)
<i>Eschscholzia rhombipetala</i>		Diamond-petaled California poppy	Papaveraceae	Bakersfield (S)
<i>Fritillaria falcata</i>		Talus fritillary	Liliaceae	Hollister (K)
<i>Fritillaria ojaiensis</i>		Ojai fritillary	Liliaceae	Bakersfield (S)
<i>Fritillaria pluriflora</i>		Adobe lily	Liliaceae	Redding (S), Ukiah (K)
<i>Fritillaria viridea</i>		San Benito fritillary	Liliaceae	Hollister (K)
<i>Galium angustifolium</i>	ssp. <i>onycense</i>	Onyx peak bedstraw	Rubiaceae	Bakersfield (K)
<i>Galium californicum</i>	ssp. <i>primum</i>	California bedstraw	Rubiaceae	Palm Springs (S)
<i>Galium glabrescens</i>	ssp. <i>modocense</i>	Modoc bedstraw	Rubiaceae	Alturas (S), Surprise (K)
<i>Galium grande</i>		San Gabriel bedstraw	Rubiaceae	Palm Springs (S)
<i>Galium hardhamiae</i>		Hardham's bedstraw	Rubiaceae	Bakersfield (K)
<i>Galium hilendiae</i>	ssp. <i>kingstonense</i>	Kingston bedstraw	Rubiaceae	Barstow (K), Needles (K)
<i>Galium serpenticum</i>	ssp. <i>warnerense</i>	Warner Mtns. bedstraw	Rubiaceae	Alturas (S), Surprise (S)
<i>Galium serpenticum</i>	ssp. <i>scotticum</i>	Scott Mtn. bedstraw	Rubiaceae	Redding (K)
<i>Gentiana setigera</i>		Mendocino gentian	Gentianaceae	Arcata (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Gilia millefoliata</i>		Dark-eyed gilia	Polemoniaceae	Arcata (S)
<i>Glossopetalon pungens</i>		Pungent glossopetalon	Crossosomataceae	Needles (K)
<i>Harmonia doris-nilesiae</i>		Niles's harmonia	Asteraceae	Redding (S)
<i>Harmonia hallii</i>		Hall's harmonia	Asteraceae	Ukiah (K)
<i>Harmonia stebbinsii</i>		Stebbins's madia	Asteraceae	Redding (K)
<i>Hazardia orcuttii</i>		Orcutt's Hazardia	Asteraceae	Palm Springs (S)
<i>Helianthella castanea</i>		Diablo rock-rose	Asteraceae	Hollister (S)
<i>Hesperolinon adenophyllum</i>		Glandular western flax	Linaceae	Ukiah (K)
<i>Hesperolinon breweri</i>		Brewer's dwarf flax	Linaceae	Ukiah (S)
<i>Hesperolinon drymarioides</i>		Drymaria-like western flax	Linaceae	Ukiah (K)
<i>Hesperolinon serpentinum</i>		Napa western flax	Linaceae	Ukiah (K)
<i>Hesperolinon tehamense</i>		Tehama County western flax	Linaceae	Redding (K)
<i>Heterotheca shevockii</i>		Shevock's hairy golden-aster	Asteraceae	Bakersfield (S)
<i>Horkelia hendersonii</i>		Henderson's horkelia	Rosaceae	Redding (S)
<i>Horkelia parryi</i>		Parry's horkelia	Rosaceae	Folsom (K)
<i>Iliamna bakeri</i>		Baker's globe mallow	Malvaceae	Alturas (K), Eagle Lake (K), Surprise (K)
<i>Iliamna bakeri</i>		Baker's globe mallow	Malvaceae	Redding (S)
<i>Iris munzii</i>		Munz's iris	Iridaceae	Bakersfield (S)
<i>Ivesia aperta</i>	var. <i>aperta</i>	Sierra Valley ivesia	Rosaceae	Eagle Lake (K)
<i>Ivesia jaegeri</i>		Jaeger's ivesia	Rosaceae	Needles (K)
<i>Ivesia kingii</i>	var. <i>kingii</i>	Alkali ivesia	Rosaceae	Bishop (K)
<i>Ivesia longibracteata</i>		Castle Crags ivesia	Rosaceae	Redding (S)
<i>Ivesia paniculata</i>		Ash Creek ivesia	Rosaceae	Alturas (K)
<i>Ivesia patellifera</i>		Kingston Mtns. ivesia	Rosaceae	Barstow (K), Needles (K)
<i>Ivesia pickeringii</i>		Pickering's ivesia	Rosaceae	Redding (S)
<i>Ivesia rhypara</i>	var. <i>rhypara</i>	Grimy ivesia	Rosaceae	Surprise (K)
<i>Ivesia sericoleuca</i>		Plumas ivesia	Rosaceae	Eagle Lake (S)
<i>Ivesia webberi</i>		Webber's ivesia	Rosaceae	Eagle Lake (K)
<i>Juncus leiospermus</i>	var. <i>leiospermus</i>	Red Bluff dwarf rush	Juncaceae	Redding (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Lasthenia glabrata</i>	ssp. <i>coulteri</i>	Coulter's goldfields	Asteraceae	Bakersfield (K)
<i>Layia discoidea</i>		Rayless tidytips	Asteraceae	Hollister (K)
<i>Layia heterotricha</i>		Pale-yellow layia	Asteraceae	Bakersfield (K), Hollister (K)
<i>Layia jonesii</i>		Jones' layia	Asteraceae	Bakersfield (S), Hollister (K)
<i>Layia leucopappa</i>		Comanche Point layia	Asteraceae	Bakersfield (S)
<i>Layia munzii</i>		Munz's tidy-tips	Asteraceae	Bakersfield (K)
<i>Layia septentrionalis</i>		Colusa layia	Asteraceae	Redding (S), Ukiah (S)
<i>Legenere limosa</i>		Legenere	Campanulaceae	Redding (K)
<i>Lepechinia ganderi</i>		Gander's pitcher-sage	Lamiaceae	Palm Springs (K)
<i>Lepidium flavum</i>	var. <i>felipense</i>	Borrego Valley pepper-grass	Brassicaceae	Palm Springs (S)
<i>Lepidium jaredii</i>	ssp. <i>album</i>	Panoch pepper-grass	Brassicaceae	Hollister (K)
<i>Lepidium jaredii</i>	ssp. <i>jaredii</i>	Jared's pepper-grass	Brassicaceae	Bakersfield (K)
<i>Lewisia cantelovii</i>		Cantelow's lewisia	Portulacaceae	Folsom (K), Redding (S)
<i>Lewisia cotyledon</i>	var. <i>heckneri</i>	Heckner's lewisia	Portulacaeae	Redding (K)
<i>Lilium occidentale</i>		Western Lily	Liliaceae	Arcata (S)
<i>Limnanthes floccosa</i>	ssp. <i>bellingeriana</i>	Bellinger's meadowfoam	Limnanthaceae	Alturas (S), Redding (S)
<i>Linanthus maculatus</i>		Little San Bernardino Mtns. Linanthus	Polemoniaceae	Barstow (K), Palm Springs (K)
<i>Linanthus nuttallii</i>	ssp. <i>howellii</i>	Mt. Tedoc linanthus	Polemoniaceae	Redding (S)
<i>Linanthus orcuttii</i>		Orcutt's linanthus	Polemoniaceae	Palm Springs (S)
<i>Loeflingia squarrosa</i>	var. <i>artemisiarum</i>	Sagebrush loeflingia	Caryophyllaceae	Bishop, Eagle Lake and Surprise (K)
<i>Lomatium congdonii</i>		Congdon's lomatium	Apiaceae	Folsom (K)
<i>Lomatium roseanum</i>		Adobe lomatium	Apiaceae	Alturas (K), Surprise (S)
<i>Lomatium shevockii</i>		Owens Peak lomatium	Apiaceae	Bakersfield (K), Ridgecrest (K)
<i>Lotus rubriflorus</i>		Red-flowered lotus	Fabaceae	Redding (S)
<i>Lupinus citrinus</i>	var. <i>citrinus</i>	Orange lupine	Fabaceae	Bakersfield (S)
<i>Lupinus dalesiae</i>		Quincy lupine	Fabaceae	Eagle Lake (S), Redding (S)
<i>Lupinus duranii</i>		Mono Lake lupine	Fabaceae	Bishop (K)
<i>Lupinus excubitus</i>	var. <i>medius</i>	Mountain Springs bush lupine	Fabaceae	El Centro (K), Palm Springs (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Lupinus ludovicianus</i>		San Luis Obispo County lupine	Fabaceae	Bakersfield (S)
<i>Lupinus magnificus</i>	var. <i>magnificus</i>	Panamint Mtns. lupine	Fabaceae	Bishop (S), Ridgecrest (K)
<i>Lupinus spectabilis</i>		Shaggyhair lupine	Fabaceae	Folsom (K)
<i>Lupinus uncialis</i>		Lilliput lupine	Fabaceae	Alturas (K)
<i>Madia radiata</i>		Showy madia	Asteraceae	Bakersfield (S), Hollister (K)
<i>Malacothamnus palmeri</i>	var. <i>involucratus</i>	Carmel Valley bush-mallow	Malvaceae	Hollister (K)
<i>Malacothrix saxatilis</i>	var. <i>arachnoidea</i>	Carmel Valley malacothrix	Asteraceae	Hollister (S)
<i>Malacothamnus aboriginum</i>		Indian Valley bush mallow	Malvaceae	Hollister (K)
<i>Mimulus evanescens</i>		Ephemeral monkeyflower	Scrophulariaceae	Alturas (K), Eagle Lake (S), Redding (S)
<i>Mimulus filicaulis</i>		Slender-stemmed monkeyflower	Scrophulariaceae	Folsom (K)
<i>Mimulus gracilipes</i>		Slender-stalked monkerflower	Scrophulariaceae	Bakersfield (S)
<i>Mimulus mohavensis</i>		Mojave monkeyflower	Scrophulariaceae	Barstow (K)
<i>Mimulus norrisii</i>		Kaweah monkeyflower	Scrophulariaceae	Bakersfield (K)
<i>Mimulus pictus</i>		Calico monkeyflower	Scrophulariaceae	Bakersfield (K)
<i>Mimulus shevockii</i>		Kelso Creek monkeyflower	Scrophulariaceae	Bakersfield (K), Ridgecrest (K)
<i>Minuartia howellii</i>		Howell's sandwort	Caryophyllaceae	Redding (S)
<i>Minuartia stolonifera</i>		Scott Mtn. sandwort	Caryophyllaceae	Redding (S)
<i>Monardella antonina</i>	ssp. <i>benitensis</i>	San Benito monardella	Lamiaceae	Hollister (K)
<i>Monardella benolens</i>		Sweet-smelling monardella	Lamiaceae	Ridgecrest (K)
<i>Monardella crispa</i>		Crisp monardella	Lamiaceae	Bakersfield (K)
<i>Monardella douglasii</i>	var. <i>venosa</i>	Veiny monardella	Lamiaceae	Redding (S)
<i>Monardella frutescens</i>		San Luis Obispo monardella	Lamiaceae	Bakersfield (S)
<i>Monardella robisonii</i>		Robison monardella	Lamiaceae	Barstow (K), Palm Springs (S)
<i>Monardella villosa</i>	ssp. <i>globosa</i>	Robust monardella	Lamiaceae	Arcata (S)
<i>Muilla clevelandii</i>		San Diego goldenstar	Liliaceae	Palm Springs (S)
<i>Navarretia leucocephala</i>	ssp. <i>bakeri</i>	Baker's navarretia	Polemoniaceae	Redding (S)
<i>Navarretia setiloba</i>		Piute Mountains navarretia	Polemoniaceae	Bakersfield (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Neviusia cliftonii</i>		Shasta snow-wreath	Rosaceae	Redding (S)
<i>Oenothera wolfii</i>		Wolf's evening-primrose	Onagraceae	Arcata (S)
<i>Opuntia basilaris</i>	var. <i>brachyclada</i>	Short-joint beavertail	Cactaceae	Barstow (K), Needles (K)
<i>Opuntia munzii</i>		Munz cholla	Cactaceae	El Centro (K), Palm Springs (K)
<i>Oreostemma elatum</i>		Tall alpine aster	Asteraceae	Eagle Lake (S)
<i>Orthocarpus pachystachyus</i>		Shasta orthocarpus	Scrophulariaceae	Redding (S)
<i>Oryzopsis exigua</i>		Little ricegrass	Poaceae	Alturas (K), Eagle Lake (K), Surprise (S)
<i>Palafoxia arida</i>	var. <i>gigantea</i>	Giant Spanish needle	Asteraceae	El Centro (K)
<i>Paronychia ahartii</i>		Ahart's paronychia	Carophyllaceae	Redding (K)
<i>Pedicularis centranthera</i>		Dwarf lousewort	Scrophulariaceae	Eagle Lake (K)
<i>Penstemon albomarginatus</i>		White-margined beardtongue	Scrophulariaceae	Barstow (K)
<i>Penstemon filiformis</i>		Thread-leaved beardtongue	Scrophulariaceae	Redding (S)
<i>Penstemon fruticiformis</i>	var. <i>amargosae</i>	Death Valley beardtongue	Scrophulariaceae	Barstow (K)
<i>Penstemon personatus</i>		Closed-throated beardtongue	Scrophulariaceae	Redding (K)
<i>Penstemon stephensii</i>		Stephen's beardtongue	Scrophulariaceae	Barstow (K), Needles (K)
<i>Penstemon sudans</i>		Susanville beardtongue	Scrophulariaceae	Eagle Lake (K)
<i>Pentachaeta exilis</i>	ssp. <i>aeolica</i>	Slender pentachaeta	Asteraceae	Hollister (K)
<i>Perityle inyoensis</i>		Inyo laphamia	Asteraceae	Bishop (S), Ridgecrest (K)
<i>Perityle villosa</i>		Hanaupah laphamia	Asteraceae	Ridgecrest (K)
<i>Petalonyx thurberi</i>	ssp. <i>gilmanii</i>	Death Valley sandpaper plant	Loasaceae	Barstow (K), Ridgecrest (K)
<i>Phacelia cookei</i>		Cooke's phacelia	Hydrophyllaceae	Redding (S)
<i>Phacelia greenei</i>		Scott Valley phacelia	Hydrophyllaceae	Redding (K)
<i>Phacelia inundata</i>		Playa phacelia	Hydrophyllaceae	Alturas (S), Eagle Lake (K), Surprise (K)
<i>Phacelia leonis</i>		Siskiyou phacelia	Hydrophyllaceae	Redding (S)
<i>Phacelia monoensis</i>		Mono County phacelia	Hydrophyllaceae	Bishop (K)
<i>Phacelia mustelina</i>		Death Valley round- leaved phacelia	Hydrophyllaceae	Ridgecrest (S)
<i>Phacelia nashiana</i>		Charlotte's phacelia	Hydrophyllaceae	Bakersfield (K), Ridgecrest (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Phacelia novenmillensis</i>		Nine Mile Canyon phacelia	Hydrophyllaceae	Bakersfield (K), Ridgecrest (K)
<i>Phacelia parishii</i>		Parish's phacelia	Hydrophyllaceae	Barstow (K)
<i>Phacelia phacelioides</i>		Mount Diablo phacelia	Hydrophyllaceae	Hollister (S)
<i>Plagiobothrys uncinatus</i>		Hooked popcorn-flower	Boraginaceae	Bakersfield (S)
<i>Pogogyne floribunda</i>		Profuse-flowered pogogyne	Lamiaceae	Alturas (K), Redding (S)
<i>Polyctenium williamsiae</i>		Williams's combleaf	Brassicaceae	Eagle Lake (K)
<i>Polygonum polgaloides</i>	ssp. <i>esotericum</i>	Modoc County knotweed	Polygonaceae	Alturas (K)
<i>Potentilla basaltica</i>		Black rock potentilla	Rosaceae	Alturas (S), Surprise (S)
<i>Puccinellia howellii</i>		Howell's alkali-grass	Poaceae	Redding (S)
<i>Puccinellia parishii</i>		Parish's alkaligrass	Poaceae	Barstow (S)
<i>Raillardella pringlei</i>		Showy raillardella	Asteraceae	Redding (S)
<i>Rhynchospora californica</i>		California beaked-rush	Cyperaceae	Redding (S)
<i>Ribes canthariforme</i>		Moreno currant, San Diego currant	Saxifragaceae	Palm Springs (S)
<i>Ribes tularensense</i>		Sequoia gooseberry	Grossulariaceae	Bakersfield (K)
<i>Rorippa columbiae</i>		Columbia yellow cress	Brassicaceae	Alturas (S), Eagle Lake (S), Redding (S)
<i>Rupertia hallii</i>		Hall's rupertia	Fabaceae	Redding (K)
<i>Sagittaria sanfordii</i>		Sanford's arrowhead	Alismataceae	Redding (K)
<i>Sedum albomarginatum</i>		Feather River stonecrop	Crassulaceae	Redding (S)
<i>Sedum paradiseum</i>		Canyon Creek stonecrop	Crassulaceae	Redding (K)
<i>Senecio clevelandii</i>	var. <i>heterophyllus</i>	Red Hills ragwort	Asteraceae	Folsom (K)
<i>Senecio eurycephalus</i>	var. <i>lewisrosei</i>	Cut-leaved ragwort	Asteraceae	Redding (S)
<i>Sidalcea malachroides</i>		Maple-leaved checkerbloom	Malvaceae	Arcata (S)
<i>Sidalcea malvaeflora</i>	ssp. <i>patula</i>	Siskiyou checkerbloom	Malvaceae	Arcata (S)
<i>Sidalcea oregana</i>	ssp. <i>eximia</i>	Coast checkerbloom	Malvaceae	Arcata (S)
<i>Sidalcea robusta</i>		Butte County checker-mallow	Malvaceae	Redding (K)
<i>Smilax jamesii</i>		English Peak greenbriar	Smilacaceae	Redding (S)
<i>Sphaeralcea rusbyi</i>	var. <i>eremicola</i>	Rusby's desert-mallow	Malvaceae	Needles (K)
<i>Stenotus lanuginosus</i>		Woolly stenotus	Asteraceae	Alturas (K)
<i>Streptanthus brachiatus</i>	ssp. <i>brachiatus</i>	Socrates Mine jewel-flower	Brassicaceae	Ukiah (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Streptanthus brachiatus</i>	ssp. <i>hoffmanii</i>	Freed's jewelflower	Brassicaceae	Ukiah (K)
<i>Streptanthus callistus</i>		Mount Hamilton jewel-flower	Brassicaceae	Hollister (S)
<i>Streptanthus cordatus</i>	var. <i>piutensis</i>	Piute Mtns. jewel-flower	Brassicaceae	Bakersfield (K), Ridgecrest (S)
<i>Streptanthus glandulosus</i>	var. <i>hoffmannii</i>	Hoffmann's jewel-flower	Brassicaceae	Ukiah (S)
<i>Streptanthus morrisonii</i>	ssp. <i>morrisonii</i>	Morrison's jewel-flower	Brassicaceae	Ukiah (K)
<i>Streptanthus morrisonii</i>	ssp. <i>elatus</i>	Three Peaks jewelflower	Brassicaceae	Ukiah (K)
<i>Streptanthus morrisonii</i>	ssp. <i>hirtiflorus</i>	Dorr's Cabin jewelflower	Brassicaceae	Ukiah (S)
<i>Streptanthus morrisonii</i>	ssp. <i>kruckebergii</i>	Kruckeberg's jewelflower	Brassicaceae	Ukiah (K)
<i>Streptanthus oliganthus</i>		Masonic Mountain jewelflower	Brassicaceae	Bishop (K)
<i>Stylocline citroleum</i>		Oil neststraw	Asteraceae	Bakersfield (S)
<i>Stylocline masonii</i>		Mason neststraw	Asteraceae	Bakersfield (S)
<i>Tetracoccus dioicus</i>		Parry's tetracoccus	Euphorbiaceae	Palm Springs (K)
<i>Thelypodium howellii</i>	var. <i>howellii</i>	Howell's thelypodium	Brassicaceae	Alturas (S), Eagle Lake (K), Surprise (S)
<i>Trifolium buckwestiorum</i>		Santa Cruz clover	Fabaceae	Hollister (K)
<i>Trifolium dedeckerae</i>		DeDecker's clover	Fabaceae	Bakersfield (S), Ridgecrest (S)
<i>Trifolium jokerstii</i>		Butte County golden clover	Fabaceae	Redding (K)
<i>Wyethia reticulata</i>		El Dorado mule ears	Asteraceae	Folsom (K)
<i>Xylorhiza orcuttii</i>		Orcutt's woody aster	Asteraceae	El Centro (K)
BRYOPHYTES				
<i>Buxbaumia viridis</i>		Green bug moss	Buxbaumiaceae	Arcata (S)
<i>Orthodontium gracile</i>		Slender thread moss	Bryaceae	Arcata (S)
<i>Orthotrichum shevockii</i>		No common name	Orthotrichaceae	Bakersfield (S)
<i>Ptilidium californicum</i>		Leafy liverwort	Ptilidiaceae	Arcata (K)
<i>Tetraphis geniculata</i>		Bent-kneed four-tooth moss	Tetraphidaceae	Arcata (S)
<i>Tortula californica</i>		California tortula moss	Pottiaceae	Bakersfield (S)
LICHENS				
<i>Bryoria pseudocapillaris</i>		Horsehair lichen	Parmeliaceae	Arcata (K)
<i>Bryoria spiralifera</i>		Horsehair lichen	Parmeliaceae	Arcata (K)
<i>Bryoria tortuosa</i>		Yellow-twist horsehair	Parmeliaceae	Redding (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Calicium viride</i>		Frog stubble	Caliciaceae	Arcata (S) Redding(S), Folsom(S), Bakersfield(S)
<i>Dendriscocaulon intricatum</i>		Northern moon shrub	Lobariaceae	Redding (K), Arcata (S)
<i>Heterodermia leucomelos</i>		Ciliate strap-lichen	Physciaceae	Arcata (K)
<i>Kaernefeltia californica</i>		Seaside thornbush	Parmeliaceae	Arcata (S), Hollister (S)
<i>Lobaria oregana</i>		Lettuce lung	Lobariaceae	Arcata (K)
<i>Nephroma bellum</i>		Cat paw lichen	Nephromataceae	Arcata (K)
<i>Niebla cephalota</i>		Powdery fog lichen	Ramalinaceae	Arcata (K), Hollister (S)
<i>Pannaria rubiginosa</i>		Petalled mouse	Pannariaceae	Arcata, (S)
<i>Ramalina pollinaria</i>		Dusty ramalina	Ramalinaceae	Arcata (K), Hollister (S)
<i>Teloschistes flavicans</i>		Orangebush lichen	Teloschistaceae	Arcata (S), Hollister(S)
<i>Usnea longissima</i>		Long beard lichen	Parmeliaceae	Arcata (K)

FUNGI

<i>Albatrellus caeruleoporus</i>		“Terrestrial polypore”	Polyporaceae	Arcata (S)
<i>Albatrellus ellisii</i>		Greening goat’s foot	Polyporaceae	Arcata (S), Redding (S), Folsom (S)
<i>Albatrellus flettii</i>		Blue-capped polypore	Polyporaceae	Arcata (S)
<i>Boletus haematinus</i>		Red-pored bolete	Boletaceae	Arcata (S), Redding (S), Folsom (S)
<i>Choiromyces venosus</i>		“Hypogeous truffle”	Tuberaceae	Arcata (K)
<i>Clavariadelphus ligula</i>		Strap coral	Clavariaceae	Arcata (S)
<i>Clavulina castanipes</i>	var. <i>lignicola</i>	“Hairy-stemmed coral”	Clavariaceae	Arcata (S)
<i>Clitocybe subditopoda</i>		“Little brown mushroom”	Tricholomataceae	Arcata (K)
<i>Collybia racemosa</i>		Branched Collybia	Tricholomataceae	Arcata (K)
<i>Cordyceps ophioglossoides</i>		Truffle eater	Sphaeriales	Arcata (S)
<i>Dermocybe humboldtensis</i>		“Little green mushroom”	Cortinariaceae	Arcata (K)
<i>Entoloma nitidum</i>		“Indigo Entoloma”	Entolomataceae	Arcata (K)
<i>Gymnopilus punctifolius</i>		“Blue-green staining Gymnopilus”	Cortinariaceae	Arcata (K)
<i>Hydropus marginellus</i>		“Little brown mushroom”	Tricholomataceae	Arcata (K)

SPECIES	SUBSPECIES	COMMON NAME ²	FAMILY	FIELD OFFICE ³
<i>Leucogaster citrinus</i>		“Yellow false truffle”	Leucogastrales	Arcata (K)
<i>Mycena quinaultensis</i>		“Little brown mushroom”	Tricholomataceae	Arcata (K)
<i>Otidea onotica</i>		Donkey ears	Pezizaceae	Arcata (K)
<i>Phaeocollybia californica</i>		No common name	Cortinariaceae	Arcata (K)
<i>Phaeocollybia olivacea</i>		Olive Phaeocollybia	Cortinariaceae	Arcata (K)
<i>Phaeocollybia piceae</i>		“Spruce Phaeocollybia”	Cortinariaceae	Arcata (K)
<i>Phaeocollybia pseudofestiva</i>		No common name	Cortinariaceae	Arcata (S)
<i>Phaeocollybia scatesiae</i>		No common name	Cortinariaceae	Arcata (K)
<i>Phaeocollybia spadicea</i>		No common name	Cortinariaceae	Arcata (K)
<i>Polyozellus multiplex</i>		Blue Chanterelle	Cantharellaceae	Arcata (S), Redding (S)
<i>Ramaria amyloidea</i>		“Pinkish coral mushroom”	Clavariaceae	Arcata (K)
<i>Ramaria aurantiisiccescens</i>		“Yellow coral mushroom”	Clavariaceae	Arcata (K)
<i>Ramaria cyaneigranosa</i>		“Pinkish coral mushroom”	Clavariaceae	Arcata (S)
<i>Ramaria largentii</i>		“Orange coral mushroom”	Clavariaceae	Arcata (K)
<i>Sarcodon fuscoindicus</i>		Violet hedgehog	Hydnaceae	Arcata (K)
<i>Sowerbyella rhenana</i>		Stalked orange peel fungus	Pezizaceae	Arcata (S)
<i>Sparassis crispa</i>		Cauliflower mushroom	Clavariaceae	Arcata (K)
<i>Spathularia flava</i>		Fairy fan	Geoglossaceae	Arcata (K)

¹ For administrative purposes, lichens and fungi have been included on California-BLM’s sensitive plant list even though – according to the current taxonomic wisdom – those organisms now belong in phylogenetic Kingdoms other than Kingdom Plantae.

² Lichen common names are based on “The Lichens of British Columbia” by Trevor Goward. Fungal common names are based on “Mushrooms Demystified” by David Arora. Common names shown in quotation marks are descriptive of the organism, not “true” names.

³ In the Field Office occurrence column, K = Known Occurrence and S = Suspected Occurrence