

## Standard Checklist

Name of Riparian-Wetland Area: \_\_\_\_\_

Date: \_\_\_\_\_ Segment/Reach ID: \_\_\_\_\_

Miles: \_\_\_\_\_ Acres: \_\_\_\_\_

ID Team Observers: \_\_\_\_\_

Yes	No	N/A	HYDROLOGY
			1) Floodplain above bankfull is inundated in "relatively frequent" events
			2) Where beaver dams are present they are active and stable
			3) Sinuosity, width/depth ratio, and gradient are in balance with the landscape setting (i.e., landform, geology, and bioclimatic region)
			4) Riparian-wetland area is widening or has achieved potential extent
			5) Upland watershed is not contributing to riparian-wetland degradation

Yes	No	N/A	VEGETATION
			6) There is diverse age-class distribution of riparian-wetland vegetation (recruitment for maintenance/recovery)
			7) There is diverse composition of riparian-wetland vegetation (for maintenance/recovery)
			8) Species present indicate maintenance of riparian-wetland soil moisture characteristics
			9) Streambank vegetation is comprised of those plants or plant communities that have root masses capable of withstanding high-streamflow events
			10) Riparian-wetland plants exhibit high vigor
			11) Adequate riparian-wetland vegetative cover is present to protect banks and dissipate energy during high flows
			12) Plant communities are an adequate source of coarse and/or large woody material (for maintenance/recovery)

Yes	No	N/A	EROSION/DEPOSITION
			13) Floodplain and channel characteristics (i.e., rocks, overflow channels, coarse and/or large woody material) are adequate to dissipate energy
			14) Point bars are revegetating with riparian-wetland vegetation
			15) Lateral stream movement is associated with natural sinuosity
			16) System is vertically stable
			17) Stream is in balance with the water and sediment being supplied by the watershed (i.e., no excessive erosion or deposition)