

BLM UKIAH SPECIAL STATUS PLANTS

Wednesday, November 02, 2011

2:51:29 PM

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CNPS STATUS	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Agrostis blasdalei	Blasdale's bent grass	VASC	Poaceae			BLMS	List 1B.2		G2	S2.2		No	15-Nov-10	On Shell Island off of Sea Ranch, Sonoma County, part of the California Coastal National Monument (source: Jim Weigand)															K
Amsinckia lunaris	bent-flowered fiddleneck	VASC	Boraginaceae			BLMS	List 1B.2		G2	S2.2		No	22-Nov-10	Walker Ridge/Bear Creek (Source: Jim Weigand). Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).											S				K
Arctostaphylos canescens subsp. sonomensis	Sonoma canescent manzanita	VASC	Ericaceae			BLMS	List 1B.2		G3G4T2	S2.1		No	22-Nov-10	Walker Ridge/Bear Creek (Source: Jim Weigand). Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).															K
Astragalus rattanii var. jepsonianus	Jepson's milk-vetch	VASC	Fabaceae			BLMS	List 1B.2		G4T2	S2.2		No		Documented within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).												S			K
Atriplex joaquiniana	San Joaquin sparscale	VASC	Chenopodiaceae			BLMS	1B.2		G2	S2		No	02-Nov-11	Found by Thomen, C. and Dean, E. in Bear Creek Unit (Payne Ranch).															K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CNPS STATUS	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Balsamorhiza macrolepis	big-scale balsamroot	VASC	Asteraceae			BLMS	List 1B.2		G3G4T2	S2.2		No	22-Nov-10	Formerly <i>B. macrolepis</i> Sharp var. <i>macrolepis</i> . Jepson Manual 2nd edition submerges <i>B. m.</i> var. <i>platylepis</i> (Sharp) Ferris into <i>B. hookeri</i> Nutt. Documented in the Ukiah Field Office within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).									K			K			K
Brodiaea rosea	Indian Valley brodiaea	VASC	Themidaceae		SE	BLMS	List 1B.1		G4T1	S1.1		No	15-Nov-10	Formerly <i>Brodiaea coronaria</i> (Salisb.) Engler subsp. <i>rosea</i> (Greene) Niehaus. Jepson Manual 2nd edition elevates to species.												S			K
California macrophylla	round-leaved filaree	VASC	Geraniaceae			BLMS	List 1B.1		G3	S3.1		No	03-Oct-11	Likely to occur in Hollister FO acc 12/10/08 email from Jim Weigand. Nonspecific (1 mile) CNDDDB Occurrence 18 has BLM lands within the mapped circle.			S					S							K
Calycadenia micrantha	small-flowered calycadenia	VASC	Asteraceae			BLMS	List 1B.2		G2G3	S2S3		No	27-Apr-09																S
Calystegia collina subsp. tridactylosa	three-fingered morning-glory	VASC	Convolvulaceae			BLMS	List 1B.2		G4T1	S1.2		No	22-Nov-10	Known to occur on BLM Toney Creek holding, Eden Valley. Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).		K													K
Campanula californica	swamp harebell	VASC	Campanulaceae			BLMS	List 1B.2		G3	S3		No	15-Nov-10	CNDDDB has mapped population near Stornetta Ranch.															S
Castilleja mendocinensis	Mendocino Coast paintbrush	VASC	Orobanchaceae			BLMS	List 1B.2		G2	S2.2		No	15-Nov-10			S													K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CNPS STATUS	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH			
Eriastrum tracyi	Tracy's eriastrum	VASC	Polemoniaceae		SR	BLMS	List 1B.2		G1Q	S1.1		No	22-Nov-10	Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).																	K	
Eriogonum nervulosum	Snow Mtn. buckwheat	VASC	Polygonaceae			BLMS	List 1B.2		G2	S2.2		No																			K	
Fritillaria pluriflora	adobe-lily	VASC	Liliaceae			BLMS	List 1B.2		G3	S3		No	22-Nov-10	Documented in the Ukiah Field Office within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also occurs elsewhere in the Ukiah Field Office.																		K
Harmonia hallii	Hall's harmonia	VASC	Asteraceae			BLMS	List 1B.2		G2	S2.2		No	22-Nov-10	Formerly <i>Madia hallii</i> Keck. Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also elsewhere in the Ukiah Field Office.																		K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CNPS STATUS	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Hesperevax sparsiflora subsp. brevifolia	short-leaved evax	VASC	Asteraceae			BLMS	List 1B.2		G4T2T3	S2S3		No	15-Nov-10	On BLM at Mattole Beach (in great numbers acc. Jennifer Wheeler) and at Samoa.		K													S
Hesperolinon adenophyllum	glandular western flax	VASC	Linaceae			BLMS	List 1B.2		G2	S2.3		No																	K
Hesperolinon breweri	Brewer's dwarf flax	VASC	Linaceae			BLMS	List 1B.2		G2	S2.2		No																	S
Hesperolinon didymocarpum	Lake County dwarf flax	VASC	Linaceae		SE	BLMS	List 1B.2		G1	S1.2		No																	S
Hesperolinon drymarioides	drymaria-like western flax	VASC	Linaceae			BLMS	List 1B.2		G2	S2.2		No		Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also occurs elsewhere in the Ukiah Field Office.															K
Hesperolinon serpentinum	Napa western flax	VASC	Linaceae			BLMS	List 1B.1		G2	S2.1		No	18-Nov-10	According to treatment in Jepson Manual Second Edition this species has not yet been validly published. The PLANTS database also shows the species as "ined."															K
Horkelia bolanderi	Bolander's horkelia	VASC	Rosaceae			BLMS	1B.2		G1	S1.2		No	12-Oct-11	Very non-specific occurrence, CNDDDB occurrence 9, encompasses BLM lands, Vollmar 2010 reported suitable habitat is present.															S
Layia septentrionalis	Colusa layia	VASC	Asteraceae			BLMS	List 1B.2		G2	S2.2		No														S			S
Lupinus sericatus	Cobb Mountain lupine	VASC	Fabaceae			BLMS	List 1B.2		G2	S2.2		No	16-Nov-10	Walker Ridge/Bear Creek, Sulphur Creek sub-watershed (Source: Jim Weigand).															K
Panicum acuminatum var. thermale	Geyser's panicum	VASC	Poaceae		SE	BLMS	List 1B.1		G5T1Q	S1.1		No	15-Nov-10	Formerly <i>Dichanthelium lanuginosum</i> (Ell.) Gould var. <i>thermale</i> (Boland.) Spellenberg.															S

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CNPS STATUS	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Silene campanulata</i> subsp. <i>campanulata</i>	Red Mountain campion	VASC	Caryophyllaceae		SE	BLMS	List 4.2		G5T3Q	S3.2		No	10-Nov-10	Known from Red Mountain, Mendocino Co., Arcata FO; suspected on public lands in Ukiah FO from an occurrence near public lands in the Gilmore Peak 24k quad, Colusa Co.		K													S
<i>Streptanthus brachiatus</i> subsp. <i>brachiatus</i>	Socrates Mine jewel-flower	VASC	Brassicaceae			BLMS	List 1B.2		G2T1	S1.2		Yes																	K
<i>Streptanthus brachiatus</i> subsp. <i>hoffmanii</i>	Freed's jewelflower	VASC	Brassicaceae			BLMS	List 1B.2		G2T1	S1.2		No	16-Nov-10	This taxon was recognized in Jepson Manual 1st edition, but is reduced to synonymy under <i>S. brachiatus</i> in the 2nd edition.															K
<i>Streptanthus glandulosus</i> subsp. <i>hoffmanii</i>	Hoffmann's jewel-flower	VASC	Brassicaceae			BLMS	List 1B.3		G4TH	SH		No	16-Nov-10	Elevated from <i>S. g.</i> var. <i>hoffmannii</i> Kruckeberg to subsp. <i>hoffmannii</i> in Jepson Manual 2nd edition.															S
<i>Streptanthus morrisonii</i> subsp. <i>elatus</i>	Three Peaks jewel-flower	VASC	Brassicaceae			BLMS	List 1B.2		G2T2	S2.2		No	16-Nov-10	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															K
<i>Streptanthus morrisonii</i> subsp. <i>hirtiflorus</i>	Dorr's Cabin jewel-flower	VASC	Brassicaceae			BLMS	List 1B.2		G2T1	S1.2		No	16-Nov-10	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															S
<i>Streptanthus morrisonii</i> subsp. <i>kruckebergii</i>	Kruckeberg's jewel-flower	VASC	Brassicaceae			BLMS	List 1B.2		G2T1	S1.2		No	16-Nov-10	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															K
<i>Streptanthus morrisonii</i> subsp. <i>morrisonii</i>	Morrison's jewel-flower	VASC	Brassicaceae			BLMS	List 1B.2		G2T2	S2.2		No	16-Nov-10	The Jepson Manual 2nd edition does not recognize any subspecific taxa under <i>S. morrisonii</i> .															K
<i>Streptanthus vernalis</i>	early jewel-flower	VASC	Brassicaceae			BLMS	List 1B.2		G1	S1		No	24-Aug-09	Known from only one occurrence on serpentine at Three Peaks.															K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CNPS STATUS	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
-----------------	-------------	---------------	--------	------------	-----------	------------	-------------	-------------	-------------	------------	-----------	----------------	--------------	----------	---------	--------	-------------	---------	--------	------------	-----------	-----------	--------------	---------	--------------	---------	------------	----------	-------

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare. California Native Plant Society (CNPS) Status: List 1A = Plants presumed extinct in CA; List 1B = Plants rare, threatened, or endangered in CA and elsewhere; List 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; List 3 = Plants about which more information is needed; List 4 = Plants of limited distribution – a watch list. Decimals following the CNPS List Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within the State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. Comments: Additional information, only provided for some plants. Date Updated: This field is provided to show when changes or updates were last made to an element; this tracking was implemented only in recent years, so the field is blank for most elements. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.