

APPENDIX B

CALL FREQUENCIES OF BAT SPECIES POTENTIALLY OCCURRING IN THE GENERAL VICINITY OF THE CHINA MOUNTAIN PROJECT AREA

APPENDIX B

CALL FREQUENCIES OF BAT SPECIES POTENTIALLY OCCURRING IN THE GENERAL VICINITY OF THE CHINA MOUNTAIN PROJECT AREA

COMMON NAME	SCIENTIFIC NAME
<i>Smaller Bats with High-frequency (> 35 kHz) Calls</i>	
California myotis ²	<i>Myotis californicus</i>
western small-footed myotis	<i>Myotis ciliolabrum</i>
little brown myotis	<i>Myotis lucifugus</i>
long-legged myotis	<i>Myotis volans</i>
Yuma myotis ²	<i>Myotis yumanensis</i>
western pipistrelle	<i>Parastrellus hesperus</i>
<i>Larger Bats with Low-frequency (< 35 kHz) Calls</i>	
pallid bat	<i>Antrozous pallidus</i>
Townsend's big-eared bat	<i>Corynorhinus townsendii</i>
big brown bat	<i>Eptesicus fuscus</i>
spotted bat	<i>Euderma maculatum</i>
silver-haired bat ¹	<i>Lasionycteris noctivagans</i>
hoary bat ¹	<i>Lasiurus cinereus</i>
western long-eared myotis	<i>Myotis evotis</i>
fringed myotis	<i>Myotis thysanodes</i>
Brazilian free-tailed bat ²	<i>Tadarida brasiliensis</i>

1 = long-distance migrant; 2 = species distribution on edge or just outside project area

