

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 1- BLM special species are those species federally identified as threatened, endangered, proposed, candidate, or species designated by the BLM State Director as sensitive.

Type 1-ESA listed, Proposed & Candidate Species	ESA Status	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
			FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Astragalus anserinus</i> (GooseCreek Milkvetch)	C	G2 S1 GP2						X								
<i>Astragalus cusickii</i> var. <i>packardiae</i> (Packard's milkvetch)	C	G5T1	X													
<i>Howellia aquatilis</i> (Water Howellia)	T	G3 S1													X	
<i>Lepidium papilliferum</i> (Slickspot Peppergrass)	T	G2 S2	X	X			X									
<i>Mirabilis macfarlanei</i> (Macfarlane's Four-O-Clock)	T	G2 S2														X
<i>Pinus albicaulis</i> (Whitebark pine)	C	G3G4										X	X	X	X	
<i>Silene spaldingii</i> (Spalding's Catchfly)	T	G2 S1														X
<i>Spiranthes diluvialis</i> (Ute Ladies'-Tresses)	LT	G2 S1									X					

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 2- These are species that have a high likelihood of being listed in the foreseeable future due to their global rarity and significant endangerment factors.

Type 2- Rangewide/Globally Imperiled Species-High Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Allium aseae</i> (Aase's onion)	G3 S3	X													
<i>Astragalus aquilonius</i> (Lemhi milkvetch)	G3 S3									X		X	X		
<i>Astragalus asotinensis</i> (Asotin milkvetch)	G2S2														X
<i>Astragalus jejunus</i> var. <i>jejunus</i> (Starveling milkvetch)	G3T3 S2										X				
<i>Astragalus mulfordiae</i> (Mulford's milkvetch)	G2 S2	X		X	X										
<i>Calamagrostis tweedyi</i> (Tweedy's reedgrass)	G3 S2													X	X
<i>Calochortus macrocarpus</i> var. <i>maculosus</i> (Green-band mariposa lily)	G5T2 S2														X
<i>Calochortus nitidus</i> (Broad-fruit mariposa lily)	G3 S3														X
<i>Cardamine constancei</i> (Constance's bittercress)	G3 S3													X	
<i>Carex idaho</i> (Idaho sedge)	G2 S2												X		
<i>Carex parryana</i> var. <i>brevisquama</i> = <i>C. aboriginum</i> (Indian Valley sedge)	G1 S1	X													

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 2- Rangewide/Globally Imperiled Species-High Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Chaenactis cusickii</i> (Cusick's false yarrow)	G2G3 S2				X										
<i>Cirsium brevifolium</i> (Palouse thistle)	G3 S2														X
<i>Crepis bakeri ssp. idahoensis</i> (Idaho hawksbeard)	G4T2 S2														X
<i>Eriogonum capistratum</i> var. <i>welshii</i> (Welsh's buckwheat)	G4T2 S2									X		X			
<i>Eriogonum hookeri</i> (Hooker's buckwheat)	G5 S1									X	X				
<i>Haplopappus liatrifolius</i> (Palouse goldenweed)	G2 S2														X
<i>Hierochloa odorata</i> (Sweetgrass)	G4G5 S1													X	
<i>Kobresia simpliciuscula</i> (Simple Kobresia)	G5 S2									X					
<i>Lomatium packardiae</i> (Packard's desert parsley)	G2 S2				X										
<i>Lomatium salmoniflorum</i> (Salmon River biscuitroot)	G3 S2														X
<i>Mentzelia mollis</i> (Smooth stickleaf)	G2 S2				X										
<i>Mimulus washingtonensis</i> = <i>M. ampliatus</i> (Spacious monkeyflower)*	G1 S1														X
<i>Mimulus washingtonensis</i> = <i>M. patulus</i> (Stalk-leaved monkeyflower)*	G2Q S1	X													X

*IDF&G lists as two different species where as USDA lists them as one species: *M. washingtonensis*.

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 2- Rangewide/Globally Imperiled Species-High Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Oenothera psammophila</i> (Saint Anthony evening-primrose)	G3 S3									X					
<i>Phacelia inconspicua</i> (Obscure Phacelia)	G2 S1							X		X					
<i>Phacelia minutissima</i> (Least phacelia)	G3 S2				X				X						
<i>Primula alcalina</i> (Alkali primrose)	G2 S2									X		X	X		
<i>Stanleya confertiflora</i> = <i>S. annua</i> , <i>S. rara</i> , <i>S. viridiflora</i> (Malheur princesplume)	G1 S1	X			X				X						
<i>Symphotrichum jessicae</i> = <i>Aster jessicae</i> (Jessica's aster)	G2 S2 GP2														X
<i>Texosporium sancti-jacobi</i> = <i>Cyphellium sancti-jacobi</i> (Woven-spore lichen)	G2 S2	X	X												
<i>Trichophorum pumilum</i> = <i>Scirpus rollandii</i> (Rolland's bullrush)	G3Q S1									X					
<i>Trifolium douglasii</i> (Douglas's clover)	G2 S2	X												X	X
<i>Trifolium owyheense</i> (Owyhee clover)	G2 S1				X										
<i>Xanthoparmelia idahoensis</i> (Idaho range lichen)	G1 S1												X		

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 3-These are species that are globally rare or very rare in Idaho, with moderate endangerment factors. Their global or state rarity and the inherent risks associated with rarity make them imperiled species.

Type 3 - Range-wide or State-wide Imperiled - Moderate Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Angelica kingii</i> (King's angelica, Great Basin angelica)	G4 S1				X										
<i>Aspicilia rogerii</i> (Coral lichen)	G1 S2	X			X						X	X	X		
<i>Astragalus amblytropis</i> (Challis milkvetch)	G3 S3											X	X		
<i>Astragalus amnis-amissi</i> (Lost River milkvetch)	G3 S3									X		X			
<i>Astragalus cusickii</i> var. <i>sterilis</i> (Barren milkvetch)	G5T2 S1				X										
<i>Astragalus diversifolius</i> (Meadow milkvetch)	G2 S2									X		X	X		
<i>Astragalus oniciformis</i> (Picabo milkvetch)	G3 S3							X	X						
<i>Astragalus paysonii</i> (Payson's milkvetch)	G3 S3									X					X
<i>Astragalus yoder-williamsii</i> (Mudflat milkvetch)	G3 S3			X	X	X									
<i>Blepharidachne kingii</i> (King's desert grass)	G4 S1				X										
<i>Bouteloua gracilis</i> (Blue gramma)	G5 S2											X	X		
<i>Carex comosa</i> (Bristly sedge, Longhair sedge)	G5 S1													X	

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 3 - Range-wide or State-wide Imperiled - Moderate Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Carex occidentalis</i> (Western sedge)	G4 (Not in F&G)									X					
<i>Ceanothus prostratus</i> (Mahala mat)	G5 S1	X													
<i>Cleomella plocasperma</i> (Twisted/Alkali cleomella)	G4 SH			X		X									
<i>Collema curtisporum</i> (Short-spored jelly lichen)	G2 S2													X	
<i>Corydalis caseana ssp. hastata</i> = <i>Capnoides hastatum</i> (Case's corydalis)	G5T3 S3														X
<i>Cryptantha breviflora</i> (Uinta Basin cryptantha)	G4 (Not in F&G)										X				
<i>Cuscuta denticulata</i> (Sepal-tooth dodder)	G5G4 S1									X					
<i>Cymopterus acaulis</i> var. <i>greeleyorum</i> (Greeley's wavewing)	G5T2 S2			X	X	X									
<i>Cypripedium fasciculatum</i> (Clustered lady's-slipper)	G4 S3													X	
<i>Dermatocarpon lorenzianum</i> (Silver-skin lichen)	G2 S1	X													

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 3 - Range-wide or State-wide Imperiled - Moderate Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Dimeresia howellii</i> (Doublet)	G4 S2			X	X							X			
<i>Downingia insignis</i> (Harlequin calicoflower, Parti-color Downingia)	G4 S1				X										
<i>Epipactis gigantea</i> (Chatterbox orchid, Stream orchid)	G4 S3	X		X	X	X	X		X	X					X
<i>Ericameria discoidea</i> var. <i>winwardii</i> = <i>Ericameria winwardii</i> (Windward's goldenbush)	G4G5 T1										X				
<i>Eriogonum desertorum</i> (Great Basin desert buckwheat)	G3Q (Not in F&G)										X				
<i>Eriogonum ochrocephalum</i> var. <i>calcareum</i> (Calcareous buckwheat)	G5T3 S2	X			X	X									
<i>Eriogonum soliceps</i> (Railroad Canyon buckwheat)	G2 S1												X		
<i>Hackelia cronquistii</i> = <i>H. patens</i> (Cronquist's forget-me-not)	G2 S1	X													
<i>Hackelia ophiobia</i> (Owyhee forget-me-not, Owyhee River stickseed)	G3 S2			X	X										
<i>Haplopappus insecticruris</i> = <i>H. integrifolius</i> (Bug-leg goldenweed, Wholeleaf goldenweed)	G3 S3								X						

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 3 - Range-wide or State-wide Imperiled - Moderate Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Ipomopsis polycladon</i> = <i>Gilia polycladon</i> (Spreading gilia)	G4 S2			X	X	X				X					
<i>Lepidium davisii</i> = <i>L. montanum</i> (Davis' peppergrass)	G3 S3	X		X	X	X	X								
<i>Linanthus glabrum</i> = <i>Leptodactylon glabrum</i> (Bruneau River phlox)	G2 S2			X		X									
<i>Lomatogonium rotatum</i> (Marsh felwort)	G5 S1									X		X	X		
<i>Orobanche pinorum</i> (Pine broomrape)	G4 S2													X	
<i>Orthotrichum hallii</i> (Hall's orthotrichum/moss)	G5 S1														X
<i>Penstemon idahoensis</i> (Idaho penstemon)	G2 S2						X								
<i>Penstemon janishiae</i> (Janish's penstemon)	G4 S2			X	X	X									
<i>Penstemon lemhiensis</i> = <i>P. speciosus</i> ssp. <i>lemhiensis</i> (Lemhi penstemon)	G3 S3												X		
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i> = <i>Pityrogramma triangularis</i> (Goldback fern)	G5T5 S1														X
<i>Peraphyllum ramosissimum</i> (Indian apple, Wild Crab apple)	G4 S2	X													

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 3 - Range-wide or State-wide Imperiled - Moderate Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Phacelia lutea</i> var. <i>calva</i> (Malheur Yellow Phacelia)	G4T3 S3				X										
<i>Physaria didymocarpa</i> var. <i>lyrata</i> (Idaho twinpod, Salmon Twin bladderpod)	G5T1 S1												X		
<i>Piptatherum micranthum</i> = <i>Oryzopsis micrantha</i> (Small-flowered ricegrass)	G5 S1									X					
<i>Psathyrotes annua</i> = <i>Bulbostylis annua</i> (Turtleback, Annual Brittlebrush)	G5 S2	X	X	X	X										
<i>Pyrrocoma linearis</i> = <i>Haplopappus uniflorus</i> var. <i>howellii</i> (Thinleaf goldenhead)	G4 (Not in F&G)			X	X										
<i>Pyrrocoma radiata</i> = <i>Haplopappus raidatus</i> (Snake River goldenweed)	G3 S3	X													
<i>Rhizoplaca idahoensis</i> (White grouse pellet lichen)	G1 S1									X		X	X		
<i>Salix pseudomonticola</i> (False mountain willow)	G4G5 S1												X		
<i>Sedum valens</i> (Canyon sedum)	G2S2														X
<i>Spiranthes porrifolia</i> = <i>S. romanzoffiana</i> var. <i>porrifolia</i> (Western ladies' tresses)	G4 S1														X

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 3 - Range-wide or State-wide Imperiled - Moderate Endangerment	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Sporobolus compositus</i> var. <i>compositus</i> = <i>S. asper</i> (Tall Dropseed)	G5 S1								X						
<i>Thalictrum dasycarpum</i> = <i>T. hypoglaucom</i> (Purple meadow-rue)	G5 S2												X		
<i>Thelypodium repandum</i> (Wavy-leaf thelypody)	G3 S3										X	X			
<i>Trifolium plumosum</i> var. <i>amplifolium</i> (Plumed clover)	G4T2 S2	X												X	
<i>Thelypteris nevadensis</i> (Sierra wood-fern)	G4 S1												X		
<i>Townsendia scapigera</i> (Scapose townsendia, tufted Townsend daisy)	G4G5 S1						X								
<i>Waldsteinia idahoensis</i> (Idaho barren strawberry)	G3 S3													X	

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 4- These species that are generally rare in Idaho with small populations or localized distribution and currently have low threat levels. However, due to the small populations and habitat area, certain future land uses in close proximity could significantly jeopardize these species.

Type 4- Species of Concern	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Agoseris lackschewitzii</i> (Pink agoseris, Mill Creek agoseris)	G4 S2												X		
<i>Allium anceps</i> (Two-headed onion)	G4 S2					X	X			X					
<i>Allium tolmiei</i> var. <i>persimile</i> (Tolmie's onion)	G4T3 S3														X
<i>Allotropa virgata</i> (Candystick)	G4 S3														X
<i>Astragalus atratus</i> var. <i>inseptus</i> (Mourning milkvetch)	G4G5 T3 S3	X							X						
<i>Astragalus bisulcatus</i> var. <i>bisulcatus</i> (Two-grooved milkvetch)	G5T5 S2									X			X		
<i>Astragalus conjunctus</i> (Stiff milkvetch, Idaho milkvetch)	G4 S2				X										
<i>Astragalus gilviflorus</i> (Tufted milkvetch, Plains milkvetch)	G5S2									X					
<i>Astragalus leptaleus</i> (Park milkvetch)	G4 S3											X	X		
<i>Astragalus microcystis</i> (Least bladdery milkvetch)	G5 SH													X	
<i>Astragalus newberryi</i> var. <i>castoreus</i> (Newberry's milkvetch)	G5T5 S2			X	X	X	X								
<i>Astragalus purshii</i> var. <i>ophiogenes</i> = <i>A. ophiogenes</i> (Snake River milkvetch)	G5T3 S3	X		X	X	X			X						
<i>Astragalus riparius</i> (Piper's milkvetch)	G2 SX												X		

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 4- Species of Concern	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Astragalus tetrapterus</i> = <i>A. cinerascens</i> , <i>A. tetrapterus</i> (Four-wing milkvetch)	G4G5 S1				X	X	X								
<i>Blechnum spicant</i> = <i>Lomaria spicant</i> (Deer fern)	G5 S3													X	X
<i>Calandrinia ciliata</i> (Fringed redmaids)	G4 (Not in F&G)								X						
<i>Camassia cusickii</i> (Cusick's camas)	G4 S2	X													
<i>Camissonia pterosperma</i> = <i>Oenothera pterosperma</i> (Winged-seed evening primrose)	G4 S2				X					X					
<i>Carex hendersonii</i> (Henderson's sedge)	G5 S3													X	
<i>Carex livida</i> (Pale sedge)	G5 S2												X		
<i>Carex tumulicola</i> (Foothill sedge, Splitawn sedge)	G4 (Not on F&G)				X						X				
<i>Catapyrenium congestum</i> = <i>Heteroplacidium congestum</i> (Earth lichen)	G4 S2	X		X	X	X									
<i>Cercocarpus montanus</i> (Birchleaf mountain-mahogany)	G5 S2 1										X				
<i>Chaenactis stevioides</i> (Desert pincushion)	G5 S2	X		X	X	X									

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 4- Species of Concern	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Cicuta bulbifera</i> (Bulb-bearing water hemlock)	G5 S2													X	
<i>Claytonia multiscapa</i> var. <i>flava</i> = <i>C. lanceolata</i> var. <i>multiscapa</i> (Lancefeaf springbeauty)	G4 S1									X					
<i>Cryptantha caespitosa</i> (Tufted cryptantha)	G4 (Not in F&G)										X				
<i>Cryptantha propria</i> = <i>Oreocarya propria</i> (Malheur cryptantha)	G4 (Not in F&G)	X			X										
<i>Cryptantha sericea</i> = <i>Oreocarya sericea</i> (Silky cryptantha)	G4 SNA										X				
<i>Cymopterus ibapensis</i> = <i>Epallageiton ibapensis</i> (Ibapah springparsley)	G4 (Not in F&G)									X	X		X		
<i>Cyperus rivularis</i> = <i>C. bipartitus</i> (Shining flat sedge)	G5 S2	X													
<i>Damasonium californicum</i> = <i>Machaerocarpus californicus</i> (California damasonium)	G4 S2			X	X	X									
<i>Downingia bacigalupii</i> (Bacigalupi's downingia, Bach's calicoflower)	G4 S2			X	X				X						
<i>Draba globosa</i> = <i>D. apiculata</i> (Pointed draba, Beavertip draba)	G3 S2											X			

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 4- Species of Concern	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Epilobium palustre</i> (Swamp willow-herb)	G5 S3									X				X	X
<i>Ericameria bloomeri</i> = <i>Haplopappus bloomeri</i> (Rabbitbrush goldenweed, Bloomer's goldenweed)	G4 (Not in F&G)				X										
<i>Eriogonum shockleyi</i> var. <i>packardiae</i> (Packard's buckwheat)	G5T2 S2	X	X	X	X	X									
<i>Eriogonum shockleyi</i> var. <i>shockleyi</i> (Shockey's matted buckwheat, Matted Cowpie buckwheat)	G5T4 S2			X		X									
<i>Eryngium articulatum</i> (Bee thistle)	G5 SNR													X	
<i>Escobaria vivipara</i> var. <i>vivipara</i> = <i>Coryphantha vivipara</i> (Cushion cactus/spinystar)	G5 S2				X					X			X		
<i>Glyptopleura marginata</i> (White-margined wax plant)	G4G5 S3	X		X	X	X	X								
<i>Halimolobos perplexa</i> var. <i>perplexa</i> (Puzzling halimolobos)	G4T3 S3														X
<i>Hymenoxys cooperi</i> var. <i>canescens</i> = <i>Actinea canescens</i> (Cooper's rubber-plant)	G4G5 T4 S?										X				
<i>Hypericum majus</i> = <i>H. canadense</i> var. <i>majus</i> (Large Canadian St. John's wort)	G5 S3													X	
<i>Juncus tweedyi</i> (Tweedy's rush)	G3Q (Not in F&G)													X	

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 4- Species of Concern	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Lepidium integrifolium</i> (Thick-leaf pepperweed)	G2G3 (Not in F&G)									X					
<i>Lesquerella obdeltata</i> (Middle Butte bladderpod)	G1G3 (Not in F&G)									X					
<i>Lewisia sacajawean</i> (Sacajawea's bitterroot)	GNR S2	X													
<i>Lianthus pungens</i> = <i>Leptodactylon pungens ssp. hazeliae</i> (Hazel's phlox, Granite phlox)	G5T2Q S2														X
<i>Lupinus uncialis</i> (Inch-high lupine)	G4 S2			X	X										
<i>Mentzelia congesta</i> (United blazingstar)	G5 (Not in F&G)								X						
<i>Mimulus clivicola</i> = <i>Eunanus clivicola</i> (Bank monkey-flower)	G4 S3												X	X	
<i>Mimulus evanescens</i> (Disappearing monkey-flower)	G2 S1			X	X										
<i>Mimulus hymenophyllus</i> (Thin-sepal monkey-flower)	G1 S1														X
<i>Muhlenbergia racemosa</i> (Wild timothy, Marsh Muhly)	G5 (Not in F&G)									X	X				
<i>Nassella viridula</i> = <i>Stipa viridula</i> (Green needlegrass)	G5 (Not in F&G)									X	X				
<i>Nemacladus rigidus</i> (Rigid threadbush)	G4 S2			X	X	X									

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 4- Species of Concern	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Oxytropis besseyi</i> var. <i>salmonensis</i> = <i>O. nana</i> var. <i>salmonensis</i> (Challis crazyweed)	G5T3 S3											X	X		
<i>Paronychia sessiliflora</i> (Creeping nailwort)	G5 (Not in F&G)									X					
<i>Pediocactus nigrispinus</i> (Snowball cactus)	G4 (Not in F&G)														X
<i>Pediocactus simpsonii</i> (Simpson's hedgehog cactus)	G4 S3			X	X	X	X		X						X
<i>Penstemon seorsus</i> (Short-lobed penstemon)	G4 (Not on F&G)				X										
<i>Peteria thompsoniae</i> = <i>P. nevadensis</i> (Spine-noded milkvetch)	G4 S2			X		X									
<i>Picea glauca</i> = <i>P. Canadensis</i> (White spruce)	G5 S1									X			X		
<i>Primula cusickiana</i> A/complex (Cusick's primrose)	G4 (Not in F&G)	X							X						
<i>Salicornia rubra</i> = <i>S. europaea</i> (Red glasswort)	G4 S2										X				
<i>Salix candida</i> (Hoary willow)	G5 S2									X	X	X	X	X	

Idaho BLM Special Status Plants

SAF 7 Sept. 2011

Type 4- Species of concern	Global /State Rank	Boise District				Twin Falls District				Idaho Falls District				Cd'A District	
		FR	BOP	BR	OW	JA	BU	CM NM	SH	US	PO	CH	SA	Cd'A	CO
<i>Silene scaposa</i> var. <i>lobata</i> (Lost River silene)	G4 S3									X					
<i>Solidago spectabilis</i> (Basin goldenrod)	G4 (Not in F&G)				X										
<i>Symphotrichum boreale</i> = <i>Aster junciformis</i> (Rush aster)	G5 S2									X		X	X		
<i>Teucrium canadense</i> var. <i>occidentale</i> (American wood sage, Western Germander)	G5T5 S2	X		X	X	X									
<i>Thelypodium laciniatum</i> var. <i>streptanthoides</i> (Purple thick-leaved thelypody)	G5T4Q S2														X
Totals:		32	4	29	46	24	10	0	13	36	16	16	26	20	35