

Table 2a. Amphibian museum records for Benewah, Bonner, Kootenai, and Shoshone counties, Idaho (Northern Intermountain Herpetological Database).

| RECORD NUMBER | MUSEUM | FAMILY | GENUS | SPECIES | COUNTY | LOCALITY | UTM Easting (km) | UTM Northing (km) | DAY | MONTH | YEAR | COLLECTOR | REMARKS |
|---------------|--------|----------------|-----------|------------|----------|--|------------------|-------------------|-----|-----------|------|-------------|--|
| 5591 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5592 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5593 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5594 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5595 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5596 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5597 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5598 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5599 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5600 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5601 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5602 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5603 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5604 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5605 | UINMH | Plethodontidae | Plethodon | idahoensis | Kootenai | NE corner Coeur d'Alene Lake, south shore Wolf Bay Lodge, 2160 ft elev | 521.413 | 5274.214 | 13 | May | 1961 | James Kezer | |
| 5607 | UF | Plethodontidae | Plethodon | idahoensis | Kootenai | Coeur d'Alene Lake, Wolf Lodge Bay. | 525.071 | 5273.743 | 15 | May | 1955 | C.Dumas | 8080-1 cleared and stained; 8080-2 alcoholic. Topotypes. old #RH122. |
| 5661 | CRCM | Plethodontidae | Plethodon | idahoensis | Kootenai | Lake Coeur d'Alene | 515.745 | 5270.761 | 9 | June | 1952 | Don Dunlap | pickled, Det. D.M. Cochran |
| 5662 | CRCM | Plethodontidae | Plethodon | idahoensis | Kootenai | Lake Coeur d'Alene | 515.745 | 5270.761 | 8 | Sept. | 1953 | Don Dunlap | Wolf Lodge Bay |
| 3096 | MCZ | Plethodontidae | Plethodon | vandykei | Kootenai | near Coeur | 516.710 | 5281.246 | | | | none | |
| 3457 | UIM | Plethodontidae | Plethodon | vandykei | Benewah | 5.5 mi. SW of Emida | 525.369 | 5212.370 | 28 | September | 1968 | P. Dumas | adult; T43N R3W NE1/4 |
| 3985 | UIM | Plethodontidae | Plethodon | vandykei | Benewah | unnamed cr. trib. St. Joe R., adjacent to Ahns Gulch | 546.881 | 5241.365 | 30 | September | 1987 | C. Groves | subadult T46N R1E S7 |
| 12 | AMNH | Plethodontidae | Plethodon | vandykei | Kootenai | Coeur d'Alene Lake. | | | | | | | |

Table 2a. Amphibian museum records for Benewah, Bonner, Kootenai, and Shoshone counties, Idaho (Northern Intermountain Herpetological Database).

| RECORD NUMBER | MUSEUM | FAMILY | GENUS | SPECIES | COUNTY | LOCALITY | UTM Easting (km) | UTM Northing (km) | DAY | MONTH | YEAR | COLLECTOR | REMARKS |
|---------------|--------|----------------|------------------|-----------------|----------|---|------------------|-------------------|-----|-----------|------|-------------------------------|--|
| 1893 | CM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 0.5 Mi Sw Jct I-40 & Id-97, Along S Shore Wolf Lodge Bay" | 526.173 | 5273.688 | | | | G And M | GEORGE JACOBS COLLECTION. "LOCATION ON LAKE COEURDALENEON TALLUS SLOPE OF NW HILLSIDE. |
| 1894 | CM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 0.5 Mi Sw Jct I-40 & Id-97, Along S Shore Wolf Lodge Bay" | 526.173 | 5273.688 | | | | G And M | GEORGE JACOBS COLLECTION. "LOCATION ON LAKE COEURDALENEON TALLUS SLOPE OF NW HILLSIDE. |
| 2035 | FMNH | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Coeur D'alene | 516.710 | 5281.246 | | | | | |
| 2079 | IMNH | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 5 miles from jct. of Alt. 95 and Int. 90 | 522.350 | 5272.680 | 25 | April | 1962 | | |
| 2080 | IMNH | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 5 miles from jct. of Alt. 95 and Int. 90 | 522.350 | 5272.680 | 25 | April | 1962 | | |
| 2081 | IMNH | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 5 miles from jct. of Alt. 95 and Int. 90 | 522.350 | 5272.680 | 25 | April | 1962 | | |
| 2082 | IMNH | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 5 miles from jct. of Alt. 95 and Int. 90 | 522.350 | 5272.680 | 25 | April | 1962 | | |
| 2083 | IMNH | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 5 miles from jct. of Alt. 95 and Int. 90 | 522.350 | 5272.680 | 25 | April | 1962 | | |
| 2084 | IMNH | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 5 miles from jct. of Alt. 95 and Int. 90 | 522.350 | 5272.680 | 25 | April | 1962 | | |
| 2085 | IMNH | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | 5 miles from jct. of Alt. 95 and Int. 90 | 522.350 | 5272.680 | 25 | April | 1962 | | |
| 3006 | LACM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Coeur d'Alene | 516.710 | 5281.246 | 15 | April | 1960 | J. W. Knudson | |
| 3046 | LACM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Lake Coeur d'Alene, So. shore beauty Bay | 523.961 | 5273.087 | 15 | April | 1966 | D. R. Paulson, R. A. Nussbaum | |
| 3128 | UCM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Wolf Lodge Bay, Coeur d'Alene Lake | 525.430 | 5274.040 | 15 | May | 1955 | | |
| 3130 | UCM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, Coeur d'Alene Lake | 524.279 | 5273.075 | 5 | May | 1955 | | |
| 3229 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Wolf Lodge Bay, Coeur d'Alene Lake | 525.430 | 5274.040 | 17 | September | 1985 | P. Dumas | collection missing; T49N, R3W |
| 3239 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Wolf Lodge Bay, Coeur d'Alene Lake | 525.430 | 5274.040 | 24 | September | 1987 | P. Dumas | collecting missing; T49N, R3W |
| 3249 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Wolf Lodge Bay, Lake Coeur d'Alene | 525.430 | 5274.040 | 03 | May | 1985 | P. Dumas | adult T49N R3W |
| 3307 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, Coeur d'Alene Lake | 524.279 | 5273.075 | 15 | September | 1968 | P. Dumas | collection missing; T49N, R3W, S11 |
| 3629 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, south shore, Lake Coeur d'Alene | 524.279 | 5273.075 | 11 | May | 1968 | R. Wallace | adult; T49N R3W S11 |
| 3709 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, Lake Coeur d'Alene | 524.279 | 5273.075 | 01 | June | 1969 | R. Wallace | adult; some juveniles; T49N, R3W, S11 |
| 3832 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, Lake Coeur d'Alene | 524.279 | 5273.075 | 02 | October | 1969 | R.L. Wallace | Adult; 3 Subadults; T49N, R3W, S11 |
| 3839 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, 3.8 mi on Hwy 95A, Lake Coeur d'Alene | 545.112 | 4772.869 | 05 | June | 1971 | E. Brodie Jr. & J. Briggs | Subadult; 1 Adult; R49N, R3W, S11 |
| 3846 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, Lake Coeur d'Alene | 524.279 | 5273.075 | 20 | May | 1976 | R.L. Wallace | subadult; 1 adult; T49N, R3W, S11 |
| 3860 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, Lake Coeur d'Alene (damp area near stream) | 524.279 | 5273.075 | 17 | September | 1978 | R.L. Wallace | Adult; 7 Subadult; T49N, R3W, S11 |
| 3884 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Bay, Lake Coeur d'Alene | 524.279 | 5273.075 | 17 | September | 1978 | R.L. Wallace | adult; 10 Subadult; T49N, R3W, S11 |
| 3920 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Creek, north Coeur d'Alene Lake (substrate frozen at 2' depth) | 524.279 | 5273.075 | 12 | April | 1980 | R. Wallace & J. Lynch | adult; 2 subadults; T49N, R2W, S18-19 |
| 3921 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Wolf Lodge Bay near type locality, Coeur d'Alene Lake | | | 25 | June | 1978 | R. Wallace & J. Lynch | adult; 3 subadult; T49N, R3W, S1 |

Table 2a. Amphibian museum records for Benewah, Bonner, Kootenai, and Shoshone counties, Idaho (Northern Intermountain Herpetological Database).

| RECORD NUMBER | MUSEUM | FAMILY | GENUS | SPECIES | COUNTY | LOCALITY | UTM Easting (km) | UTM Northing (km) | DAY | MONTH | YEAR | COLLECTOR | REMARKS |
|---------------|--------|----------------|------------------|--------------------|----------|--|------------------|-------------------|-----|-----------|------|-----------------------|--|
| 3922 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Unnamed Creek, north Beauty Bay Coeur d'Alene Lake | 523.665 | 5272.096 | 15 | May | 1955 | R. Wallace & J. Lynch | adult; T49N R3W S11 |
| 3923 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Along road by Beauty Bay (black morph site) | 524.279 | 5273.075 | 23 | October | 1977 | R. Wallace & J. Lynch | adult; 4 subadult; T49N R3W S11 |
| 3924 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Beauty Creek | 525.905 | 5271.374 | 17 | September | 1985 | R.L. Wallace | adult; 1 subadult; T49N, R3W, S11 |
| 3963 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Unnamed Cr. entering Beauty Bay, Coeur d'Alene Lake | 523.665 | 5272.096 | 10 | May | 1986 | J. Howard | subadult; electrophoretic specs.; voucher spec; T49N R3W S11 |
| 3986 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | NF Coeur d'Alene River, 0.6 mi downstream of mouth of LaVerne Cr. | 546.879 | 5282.756 | 05 | June | 1987 | C. Groves | adult; T50N, R1E, S7 |
| 3993 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Cabouse Cr., Kootenai R. Drge. | 565.532 | 5387.758 | 28 | September | 1989 | C. Groves | Adult; T61N R3E S8 |
| 3995 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Skitwish Cr., trib. Marie Cr., Wolf Lodge Cr., C d'Alene Lake | 535.987 | 5280.913 | 20 | April | 1986 | C. Groves | juvenile; T50N R2W S24 |
| 3996 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Kootenai | Marie Cr., trib. Wolf Lodge Cr., Coeur d'Alene Lake | 535.242 | 5277.784 | 10 | May | 1986 | C. Groves | juvenile; T50N R1W S20 |
| 3913 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Siwash Creek, 3 miles east of Avery | 595.066 | 5231.517 | 12 | April | 1980 | R.L. Wallace | adult; T45N R6E S19 |
| 3914 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Along St. Joe River, 12 miles east of Avery | 603.400 | 5232.225 | 12 | April | 1980 | R.L. Wallace | adult; S. side of river; T45N R7E |
| 3955 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Big Creek, 3 miles above Big Creek campground, at end of road, trib. St. Joe River | | | 17 | September | 1985 | R.L. Wallace | Subadult; 6 Subadults, 2 Adults; site originally found by Al Wilson; T46N, R3E, S7 |
| 3956 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Along St. Joe River road, about 9 miles above Calder | 555.061 | 5238.550 | 19 | June | 1985 | R.L. Wallace | Subadult; 3 Adults, 5 Subadults; T45N, R3E |
| 3957 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Siwash Creek, trib. St. Joe River | 592.467 | 5228.635 | 16 | October | 1986 | R.L. Wallace | Subadult; 1 Adult, 4 Subadult; T45N, R6E, S19 |
| 3958 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Along St. Joe River Rd., about 12.2 mi. above Calder | 549.988 | 5241.476 | 21 | March | 1986 | R.L. Wallace | Subadult; 2 Adult, 4 Subadult; T45N, R4E |
| 3977 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | NF St. Joe River, 0.4 mi above mouth (east side of old rd) | 591.303 | 5234.274 | 29 | September | 1987 | C. Groves | adult; 2 adults, 1 juvenile; T45N R5E S11 |
| 3978 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | NF St. Joe River, 1.6 mi above mouth (east side of old rd) | 592.413 | 5235.051 | 29 | September | 1987 | C. Groves | adult; 2 adults, 1 juvenile; T45N R5E S12 |
| 3979 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | St. Joe River Rd., 0.8 mi downstream of mouth of Main Cr. | 608.524 | 5230.161 | 29 | September | 1987 | C. Groves | adult; 4 adults, 1 juvenile; T45N R7E S20 |
| 3980 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | St. Joe River Rd., 1.5 mi above Shady Cr. | | | 29 | September | 1987 | C. Groves | adult; furthest upstream site along St. Joe River; T44N R8E S9N1/2 |
| 3981 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Fishhook Cr., 4.5 mi above mouth, trib. St. Joe River | 587.371 | 5226.155 | 28 | September | 1987 | C. Groves | adult; 1 adult, 4 juveniles; T44N R5E S4NW1/4 |
| 3982 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Marble Cr., 1.3 mi above mouth of Boulder Cr. (St. Joe River Drge) | 573.109 | 5229.746 | 27 | September | 1987 | C. Groves | subadult; T45N R3E S25NW1/4 |
| 3983 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | St. Joe River Rd., 4.2 mi above mouth of Marble Cr. | 569.030 | 5235.407 | 30 | September | 1987 | C. Groves | adult; seep, s. side of road; T45N R4E S16 |
| 3984 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | St. Joe River Rd., 2.3 mi above Avery Ranger Station | 587.167 | 5233.218 | 30 | September | 1987 | C. Groves | adult; seep, s side of rd.; T45N R5E S7 |
| 3987 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Coeur d'Alene River, 2.6 mi above Kit Price Campground | | | 15 | May | 1989 | C. Groves | adults; T51N, R3E, S23 |
| 3988 | UIM | Plethodontidae | <i>Plethodon</i> | <i>vandykei</i> | Shoshone | Coeur d'Alene River, 0.3 mi about mouth Cardinal Cr. | | | 03 | October | 1989 | C. Groves | adult; one juvenile; T52N, R3E, S28 |
| 3350 | UIM | Ranidae | <i>Rana</i> | <i>calesbeiana</i> | Kootenai | Black Lake | 525.605 | 5254.840 | 21 | May | 1967 | D. Gayman | adult |
| 3351 | UIM | Ranidae | <i>Rana</i> | <i>calesbeiana</i> | Kootenai | Fernan Lake | 520.720 | 5279.931 | 01 | September | 1967 | anon. | adult |
| 4826 | CPS | Ranidae | <i>Rana</i> | <i>calesbeiana</i> | Kootenai | Harrison | 515.088 | 5255.563 | 13 | September | 1939 | JRS | Tadpoles |
| 4912 | CPS | Ranidae | <i>Rana</i> | <i>calesbeiana</i> | Kootenai | 2 mi. N of Harrison | 515.143 | 5258.745 | 13 | September | 1939 | JRS | |

Table 2a. Amphibian museum records for Benewah, Bonner, Kootenai, and Shoshone counties, Idaho (Northern Intermountain Herpetological Database).

| RECORD NUMBER | MUSEUM | FAMILY | GENUS | SPECIES | COUNTY | LOCALITY | UTM Easting (km) | UTM Northing (km) | DAY | MONTH | YEAR | COLLECTOR | REMARKS |
|---------------|--------|---------|-------------|-------------------|----------|---|------------------|-------------------|-----|-----------|------|--------------------|--|
| 4690 | USNM | Ranidae | <i>Rana</i> | <i>calesbiana</i> | Kootenai | Coeur d'Alene Lake, NE end of Wolf Lodge Bay. | 522.733 | 5274.030 | 26 | August | 1968 | Jacobs, Douglas B. | "Nature: wet. In collection." Collection #V 134. Donated by Jacobs, George J. Accession #362095. |
| 3608 | UIM | Ranidae | <i>Rana</i> | <i>pipiens</i> | Bonner | none | 532.944 | 5346.832 | 18 | May | 1964 | J. Waitz | adult1 subadult; actual collection date is May 1958 |
| 3908 | UIM | Ranidae | <i>Rana</i> | <i>pipiens</i> | Bonner | Cocolalla | 528.595 | 5327.941 | 17 | June | 1955 | J. Keating | larvae |
| 4691 | USNM | Ranidae | <i>Rana</i> | <i>pipiens</i> | Bonner | Sandpoint | 533.303 | 5347.792 | 20 | September | 1892 | Not Verified | "Nature: wet. Presence not verified." Accession #027718. |
| 4694 | USNM | Ranidae | <i>Rana</i> | <i>pipiens</i> | Bonner | Hope, near Lake Pend Oreille | 551.477 | 5343.927 | 1 | July | 1896 | Not Verified | "Nature: wet. Presence not verified." Donated by Bureau of Fisheries. |
| 4695 | USNM | Ranidae | <i>Rana</i> | <i>pipiens</i> | Bonner | Lake Pend d'Oreille, Baird Island | | | 15 | July | 1896 | Not Verified | "Nature: wet. Presence not verified." Donated by Bureau of Fisheries. |
| 4907 | CPS | Ranidae | <i>Rana</i> | <i>Pipiens</i> | Bonner | 5 mi NE of Sand Point | 539.912 | 5351.538 | 11 | September | 1939 | JRS | CPS database record has "R.p pipiens." |
| 5647 | CRCM | Ranidae | <i>Rana</i> | <i>pipiens</i> | Bonner | Clark Fork | 561.236 | 5332.739 | 30 | July | 1947 | G.F. Jones | pickled; Don. by Gardiner Jones; #47-45 |
| 41 | AMNH | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Benewah | Calder Ranger Station; +/- 3000' | 561.506 | 5235.861 | | | | | |
| 3678 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Benewah | Emerald Creek | 502.583 | 5196.244 | 10 | August | 1955 | E. Howard | adult |
| 3711 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Benewah | Mannering Creek, 12 miles N of Harvard | 525.066 | 5211.416 | 20 | April | 1964 | R. Wallace | adult |
| 4820 | MSUM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Benewah | 5 mi. SW of Emida. | 524.638 | 5212.002 | 30 | April | 1975 | Fitzner, R. E. | |
| 4908 | CPS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Benewah | Hangman near Tensad | 505.575 | 5222.449 | 12 | September | 1939 | JRS | CPS database record has "R.p.pretiosa." |
| 5038 | MVZ | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Benewah | 1 MI N OF CO. LINE ON U.S. ALT. 95 | 509.723 | 5209.217 | 14 | August | 1962 | WINOKUR R.M. | |
| 3019 | LACM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | 2 miles E Nordman (W of Priest Lake) | 506.987 | 5385.902 | 17 | September | 1969 | D. Howell | |
| 3020 | LACM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Priest River at Dickensheet Campground just S of Priest | 507.470 | 5366.191 | 10 | September | 1969 | D. Howell | |
| 3021 | LACM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Kalispell Creek, 3 miles S Nordman, W Priest Lake | 502.378 | 5382.911 | | September | 1969 | D. Howell | |
| 3022 | LACM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Reeder Creek, 2 miles W Nordman, W Priest Lake | 500.902 | 5386.317 | 16 | September | 1969 | | |
| 3023 | LACM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Chase Lake (S. of Priest Lake) | 512.789 | 5367.207 | 10 | September | 1969 | | |
| 3044 | LACM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Reeder Creek, 2 miles W Nordman, 2700' | 500.902 | 5386.317 | 8 | August | 1974 | D. Howell | |
| 3055 | LACM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | 2.5 miles W Nordman | 498.357 | 5385.956 | 26 | August | 1976 | D. Howell | |
| 3262 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Mirror Lake | 537.199 | 5334.462 | 19 | August | 1958 | J. Waitz | adult |
| 3264 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Mirror Lake | 537.199 | 5334.462 | 19 | August | 1955 | J. Waitz | adult |
| 3516 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Mirror Lake | 537.199 | 5334.462 | 28 | June | 1955 | J. Waitz | adult; actual collection date is May 1958 |
| 3518 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | 2 miles E of Coolin, Lamb Creek | 514.429 | 5369.520 | 04 | May | 1954 | P. Dumas | adult |
| 3584 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Mirror Lake | 537.199 | 5334.462 | 23 | February | 1958 | P. Dumas | collection missing |
| 3727 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | 7 miles NW of Priest River | 552.431 | 4781.973 | 06 | April | 1964 | R. Lee | adult |
| 3728 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Priest River | 506.849 | 5336.359 | 22 | August | 1956 | L. Brown | adult1 subadult |
| 3732 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | 2 miles E of Priest River | 509.678 | 5336.230 | 22 | April | 1956 | B. Barns | adult |

Table 2a. Amphibian museum records for Benewah, Bonner, Kootenai, and Shoshone counties, Idaho (Northern Intermountain Herpetological Database).

| RECORD NUMBER | MUSEUM | FAMILY | GENUS | SPECIES | COUNTY | LOCALITY | UTM Easting (km) | UTM Northing (km) | DAY | MONTH | YEAR | COLLECTOR | REMARKS |
|---------------|--------|---------|-------------|-----------------|----------|---|------------------|-------------------|-----|-----------|------|---------------------------------|--|
| 3739 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | 7 miles NW of Priest River | 500.208 | 5344.807 | 23 | August | 1958 | Spurgeon | adult |
| 3746 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | 3 miles NW of Priest River | 503.479 | 5340.140 | 28 | October | 1953 | B. Vedder | adult |
| 3768 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Priest River | 506.849 | 5336.359 | 28 | June | 1955 | B. Vedder | subadult |
| 3960 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Kaniku Marsh S of Coolin | 511.777 | 5368.686 | 20 | April | 1990 | P. Lindeman | adult |
| 3961 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Kaniku Marsh S of Coolin | 511.777 | 5368.686 | 20 | April | 1990 | F. Rabe, P. Gier, & P. Lindeman | larva caught in insect activity traps |
| 4247 | UMMZ | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Priest Lake Cavanaugh Bay | 512.293 | 5374.977 | 24 | August | 1950 | R PORTER AND A SCHWARTZ | |
| 4702 | USNM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Sandpoint | 533.303 | 5347.792 | 20 | September | 1892 | Not Verified | "Nature: wet. Presence not verified." Accession #027718 for all specimens. |
| 4703 | USNM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Sandpoint | 533.303 | 5347.792 | 7 | August | 1893 | Not Verified | "Nature: wet. Presence not verified." Accession #028136 for all specimens. |
| 4710 | USNM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Hope, near. Lake Pend d'Oreille | 551.477 | 5343.927 | 13 | July | 1896 | Not Verified | "Nature: wet. Presence not verified." Donated by Bureau of Fisheries. |
| 4874 | CPS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Luby Bay at Priest Lake | 505.730 | 5375.988 | 9 | September | 1939 | JRS | CPS database record has "R.p. pretiosa." |
| 4974 | MVZ | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | 5 MI W COCOLALLA | 520.155 | 5327.478 | 26 | July | 1932 | MILLER A.H. | |
| 300 | CAS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Sand Point | 532.944 | 5346.832 | 21 | August | 1893 | Gilbert & Jenkins | |
| 301 | CAS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Coeur d'Alene Lake | | | 21 | August | 1893 | Gilbert & Jenkins | Exc. to CAS |
| 302 | CAS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Coeur d'Alene Lake | | | 24 | June | 1894 | Gilbert & Jenkins | Exc. to CAS |
| 332 | CAS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Mt. Carlton | | | 4 | July | 1894 | J.D. Snyder | |
| 333 | CAS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Mt. Carlton | | | 2 | July | 1894 | J.D. Snyder | |
| 334 | CAS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Mt. Carlton | | | 26 | July | 1894 | J.D. Snyder | |
| 481 | CAS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Coeur d'Alene Lake | | | | | | Gilbert & Jenkins | Lost in the earthquake and fire of 1906. |
| 482 | CAS | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Coeur d'Alene Lake | | | 14 | August | 1949 | Gilbert & Jenkins | Lost in the earthquake and fire of 1906. |
| 3724 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Fernan Lake | 520.708 | 5280.143 | 10 | August | 1955 | anonymous | adult |
| 4704 | USNM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Kootenai | Coeur d'Alene Lake | 515.745 | 5270.761 | 21 | August | 1893 | Not Verified | "Nature: wet. Presence not verified." Accession #028136 for both specimens |
| 3185 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | 10 miles SE of Avery | 603.623 | 5218.885 | 23 | August | 1958 | J. Waitz | adult |
| 3266 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | Dismal Lake, 10 miles SE of Avery | 603.623 | 5218.885 | 26 | May | 1962 | J. Waitz | adult |
| 3422 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | Dismal Lake, 10 mi. SE of Avery | 482.875 | 4916.127 | 08 | April | 1966 | P. Dumas | collection missing |
| 3574 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | 23 miles E of St. Maries, St. Joe River | 557.527 | 5235.661 | 04 | June | 1956 | P. Dumas | adult |
| 3589 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | 10 miles SE of Avery, Dismal Lake | 501.308 | 5318.107 | 28 | April | 1962 | P. Dumas | adult |
| 3626 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | 10 miles SE of Avery, Dismal Lake | 603.623 | 5218.885 | 07 | May | 1955 | P. Dumas | adult |
| 3690 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | 23 mi. E of St. Maries, along St. Joe River | 502.583 | 5196.244 | 28 | October | 1953 | Garrett | collection missing |
| 3805 | UIM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | 23 miles E of St. Maries | 557.527 | 5235.661 | 04 | May | 1955 | N. Garrett | subadult |

Table 2a. Amphibian museum records for Benewah, Bonner, Kootenai, and Shoshone counties, Idaho (Northern Intermountain Herpetological Database).

| RECORD NUMBER | MUSEUM | FAMILY | GENUS | SPECIES | COUNTY | LOCALITY | UTM Easting (km) | UTM Northing (km) | DAY | MONTH | YEAR | COLLECTOR | REMARKS |
|---------------|--------|---------|-------------|------------------|----------|-----------------------------------|------------------|-------------------|-----|--------|------|-------------|--|
| 4713 | USNM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | Thompson Pass | | | 5 | August | | Bailey, V. | "Nature: wet. Presence not verified." Accession #052687. Year of Collection not given; collector questionable. Donated by Biological Survey. |
| 4976 | MVZ | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | GLIDDEN LAKES | | | 24 | July | 1932 | MILLER A.H. | |
| 4977 | MVZ | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | GLIDDEN LAKES | | | 24 | July | 1932 | MILLER A.H. | |
| 4982 | MVZ | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | GLIDDEN LAKES | | | 24 | July | 1932 | ORR R.T. | |
| 4987 | MVZ | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | GLIDDEN LAKES | | | 23 | July | 1932 | ORR R.T. | |
| 4988 | MVZ | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Shoshone | GLIDDEN LAKES | | | 24 | July | 1932 | ORR R.T. | |
| 5646 | CRCM | Ranidae | <i>Rana</i> | <i>pretiosa</i> | Bonner | Warren Isl, Lake Pend Oreille | 550.001 | 5342.656 | 21 | July | 1947 | G.F. Jones | pickled; Don. by Gardner Jones; #47-46 |
| 3028 | LACM | Ranidae | <i>Rana</i> | <i>sylvatica</i> | Bonner | Reader Creek, 2.5 miles W Nordman | 500.902 | 5386.317 | 6 | July | 1970 | D. Howell | |
| 3031 | LACM | Ranidae | <i>Rana</i> | <i>sylvatica</i> | Bonner | Priest Lake | 510.098 | 5383.208 | 8 | July | 1970 | D. Howell | |