

Mineral Survey No. 2748

Claims	M & B Desc. Pg. 9	Improvements Pg. 25	Loc. Notices
Advance	11	25	11
America	7	25	14
Arizona	17	27	9
Boston	12	26	21
Blue Bird	4	24	15
Butte	6	24	5
Copper Flat	14	26	7
Copper Hill	10	25	17
Daisy	13	26	12
Gila	11	25	16
Growler	7	24	13
Hawk	5	24	8
Liberty	19	28	6
Lincoln	1	23	23
Madison	19	28	1
Maggie	20	29	24
Munroe	2	23	25
Palo Verde	2	23	3
Portland	18	28	2
Quail	3	24	22
Thrush	15	27	14
Treasury	8	25	18
Tuesday	16	27	10
Washington	15	27	20
Wednesday	21	29	19
Yellow Hammer			26

4-683.

MINERAL SURVEY No. 2748

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Colonial Copper Company

KNOWN AS THE MADISON, PORTLAND, PALO VERDE, THRUSH, BUTTE, LIBERTY, COPPER FLAT HAWK, ARIZONA, TUESDAY, ADVANCE, DAISY, GROWLER, AMERICA, BLUE BIRD, GILA, COPPER HILL, TREASURY, WEDNESDAY, WASHINGTON, BOSTON, QUAIL, LINCOLN, MAGGIE, MUNROE, and YELLOW HAMMER.

Growler Mining District,

Pima County, Arizona

Approximately in Sections unsurveyed, Township 14 S., Range 7 W.

G. & S. R. B. & M.

Surveyed under instructions dated Dec. 1, 19 09.

by F. A. Bordwell U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced Dec. 2, 19 09.

Survey completed Dec. 24, 19 09.

6-822

Address

Walter Bennett, atty. for claimant, Phoenix, Arizona.

SURVEY NO. 2748.	
MADISON LODE.	
Feet.	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.1, Arizona lode and on line 4-1, Butte lode, both of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-1-2748, whence U.S.L.M.No.2748 bears N.40°51' E. 260.8 ft.
500	Cor.No.4, Butte lode, bears S.13°44' E. 750 ft.
	Thence S.76°16' W. Var.14°00' E.
190	5-ft. wash-course northeast and southwest.
300	Southerly end center monument, identical with location monument and with N.E.C.Mon., Arizona lode, of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-S.E.C.-2748.
450	Bottom steep descent.
600	To Cor.No.2, identical with Cor.of location and with Cor.No.1, Washington lode, Cor.No.1, Boston lode and Cor.No.4, Arizona lode, all of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-2-2748, whence
	An 8" palo verde tree, blazed and scribed B.T.-M-2-2748, bears S.69°54' E. 26.3 ft.
	Thence N.13°44' W. Var.13°45' E.
100	Beginning ascent.
350	Top low ridge.
750	5 ft. wash-course northwest and southeast.
1050	Cor.No.1, Copper Hill lode, and Cor.No.4, Washington lode, both of this survey.
1075	Top low ridge.
1485	5 ft. wash-course north and south.
1500	To Cor.No.3, identical with Cor.of location and with Cor.No.2, Daisy lode and on line 4-1, Copper Hill lode, both of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-3-2748, whence
	Cor.No.4, Copper Hill lode, bears N.13°44' W. 500 ft.
	An 8" palo verde tree, blazed and scribed B.T.-M.-3-2748, bears S.20°11' W. 55.7 ft.
	Thence N.76°16' E. Var.13°45' E.
15	5 ft. wash-course northeast and southwest.
97.84	S.E.C.Mon., Daisy lode, of this survey.
300	Northerly end center monument, identical with location monument.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-N.E.C.-2748.
428.84	Cor.No.1, Daisy lode, and intersect line 2-3, Tuesday lode, both of this survey, whence
	Cor.No.2, Tuesday lode, bears S.11°16' W. 827.53 ft.
560	5 ft. wash-course northeast and southwest.
600	To Cor.No.4, identical with Cor.of location.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-4-2748, whence
	An 8" palo verde tree, blazed and scribed B.T.-M.-4-2748, bears N.45°29' W. 33.5 ft.
	Thence S.13°44' E. Var.14°00' E.
450	Beginning steep ascent.
750	Cor.No.1, Butte lode, and intersect line 1-2, Tuesday lode, both of this survey, whence
	Cor.No.2, Tuesday lode, bears S.76°16' W. 520.89 ft.
800	Top ridge.
1080	Ravine-course northeast and southwest.
1350	Top ridge.
1500	To Cor.No.1, the place of beginning.

Feet.	PORTLAND LODGE.
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.2, Advance lode, Cor.No.3, Butte lode and Cor.No.4, Liberty lode, all of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.-1-2748, whence U.S.L.M.No.2748 bears N.37°00'W. 980.87 ft. Thence N.76°16'E.
300	Northerly end center monument, identical with location monument and with S.E.C.Mon., Liberty lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.-N.E.C.-2748.
600	To Cor.No.2, identical with Cor.of location and with Cor.No.1, Growler lode, Cor.No.3, Liberty lode and Cor.No.4, Gila lode, all of this survey. Bottom descent. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.-2-2748. Thence S.13°44'E.
300	Top ridge.
600	Bottom descent.
1475	40 ft. wash-course northeast and southwest.
1500	To Cor.No.3, identical with Cor.of location and with Cor.No.4, Growler lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.-3-2748, whence A 12" palo verde tree, blazed and scribed B.T.-P.-3-2748, bears S.8°31'E. 168.6 ft. Thence S.76°16'W.
300	Southerly end center monument, identical with location monument. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.-S.E.C.-2748.
600	To Cor.No.4, identical with Cor.of location and with Cor.No.2, Treasury lode and Cor.No.3, Advance lode, both of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.-4-2748. Thence N.13°44'W.
440	Top ridge.
720	Ravine-course northwest and southeast.
1370	Top ridge.
1500	To Cor.No.1, the place of beginning. Variation at all corners 13°45'E.

	PALO VERDE LODGE.
	Beginning at Cor.No.1, identical with Cor.of location and on line 2-3, Washington lode, of this survey. On ridge. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.V.-1-2748, whence U.S.L.M.No.2748 bears S.89°51'1-2'E. 1455.0 ft. Cor.No.2, Washington lode, bears S.13°44'E. 500 ft. An 8" palo verde tree, blazed and scribed B.T.-P.V.-1-2748, bears S.26°31' W. 41.7 ft. Thence S.76°16'W. Var.14°00' E.
300	Southerly end center monument, identical with location monument. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.V.-S.E.C.-2748.
480	Top low ridge.
600	To Cor.No.2, identical with Cor.of location. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed P.V.-2-2748, whence An 8" palo verde tree, blazed and scribed B.T.-P.V.-2-2748, bears S.69°16'W. 112.5 ft.

	Thence N.13°44'W. Var.13°45'E.
Feet	
365	10 ft.wash-course northeast and southwest.
1440	5 ft.wash-course west and southeast,
1495	Wagon road to Papago Mine-course northeast and southwest.
1500	To Cor.No.3,identical with Cor.of location. A pine post,4 ft.long,4 ins.square,set 18 ins.in the ground,with mound of stone,scribed P.V.-3-2748,whence An 8" palo ferro tree,blazed and scribed B.T.-P.V.-3-2748bears S.25°34'E. 70.5 ft.
	Thence N.76°16'E. Var.13°45'E.
207	Wagon road to main shaft,Copper Hill lode,-course northwest and southeast.
300	Northerly end center monumnet,identical with location monumnet. A pine post,4 ft.long,4 ins.square,set 18 ins.in the ground,with mound of stone,scribed P.V.-N.E.C.-2748.
519	Wagon road to Papago Mine-course northwest and southeast.
538	Cor.No.2,Copper Flat lode,of this survey.
600	To Cor.No.4,identical with Cor.of location and with Cor.No.3,Copper Hill lode,and on line 1-2,Copper Flat lode, both of this survey. A pine post,4 ft.long,4 ins.square,set 18 ins.in the ground,with mound of stone,scribed P.V.-4-2748,whence Cor.No.1,Copper Flat lode,bears N.76°16' E. 600 ft.
	Thence S.13°44'E. Var.14°00'E.
26	Wagon road to Papago Mine-course east and west.
472	Wagon road to main shaft,Copper Hill lode-course east and northwest.
950	Cor.No.2,Copper Hill lode and Cor.No.3,Washington lode, both of this survey.
1110	10 ft.wash-course northeast and southwest.
1500	To Cor.No.1,the place of beginning.

THRUSH LODE.

	Beginning at Cor.No.1,identical with Cor.of location and with Cor.No.2,Hawk lode and Cor.No.3,Munroe lode,both of this survey. A pine post,4 ft.long,4 ins.square,set 18 ins.in the ground,with mound of stone,scribed T.-1-2748,whence U.S.I.M.No.2748 bears S.15°31'1-2'W. 3802.85 ft. Thence N.11°16'E. Var.13°45'E.
1300	Top low ridge.
1500	Top Cor.No.2,identical with Cor.of location. A pine post,4 ft.long,4 ins.square,set 18 ins.in the ground,with mound of stone,scribed T.-2-2748,whence An 8" palo verde tree,blazed and scribed B.T.-T.-2-2748 bears S.43°14'W. 10.0ft. Thence N.76°16'E. Var.14°00'E.
331	Northerly end center monumnet,identical with location monumnet. A pine post,4 ft.long,4 ins.square,set 18 ins.in the ground,with mound of stone,scribed T.-N.E.C.-2748.
662	To Cor.No.3,identical with Cor.of location. A pine post,4 ft.long,4 ins.square,set 18 ins.in the ground,with mound of stone,scribed T.-3-2748. No bearings available. Thence S.11°16'W. Var:14°00'E.
1500	To Cor.No.4,identical with Cor.of location,and with Cor.No.2,America lode and Cor.No.3,Hawk lode,both of this survey. A pine post,4 ft.long,4 ins.square,set 18 ins.in the ground,with mound of stone,scribed T.-4-2748.

	Thence S.76°16'W. Var.13°45'E.
80	Top low ridge
331	Southerly end center monument, identical with location monument, and with N.E.C.Mon., Hawk lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed T.-S.E.C.-2748.
662	To Cor.No.1, the place of beginning.

	DUTTE LODGE.
	Beginning at Cor.No.1, identical with Cor.of location and on line 4-1, Madison lode and on line 4-2, Tuesday lode, both of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed B.-1-2748, whence U.S.L.M.No.2748 bears S.33°16'1-2'E. 635.5 ft. Cor.No.4, Madison lode, bears N.13°44'W. 750 ft. Cor.No.2, Tuesday lode, bears S.76°16'W. 520.89 ft. A 10" palo verde tree, blazed and scribed B.T.-B.-1 2748 bears S.15°31'E. 34.7 ft.
141.11	Thence N.76°16'E. Var. 14°00'E. Cor.No.1, Tuesday lode and Cor.No.1, Maggie lode, both of this survey.
300	Northerly end center monument, identical with location monument, A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed B.-N.E.C.-2748.
305	Ravine-course northwest and southeast.
414	Top ridge.
472.11	S.E.C.Mon., Maggie lode, of this survey.
600	To Cor.No.2, identical with Cor.of location and with Cor.No.1, Liberty lode, and on line 4-1, Maggie lode, both of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed B.-2-2748, whence Cor.No.4, Maggie lode, bears N.76°16'E. 203.11 ft. No bearings available.
	Thence S.13°44'E. Var.13°45'E.
200	Top ridge.
350	Ravine-course northwest and southeast.
500	Top ridge.
700	Bottom descent.
1050	Beginning ascent.
1500	To Cor.No.3, identical with Cor.of location and with Cor.No.1, Portland lode, Cor.No.2, Advance lode, and Cor.No.4, Liberty lode, all of this survey. A pine post, previously described under "PORTLAND LODGE", scribed B.-3-2748
	Thence S.76°16'W. Var.13°45'E.
300	Southerly end center monument, identical with location monument, and with N.E.C.Mon., Advance lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed B.-S.E.C.-2748.
600	To Cor.No.4, identical with Cor.of location and with Cor.1, Advance lode, and on line 1-2, Arizona lode, both of this survey; and in ravine A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed B.-4-2748, whence Cor.No.2, Arizona lode, bears S.13°44'E. 750 ft. An 8" palo verde tree, blazed and scribed B.T.-B.-4 2748, bears N.58°27'W. 47.0 ft.
	Thence N.13°44'W. Var.13°45'E.
150	Top ridge.

	BUTTE LODE-Continued.
Feet.	
750	Cor.No.1, Madison lode and Cor.No.1, Arizona lode, both of this survey. In shallow ravine.
900	Top ridge.
1170	Ravine-course northeast and southwest.
1450	Top ridge.
1500	To Cor.No.1, the place of beginning.

	LIBERTY LODE.
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.2, Butte lode, and on line 4-1, Maggie lode, both of this survey.
	A pine post, previously described under "BUTTE LODE", scribed L.-1-2748, whence
	U.S.L.M.No.2748 bears S.19°10'W. 713.3 ft.
	Cor.No.1, Maggie lode, bears S.76°16'W. 458.89 ft.
	Thence N.76°16'E.
100	Top ridge.
200	Shallow ravine.
203.11	Cor.No.4, Maggie lode and Cor.No.1, Yellow Hammer lode, both of this survey.
300	Northerly end center monument, identical with location monument.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed L.-N.E.C.-2748.
534.11	S.E.C.Mon., Yellow Hammer lode, of this survey.
600	To Cor.No.2, identical with Cor.of location and with Cor.No.1, Gila lode and on line 4-1, Yellow Hammer lode, both of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed L.-2-2748, whence
	Cor.No.4, Yellow Hammer lode, bears N.76°16'E. 265.11 ft
	An 8" palo verde tree, blazed and scribed B.T.-L.-2-2748, bears S.10°10'E. 45.4 ft.
	Thence S.13°44'E.
40	Top ridge.
520	10 ft. wash-course northeast and southwest.
700	Top ridge.
950	Bottom descent.
1100	5 ft. wash-course northwest and southeast.
1492	5 ft. wash-course northeast and southwest.
1500	To Cor.No.3, identical with Cor.of location and with Cor.No.1, Growler lode, Cor.No.2, Portland lode and Cor.No.4, Gila lode, all of this survey.
	A pine post, previously described under "PORTLAND LODE", scribed L.-3-2748, whence
	An 8" palo verde tree, blazed and scribed B.T.-L.-3-2748, bears S.22°15'E. 25.6 ft.
	Thence S.76°16'W.
300	Southerly end center monument, identical with location monument and with N.E.C.Mon., Portland lode, of this survey.
	A pine post, previously described under "PORTLAND LODE", scribed L.-S.E.C.-2748.
600	To Cor.No.4, identical with Cor.of location and with Cor.No.1, Portland lode, Cor.No.2, Advance lode and Cor.No.3, Butte lode, all of this survey.
	A pine post, previously described under "PORTLAND LODE", scribed L.-4-2748.
	Thence N.13°44'W.
450	Bottom descent.
800	Beginning ascent.
1000	Top ridge.
1150	Ravine-course northwest and southeast.

Feet	
1300	Top ridge.
1500	To Cor.No.1, the place of beginning. Variation at all corners 13°45'E.

COPPER FLAT LODE.	
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.3, Daisy lode and Cor.No.4, Copper Hill lode, both of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.F.-1-2748, whence U.S.L.M.No.2748 bears S.37°27'1-2'E. 2019.57 ft. Thence S.76°16'W.
50	30 ft. wash-course northeast and southwest.
170	30 ft. wash-course northwest and southeast.
300	N.E.C.Mon., Copper Hill lode, of this survey.
331	Southerly end center monument, identical with location monument. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.F.-S.E.C.-2748.
500	Southerly edge 30 ft. wash.
600	Cor.No.3, Copper Hill lode and Cor.No.4, Palo Verde lode, both of this survey.
662	To Cor.No.2, identical with Cor.of location and on line 3-4, Palo Verde lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.F.-2-2748, whence Cor.No.3, Palo Verde lode, bears S.76°16'W. 538 ft. Thence N.11°16'E.
45	30 ft. wash-course northwest and southeast.
335	30 ft. wash-course northeast and southwest.
900	Beginning ascent.
1500	To Cor.No.3, identical with Cor.of location. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.F.-3-2748, whence A 6" palo verde tree, blazed and scribed B.T.-C.F.-3-2748, bears S.18°28'W. 12.0 ft. Thence N.76°16'E.
331	Northerly end center monument, identical with location monument. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.F.-N.E.C.-2748.
610	Top ridge.
662	To Cor.No.4, identical with Cor.of location. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.F.4-2748. No available bearings. Thence S.11°16'W.
450	Bottom ridge.
551.69	Cor.No.4, Daisy lode, of this survey.
820	25 ft. wash-course northeast and southwest.
1485	30 ft. wash-course northeast and southwest.
1500	To Cor.No.1, the place of beginning. Variation at all corners 13°45' E.

HAWK LODE.	
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.2, Yellow Hammer lode, Cor.No.3, Maggie lode and Cor.No.4, Munroe lode, all of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed H.-1-2748, whence U.S.L.M.No.2748 bears S.18°17'W. 2309.66 ft. Thence N.11°16'E. Var.14°00'E.

Feet.	HAWK LODE-Continued.
580	30 ft. wash-course northeast and southwest.
1500	To Cor. No. 2, identical with Cor. of location and with Cor. No. 1, Thrush lode and Cor. No. 3, Munroe lode, both of this survey. A pine post, previously described under "THRUSH LODE", scribed H.-2-2748. Thence N. 76° 16' E. Var. 13° 45' E.
331	Northerly end center monument, identical with location monument and with S. E. C. Mon., Thrush lode, of this survey. A pine post, previously described under "THRUSH LODE", scribed H.-N. E. C.-2748.
582	Top low ridge,
662	To Cor. No. 3, identical with Cor. of location and with Cor. No. 2, America lode, and Cor. No. 4, Thrush lode, both of this survey. A pine post, previously described under "THRUSH LODE", scribed H.-3-2748, whence An 8" palo verde tree, blazed and scribed B. T.-H.-3-2748, bears S. 9° 37' E. 35.4 ft. Thence S. 11° 16' W. Var. 13° 45' E.
50	30 ft. wash-course northeast and southwest.
450	30 ft. wash-course northeast and southwest.
650	Top low ridge.
1500	To Cor. No. 4, identical with Cor. of location and with Cor. No. 1, America lode, Cor. No. 2, Blue Bird lode and Cor. No. 3, Yellow Hammer lode, all of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed H.-4-2748. Thence S. 76° 16' W. Var. 14° 00' E.
331	Southerly end center monument, identical with location monument and with N. E. C. Mon., Yellow Hammer lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed H.-S. E. C.-2748.
662	To Cor. No. 1, the place of beginning.

ARIZONA LODE.	
	Beginning at Cor. No. 1, identical with Cor. of location and with Cor. No. 1, Madison lode and on line 4-1, Butte lode, both of this survey. A pine post, previously described under "MADISON LODE", scribed A.-1-2748, whence U. S. L. M. No. 2748 bears N. 40° 51' 1-2' E. 260.8 ft. Thence S. 13° 44' E. Var. 14° 00' E.
600	Top ridge.
750	Cor. No. 1, Advance lode, and Cor. No. 4, Butte lode, both of this survey. In ravine.
950	Top ridge.
1500	To Cor. No. 2, identical with Cor. of location and with Cor. No. 1, Quail lode and on line 4-1, Advance lode, both of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed A.-2-2748, whence Cor. No. 4, Advance lode, bears S. 13° 44' E. 750 ft. An 8" palo verde tree, blazed and scribed B. T.-A.-2-2748, bears S. 45° 02' E. 41.6 ft. Thence S. 76° 16' W. Var. 13° 45' E.
125	Ravine-course northwest and southeast.
300	Southerly end center monument, identical with location monument and with N. E. C. Mon., Quail lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed A.-S. E. C.-2748.
378	Top ridge.
600	To Cor. No. 3, identical with Cor. of location and with Cor.

Feet. No.1, Wednesday lode, Cor.No.2, Boston lode and Cor.No.4, Quail lode, all of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed A.-3-2748, whence
 An 8" palo verde tree, blazed and scribed B.T.-A.-3-2748, bears S.72°43'E. 69.9 ft.
 Thence N.13°44'W. Var.13°45'E.

350 Saddle between ridges.
 550 Top ridge.
 830 5 ft. wash-course northwest and southeast.
 1100 Top low ridge.
 1330 5 ft. wash-course northwest and southeast.
 1440 5 ft. wash-course northeast and southwest.
 1500 To Cor.No.4, identical with Cor. of location and with Cor. No.1, Boston lode, Cor.No.1, Washington lode and Cor.No.2, Madison lode, all of this survey.
 A pine post, previously described under "MADISON LODGE" scribed A.-4-2748.
 Thence N.76°16'E. Var.13°45'E.

150 Beginning steep ascent.
 300 Northerly end center monument, identical with location monument, and with S.E.C.Mon., Madison lode, of this survey.
 A pine post, previously described under "MADISON LODGE", scribed A.-N.E.C.-2748.

410 5 ft. wash-course northeast and southwest.
 600 To Cor.No.1, the place of beginning.

TUESDAY LODGE.

Beginning at Cor.No.1, identical with Cor. of location and with Cor.No.1, Maggie lode and on line 1-2, Butte lode, both of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed T.-1, 2748, whence
 U.S.L.M.No.2748 bears S.20°32'E. 603.1 ft.
 Cor.No.2, Butte lode, bears N.76°16'E. 458.89 ft.
 A 6" palo verde tree, blazed and scribed B.T.-T.-1-2748, bears N.46°38'E. 16.4 ft.
 Thence S.76°16'W. Var.14°00'E.

100 Top ridge.
 141.11 Cor.No.1, Butte lode, and intersect line 4-1, Madison lode, both of this survey, whence
 Cor.No.4, Madison lode, bears N.13°44'W. 750 ft.

331 Southerly end center monument, identical with location monument.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed T.-S.E.C.-2748.

662 To Cor.No.2, identical with Cor. of location.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed T.-2-2748.
 No bearings available.
 Thence N.11°16'E. Var.13°45'E.

150 Top low ridge.
 500 Bottom steep descent.
 827.53 Cor.No.1, Daisy lode, and intersect line 3-4, Madison lode, both of this survey, whence
 Cor.No.4, Madison lode, bears N.76 16'E. 171.16 ft.

1271 30 ft. wash-course northwest and southeast.
 1298 Wagon road to Gila Bend-course northeast and southwest.
 1500 To Cor.No.3, identical with Cor. of location and with Cor. No.1, Lincoln lode and on line 5-1, Daisy lode, both of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed T.-3-2748, whence
 Cor.No.5, Daisy lode, bears N.11°16'E. 827.53 ft.
 A 12" palo verde tree, blazed and scribed B.T.-T.-3-2748, bears S.8°35'W. 165.9 ft.

TUESDAY LODE-Continued.
 Thence N.76°16'E. Var.13°45'E.
 331 Northerly end center monument, identical with location
 monument, and with S.E.C.Mon., Lincoln lode of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the
 ground, with mound of stone, scribed T.-N.E.C.-2748.
 630 30 ft. wash-course northeast and southwest.
 662 To Cor.No.4, identical with Cor.of location and with Cor.
 No.1, Munroe lode, Cor.No.2, Maggie lode and Cor.No.4,
 Lincoln lode, all of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the
 ground, with mound of stone, scribed T.-4-2748, whence
 An 8" palo verde tree, blazed and scribed B.T.-T.-4-
 2748, bears N.21°39'W. 48.1 ft.
 Thence S.11°16'W. Var.13°45'E.
 78 10 ft. wash-course northwest and east.
 137 Wagon road to Gila Bend-course northeast and southwest.
 750 Beginning ascent.
 1280 Ravine-course northwest and southeast.
 1500 To Cor.No.1, the place of beginning.

 ADVANCE LODE
 Beginning at Cor.No.1, identical with Cor.of location
 and with Cor.No.4, Butte lode, and on line 1-2, Arizona
 lode, both of this survey.
 A pine post, previously described under "BUTTE LODE",
 scribed A.-1-2748, whence
 U.S.L.M.No.2748 bears N.0°27'1-2'W. 925.84 ft.
 Cor.No.1, Arizona lode, bears N.13°44'W. 750 ft.
 Thence N.76°16'E.
 300 Northerly end center monument, identical with location
 monument, and with S.E.C.Mon., Butte lode, of this survey,
 and on ridge.
 A pine post, previously described under "BUTTE LODE",
 scribed A.-N.E.C.-2748.
 600 To Cor.No.2, identical with Cor.of location, and with Cor.
 No.1, Portland lode, Cor.No.3, Butte lode, and Cor.No.4,
 Liberty lode, all of this survey.
 A pine post, previously described under "PORTLAND
 LODE", scribed A.-2-2748, whence
 An 8" palo verde tree, blazed and scribed B.T.-A.-2-
 2748, bears N.7°48'E. 41.6 ft.
 Thence S.13°44'E.
 130 Top ridge.
 780 Ravine-course northwest and southeast.
 1060 Top ridge.
 1500 To Cor.No.3, identical with Cor.of location and with Cor.
 No.2, Treasury lode and Cor.No.4, Portland lode, both of
 this survey.
 A pine post, previously described under "PORTLAND
 LODE", scribed A.-3-2748, whence
 A 10" palo verde tree, blazed and scribed B.T.-A.-3-
 2748, bears S.42°07'W. 172.9 ft.
 Thence S.76°16'W.
 300 Southerly end center monument, identical with location
 monument, and with N.E.C.Mon., Treasury lode, of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the
 ground, with mound of stone, scribed A.-S.E.C.-2748.
 600 To Cor.No.4, identical with Cor.of location and with Cor.
 No.1, Treasury lode, and on line 1-2, Quail lode, both of this
 survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the
 ground, with mound of stone, scribed A.-4-2748, whence

Cor.No.2, Quail lode, bears S.13°44'E. 750 ft.
 An 8" palo verde tree, blazed and scribed B.T.-A.-4-2748, bears N.71°36'W. 60.0 ft.
 Thence N.13°44'W.-
 500 Top low ridge.
 690 Ravine-course northwest and southeast.
 750 Cor.No.1, Quail lode and Cor.No.2, Arizona lode, both of this survey.
 1300 Top ridge.
 1500 To Cor.No.1, the place of beginning.
 Variation at all corners 13°45'E.

DAISY LODE.

Beginning at Cor.No.1, identical with Cor.of location and on line 3-4, Madison lode and on line 2-3, Tuesday lode, both of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone scribed D.-1-2748, whence U.S.L.M.No.2748 bears S.29°37'E. 1402.42 ft.
 Cor.No.4, Madison lode, bears N.76°16'E. 171.16 ft.
 Cor.No.2, Tuesday lode, bears S.11°16'W. 827.53 ft.
 Thence S.76°16'W.
 128.84 N.E.C.Mon., Madison lode, of this survey.
 331 Southerly end center monument, identical with location monument.
 A pine post, 4 ft. long, 4 ins. square set 18 ins. in the ground, with mound of stone, scribed D.-S.E.C.-2748.
 414 5 ft. wash-course northwest and south.
 428.84 To Cor.No.2, identical with Cor.of location and with Cor.No.3, Madison lode and on line 4-1, Copper Hill lode, both of this survey.
 A pine post, previously described under "MADISON LODE" scribed D.-2-2748.
 Thence N.13°44'W.
 390 5 ft. wash-course northwest and southeast.
 429 Wagon road to Gila Bend-course north~~west~~ and south~~east~~.
 500 To Cor.No.3, identical with Cor.of location and with Cor.No.1, Copper Flat lode and Cor.No.4, Copper Hill lode, both of this survey.
 A pine post, previously described under "COPPER FLAT LODE", scribed D.-3-2748.
 Thence N.11°16'E.
 15 30 ft. wash-course northeast and southwest.
 680 25 ft. wash-course northeast and southwest.
 948.31 To Cor.No.4, identical with Cor.of location and on line 4-1, Copper Flat lode, of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed D.-4-2748, whence Cor.No.4, Copper Flat lode, bears N.11°16'E. 551.69 ft.
 An 8" palo verde tree, blazed and scribed B.T.-D.-4-2748 bears N.9°33'W. 54.2 ft.
 Thence N.76°16'E.
 331 Northerly end center monument, identical with location monument.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed D.-N.E.C.-2748
 662 To Cor.No.5, identical with Cor.of location and on line 1-2, Lincoln lode, of this survey.
 A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed D.-5-2748, whence Cor.No.2, Lincoln lode, bears N.11°16'E. 672.47 ft.
 A 12" palo verde tree, blazed and scribed B.T.-D.-5-2748, bears N.24°46'E. 56.5 ft.

Feet	DAISY LODE-Continued. Thence S.11°16'W. 20 ft.wash-course northeast and southwest. Cor.No.1, Lincoln lode and Cor.No.3, Tuesday lode, both of this survey. Wagon road to Gila Bend-course northeast and southwest. 30 ft.wash-course northwest and southeast. To Cor.No.1, the place of beginning. Variation at all corners 13°45'E.
190.53	
827.53	
1029.53	
1056.53	
1500	

GROWLER LODE.	
Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.2, Portland, Cor.No.3, Liberty lode and Cor.No.4, Gila lode, all of this survey.	
A pine post, previously described under "PORTLAND LODE", scribed G.-1-2748, whence	
U.S.L.M.No.2748 bears N.61°21'W. 1336.79 ft.	
Thence N.76°16'E.	
200	5 ft.wash-course east and west.
300	Northerly end center monument, identical with location monument, and with S.E.C.Mon., Gila lode, of this survey.
A pine post, 4 ft.long, 4 ins.square set 18 ins.in the ground, with mound of stone, scribed G.-N.E.C.-2748.	
600	To Cor.No.2, identical with Cor.of location and with Cor.No.3, Gila lode, of this survey. In 10 ft.wash-course northwest and southeast.
A pine post, 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of stone, scribed G.-2-2748.	
Thence S.13°44'E.	
1072	40 ft.wash-course northeast and southwest.
1500	To Cor.No.3, identical with Cor.of location.
A pine post, 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of stone, scribed G.-3-2748, whence	
A 12" pale ferro stump, blazed and scribed B.T.-G.-3-2748, bears N.51°17'E. 43.7 ft.	
Thence S.76°16'W.	
300	Southerly end center monument, identical with location monument.
A pine post, 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of stone, scribed G.-S.E.C.-2748.	
600	To Cor.No.4, identical with Cor.of location and with Cor.No.3, Portland lode, of this survey,
A pine post, previously described under "PORTLAND LODE", scribed G.-4-2748.	
Thence N.13°44'W.	
25	50 ft.wash-course northeast and southwest.
900	Beginning ascent.
1200	Top ridge.
1500	To Cor.No.1, the place of beginning. Variation at all corners 13°45'E.

AMERICA LODE.	
Beginning at Cor.No.1, identical with Cor.of location and Cor.No.2, Blue Bird lode, Cor.No.3, Yellow Hammer lode and Cor.No.4, Hawk lode, all of this survey.	
A pine post, previously described under "HAWK LODE", scribed A.-1-2748, whence	
U.S.L.M.No.2748 bears S.30°12'W. 2719.20 ft.	
Thence N.11°16'E. Var.14°00'E.	

850	Top low ridge.
1050	30 ft. wash-course northeast and southwest.
1450	30 ft. wash-course northeast and southwest.
1500	To Cor. No. 2, identical with Cor. of location and with Cor. No. 3, Hawk lode and Cor. No. 4, Thrush lode, both of this survey. A pine post, previously described under "THRUSH LODE" scribed A.-2-2748. Thence N. 76° 16' E. Var. 13° 45' E.
50	30 ft. wash-course northeast and southwest.
331	Northerly end center monument, identical with location monument. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed A.-N.E.C.-2748. To Cor. No. 3, identical with Cor. of location. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed A.-3-2748, whence An 8" palo verde tree, blazed and scribed B.T.-A.-3-2748, bears S. 59° 04' W. 94.1 ft. Thence S. 11° 16' W. Var. 14° 00' E.
370*	
662	
780	10 ft. wash-course northeast and southwest.
1400	8 ft. wash-course northwest and southeast.
1500	To Cor. No. 4, identical with Cor. of location and with Cor. No. 3, Blue Bird lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed A.-4-2748. Thence S. 76° 16' W. Var. 13° 45' E.
331	Southerly end center monument, identical with location monument, and with N.E.C. Mon., Blue Bird lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed A.-S.E.C.-2748. To Cor. No. 1, the place of beginning. At 370* 30 ft. wash-course north and south.
662	

BLUE BIRD LODE.	
Beginning at Cor. No. 1, identical with Cor. of location and with Cor. No. 4, Yellow Hammer lode, and on line 1-2, Gila lode, both of this survey. On top of ridge. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed B.B.-1-2748, whence U.S.L.M. No. 2748 bears S. 50° 42' 1-2' W. 1388.38 ft. Cor. No. 1, Gila lode, bears S. 76° 16' W. 265.11 ft. Thence N. 11° 16' E. Var. 13° 45' E.	
710	Wagon road to main shaft, Yellow Hammer lode, -course northeast and southwest.
772	Wagon road to Gila Bend -course northwest and southeast.
1500	To Cor. No. 2, identical with Cor. of location and with Cor. No. 1, America lode, Cor. No. 3, Yellow Hammer lode and Cor. No. 4, Hawk lode, all of this survey. A pine post, previously described under "HAWK LODE", scribed B.B.-2-2748. Thence N. 76° 16' E. Var. 14° 00' E.
331	Northerly end center monument, identical with location monument, and with S.E.C. Mon., America lode, of this survey. A pine post, previously described under "AMERICA LODE", scribed B.B.-N.E.C.-2748.
662	To Cor. No. 3, identical with Cor. of location and with Cor. No. 4, America lode, of this survey. A pine post, previously described under "AMERICA LODE", scribed B.B.-3-2748, whence An 8" palo verde tree, blazed and scribed B.T.-B.B.-3-2748, bears S. 72° 10' W. 22.1 ft. Thence S. 11° 16' W. Var. 13° 45' E.

Feet.	BLUE BIRD LODE-Continued.
12	8 ft.wash-course northeast and southwest.
450	8-ft.wash-course northwest and southeast.
750	Top low ridge.
948	Wagon road to Gila-Bend-course east and west.
1500	To Cor.No.4,identical with Cor.of location. A pine post,4 ft.long,4 ins.square, set 18 ins.in the ground,with mound of stone,scribed B.B.-4-2748,whence A 10" palo verde tree,blazed and scribed B.T.-B.B.-4-2748,bears S.19°23'W. 105.0 ft. -Thence S.76°16'W. Var.13°45'E.
327.11	Cor.No.2,Gila lode,of this survey. Beginning steep ascent.
331	Southerly end center monument,identical with location monument. A pine post,4 ft.long,4 ins.square, set 18 ins.in the ground,with mound of stone,scribed B.B.-S.E.C.-2748.
627.11	N.E.C.Mon.,Gila lode,of this survey.
662	To Cor.No.1,the place of beginning.

GILA LODE.	
Beginning at Cor.No.1,identical with Cor.of location and with Cor.No.2,Liberty lode and on line 4-1,Yellow Hammer lode,both of this survey. A pine post,previously described under "LIBERTY LODE",scribed G.-1-2748,whence U.S.L.M.No.2748 bears S.45°02'W. 1154.88 ft. Cor.No.1,Yellow Hammer lode,bears S.76°16'W. 396.89 ft. Thence N.76°16'E.	
265.11	Cor.No.1,Blue Bird lode,and Cor.No.4,Yellow Hammer lode, both of this survey. Top ridge.
300	Northerly end center monument,identical with location monument. A pine post,4 ft.long,4 ins.square, set 18 ins.in the ground,with mound of stone,scribed G.-N.E.C.-2748.
596.11	S.E.C.Mon.,Blue Bird lode,of this survey.
600	To Cor.No.2,identical with Cor.of location. Bottom steep descent. A pine post,4 ft.long,4 ins.square, set 18 ins.in the ground,with mound of stone,scribed G.-2-2748,whence An 8" palo verde tree,blazed and scribed B.T.-G.-2-2748,bears S.17°55'W. 36.8 ft. Thence S.13°44'E.
150	Top low ridge.
585	10 ft.wash-course northwest and southeast.
700	Top low ridge.
1500	To Cor.No.3,identical with Cor.of location and with Cor.No.2,Growler lode,of this survey. In 10 ft.wash-course northwest and southeast. A pine post,previously described under "GROWLER LODE",scribed G.-3-2748,whence A 10" palo verde tree,blazed and scribed B.T.-G.-3-2748 bears S.16°05'E. 42.6 ft. Thence S.76°16'W.
300	Southerly end center monument,identical with location monument and with N.E.C.Mon.,Growler lode,of this survey. A pine post,previously described under "GROWLER LODE",scribed G.-S.E.C.-2748.
400	5 ft.wash-course east and west.
600	To Cor.No.4,identical with Cor.of location and with Cor.No.1,Growler lode,Cor.No.2,Portland lode and Cor.No.3,Liberty lode,all of this survey.

Feet	A pine post, previously described under "PORTLAND LODE", scribed G.-4-2748. Thence N.13°44'W.
8	5 ft. wash-course northeast and southwest.
400	5 ft. wash-course northwest and southeast.
550	Beginning ascent.
800	Top ridge.
980	10 ft. wash-course northeast and southwest.
1460	Top ridge.
1500	To Cor. No. 1, the place of beginning. Variation at all corners 13°45'E.

COPPER HILL LODE.	
	Beginning at Cor. No. 1, identical with Cor. of location and with Cor. No. 4, Washington lode and on line 2-3, Madison lode both of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.H.-1-2748, whence U.S.L.M. No. 2748 bears S.55°50'1-2'E. 1211.72 ft. Cor. No. 2, Madison lode, bears S.13°44'E. 1050 ft. Thence S.76°16'W. Var. 13°45'E.
150	Bottom descent.
300	Southerly end center monument, identical with location monument and with N.E.C. Mon., Washington lode, of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.H.-S.E.C.-2748.
600	To Cor. No. 2, identical with Cor. of location and with Cor. No. 3, Washington lode and on line 4-1, Palo Verde lode, both of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.H.-2-2748, whence Cor. No. 1, Palo Verde lode, bears S.13°44'E. 550 ft. Thence N.13°44'W. Var. 14°00'E.
478	Wagon road to main-shaft of this lode, course east and northwest.
924	Wagon road to Papago Mine-course east and west.
950	To Cor. No. 3, identical with Cor. of location and with Cor. No. 4, Palo Verde lode and on line 1-2, Copper Flat lode, both of this survey.
	A pine post, previously described under "PALO VERDE LODE", scribed C.H.-3-2748, whence Cor. No. 2, Copper Flat lode, bears S.76°16'W. 62.0 ft. An 8" palo verde tree, blazed and scribed P.T.-C.H.-3-2748, bears S.15°46'W. 75.8 ft. Thence N.76°16'E. Var. 14°00'E.
100	Southerly bank 30 ft. wash-course northeast and northwest.
269	S.E.C. Mon., Copper Flat lode, of this survey.
300	Northerly end center monument, identical with location monument.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed C.H.-N.E.C.-2748.
430	30 ft. wash-course northwest and southeast.
550	30 ft. wash-course northeast and southwest.
600	To Cor. No. 4, identical with Cor. of location and with Cor. No. 1, Copper Flat lode and Cor. No. 3, Daisy lode, both of this survey. On southerly bank 30 ft. wash.
	A pine post, previously described under "COPPER FLAT LODE", scribed C.H.-4-2748, whence A 12" palo verde tree, blazed and scribed B.T.-C.H.-4-2748, bears N.52°34'E. 19.4 ft. Thence S.13°44'E. Var. 13°45'E.

Feet.	COPPER HILL LODE-Continued.
71	Wagon road to Papago Mine-course northwest and southeast.
110	5 ft.wash-course northwest and southeast.
500	Cor.No.2,Daisy lode and Cor.No.3, Madison lode, both of this survey.
515	5 ft.wash-course north and south.
925	Top low ridge.
950	To Cor.No.1, the place of beginning.

	TREASURY LODE.
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.4, Advance lode and on line 1-2, Quail lode, both of this survey.
	A pine post, previously described under "ADVANCE LODE" scribed T.-1-2748, whence
	U.S.L.M.No.2748 bears N.8°40'1-2'W. 2410.49 ft.
	Cor.No.1, Quail lode, bears N.13°44'W. 750 ft.
	Thence N.76°16'E.
300	Northerly end center monument, identical with location monument and with S.E.C.Mon., Advance lode, of this survey.
	A pine post, previously described under "ADVANCE IODE", scribed T.-N.E.C.-2748.
600	To Cor.No.2, identical with Cor.of location and with Cor.No.3, Advance lode and Cor.No.4, Portland lode, both of this survey.
	A pine post, previously described under "PORTLAND LODE", scribed T.-2-2748.
	Thence S.13°44'E.
820	50 ft.wash-course northeast and southwest.
1417	50 ft.wash-course northeast and southwest.
1500	To Cor.No.3, identical with Cor.of location.
	A pine post, 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of stone, scribed T.-3-2748, whence
	A 10" mesquite tree, blazed and scribed B.T.-T.-3-2748, bears S.67°43'E. 109.8 ft.
	Thence S.76°16'W.
270	50 ft.wash-course northeast and southwest.
300	Southerly end center monument, identical with location monument.
	A pine post, 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of stone, scribed T.-S.E.C.-2748.
600	To Cor.No.4, identical with Cor.of location.
	A pine post, 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of stone, scribed T.-4-2748, whence
	A 10" mesquite tree, blazed and scribed B.T.-T.-4-2748, bears S.48°48'E. 42.2 ft.
	Thence N.13°44'W.
175	50 ft.wash-course northeast and southwest.
575	Top ridge.
750	Cor.No.2, Quail lode, of this survey.
850	Bottom descent.
1500	To Cor.No.1, the place of beginning.
	Variation at all corners.13°45'E.

	WEDNESDAY LODE.
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.2, Boston lode, Cor.No.3, Arizona lode and Cor.No.4, Quail lode, all of this survey.
	A pine post, previously described under "ARIZONA LODE", scribed W.-1-2748, whence
	U.S.L.M.No.2748 bears N.12°28'E. 1840.22 ft.

	Thence S.13°44'E.
650	Bottom descent.
1200	Beginning ascent.
1500	To Cor.No.2, identical with Cor.of location and with Cor. No.3, Quail lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.-2-2748, whence An 8" palo verde tree, blazed and scribed B.T.-W.-2-2748, bears N.29°38'E. 61.6 ft. Thence S.76°16'W.
300	Southerly end center monument, identical with location monument. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.-S.E.C.-2748.
600	To Cor.No.3, identical with Cor.of location. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.-3-2748, whence An 8" palo verde tree, blazed and scribed B.T.-W.-3-2748, bears S.7°10'W, 44.6 ft. Thence N.13°44'W.
600	Bottom descent.
1500	To Cor.No.4, identical with Cor.of location and with Cor. No.3, Boston lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.-4-2748. Thence N.76°16'E.
300	Northerly end center monument, identical with location monument and with S.E.C.Mon., Boston lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.-N.E.C.-2748.
400	Beginning ascent.
600	To Cor.No.1, the place of beginning. Variation at all corners 13°45'E.
	WASHINGTON LODE.
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.1, Boston lode, Cor.No.2, Madison lode and Cor. No.4, Arizona lode, all of this survey. A pine post, previously described under "MADISON LODE", scribed W.-1-2748, whence U.S.L.M.No.2748 bears N.65°44'E. 826.49 ft. Thence S.76°16'W.Var.13°45'E.
272	5 ft.wash-course northwest and southeast.
300	Southerly end center monument, identical with location monument and with N.E.C.Mon., Boston lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.-S.E.C.-2748.
600	To Cor.No.2, identical with Cor.of location and with Cor. No.4, Boston lode, of this survey. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed W.-2-2748, whence An 8" palo verde tree, blazed and scribed B.T.-W.-2-2748, bears S.55°48'W. 106.9 ft. Thence N.13°44'W. Var.14°00'E.
160	5 ft.wash-course northwest and southeast.
500	Cor.No.1, Palo Verde lode, of this survey. Top low ridge.
890	10 ft.wash-course northeast and southwest.
1050	To Cor.No.3, identical with Cor.of location and with Cor. No.2, Copper Hill lode and on line 4-1, Palo Verde lode, both of this survey. A pine post, previously described under "COPPER HILL LODE", scribed W.-3-2748, whence Cor.No.4, Palo Verde lode, bears N.13°44'W. 950 ft. An 8" palo verde tree, blazed and scribed B.T.-W.-3-2748, bears N.8°29'W. 94.6 ft. Thence N.76°16'E. Var.14°00'E.

Feet	WASHINGTON LODE-Continued.
300	Northerly end center monument, identical with location monument, and with S.E.C. Mon., Copper Hill lode, of this survey.
	A pine post, previously described under "COPPER HILL LODE", scribed W.-N.E.C.-2748.
450	Beginning ascent.
600	To Cor. No. 4, identical with Cor. of location and with Cor. No. 1, Copper Hill lode, and on line 2-3, Madison lode, both of this survey.
800	A pine post, previously described under "COPPER HILL LODE", scribed W.-4-2748, whence
	Cor. No. 3, Madison lode, bears N. 13° 44' W. 450 ft.
	A 6" pale verde tree, blazed and scribed B.T.-W.-4-2748, bears S. 26° 59' E. 3.1 ft.
	Thence S. 13° 44' E. Var. 13° 45' E.
300	5 ft. wash-course northwest and southeast.
700	Top low ridge.
950	Bottom ridge.
1050	To Cor. No. 1, the place of beginning.
----- BOSTON LODE.	
Beginning at Cor. No. 1, identical with Cor. of location and with Cor. No. 1, Washington lode, Cor. No. 2, Madison lode and Cor. No. 4, Arizona lode, all of this survey.	
A pine post, previously described under "MADISON LODE", scribed B.-1-2748, whence	
U.S.L.M. No. 2748 bears N. 65° 44' E. 826.49 ft.	
Thence S. 13° 44' E. Var. 13° 45' E.	
60	5 ft. wash-course northeast and southwest.
170	5 ft. wash-course northwest and southeast.
400	Top low ridge.
670	5 ft. wash-course northwest and southeast.
950	Top ridge.
1150	Saddle between ridges.
1500	To Cor. No. 2, identical with Cor. of location and with Cor. No. 1, Wednesday lode, Cor. No. 3, Arizona lode and Cor. No. 4, Quail lode, all of this survey.
A pine post, previously described under "ARIZONA LODE", scribed B.-2-2748.	
Thence S. 76° 16' W. Var. 13° 45' E.	
200	Bottom descent.
300	Southerly end center monument, identical with location monument, and with N.E.C. Mon., Wednesday lode, of this survey.
A pine post, previously described under "WEDNESDAY LODE", scribed B.-S.E.C.-2748.	
600	To Cor. No. 3, identical with Cor. of location and with Cor. No. 4, Wednesday lode, of this survey.
A pine post, previously described under "WEDNESDAY LODE", scribed B.-3-2748, whence	
A 10" pale verde tree, blazed and scribed B.T.-B.-3-2748, bears S. 47° 00' W. 87.1 ft.	
Thence N. 13° 44' W. Var. 13° 45' E.	
530	Beginning ascent.
675	Top ascent.
950	Beginning descent.
1145	10 ft. wash-course northwest and southeast.
1500	To Cor. No. 4, identical with Cor. of location and with Cor. No. 2, Washington lode, of this survey.
A pine post, previously described under "WASHINGTON LODE", scribed B.-4-2748.	

Feet 300	<p>Thence N.76°16'E. Var.14°00'E. Northerly end center monument, identical with location monument, and with S.E.C.Mon., Washington lode, of this survey.</p>
328 600	<p>A pine post, previously described under "WASHINGTON LODE", scribed B.-N.E.C.-2748. 5 ft. wash-course northwest and southeast. To Cor.No.1, the place of beginning.</p>

	QUAIL LODE.
60 250 500 750	<p>Beginning at Cor.NO.1, identical with Cor.of location and with Cor.No.2, Arizona lode, and on line 4-1, Advance lode, both of this survey. A pine post, previously described under "ARIZONA LODE", scribed Q.-1-2748, whence U.S.L.M.No.2748 bears N.6°24'W.1664.74 ft. Cor.No.1, Advance lode, bears N.13°44'W. 750 ft. Thence S.13°44'E. Ravine-course northwest and southeast.</p>
1400 1500	<p>Top low ridge. Bottom descent. Cor.No.1, Treasury lode and Cor.No.4, Advance lode, both of this survey. Beginning ascent. To Cor.No.2, identical with Cor.of location and on line 4-1, Treasury lode, of this survey.</p>
	<p>A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed Q.-2-2748, whence Cor.No.4, Treasury lode, bears S.13°44'E. 750 ft.</p>
265 300	<p>An 8"-palo verde tree, blazed and scribed B.T.-Q.-2-2748, bears S.82°47'E. 89.4 ft. Thence S.76°16'W. Top ridge.</p>
450 600	<p>Southerly end center monument, identical with location monument. A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed Q.-S.E.C.-2748. Bottom descent. To Cor.No.3, identical with Cor.of location and with Cor.No.2, Wednesday lode, of this survey.</p>
	<p>A pine post, previously described under "WEDNESDAY LODE", scribed Q.-3-2748 Thence N.13°44'W.</p>
300 850 1500	<p>Bottom descent. Beginning ascent. To Cor.No.4, identical with Cor.of location and with Cor.No.1, Wednesday lode, Cor.No.2, Boston lode and Cor.No.3, Arizona lode, all of this survey.</p>
	<p>A pine post, previously described under "ARIZONA LODE", scribed Q.-4-2748. Thence N.76°16'E.</p>
222 300	<p>Top ridge. Northerly end center monument, identical with location monument, and with S.E.C.Mon., Arizona lode, of this survey.</p>
	<p>A pine post, previously described under "ARIZONA LODE", scribed Q.-N.E.C.-2748.</p>
475 600	<p>Ravine-course northwest and southeast. To Cor.No.1, the place of beginning. Variation at all corners 13°45'E.</p>

Feet	Thence N.76°16'E. Var.13°45'E.
130	Southerly edge 30 ft.wash-course northeast and west.
331	Northerly end center monument, identical with location monument, and with S.E.C.Mon., Munroe lode, of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-N.E.C.-2748.
662	To Cor.No.3, identical with Cor.of location and with Cor.No.1, Hawk lode, Cor.No.2, Yellow Hammer lode and Cor.No.4, Munroe lode, all of this survey.
	A pine post, previously described under "HAWK LODE", scribed M-3-2748, whence
	An 8" palo verde tree, blazed and scribed B.T.-M.-3-2748, bears S.60°08'W. 87.7 ft.
78	Thence S.11°16'W. Var.14°00'E.
458	10 ft.wash-course southeast and southwest.
700	Wagon road to Gila Bend-course northwest and southeast.
1500	Beginning ascent.
	To Cor.No.4, identical with Cor.of location and with Cor.No.1, Yellow Hammer lode and on line 1-2, Liberty lode, both of this survey.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-4-2748, whence
	A 6" palo verde tree, blazed and scribed B.T.-M.-4-2748, bears N.0°10'W. 48.1 ft.
103.11	Thence S.76°16'W. Var.13°45'E.
203.11	Top ridge.
331	Cor.No.1, Liberty lode and Cor.No.2, Butte lode, both of this survey.
	Southerly end center monument, identical with location monument.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-S.E.C.-2748.
389.11	Top ridge.
498.11	Ravine-course northwest and southeast.
503.11	N.E.C.Mon., Butte lode, of this survey.
662	To Cor.No.1, the place of beginning.

MUNROE LODE.	
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.2, Maggie lode, Cor.No.4, Tuesday lode and Cor.No.4, Lincoln lode, all of this survey.
	A pine post, previously described under "TUESDAY LODE", scribed M.-1-2748, whence
	U.S.L.M.No.2748 bears S.2°17'1-2'W. 2037.52 ft.
37	Thence N.11°16'E. Var.13°45'E.
850	30 ft.wash-course east and southwest.
1500	20 ft.wash-course northeast and southwest.
	To Cor.No.2, identical with Cor.of location and with Cor.No.3, Lincoln lode, of this survey.
	A pine post, previously described under "LINCOLN LODE", scribed M.-2-2748.
331	Thence N.76°16'E. Var.13°45'E.
	Northerly end center monument, identical with location monument.
	A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed M.-N.E.C.-2748.
480	15 ft.wash-course northeast and southwest.
662	To Cor.No.3, identical with Cor.of location and with Cor.No.1, Thrush lode and Cor.No.2, Hawk lode, both of this survey.
	A pine post, previously described under "THRUSH LODE" scribed M.-3-2748, whence
	A 10" palo verde tree, blazed and scribed B.T.-M.-3-2748, bears N.56°28'E. 100.7 ft.

	MUNROE LODE-Continued.
	Thence S.11°16'W. Var.13°45'E.
920	30 ft.wash-course northeast and southwest.
1500	To Cor.No.4, identical with Cor.of location and with Cor. No.1, Hawk lode, Cor.No.2, Yellow Hammer lode and Cor.No.3, Maggie lode, all of this survey.
	A pine post, previously described under "HAWK LODE", scribed M.-4-2748.
	Thence S.76°16'W. Var.14°00'E.
331	Southerly end center monument, identical with location monument, and with N.E.C.Mon., Maggie lode, of this survey.
	A pine post, previously described under "MAGGIE LODE" scribed M.-S.E.C.-2748.
662	To Cor.No.1, the place of beginning.

	YELLOW HAMMER LODE.
	Beginning at Cor.No.1, identical with Cor.of location and with Cor.No.4, Maggie lode and on line 1-2, Liberty lode, both of this survey.
	A pine post, previously described under "MAGGIE LODE", scribed Y.H.-1-2748, whence
	U.S.L.M.No.2748 bears S.30°52'W. 841.09 ft.
	Cor.No.1, Liberty lode, bears S.76°16'W. 203.11 ft.
	Thence N.11°16'E. Var.13°45'E.
800	Bottom descent.
1042	Wagon road to Gila Bend-course northwest and southeast.
1422	10 ft.wash-course southeast and southwest.
1500	To Cor.No.2, identical with Cor.of location and with Cor. No.1, Hawk lode, Cor.No.3, Maggie lode and Cor.No.4, Munroe lode, all of this survey.
	A pine post, previously described under "HAWK LODE", scribed Y.H.-2-2748.
	Thence N.76°16'E. Var.14°00'E.
331	Northerly end center monument, identical with location monument, and with S.E.C.Mon., Hawk lode, of this survey.
	A pine post, previously described under "HAWK LODE", scribed Y.H.-N.E.C.-2748.
662	To Cor.No.3, identical with Cor.of location and with Cor. No.1, America lode, Cor.No.2, Blue Bird lode and Cor.No.4, Hawk lode, all of this survey.
	A pine post, previously described under "HAWK LODE", scribed Y.H.-3-2748, whence
	An 8" palo verde tree, blazed and scribed B.T.-Y.H.-3-2748, bears S.7°E. 106.1 ft.
	Thence S.11°16'W. Var.13°45'E.
728	Wagon road to Gila Bend-course northwest and southeast.
790	Wagon road to main shaft of this lode-course northeast and southwest.
800	Beginning ascent.
1500	To Cor.No.4, identical with Cor.of location and with Cor. No.1, Blue Bird lode, and on line 1-2, Gila lode, both of this survey. Top of ridge.
	A pine post, previously described under "BLUE BIRD LODE", scribed Y.H.-4-2748.
	Thence S.76°16'W. Var.13°45'E.
265.11	Cor.No.1, Gila lode and Cor.No.2, Liberty lode, both of this survey.
331	Southerly end center monument, identical with location monument.
	A pine post, 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of stone, scribed Y.H.-S.E.C.-2748.
565.11	N.E.C.Mon., Liberty lode, of this survey.
662	To Cor.No.1, the place of beginning.

LODE LINES.

As near as can be determined from present developments, the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

- Madison lode, 50 ft. S. 13° 44' E., and 1450 ft. N. 13° 44' W.
- Portland lode, 388 ft. S. 13° 44' E., and 1112 ft. N. 13° 44' W.
- Palo Verde lode, 610 ft. S. 13° 44' E., and 890 ft. N. 13° 44' W.
- Thrush lode, 60 ft. N. 11° 16' E., and 1440 ft. S. 11° 16' W.
- Butte lode, 50 ft. N. 13° 44' W., and 1450 ft. S. 13° 44' E.
- Liberty lode, 50 ft. N. 13° 44' W., and 1450 ft. S. 13° 44' E.
- Copper Flat lode, 150 ft. S. 11° 16' W., and 1350 ft. N. 11° 16' E.
- Hawk lode, 50 ft. S. 11° 16' W., and 1450 ft. N. 11° 16' E.
- Arizona lode, 50 ft. N. 13° 44' W., and 1450 ft. S. 13° 44' E.
- Tuesday lode, 75 ft. N. 11° 16' E., and 1425 ft. S. 11° 16' W.
- Advance lode, 50 ft. S. 13° 44' E., and 1450 ft. N. 13° 44' W.
- Daisy lode, 50 ft. S. 11° 16' W., and 1450 ft. N. 11° 16' E.
- Growler lode, 165 ft. N. 13° 44' W., and 1335 ft. S. 13° 44' E.
- America lode, 50 ft. S. 11° 16' W., and 1450 ft. N. 11° 16' E.
- Blue Bird lode, 50 ft. S. 11° 16' W., and 1450 ft. N. 11° 16' E.
- Gila lode, 50 ft. N. 13° 44' W., and 1450 ft. S. 13° 44' E.
- Copper Hill lode, 300 ft. N. 13° 44' W., and 650 ft. S. 13° 44' E.
- Treasury lode, 50 ft. N. 13° 44' W., and 1450 ft. S. 13° 44' E.
- Wednesday lode, 80 ft. N. 13° 44' W., and 1420 ft. S. 13° 44' E.
- Washington lode, 70 ft. S. 13° 44' E., and 980 ft. N. 13° 44' W.
- Boston lode, 50 ft. N. 13° 44' W., and 1450 ft. S. 13° 44' E.
- Quail lode, 40 ft. N. 13° 44' W., and 1460 ft. S. 13° 44' E.
- Lincoln lode, 50 ft. S. 11° 16' W., and 1450 ft. N. 11° 16' E.
- Maggie lode, 50 ft. N. 11° 16' E., and 1450 ft. S. 11° 16' W.
- Munroe lode, 100 ft. S. 11° 16' W., and 1400 ft. N. 11° 16' E.
- Yellow Hammer lode, 50 ft. N. 11° 16' E., and 1450 ft. S. 11° 16' W.

V BING BOAR 'BREGAIONIA' DESCRIPED NODER 'HWAK IODEN'
 OF THIS ENLACK

AREA	Acres.
Total area Madison lode	20.661
Total area Portland lode	20.661
Total area Palo Verde lode	20.661
Total area Thrush lode	20.660
Total area Butte lode	20.661
Total area Liberty lode	20.661
Total area Copper Flat lode	20.660
Total area Hawk lode	20.660
Total area Arizona lode	20.661
Total area Tuesday lode	20.660
Area in conflict with Madison lode, of this survey.	5.958
Total area Advance lode	20.661
Total area Daisy lode	19.322
Total area Growler lode	20.661
Total area America lode	20.660
Total area Blue Bird lode	20.660
Total area Gila lode	20.661
Total area Copper Hill lode	13.085
Total area Treasury lode	20.661
Total area Wednesday lode	20.661
Total area Washington lode	14.463
Total area Boston lode	20.661
Total area Quail lode	20.661
Total area Lincoln lode	20.660
Total area Maggie lode	20.660
Total area Munroe lode	20.660
Total area Yellow Hammer lode	20.660

LOCATION.

This survey is located approximately in unsurveyed T.14 S., R.7 W. of the Gila and Salt River Base and Meridian, Growler Mining District, Pima County, Arizona.

ADJOINING CLAIMS.

This survey is bounded on the north by the Berkeley, Columbia and Yale claims, Colonial Copper Company, claimant, and by the Ransome No.19, Ransome No.20, Ransome No.21 and Ransome No.22 claims, G.G.Austin, claimant; on the east by the Rambler No.3, Rambler No.4, Rambler No.5 and Rambler No.6 claims, G.G.Austin, claimant; on the south by Rambler No.25, Rambler No.26, Ransome No.1 and Ransome No.2 claims, G.G.Austin, claimant; on the west by the Ransome No.3, Ransome No.10, Ransome No.11 and Ransome No.16 claims, G.G.Austin, claimant, all unsurveyed.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

Madison Lode.

No.1. The discovery shaft of the Madison lode, on the lode line, N.13°44'W. 50 ft. from the S.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the N.E.C.Mon., Madison lode, S.7°24'E. 325 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

No.3. An open cut, the face of which bears from the N.E.C.Mon., Madison lode, S.6°31'E. 519 ft., 4 ft. wide, 8 ft. face, running N. 25°E. 25 ft. to mouth.

Value \$55.

Note:- An undivided 1/26 interest in the common improvements described hereafter is credited to this lode.

Value \$972.77

Portland Lode.

No.1. The discovery cut of the Portland lode, the face of which being the discovery point, is on the lode line, N.13°44'W. 388 ft. from the S.E.C.Mon., 4 ft. wide, 10 ft. face, running east 22 ft. to mouth.

Value \$55.

No.2. A shaft which bears from the S.E.C.Mon., Portland lode, N.17°30'W. 774 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

No.3. A shaft which bears from the N.E.C.Mon., Portland lode, S.4°20'E. 310 ft., 4 x 12 ft., 4 ft. deep.

Value \$22.

Note:- An undivided 1/26 interest in the common improvements described hereafter is credited to this lode.

Value \$972.77

Palo Verde Lode.

No.1. The discovery shaft of the Palo Verde lode, on the lode line, N.13°44'W. 610 ft. from the S.E.C.Mon., 4 x 6 ft., 10 ft. deep.

Value \$30.

No.2. A shaft which bears from Cor.No.1, Palo Verde lode, N.33°46'W. 935 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

Note:- An undivided 1/26 interest in the common

improvement described hereafter is credited to this lode.
Value \$972.77

Thrush Lode.

No.1. The discovery shaft of the Thrush Lode, on the lode line, S.11°16'W. 60 ft. from the N.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from Cor.No.4, Thrush lode, N.35°04'W. 171 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Butte Lode.

No.1. The discovery shaft of the Butte lode, on the lode line, S.13°44'E. 50 ft. from the N.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. An open cut, the face of which bears from the S.E.C.Mon., Butte lode, N.30°29'W. 445 ft., 4.5 ft. wide, 9 ft. face, running east 15 ft. to mouth.

Value \$30.

No.3. An open cut, the face of which bears from Cor. No.2, Butte lode, S.12°31'W. 873 ft., 4 ft. wide, 13 ft. face, running N. 60°E. 16 ft. to mouth.

Value \$60.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Liberty Lode.

No.1. The discovery cut of the Liberty lode, the face of which being the discovery point, is on the lode line S.13°44'E. 50 ft. from the N.E.C.Mon., 4 ft. wide, 10 ft. face, running N.75°E. 12 ft. to mouth.

Value \$22.

No.2. An open cut, the face of which bears from the N.E.C.Mon., Liberty lode, S.6°22'E. 498 ft., 4 ft. wide, 10 ft. face, running north 12 ft. to mouth.

Value \$30.

No.3. A shaft which bears from the N.E.C.Mon., Liberty lode, S.54°43'W. 89 ft., 4 x 21 ft., 2.5 ft. deep.

Value \$20.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Copper Flat Lode.

No.1. The discovery shaft of the Copper Flat lode, on the lode line, N.11°16'E. 150 ft. from the S.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the S.E.C.Mon., Copper Flat lode, N.63°28'E. 80 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Hawk Lode.

No.1. The discovery shaft of the Hawk Lode, on the lode line, N.11°16'E. 50 ft. from the S.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. An open cut, the face of which bears from the N.E.C.Mon., Hawk lode, S.10°33'W. 764 ft., 4 ft. wide, 10 ft. face, running S.30°E. 12 ft. to mouth.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Arizona Lode.

No.1. The discovery shaft of the Arizona lode, on the lode line, S.13°44'E. 50 ft. from the N.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the S.E.C.Mon., Arizona lode, N.24°00'W. 835 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

No.3. An open cut, the face of which bears from the S.E.C.Mon., Arizona lode, N.21°38'W. 815 ft., 4 ft. wide, 10 ft. face, running S. 20°E. 17 ft. to mouth.

Value \$42.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Tuesday Lode.

No.1. The discovery shaft of the Tuesday lode, on the lode line, S.11°16'W. 75 ft. from the N.E.C. Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from Cor.No.3, Tuesday lode, S.36°10'E. 275 ft., 5 x 7 ft., 10 ft. deep.

Value \$44.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Advance Lode.

No.1. The discovery shaft of the Advance lode, on the lode line, N. 13°44'W. 50 ft. from the S.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the S.E.C.Mon., Advance lode, N.35°19'W. 362 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

No.3. A shaft which bears from the S.E.C.Mon., Advance lode, N.10°09'W. 970 ft., 5 x 7 ft., 9 ft. deep.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Daisy Lode.

No.1. The discovery shaft of the Daisy lode, on the lode line, N.11°16'E. 50 ft. from the S.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from Cor.No.4, Daisy lode, S.27°32'E. 533 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Growler Lode.

No.1. The discovery shaft of the Growler lode, on the lode line, S.13°44'E. 165 ft. from the N.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the N.E.C.Mon., Growler lode, S.3°54'E. 308 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

America Lode.

No.1. The discovery shaft of the America lode, on the lode line, N.11°16'E. 50 ft. from the S.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. An open cut, the face of which bears from the

N.E.C.Mon., America lode, S.7°38'W. 885 ft., 4 ft. wide, 10 ft. face, running N.30°E. 24 ft. to mouth.

Value \$60.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Blue Bird Lode.

No.1. The discovery shaft of the Blue Bird lode, on the lode line, N.11°16'E. 50 ft. from the N.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the S.E.C.Mon., Blue Bird lode, N.8°56'W. 145 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Gila Lode.

No.1. The discovery shaft of the Gila lode, on the lode line, S.13°44'E. 50 ft. from the N.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the N.E.C.Mon., Gila lode, S.12°10'E. 557 ft., 6 x 9 ft., 10 ft. deep.

Value \$65.

No.3. A shaft which bears from Cor. No.2, Gila lode, S.9°14'E. 12 ft., 4 x 7 ft., 10 ft. deep.

Value \$35.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Copper Hill Lode.

No.1. The discovery shaft of the Copper Hill lode, on the lode line S.13°44'E. 300 ft. from the N.E.C.Mon. 5 x 5 ft., 43 ft. deep.

Value \$430.

No.2. A shaft which bears from Cor.No.4, Copper Hill lode, S.29°49'W. 431 ft., 6 x 8 ft., 10 ft. deep.

Value \$60.

No.3. An open cut, the face of which bears from Cor. No.4, Copper Hill lode, S.28°11'W. 507 ft., 5 ft. wide, 8 ft. face, running S.10°E. 27 ft. to mouth. From the face is a tunnel, 7 x 8 ft., running N.10°W. 9 ft.

Value cut and tunnel \$150.

No.4. A shaft which bears from the N.E.C.Mon., Copper Hill lode, S.24°16'W. 143 ft., 6 x 8 ft., 34 ft. deep.

Value \$640.

No.5. An open cut, the face of which bears from Cor. No.4, Copper Hill lode, S.13°54'W. 277 ft., 5 ft. wide, 15 ft. face, running N.8°50'W. 51 ft. to mouth. From the face is a tunnel, 5 x 7 ft., running S.19°22'W. 34 ft., thence S.55°44'W. 20 ft., thence N.70°16'W. 57 ft., thence N.79°26'W. 29 ft. From the third course, at a point 21 ft. from the beginning, is a tunnel, 5 x 7 ft., running S.37°18'W. 48 ft.

Value cut and tunnel \$2300.

No.6. A shaft which bears from Cor. No.4, Copper Hill lode, S.33°13'W. 534 ft., 6 x 9 ft., 260 ft. deep, timbered.

Value \$10400.

At the 102 ft level of this shaft is a drift, 4 x 6 ft., running S.76°W. 35 ft., one 4 x 6 ft. running N.14°W. 45 ft. and one running N.76°E. 31 ft. At a point on the second drift, 24 ft. from the shaft, is a drift, running N.76°E. 21 ft.

Value \$1320.

Copper Hill Lode (Cont.)

The following machinery is in operation at Shaft No. 6, Copper Hill lode, and is necessary in order to render possible and facilitate the extraction of ore.

- 1-50 H.P. Boiler, Atlas Engine Works, concrete jacket.
Value \$800.
- 1-50 H.P. Boiler, Nagle Boiler Works, concrete jacket.
Value \$850.
- 1-Ingersoll Rand Air Compressor-Class A-12" x 12"
Value \$2000.
- 1-No. 7 Cameron Pump.
Value \$300.

Total Value \$3950.

Note:- Shaft No. 6 and the machinery of this lode, (Combined value - \$14350.), form part of the common improvement hereafter described and are not to be credited ~~entirely~~ to this lode. An undivided 1/26 interest in said common improvement, however, is to be credited to this lode.

Value \$972.77

Treasury Lode.

No. 1. The discovery shaft of the Treasury lode, on the lode line, S. 13° 44' E. 50 ft. from the N.E.C. Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No. 2. A shaft which bears from the N.E.C. Mon., Treasury lode, S. 10° 44' E. 295 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

No. 3. An open cut, the face of which bears from the N.E.C. Mon., Treasury lode, S. 10° 09' E. 495 ft., 4 ft. wide, 10 ft. face, running N. 30° E. 14 ft. to mouth.

Value \$35.

Note:- An undivided 1/26 interest in the common improvement hereafter described is credited to this lode.

Value \$972.77

Wednesday Lode.

No. 1. The discovery shaft of the Wednesday lode, on the lode line, S. 13° 44' E. 80 ft. from the N.E.C. Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No. 2. A shaft which bears from the N.E.C. Mon., Wednesday lode, S. 31° 34' W. 134 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement hereafter described is credited to this lode.

Value \$972.77

Washington Lode.

No. 1. The discovery shaft of the Washington lode, on the lode line, N. 13° 44' W. 70 ft. from the S.E.C. Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No. 2. A shaft which bears from the N.E.C. Mon., Washington lode, S. 59° 14' E. 53 ft., 4.5 x 7 ft., 10 ft. deep.

Value \$40.

No. 3. A shaft which bears from the N.E.C. Mon., Washington lode, S. 40° 30' E. 95 ft., 5 x 7 ft., 10 ft. deep.

Value \$44.

Note:- An undivided 1/26 interest in the common improvement hereafter described is credited to this lode.

Value \$972.77

Boston Lode.

No. 1. The discovery shaft of the Boston lode, on the lode line, S. 13° 44' E. 50 ft. from the N.E.C. Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. An open cut, the face of which bears from the N.E.C.Mon., Boston lode, S.2°01'W. 506 ft., 4 ft. wide, 10 ft. face, running N.4°E. 20 ft. to mouth.

Value \$50.

No.3. An open cut, the face of which bears from the N.E.C.Mon., Boston lode, S.2°35'E. 506 ft., 5 ft. wide, 10 ft. face, running N.8°E. 11 ft. to mouth.

Value \$30.

Note:- An undivided 1/26 interest in the common improvement hereafter described is credited to this lode.

Value \$972.77

Quail Lode.

No.1. The discovery shaft of the Quail lode, on the lode line, S.13°44'E. 40 ft. from the N.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the S.E.C.Mon., Quail lode, N.19°21'W. 770 ft., 5 x 7 ft., 8 ft. deep.

Value \$30.

No.3. An open cut, the face of which bears from the S.E.C.Mon., Quail lode, N.51°59'W. 160 ft., 5 ft. wide, 12 ft. face, running N.20°E. 14 ft. to mouth.

Value \$60.

Note:- An undivided 1/26 interest in the common improvement described hereafter is credited to this lode.

Value \$972.77

Lincoln Lode.

No.1. The discovery shaft of the Lincoln lode, on the lode line, N.11°16'E. 50 ft. from the S.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from Cor.No.2, Lincoln lode, S.5°51'W. 778 ft., 4 x 7 ft., 10 ft. deep.

Value \$35.

Note:- An undivided 1/26 interest in the common improvement hereafter described is credited to this lode.

Value \$972.77

Maggie Lode.

No.1. The discovery shaft of the Maggie lode, on the lode line, S.11°16'W. 50 ft. from the N.E.C.Mon., 4 x 6 ft., 8 ft. deep.

Value \$22.

No.2. An open cut, the face of which bears from the N.E.C.Mon., Maggie lode, S.4°07'E. 880 ft., 6 ft. wide, 11 ft. face, running N.84°W. 31 ft. to mouth. From the face is a tunnel, 6 x 7 ft., running S.84°E. 13 ft.

Value cut and tunnel \$200.

No.3. An open cut, the face of which bears from the N.E.C.Mon., Maggie lode, S.13°26'W. 1050 ft., 5 ft. wide, 7 ft. face, running N.68°E. 18 ft. to mouth.

Value \$40.

No.4. An open cut, the face of which bears from the N.E.C.Mon., Maggie lode, S.14°20'W. 1070 ft., 4.5 ft. wide, 9 ft. face, running N.3°E. 33 ft. to mouth.

Value \$90.

No.5. A shaft which bears from the N.E.C.Mon., Maggie lode, S.14°20'W. 980 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

No.6. A shaft which bears from the N.E.C.Mon., Maggie lode, S.18°02'E. 400 ft., 4 x 6 ft., 10 ft. deep.

Value \$30.

No.7. An open cut, the face of which bears from the N.E.C.Mon., Maggie lode, S.4°20'E. 956 ft., 28 ft. wide, 9 ft. face, running N.75°W. 36 ft. to mouth.

Value \$500.

No.8. A shaft, the center of whose collar bears from the N.E.C.Mon., Maggie lode, S.2°17'E. 945 ft. 5.5 x 8

Maggie Lode (Cont.)

ft., 109 ft. deep. The shaft is inclined at an angle of 35° from the vertical and bears $S.75^\circ E.$ from the collar.

Value \$1962.

At the 109 ft. level of this shaft is a drift, 4×6 ft., running $S.15^\circ W.$ 38 ft., and one, 4×6 ft., running $N.15^\circ E.$ 14 ft., thence $S.75^\circ E.$ 16 ft.

Value \$680.

Note:- Shaft No.8 of this lode forms part of the common improvement hereafter described and its value is not to be credited directly to this lode. An undivided $1/26$ interest in said common improvement, however, is to be credited to this lode.

Value \$972.77

Munroe Lode.

No.1. The discovery shaft of the Munroe lode, on the lode line, $N.11^\circ 16' E.$ 100 ft. from the S.E.C.Mon., 4×6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from Cor.No.4, Munroe lode, $N.20^\circ 24' W.$ 710 ft., 4×6 ft., 10 ft. deep.

Value \$30.

Note:- An undivided $1/26$ interest in the common improvement hereafter described is credited to this lode.

Value \$972.77

Yellow Hammer Lode.

No.1. The discovery shaft of the Yellow Hammer lode, on the lode line, $S.11^\circ 16' W.$ 50 ft. from the N.E.C.Mon., 4×6 ft., 8 ft. deep.

Value \$22.

No.2. A shaft which bears from the N.E.C.Mon., Yellow Hammer lode, $S.13^\circ 04' W.$ 900 ft., 4×6 ft., 10 ft. deep.

Value \$30.

No.3. A shaft which bears from the N.E.C.Mon., Yellow Hammer lode, $S.12^\circ 09' W.$ 965 ft., 5×7 ft., 5 ft. deep.

Value \$20.

No.4. A shaft which bears from the N.E.C.Mon., Yellow Hammer lode, $S.13^\circ 21' W.$ 875 ft., 5×7 ft., 8 ft. deep.

Value \$30.

No.5. A shaft which bears from the N.E.C.Mon., Yellow Hammer lode, $S.13^\circ 36' W.$ 835 ft., 4×6 ft., 10 ft. deep.

Value \$30.

No.6. A shaft which bears from Cor.No.1, Yellow Hammer lode, $N.35^\circ 36' E.$ 37 ft., 5×16 ft., 4 ft. deep.

Value \$40.

No.7. An open cut, the face of which bears from the S.E.C.Mon., Yellow Hammer Lode, $N.3^\circ 24' E.$ 289 ft., 5.5 ft. wide, 11 ft. face, running $N.3^\circ E.$ 8 ft. to mouth. From the face is a tunnel, 5.5×8 ft., running $S.3^\circ W.$, 37 ft. to mouth.

Value cut and tunnel \$400.

No.8. A shaft, the center of whose collar bears from the S.E.C.Mon., Yellow Hammer lode, $N.3^\circ 24' E.$ 310 ft., 5.5×8 ft., 325 ft. deep. This shaft is inclined at an angle of 38° from the vertical and bears $S.67^\circ E.$ from the collar.

Value \$5850.

At the 30 ft. level of this shaft is a drift, 4×6 ft., running $N.23^\circ E.$ 44 ft. At the 90 ft. level is a drift, 4×6 ft., running $N.23^\circ E.$ 85 ft. and one running $S.23^\circ W.$ 80 ft. From the former, at a point 18 ft. from the shaft, a drift runs $S.67^\circ E.$ 16 ft. At the 190 ft. level, a drift, 4×6 ft., runs $S.23^\circ W.$ 19 ft. and

one runs N.23°E. 18 ft. At the 265 ft. level is a drift, 4 x 6 ft., running N.23°E. 50 ft. and one running S.23°W. 25 ft. At the 300 ft. level is a drift, 4 x 6 ft., running N.23°E. 57 ft. and one running S.23°W. 31 ft.

Value \$4250.

The following machinery is in operation at Shaft No. 8, Yellow Hammer lode, and is necessary in order to render possible and facilitate the extraction of ore.

1-40 H.P.Boiler, Nagle Boiler Works

Value \$700.

1-15 H.P.Boiler

Value \$200.

1-26 H.P.Fairbanks Morse Hoist - Double Cylinder, Single Drum.

Value \$600.

Total Value \$1500.

Note:- Shaft No.8, the workings on the 265 ft. and 300 ft. levels and the machinery of this lode (Combined value - \$8980.), form part of the common improvement hereafter described and are not to be credited *entirely* to this lode. An undivided 1/26 interest in said common improvement, however, is to be credited to this lode.

Value \$972.77

Work was done on the three deep shafts, No.6 of Copper Hill, No.8 of the Maggie and No.8 of the Yellow Hammer lodes as a common improvement, together with the workings on the 265 ft. and 300 ft. levels of the latter shaft, these workings being capable of extension to any point on this survey on account of being lower than the lowest point on the surface. These shafts are to be sunk as far as advisable and connected, and the necessary drifts and crosscuts (with the accompanying stopes, winzes etc.) run from them to each of the locations of this survey, so as to enable the output from the whole claim to be raised through them to the surface. They are centrally located and form a natural basis for comprehensive development.

A mill or smelter is to be erected on the Copper Hill lode in the approximate location shown on the preliminary plat, a point conveniently situated with respect to the main road, buildings etc., and which, being lower than the collars of all three shafts, and with no obstructing ridges, will enable a tramway to be constructed to it from all of them at a low figure, down which the loaded ore cars can be run by gravity.

Eight of the original locations of this survey were made Jan.8th,1907, and the amount expended on the three main shafts and the workings on the 265 ft. and 300 ft. levels of the No.8, Yellow Hammer shaft subsequent to that time is as follows.

Shaft No.6, Copper Hill lode.

Lower 105 ft. Value \$4200.

1-50 H.P.Boiler 850.

1 Compressor 2000.

1 Pump 300.

Shaft No.8, Maggie lode.

Lower 24 ft. 432.

Shaft No.8, Yellow Hammer lode.

Complete shaft - 325 ft. 5850.

Drifts - 265 and 300 ft. levels 1630.

1-15 HP.Boiler 200.

Total Value \$15462.

This total of \$15462, pro-rated equally to each of the 26 locations of this survey, gives \$595 to each of the lodes. Therefore, since for each claim located after the ~~the~~ partial construction of the common improvement, the latter has been subsequently extended so as to represent an added value of not less than \$500, each of the claims of this survey is entitled to its share of the common improvement in its entirety or an undivided 1/26 interest in the value of the common improvement, viz., 1/26 of \$25292. or \$972.77

OTHER IMPROVEMENTS.

A corral, the Southeast corner of which bears from Cor.No.1, Copper Flat lode, N.16°35'W. 159 ft., 74 x 74 ft., Course of sides S.69°W. and N.21°W.

A well which bears from the S.E.C.Mon., Copper Flat lode, N.44°07'E. 161 ft., 4 x 4 ft., 60 ft. deep.

An adobe building, the Northwest corner of which bears from Cor.No.3, Daisy lode, N.77°42'E. 193.2 ft. The sides run from here N.64°E. 40 ft., thence S.26°E. 26 ft., thence S.64°W. 55 ft., thence N.26°W. 21 ft., thence N.64°E. 15 ft., thence N,26°W. 5 ft. to place of beginning.

A frame building, the Northwest corner of which bears from Cor.No.3, Daisy lode, N.75°16'E. 321.5 ft. The sides run from here N.75°E. 12 ft., thence S.15°E. 16 ft., thence N.75°E. 6 ft., thence S.15°E. 16 ft., thence S.75°W. 24 ft., thence N.15°W. 16 ft., thence N.75°E. 6 ft., thence N.15°W. 16 ft. to place of beginning.

A frame blacksmith shop, the Southeast corner of which bears from Cor.No.4, Copper Hill lode, S.32°10'W. 494.3 ft., 15 x 15 ft. Course of sides S.76°W. and N.14°W.

A frame hoist shed, the Northwest corner of which bears from Cor.No.3, Copper Hill lode, S.45°E. 375.6 ft. 16 x 21 ft. Course of long sides S.76°W.

A corr. iron blacksmith shop, the Southeast corner of which bears from the S.E.C.Mon., Yellow Hammer lode, N.0°10'W. 300.3 ft., 10 x 16 ft. Course of long sides N.76°W.

INSTRUMENT.

This survey was made with a Buff and Buff transit No.6625. The courses were deflected from the true meridian as determined from Polaris observations. The distances were measured with 100 ft. and 200 ft. steel tapes.

Polaris Observations.

At Cor.No.1, Copper Flat lode, at 2 hr. 26 m. A.M., 1.m.t., Dec.5,1909, I observed Polaris at western elongation and marked the line thus established by a stake driven in the ground 400 ft. north of the corner. Next morning, I deflected the azimuth of Polaris 1°23.6' to the east, and from the true meridian thus established, obtained the courses of the lines of this survey.

LOCATION OF MINERAL MONUMENT NO. 2748.

This survey is on unsurveyed ground, with no corners of the public survey within two miles, and previous to

the time of this survey, no United States Mineral Monument within that distance. I therefore established such a monument (No.2748), consisting of a pine post, 8 ft. long, 8 ins. square, set 3 ft. in the ground, surrounded by a well built mound of stone, 6 ft. in diameter and 3 ft. high. This post is scribed U.S.L.M.No.2748 and the exact point is indicated by a tack driven in the center.

The monument is located on top of one of the highest peaks of the main ridge running through this claim, in full view of the surrounding country, Lat.N.32°10', Long.W. 112°59'. From it

Bates' Well (sometimes known as Growler Well), bears N.85°23'E.

Highest peak of the main mountain range across the valley south of this claim bears S.12°42'E. (Peaks in this vicinity not named.)

Center of shaft No.6, Copper Hill lode, bears N.52°45'W.

No available bearing trees or rocks.

U.S.M.M.No.1, Ajo Mining District, Pima County, bears N.26°41'E. 14.4 miles. The relative locations of these two monuments was obtained by running a traverse between them, giving a difference in latitude of 12.9 miles and of departure of 6.5 miles. From the location of U.S.M.M.No.1, as described in "Mineral Survey No. 2374", it follows that U.S.L.M.No.2748 is approximately in unsurveyed T.14 S., R.7 W., G. & S.R.B. & M.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

There are no corners of the public survey or mineral monuments within two miles, so U.S.L.M.No.2748 was established as previously described.

There are no previous surveys in this vicinity.

F. A. Bordwell

U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by F.A. Bordwell

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Colonial Copper Company

MADISON, PORTLAND, PAJO VERDE, THRUSH, BUTTE, LIBERTY, COPPER FLAT, HAWK, ARIZONA, TUESDAY, ADVANCE, DAISY, GROWLER, AMERICA, BLUE BIRD,
known as the GILA, COPPER HILL, TREASURY, WEDNESDAY, WASHINGTON, BOSTON,
QUAIL, LINCOLN, MAGGIE, MUNROE, and YELLOW HAMMER.

and showing the respective capacities in which they acted.

- W.W. Robertson. , Chainman.
- Edward Alviso , Chainman.
- Romie Banks. , Axman.
- W.W. Robertson , Flagman.

FINAL OATHS OF ASSISTANTS.

We, W.W. Robertson Edward Alviso

and Romie Banks, do solemnly swear that we assisted

F.A. Bordwell, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Colonial Copper Company.

MADISON, PORTLAND, PAJO VERDE, THRUSH, BUTTE, LIBERTY, COPPER FLAT, HAWK, ARIZONA, TUESDAY, ADVANCE, DAISY, GROWLER, AMERICA, BLUE BIRD,
known as the GILA, COPPER HILL, TREASURY, WEDNESDAY, WASHINGTON, BOSTON,
QUAIL, LINCOLN, MAGGIE, MUNROE and YELLOW HAMMER.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

- W.W. Robertson. , Chainman.
- Edward Alviso , Chainman.
- Romie Banks , Axman.
- W.W. Robertson , Flagman.

My commission expires November 26, 1911

Subscribed and sworn to by ~~Edward Alviso and Romie Banks~~ before me this Fifth

day of January, 1910.

GILA BEND, ARIZONA.

Subscribed and sworn to by W.W. Robertson before me this 3.1st
day of January... 1910

Leumas S. Burgess Notary Public
my commission expires Dec 5 - 1911

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, F. A. Bordwell, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Dec. 1, 1909, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Colonial Copper Company, known as the
MADISON, PORTLAND, PALO VERDE, THRUSH, BUTTE, LIBERTY, COPPER FLAT,
HAWK, ARIZONA, TUESDAY, ADVANCE, DAISY, GROWLER, AMERICA, BLUE
BIRD, GILA, COPPER HILL, TREASURY, WEDNESDAY, WASHINGTON, BOSTON,
QUAIL, LINCOLN, MAGGIE, MUNROE and YELLOW HAMMER.
situate in Growler Mining District,
Pima County, Arizona approximately in ~~XXXXXX~~
unsurveyed Township No. 14 S., Range No. 7 W.---G. & S.R.B. & M.
and designated as Survey No. 2748, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

F. A. Bordwell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said F. A. Bordwell
U. S. Mineral Surveyor, before me Luna St. Burger
Notary Public this 31st
day of January, 1910

Luna St. Burger
Notary Public

6-1044
Commission expires
Dec 5-1911

A M E N D E D Notice of Mining Location LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Madison
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909

The length of this claim is 1500 feet,
and 50 feet
in a southeasterly direction and 1450
feet in a northwesterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles
in a northwesterly direction from the Bates Well

The Daisy claim adjoins it on its northerly end, Tuesday & Butte claims on its easterly side, Arizona claim on its southerly end, and Washington & Copper Hill claims on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a southeasterly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the southerly
end line of said claim; thence southwesterly 300 feet to a post and mound of stone
being the southwesterly corner of said claim; thence
northwesterly 1500 feet to a post and mound of stone being at the
northwesterly corner of said claim; thence northeasterly 300 feet
to a post & mound of stone at the center of the northerly end of said claim
thence northeasterly 300 feet to a post and mound of stone being at the
northeasterly corner of said claim; thence southeasterly
1500 feet to a post & mound of stone at the
southeasterly corner of said claim; thence southwesterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Madison
Mining Claim, located by J. S. Wallace
on the day of January 1, 1902, and recorded in Book 99 of Records of Mines, at
page 202, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
Witness
H. F. Whigham

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA,

ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... in..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page.....

That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

(Signature)


Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....

Notary Seal)

..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, }
County of..... } ss

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190....., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages..... WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Madison

Granite Mining Dist.

Prima Co.

Arizona

Dated October 8, 1909

Filed and Recorded at request of

Robert M. Rowley

Oct 26 A. D. 1909

at \$40 M.

Book O.P. Board of Mines

Pages 526

By [Signature]

County Recorder.

Deputy Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Portland
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 388 claim feet
in a south easterly direction and
1112 feet in a north westerly direction from
the center of the discovery cut shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the north westerly
to the south easterly.

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/4 miles
in a south westerly direction from the Bates Well.
The Liberty claim adjoins it on its northerly, and
Growler claim on its easterly side, and
the Advance claim on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stones.

at a point in a south easterly direction 388 feet from
the discovery shaft (at which this notice is posted) being in the center of the southerly
end line of said claim; thence south westerly 300 feet to a post and mound
of stones being the south westerly corner of said claim; thence
north westerly 1500 feet to a post & mound of stones being at the
north westerly corner of said claim; thence north easterly 300 feet
to a post & mound of stones at the center of the northerly end of said claim
thence north easterly 300 feet to a post & mound of stones being at the
north easterly corner of said claim; thence south easterly
1500 feet to a post & mound of stone at the
south easterly corner of said claim; thence south westerly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Portland
Mining Claim, located by J S Wallace
on the day of January 1
1902, and recorded in Book J J of Records of Mines, at
page 304 305, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Witness
R. H. Wright

Herbert Moseley

An Act to Codify and Revise the Laws of the Territory of Arizona


SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.
SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators.
SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.
SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.
SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.
SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.
SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.
SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.
SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person or whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.
being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at... County, Arizona, Territory, and is personally acquainted with the mining claim known as... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book... of Records of Mines, at page...
That between the... day of... A. D. and the... day of... A. D. not including the location work of said claim. Such work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).
(Signature)
Subscribed and sworn to before me, this... day of... A. D.
My commission as Notary Public expires on the... day of... A. D.
Notary Seal) Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss
County of...
County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at... o'clock... M. on this... day of... 190..., and duly recorded in Book No. ... of... Records of... County, Arizona, at pages...
WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM
Portland
Bunker Mining Dist
Arizona
Dated October 8, 1909
Filed and Recorded at request of
Robert Prosser
at \$40
Book...
Pages 5-97
By... Deputy Recorder.
County Recorder.

A MENDED Notice of Mining Location

LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Palo Verde
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")

the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 610 feet

in a southeasterly direction and

890 feet in a northwesterly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said

claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles

in a north westerly direction from the Bates Well
The Berkeley claim adjoins it on its
northerly end and the Copper Hill and
Washington claims on its easterly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a southeasterly direction 610 feet from

the discovery shaft (at which this notice is posted) being in the center of the southerly
end line of said claim; thence south westerly 300 feet to a post and

mound of stone being the south westerly corner of said claim; thence

north westerly 1500 feet to a post + mound of stone being at the

north westerly corner of said claim; thence north easterly 300 feet

to a post + mound of stone at the center of the northerly end of said claim

thence north easterly 300 feet to a post + mound of stone being at the
north easterly corner of said claim; thence southeasterly
1500 feet to a post + mound of stone at the
southeasterly corner of said claim; thence south westerly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Palo Verde
Mining Claim, located by J. S. Wallace

on the day of January 1,
1909, and recorded in Book 22 of Records of Mines, at

page 209, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
H. F. Wright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA,


ss. _____ being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at _____ in _____ County, Arizona, Territory, and is personally acquainted with the mining claim known as _____ Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book _____ of Records of Mines, at page _____. That between the _____ day of _____ A. D. _____ and the _____ day of _____ A. D. _____ at least _____ dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of _____ owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

Subscribed and sworn to before me, this _____ day of _____ A. D. _____

My commission as Notary Public expires on the _____ day of _____ A. D. _____

Notary Seal) _____ Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA,

County of _____ ss. _____ County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at _____ o'clock _____ M. on this _____ day of _____ 190____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____
WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Pale Verde
Granite Mining Dist
Prima Co.
Arizona

Dated October 8, 1909

Filed and Recorded at request of
Deft. Morobely
Oct. 26 A. D. 1909
at 2 40 M.

Book _____
Pages 598
By _____
Deputy Recorder.
County Recorder.

AMENDED Notice of Mining Location

LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Thrush
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909

The length of this claim is 1500 feet,
and 60 claim

in a northwesterly direction and
1440 feet in a southwesterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly

to the southwesterly
The claim is situated and located in the Grover Mining District, in

Pima County in the Territory of Arizona, about 1 1/4 miles
in a northwesterly direction from the Bates Well

The Columbia claim adjoins it on its northerly end
Hawk claim on its southerly end and Yale
claim on its easterly side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a northwesterly direction 60 feet from
the discovery shaft (at which this notice is posted) being in the center of the northwesterly

end line of said claim; thence northwesterly 331 feet to a post + mound
of stones being the northwesterly corner of said claim; thence

southwesterly 1500 feet to a post + mound of stones being at the
southwesterly corner of said claim; thence southwesterly 331 feet

to a post + mound of stone at the center of the southerly end of said claim
thence southwesterly 331 feet to a post + mound of stone being at the

southwesterly corner of said claim; thence northwesterly
1500 feet to a post + mound of stone at the
northwesterly corner of said claim; thence northwesterly 331

feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Thrush
Mining Claim, located by Herbert Moseley
on the day of January 8,
1907, and recorded in Book L. L. of Records of Mines, at
page 644, in the office of the County Recorder of the aforesaid county of Pima

to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice
Dated and posted on the ground this Eighth (8) day of October 1909

Herbert Moseley
H. F. Wright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

- SECTION 1.** On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.
- SECTION 2.** Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.
- SECTION 3.** Until each and all of the above specified things shall have been done no right thereto shall be acquired.
- SECTION 4.** From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.
- SECTION 5.** The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.
- SECTION 6.** Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.
- SECTION 7.** Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.
- SECTION 8.** Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.
- SECTION 9.** The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.
- SECTION 10.** Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page..... That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

(Signature)


Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....

Notary Seal

..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
County of.....

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Thurs. 10/8/1909
Prima Et
Corpora

Filed and Recorded at request of
Robert H. Wheeler
Oct. 26 A. D. 1909
at 2:40 P. M.

Book O.P. Regd. Mines
Pages 529

By
Deputy Recorder.
County Recorder.

Dated October 8 1909

A M E N D E D Notice of Mining Location LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Butte
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 50 feet
in a northwesterly direction and
1450 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles

in a southwesterly direction from the Bates well
The Tuesday & Maggie claims adjoin it on its northerly end
advance claim on its southerly end Liberty claim
on its Easterly side, & Madison & Arizona claims on westerly
side. The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a northwesterly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence northeasterly 300 feet to a post & mound
of stone being the northeasterly corner of said claim; thence
southeasterly 1500 feet to a post & mound of stone being at the
southeasterly corner of said claim; thence southwesterly 300 feet
to a post & mound of stone at the center of the southerly end of said claim
thence southwesterly 300 feet to a post & mound of stone being at the
southwesterly corner of said claim; thence northwesterly
1500 feet to a post & mound of stone at the
northwesterly corner of said claim; thence northeasterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Butte
Mining Claim, located by J. S. Wallace
on the day of January 1,
1909, and recorded in Book J. S. of Records of Mines, at
page 209, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Witness
R. F. Albright

Herbert Moseley

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page.....

That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)


Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....

Notary Seal)

..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
County of.....

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

..... County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Butte
Quartz Mining Dist
Prima Ed.
Arizona.

Dated October 8 1909

Filed and Recorded at request of
Berbert Provel
Oct 26 A. D. 1909

at 2:40 P. M.

Book O. S. Beard Miner

Pages 530

By: [Signature] Deputy Recorder.
County Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Liberty
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth 18 day of October 1909.

The length of this claim is 1500 feet,
and 50 feet
in a northwesterly direction and
1450 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly.

The claim is situated and located in the Gowder Mining District, in
Pima County, in the Territory of Arizona, about 1 1/4 miles
in a southwesterly direction from the Bates Well
The Maggie & Yellow Hammer claims adjoin it on its northerly end
Portland claim on its southerly end, Gila claim on its east side
and Butte claim on its west side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a northwesterly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence northeasterly 300 feet to a post and mound
of stone being the northeasterly corner of said claim; thence
southeasterly 1500 feet to a post & mound of stone being at the
southeasterly corner of said claim; thence southwesterly 300 feet
to a post & mound of stone at the center of the southerly end of said claim
thence southwesterly 300 feet to a post & mound of stone being at the
southwesterly corner of said claim; thence
northwesterly 1500 feet to a post & mound of stone at the
northwesterly corner of said claim; thence northeasterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Liberty
Mining Claim, located by J. S. Wallace
on the day of January 1, 1902, and recorded in Book JJ of Records of Mines, at
page 219, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
Witness
R. F. Albright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.


SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at in County, Arizona, Territory, and is personally acquainted with the mining claim known as Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book of Records of Mines, at page That between the day of A. D. and the day of A. D. at least dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)
 Subscribed and sworn to before me, this day of A. D.
 My commission as Notary Public expires on the day of A. D.

Notary Seal) Notary Public.
SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss
 County of
 County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at o'clock M. on this day of 190..., and duly recorded in Book No. of Records of County, Arizona, at pages
 WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Duration.
LODE CLAIM

Liberty
 Grand Mining Dist.
 Prime Co.
 Trippon

Dated October 8, 1909

Filed and Recorded at request of
 Robert Moxley

at \$ 40 A. D. 1909
 M.

Book O.P. Board of Trustees

Pages 531

By Paul Deerey
 County Recorder.

Deputy Recorder.

A M E N D E D Notice of Mining Location LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Copper Flat
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1,500 feet,
and 150 feet
in a southwesterly direction and
1,350 feet in a northeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northeasterly
to the southwesterly.

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles
in a northwesterly direction from the Bates Well.
The Copper Hill claim adjoins it on its southerly
end. Daisy claim on its easterly side, +
Berkeley claim on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post + mound of stone

at a point in a southwesterly direction 150 feet from
the discovery shaft (at which this notice is posted) being in the center of the southerly
end line of said claim; thence southwesterly 331 feet to a post + mound
of stone being the southwesterly corner of said claim; thence
northeasterly 1500 feet to a post + mound of stone being at the
northwesterly corner of said claim; thence northeasterly 331 feet
to a post + mound of stone at the center of the northerly end of said claim
thence northeasterly 331 feet to a post + mound of stone being at the
northeasterly corner of said claim; thence southwesterly
1500 feet to a post + mound of stone at the
southeasterly corner of said claim; thence southwesterly 331
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Copper Flat
Mining Claim, located by J. S. Wallace
on the day of January 1,
1909, and recorded in Book 22 of Records of Mines, at
page 207, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
W. F. Allright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA,

ss. _____ being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at _____ in _____ County, Arizona, Territory, and is personally acquainted with the mining claim known as _____ Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book _____ of Records of Mines, at page _____.


That between the _____ day of _____ A. D. _____ and the _____ day of _____ A. D. _____ at least _____ dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of _____ owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

Subscribed and sworn to before me, this _____ day of _____ A. D. _____ (Signature)

My commission as Notary Public expires on the _____ day of _____ A. D. _____

Notary Seal _____ Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA,

County of _____ ss. _____

County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at _____ o'clock _____ M. on this _____ day of _____ 190____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM
Cope for Flat
Parks Co.
Dated October 8, 1909
Filed and Recorded at request of
Robert H. Hoveley
Oct 26 A. D. 1909
at 2:40 P. M.
Book 558
Pages 558
By _____ Deputy Recorder.
County Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

Hawk

This Mining Claim, the name of which is the.....
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the..... Eighth (8) day of October 1909

The length of this claim is..... 1500 feet,
and..... 50 claim..... feet
in a..... southwesterly..... direction and.....

1450 feet in a..... northeasterly..... direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with.....
300 feet in width of the surface grounds, on each side of the center of said

claim. The general course of the lode deposit and premises is from the..... northeasterly
to the..... southwesterly.....

The claim is situated and located in the..... Growler..... Mining District, in
Pima..... County, in the Territory of Arizona, about..... 1 1/4 miles
in a..... northwesterly..... direction from..... the Bates Well.....

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a post + mound of stone

at a point in a..... southwesterly..... direction..... 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the..... southerly.....
end line of said claim; thence..... southwesterly 331 feet to a post + mound
of stone..... being the..... southwesterly..... corner of said claim; thence
northeasterly 1500 feet to a post + mound of stone..... being at the
northwesterly..... corner of said claim; thence..... northeasterly 331 feet
to a post + mound of stone..... at the center of the..... northerly..... end of said claim
thence..... northeasterly 331 feet to a post + mound of stone..... being at the
northeasterly..... corner of said claim; thence..... southwesterly.....
1500 feet to a post + mound of stone..... at the
southeasterly..... corner of said claim; thence..... southwesterly 331
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the..... Hawk.....
Mining Claim, located by..... Herbert Moseley.....

..... on the day of..... January 8,
1909, and recorded in Book..... L.L..... of Records of Mines, at
page..... 643..... in the office of the County Recorder of the aforesaid county of..... Pima.....

to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this..... Eighth (8) day of October 1909:

Witness
N. P. Wright

Herbert Moseley

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.


..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at in County, Arizona, Territory, and is personally acquainted with the mining claim known as Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book of Records of Mines, at page

That between the day of A. D. and the day of A. D. at least dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)
Subscribed and sworn to before me, this day of A. D.

My commission as Notary Public expires on the day of A. D.
..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.

County of
..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at o'clock M. on this day of 190..., and duly recorded in Book No. of Records of County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Filiation.
LODE CLAIM
Hank
Gunter Mining Dist
Pinnick & Co.
Arizona
Dated October 8, 1909
Filed and Recorded at request of
Robert H. Hoadley
at 2:40 A. D. 1909
Book 533
Pages 533
By
Deputy Recorder.
County Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Arizona
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909

The length of this claim is 1500 feet,
and 2 claim 50 feet
in a north westerly direction and
1450 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the north westerly
to the southeasterly

The claim is situated and located in the Crowder Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles
in a south westerly direction from the Bates Well
The Madison claim adjoins it on its northerly end,
Snail claim on its southerly end. Boston claim on its
westerly side, Butter + Advance claims on its easterly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post + mound of stones.

at a point in a north westerly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence north easterly 300 feet to a post + mound
of stones being the north easterly corner of said claim; thence
south easterly 1500 feet to a post + mound of stones being at the
southeasterly corner of said claim; thence south westerly 300 feet
to a post + mound of stone at the center of the southerly end of said claim
thence south westerly 300 feet to a post + mound of stones being at the
south westerly corner of said claim; thence north westerly
1500 feet to a post + mound of stone at the
north westerly corner of said claim; thence north easterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Arizona
Mining Claim, located by J. J. Wallace
on the day of January 1,
1902, and recorded in Book 22 of Records of Mines, at
page 306 in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909

Herbert Moseley
Witness
K. F. Wright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:


TERRITORY OF ARIZONA, } ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at in County, Arizona, Territory, and is personally acquainted with the mining claim known as Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book of Records of Mines, at page

That between the day of A. D. and the day of A. D. at least dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)
Subscribed and sworn to before me, this day of A. D.
My commission as Notary Public expires on the day of A. D.

Notary Seal) Notary Public.
SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
County of

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at o'clock M. on this day of 190..., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

..... County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM
Arroyo
Granite Mining District
Granite Co.
Arroyo
Dated October 8, 1909
Filed and Recorded at request of
Herbert H. Rowley
Oct 26 A. D. 1909
at 2:40
M.
Book 534
Pages 534
Deputy Recorder
County Recorder

54
10

A M E N D E D
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Tuesday
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 75 feet
in a north easterly direction and
1425 feet in a south westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the north easterly
to the south westerly.

The claim is situated and located in the Growler Mining District, in
Pima County in the Territory of Arizona, about 1 1/2 miles
in a north westerly direction from the Bates Well.

The Lincoln claim adjoins it on its northerly
end, Butte & Madison claims on its southerly
end, Maggie claim on its easterly side, Daisy &
Madison claims on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post & mound of stone
at a point in a north easterly direction 75 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence north easterly 331 feet to a post & mound
of stone being the north easterly corner of said claim; thence
south westerly 1500 feet to a post & mound of stone being at the
south easterly corner of said claim; thence south easterly 331 feet
to a post & mound of stone at the center of the southerly end of said claim
thence south westerly 331 feet to a post & mound of stone being at the
south westerly corner of said claim; thence north easterly
1500 feet to a post & mound of stone at the
north westerly corner of said claim; thence north easterly 331
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Tuesday
Mining Claim, located by J. S. Wallace
on the day of January 1,
1902, and recorded in Book J. J. of Records of Mines, at
page 208, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
R. P. Wright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.-INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA,

ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at in County, Arizona, Territory, and is personally acquainted with the mining claim known as Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book of Records of Mines, at page

That between the day of A. D. and the day of A. D. at least dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).


(Signature)

Subscribed and sworn to before me, this day of A. D.

My commission as Notary Public expires on the day of A. D.

Notary Seal) Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA,

ss.

County of

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at o'clock M. on this day of 190..., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Jesse Day
General Mining Diet.
Prima Co.

Amesone

Dated October 8, 1909

Filed and Recorded at request of
Debert Prosser

Oct 26 A. D. 1909

at \$40 M.

Book
O. P. Regard
Recorder

Pages
535

By
Debert Prosser
County Recorder

Deputy Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Advance
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 50 feet

in a southeasterly direction and
1450 feet in a northwesterly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the northwesterly
to the southeasterly

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/4 miles
in a south westerly direction from the Bates Well.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post & mound of stone

at a point in a southeasterly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the southerly
end line of said claim; thence southwesterly 300 feet to a post & mound
of stone being the southwesterly corner of said claim; thence
northwesterly 1500 feet to a post & mound of stone being at the
northwesterly corner of said claim; thence northeasterly 300 feet
to a post & mound of stone at the center of the northerly end of said claim
thence northeasterly 300 feet to a post & mound of stone being at the
northeasterly corner of said claim; thence southeasterly
1500 feet to a post & mound of stone at the
southeasterly corner of said claim; thence southwesterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Advance
Mining Claim, located by J. S. Wallace

on the day of January 1,
1909, and recorded in Book 22 of Records of Mines, at
page 212, in the office of the County Recorder of the aforesaid county of Pima

to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
R. P. Wright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.


..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at in County, Arizona, Territory, and is personally acquainted with the mining claim known as Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book of Records of Mines, at page

That between the day of A. D. and the day of A. D. at least dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)
Subscribed and sworn to before me, this day of A. D.

My commission as Notary Public expires on the day of A. D.
Notary Seal) Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
County of

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at o'clock M. on this day of 190..., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
LODE CLAIM
Notice of Forfeiture.
Admiral
Sunder Mining Dist
Pima Co.,
Arizona
Dated October 8, 1909
Filed and Recorded at request of
Robert Wheeler
Oct 26 A. D. 1909
at 2:40 M.
Book 207 Part 3
Pages 526
Deputy Recorder.
County Recorder.

A MENDED Notice of Mining Location

LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Daisy Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth day of October 1909.

The length of this claim is 1500 feet, and 2 claim 50 feet in a southwesterly direction and 1450 feet in a northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northeasterly to the southwesterly.

The claim is situated and located in the Groveland Mining District, in Pima County, in the Territory of Arizona, about 1 1/2 miles in a northwesterly direction from the Bates Well.
The Madison claim adjoins it on its southerly end. Tuesday + Lincoln claims on its easterly side. Copper Hill and Copper Flat claims on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post and mound of stones

at a point in a southwesterly direction 50 feet from the discovery shaft (at which this notice is posted) being in the center of the southerly end line of said claim; thence southwesterly 98 feet to a post + mound of stone being the southwesterly corner of said claim; thence northwesterly 500 ft. to a post + mound of stone; thence northeasterly 949 ft. to a post + mound of stone being at the northwesterly corner of said claim; thence northeasterly 331 feet to a post + mound of stone at the center of the northerly end of said claim thence northeasterly 331 feet to a post + mound of stone being at the northeasterly corner of said claim; thence southwesterly 1500 feet to a post + mound of stone at the southeasterly corner of said claim; thence southwesterly 331 feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Daisy Mining Claim, located by J. S. Wallace on the day of January 1, 1902, and recorded in Book 22 of Records of Mines, at page 200, in the office of the County Recorder of the aforesaid county of Pima to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Witness
R. F. Albright

Herbert Moseley

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA,

ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... in..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page.....

That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

(Signature)


Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....

Notary Seal

Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA,

ss.

County of.....

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Navary
Sumner Mining Dist.
Pima Co.
Arizona

Dated October 8, 1909

Filed and Recorded at request of
Michael Prosser

at \$40
Oct 26 A. D. 1909
M.

Book
537
Record

Pages
537

Deputy Recorder
County Recorder

By
Deputy Recorder

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the Growler
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 9 claim 165 feet
in a northwesterly direction and
1335 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly.

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 14 miles
in a southwesterly direction from the Bates Well.
The Gila claim adjoins it on its northerly
end, and the Portland claim on its
westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post + mound of stone
at a point in a northwesterly direction 165 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence northeasterly 300 feet to a post + mound
of stone being the northeasterly corner of said claim; thence
southeasterly 1500 feet to a post + mound of stone being at the
southeasterly corner of said claim; thence southwesterly 300 feet
to a post + mound of stone at the center of the southerly end of said claim
thence southwesterly 300 feet to a post + mound of stone being at the
southwesterly corner of said claim; thence northwesterly
1500 feet to a post + mound of stone at the
northwesterly corner of said claim; thence northeasterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Growler
Mining Claim, located by Herbert Moseley
on the day of January 8,
1907, and recorded in Book L. L. of Records of Mines, at
page 644, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
Witness
A. F. Wright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.


SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.
..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... in..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page..... That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)
Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....
..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
County of.....
..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

..... County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM
Gronklin
Primer Mining Dist
Primer Co.
Arizona.
Dated October 8 1909
Filed and Recorded at request of Robert M. ...
at 2 to ... M.
Book ...
Pages 538.
By Deputy Recorder.
County Recorder.

A M E N D E D
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the America
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 2 claim 50 feet
in a southwesterly direction and
1450 feet in a northeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northeasterly
to the southwesterly.

The claim is situated and located in the Crowder Mining District, in
Pima County, in the Territory of Arizona, about 1 mile
in a northwesterly direction from the Bates Well
The Yale claim adjoins it on its northerly
end Blue-bird on its southerly end and
Hawk claim on its westerly side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone.

at a point in a southwesterly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the southerly
end line of said claim; thence southwesterly 331 feet to a post & mound
of stone being the southwesterly corner of said claim; thence
northwesterly 1500 feet to a post & mound of stone being at the
northwesterly corner of said claim; thence northeasterly 331 feet
to a post & mound of stone at the center of the northerly end of said claim
thence northeasterly 331 feet to a post & mound of stone being at the
northeasterly corner of said claim; thence southwesterly
1500 feet to a post & mound of stone at the
southeasterly corner of said claim; thence southwesterly 331
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the America
Mining Claim, located by Herbert Moseley
on the day of January 8,
1907, and recorded in Book L2 of Records of Mines, at
page 646, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.
Herbert Moseley
W. P. Higgins

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... in..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page.....

That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

(Signature)


Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....

Notary Seal

..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.

County of.....

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock

..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Amesieu
Gundie Mining Dist.
Pima Co.
Arizona

Dated October 8, 1909

Filed and Recorded at request of
Robert Bradley

Oct 26 A. D. 1909

at 2:40 M.

Book
Deputy Recorder

Pages
539

By
Deputy Recorder

Deputy Recorder

64
15

A M E N D E D
Notice of Mining Location

LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Blue Bird
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 50 feet
in a southwesterly direction and
1450 feet in a northeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northeasterly
to the southwesterly.

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 mile
in a northwesterly direction from the Bates Well.
The America claim adjoins it on its northerly
end, Gila on its southerly end, and
Yellow Hammer on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post & mound of stone

at a point in a southwesterly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the southerly
end line of said claim; thence southwesterly 331 feet to a post & mound
of stone being the southwesterly corner of said claim; thence
northeasterly 1500 feet to a post & mound of stone being at the
northwesterly corner of said claim; thence northeasterly 331 feet
to a post & mound of stone at the center of the northerly end of said claim
thence northeasterly 331 feet to a post & mound of stone being at the
northeasterly corner of said claim; thence southwesterly
1500 feet to a post & mound of stone at the
southeasterly corner of said claim; thence southwesterly 331
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Blue Bird
Mining Claim, located by Herbert Moseley
on the day of January 8,
1907, and recorded in Book L.L. of Records of Mines, at
page 646, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Witness
R. Allbright

Herbert Moseley

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA,

ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... in..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page.....

That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

(Signature)


Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....

Notary Seal

..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA,

ss.

County of.....

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Blue Bird
Pioneer Mining Dist
Pima Co.
Arizona

Dated October 8, 1909

Filed and Recorded at request of
Berbert Morozley
October 26 A. D. 1909

at 2:40 M.

Book 207
Pages 541

By *[Signature]*
County Recorder.
Deputy Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Gila
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States,
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 50 feet
in a northwesterly direction and
1450 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly.

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 mile
in a southwesterly direction from the Bates Wall.
The Yellow Hammer & Blue Bird claims adjoin it on
its northerly end, Growler claim on its southerly end
and Liberty claim on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a northwesterly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence northeasterly 300 feet to a post & mound
of stone being the northeasterly corner of said claim; thence
southeasterly 1500 feet to a post & mound of stone being at the
southeasterly corner of said claim; thence southwesterly 300 feet
to a post & mound of stone at the center of the southerly end of said claim
thence southwesterly 300 feet to a post & mound of stone being at the
southwesterly corner of said claim; thence northwesterly
1500 feet to a post & mound of stone at the
northwesterly corner of said claim; thence northeasterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Gila
Mining Claim, located by Herbert Moseley
on the day of January 8,
1907, and recorded in Book L. L. of Records of Mines, at
page 648, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth day of October 1909.

Herbert Moseley
Herbert Moseley

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location: provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:


TERRITORY OF ARIZONA, } ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page..... and the..... day of..... A. D. That between the..... day of..... and the..... day of..... A. D. at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim; for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)
Subscribed and sworn to before me, this..... day of..... A. D.
My commission as Notary Public expires on the..... day of..... A. D.

Notary Seal

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
County of.....

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
LODE CLAIM
Notice of Forfeiture.
Lila
Shaner Mining Dist.
Prima Co.
Arizona
Dated October 8, 1909
Filed and Recorded at request of
Robert Maxwell
at 2:40 P. M.
A. D. 1909
Book 007 Record of Mines
Pages 541
By: [Signature]
Deputy Recorder.
County Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Copper Hill
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the Eighth (8) day of October 1909

The length of this claim is 950 feet,
and 2 claim 300 feet

in a northwesterly direction and

650 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly

to the southeasterly

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles

in a northwesterly direction from the Bates Well

The Copper Flat claim adjoins it on its northerly end
Washington claim on its southerly end, Daisy + Madison
claims on easterly side; Palo Verde claim on westerly side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post + mound of stone

at a point in a northwesterly direction 300 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly

end line of said claim; thence northeasterly 300 feet to a post + mound
of stones being the northeasterly corner of said claim; thence

southeasterly 950 feet to a post + mound of stones being at the
southeasterly corner of said claim; thence southwesterly 300 feet

to a post + mound of stone at the center of the southerly end of said claim
thence southwesterly 300 feet to a post + mound of stone being at the

southwesterly corner of said claim; thence northwesterly
950 feet to a post + mound of stone at the

northwesterly corner of said claim; thence northeasterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Copper Hill
Mining Claim, located by J. S. Wallace

on the day of January,
1909, and recorded in Book 22 of Records of Mines, at

page 203 213, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice

Dated and posted on the ground this Eighth (8) day of October 1909

Herbert Moseley
R. H. Wright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... in..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page.....

That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).


(Signature)

Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....

Notary Seal

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
County of.....

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Copper Hill
Prosper Mining Co.
Prima Co.
Arizona

Dated October 8, 1909

Filed and Recorded at request of
Berbert Rowley
October 26 A. D. 1909

at 2:40 P. M.

Book
C. S. Beard
Recorder

Pages
549

By
C. S. Beard
County Recorder

Deputy Recorder.

A M E N D E D Notice of Mining Location LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Treasury Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 50 feet
in a north westerly direction and
1450 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the north westerly
to the southeasterly.

The claim is situated and located in the Crowler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles
in a South westerly direction from the Bates Well.
The Advance claim adjoins it on its
northerly end and the Quail claim on
its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone.

at a point in a north westerly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence north easterly 300 feet to a post and
mound of stone being the north easterly corner of said claim; thence
south easterly 1500 feet to a post & mound of stone being at the
south easterly corner of said claim; thence South westerly 300 feet
to a post & mound of stone at the center of the southerly end of said claim
thence South westerly 300 feet to a post & mound of stone being at the
South westerly corner of said claim; thence North westerly
1500 feet to a post & mound of stone at the
North westerly corner of said claim; thence North easterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Treasury
Mining Claim, located by J. S. Wallace
on the day of January 1,
1902, and recorded in Book 22 of Records of Mines, at
page 209 219, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
R. P. Wright

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.


SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.
 being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at County, Arizona, Territory, and is personally acquainted with the mining claim known as Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book of Records of Mines, at page That between the day of A. D. and the day of A. D. at least dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).
 (Signature)

Subscribed and sworn to before me, this day of A. D.
My commission as Notary Public expires on the day of A. D.
Notary Seal) Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
 County of
 County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at o'clock M. on this day of 190..., and duly recorded in Book No. of Records of County, Arizona, at pages
 WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
 LODGE CLAIM
 Notice of Forfeiture.
 Treasurers
 General Mining Dist
 Phoenix Co.,
 Arizona
 Dated October 8, 1909
 Filed and Recorded at request of
 Robert Prosser
 Oct 26 A. D. 1909
 at 2:40 P. M.
 Book 209 Record of Mines
 Pages 5-113
 Deputy Recorder
 County Recorder

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Wednesday
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eight (8) day of October 1909.

The length of this claim is 1500 feet,
and 2 claim 80 feet
in a northwesterly direction and
1420 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly.

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles
in a southwesterly direction from the Bates well
The Boston claim adjoins it on its
northerly end and the Duail claim
on its easterly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone
at a point in a northwesterly direction 80 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence northeasterly 300 feet to a post & mound
of stone being the northeasterly corner of said claim; thence
southeasterly 1500 feet to a post & mound of stone being at the
southeasterly corner of said claim; thence southwesterly 300 feet
to a post & mound of stone at the center of the southerly end of said claim
thence southwesterly 300 feet to a post & mound of stone being at the
southwesterly corner of said claim; thence northwesterly
1500 feet to a post & mound of stone at the
northwesterly corner of said claim; thence northeasterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Wednesday
Mining Claim, located by J. S. Wallall
on the day of January,
1902, and recorded in Book 22 of Records of Mines, at
page 204, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eight (8) day of October 1909.

Herbert Moseley
R. F. Whigham

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA,

ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page.....

That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).


(Signature)

Subscribed and sworn to before me, this..... day of..... A. D.....

My commission as Notary Public expires on the..... day of..... A. D.....

Notary Seal)..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss

County of.....

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM

W. S. Woodruff
Superintendent
Prima Co.,
Arizona

Dated October 9, 1909

Filed and Recorded at request of
Robert H. Hazlett
A. D. 1909

Book 240
at 240
O. S. Beard
Recorder

Pages 5-11
Paul Devey
County Recorder

By
Deputy Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Washington
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1050 feet,
and 70 claim 70 feet
in a southeasterly direction and 980
feet in a north westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly.

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles
in a westerly direction from the Bates Well
The Copper Hill claim adjoins it on its northerly
end, Boston claim on its southerly end, Madison claim
on its easterly side, and Palo Verde claim on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post, and mound of stone

at a point in a southeasterly direction 70 feet from
the discovery shaft (at which this notice is posted) being in the center of the southerly
end line of said claim; thence southwesterly 300 feet to a post and
mound of stone being the south westerly corner of said claim; thence
northwesterly 1050 feet to a post and mound of stone being at the
northwesterly corner of said claim; thence northeasterly 300 feet
to a post and mound of stone at the center of the northerly end of said claim
thence northeasterly 300 feet to a post and mound of stone being at the
northeasterly corner of said claim; thence southeasterly
1050 feet to a post and mound of stone at the
south easterly corner of said claim; thence south westerly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Washington
Mining Claim, located by J. S. Wallace
on the day of January 1
1902, and recorded in Book J & S of Records of Mines, at
page 201 in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Herbert Moseley
H. P. Wright

A M E N D E D
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Boston
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable
mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eight (8) day of October 1909.

The length of this claim is 1500 feet,
and 50 feet
in a northwesterly direction and 1450
feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly

The claim is situated and located in the Gowder Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles
in a southwesterly direction from the Bates Well.

The Washington claim adjoins it on its northerly
end, Wednesday claim on its southerly and
and Arizona claim on its easterly side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a northwesterly direction 50 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence northeasterly 300 feet to a post & mound
of stone being the northeasterly corner of said claim; thence
south easterly 1500 feet to a post and mound of stone being at the
southeasterly corner of said claim; thence southwesterly 300 feet
to a post & mound of stone at the center of the southerly end of said claim
thence south westerly 300 feet to a post & mound of stone being at the
south westerly corner of said claim; thence northwesterly
1500 feet to a post & mound of stone at the
northwesterly corner of said claim; thence northeasterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of
the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Boston
Mining Claim, located by J. S. Wallace
on the day of January 1,
1902, and recorded in Book J. J. of Records of Mines, at
page 203, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eight (8) day of October 1909.

Witness
R. P. Wright

Herbert Moseley

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.

SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.

..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at County, Arizona, Territory, and is personally acquainted with the mining claim known as Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book of Records of Mines, at page

That between the day of A. D. and the day of A. D. at least dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)


Subscribed and sworn to before me, this day of A. D.

My commission as Notary Public expires on the day of A. D.

Notary Seal)

..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.

County of

..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at o'clock M. on this day of 190..., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

..... County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM

Boston
Gardner Mining Dist
Cinnia Co.
Arizona

Dated October 8, 1909

Filed and Recorded at request of
Berbert Moxley
Oct 26 A. D. 1909
at 2:40 P. M.

Book 207
Page 546

By: *[Signature]*
Deputy Recorder.

29

78

A M E N D E D
Notice of Mining Location
LODE CLAIM

To All Whom it May Concern :

This Mining Claim, the name of which is the Quail
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

Herbert Moseley
a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States")
the undersigned, on the Eighth (8) day of October 1909.

The length of this claim is 1500 feet,
and 40 feet
in a northwesterly direction and
1460 feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the northwesterly
to the southeasterly.

The claim is situated and located in the Growler Mining District, in
Pima County, in the Territory of Arizona, about 1 1/2 miles
in a southwesterly direction from the Bates Well.
The Arizona claim adjoins it on its northerly end
Advance & Treasury claims on its easterly side, and
Wednesday claim on its westerly side.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a northwesterly direction 40 feet from
the discovery shaft (at which this notice is posted) being in the center of the northerly
end line of said claim; thence northeasterly 300 feet to a post & mound
of stone being the northeasterly corner of said claim; thence
southeasterly 1500 feet to a post & mound of stone being at the
southeasterly corner of said claim; thence southwesterly 300 feet
to a post & mound of stone at the center of the southerly end of said claim
thence southwesterly 300 feet to a post & mound of stone being at the
southwesterly corner of said claim; thence northwesterly
1500 feet to a post & mound of stone at the
northwesterly corner of said claim; thence northeasterly 300
feet to the place of beginning.

All done under the provisions of Chapter Six; of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended Location Notice of the Quail
Mining Claim, located by J.S. Wallace
on the day of January 1,
1909, and recorded in Book 22 of Records of Mines, at
page 211, in the office of the County Recorder of the aforesaid county of Pima
to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in
the description in the said original Location Notice.

Dated and posted on the ground this Eighth (8) day of October 1909.

Witness
R. H. Allright

Herbert Moseley

An Act to Codify and Revise the Laws of the Territory of Arizona

SECTIONS I-II.—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:

SECTION 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

SECTION 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous monument of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the ground, in which monument of stones or on which post, there shall be posted a location notice, which shall be signed by the name or names of the locator or locators. The location notice must contain: First, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

SECTION 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.
SECTION 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done, the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice; second, to sink a discovery shaft in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary until there is discovered in said shaft mineral in place; third, to monument the claim on the ground so that its boundaries can be readily traced.

SECTION 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forfeited.

SECTION 6. Such surface boundaries shall be marked by six (6) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each corner of said claim, and one at the center of each end line thereof.

SECTION 7. Any open-cut, adit or tunnel which shall be made as above provided for as a part of the location of a lode mineral claim, and which shall be equal in amount of work to a shaft ten (10) feet deep and four (4) feet wide by six (6) feet long, and which shall cut the lode or mineral in place at a depth of ten (10) feet from the surface, shall be equivalent as a discovery work to a shaft sunk from the surface.

SECTION 8. Location notice may be amended at any time, and the monument changed to correspond with the amended location; provided, that no change shall be made that will interfere with the rights of others.


SECTION 9. The amount of assessment or representation work or improvements to be done or made during each year, after the completion of the location as heretofore provided, and the time for doing the same shall be as provided by the laws of the United States.

SECTION 10. Within three (3) months after the expiration of the period of the time fixed for the performance of annual labor, or the making of such improvements upon any mining claim, the person on whose behalf such work or improvements was made, or some person for him knowing the facts, may make a record in the office of the County Recorder of the county wherein such claim is situated, an affidavit in substance as follows:

TERRITORY OF ARIZONA, } ss.
..... being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at..... County, Arizona, Territory, and is personally acquainted with the mining claim known as..... Mining District, Arizona, Territory, the location notice of which is recorded in the office of the County Recorder of said County, in book..... of Records of Mines, at page..... That between the..... day of..... A. D..... and the..... day of..... A. D..... at least..... dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of..... owners of said claim, for the purpose of complying with the laws of the United States, pertaining to assessments of annual work, and (here name the owners of men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

..... (Signature)
Subscribed and sworn to before me, this..... day of..... A. D.....
My commission as Notary Public expires on the..... day of..... A. D.....
Notary Seal)..... Notary Public.

SECTION 11. Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, after it has been recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the Territory. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the locator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall erect new, or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location notice shall state if the whole or any part of the new location is located as abandoned property, else it shall be void.



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

TERRITORY OF ARIZONA, } ss.
County of.....
..... County Recorder in and for the County and Territory aforesaid; do hereby certify that the within instrument was filed for record at..... o'clock..... M. on this..... day of..... 190..., and duly recorded in Book No. of..... Records of..... County, Arizona, at pages.....
WITNESS my hand and official seal the day and year first above written.

..... County Recorder.

AMENDED
Notice of Forfeiture.
LODE CLAIM
Enrail
Gardner Mining Dist.
Primer Co.
Carpenter
Dated October 8 1909
Filed and Recorded at request of
Berbert Howley
Oct 26 A. D. 1909
at 2:40 P. M.
Book O. O. Ford Miner
Pages 547
By [Signature] Deputy Recorder.
County Recorder.

AMENDED
Notice of Mining Location
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Lincoln
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased
by Herbert Mosley

a citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 8th day of October, 1909

The length of this claim is 1500 feet,
and 1 claim 50 feet,
in a South westerly direction and 1450
feet in a North easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the

North easterly to the South westerly

The claim is situated and located in the Crowder Mining District, in
Pima County in the Territory of Arizona, about 1 1/4 miles
in a North Westerly direction from the Bates Well

The Tuesday claim adjoins it on its southerly end Manroe claim
on its easterly side and Dairy claim on its westerly side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a post and mound of stone

at a point in a South Westerly direction 50 feet from
the discovery shaft (at which this notice is posted), being in the center of the Southerly
end line of said claim; thence South westerly 331 feet to a post and mound
of stone, being the South westerly corner of said claim; thence
North easterly 1500 feet to a post and mound of stone, being at the
North westerly corner of said claim; thence North easterly 381 feet
to a post and mound of stone at the center of the North easterly end of said claim;
thence North easterly 331 feet to a post and mound of stone being at the
North easterly corner of said claim; thence South westerly 1500
feet to a post and mound of stone at the South easterly corner of said claim;
thence South westerly 331 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Lincoln
Mining claim, located by Herbert Mosley

on the 8th day of
Jan, 1907, and recorded in Book 606 of Records of Mines, at
page 646, in the office of the County Recorder of the aforesaid County of Pima
to which reference is hereby made, and this Amended location Notice is made and posted to correct
errors in the description in the said original Location Notice.

Dated and posted on the ground this 8th day of October, 1909

Witness
R. P. Wright

Herbert Mosley

TERRITORY OF ARIZONA,

County of

ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clockM., on this day of, 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Lincoln
Abraham Mining Dist
Yuma Co
Arizona

Dated *Oct 6th*, 19*09*

Filed and Recorded at request of
Nature Bennett

Nov. 23, A. D. 19*09*.
at *9-10* A. M.


Book *O. O. Record of Mines*
Pages *577*

Ben Hansen
County Recorder
By *L. M. Shihel*
Deputy Recorder.

1- H. H. McNeil Co., Printers, Phoenix, Arizona

*Yours to Nature Bennett
Phoenix, Ariz.
Pd.
4⁰⁰*

2369



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED
Notice of Mining Location
 LODGE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Maggié
 Mining Claim, situate on lands belonging to the United States of America, and in which there are
 valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased
 by Herbert Mosley a Citizen of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
 the undersigned, on the 8th day of October, 1909

The length of this claim is 1500 feet,
 and 50 claim 50 feet,
 in a North easterly direction and 1450
 feet in a South westerly direction from
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
 with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the
North easterly (easterly) to the South Westerly

The claim is situated and located in the Crowder Mining District, in
Pima County in the Territory of Arizona, about 1 1/4 miles
 in a North Westerly direction from The Bates Well

The Monroe claim adjoins it on its northerly end Butte and
Liberty claim on its southerly end Yellow Hammer claim on its
easterly side and Tuesday claim on its westerly side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
A Post and mound of stone

at a point in a North easterly direction 50 feet from
 the discovery shaft (at which this notice is posted), being in the center of the Northerly
 end line of said claim; thence North easterly 331 feet to a post and
mound of stone, being the North easterly corner of said claim; thence
South westerly 1500 feet to a post and mound of stone, being at the
South easterly corner of said claim; thence South westerly 331 feet
 to a post and mound of stone at the center of the Southerly end of said claim;
 thence South westerly 331 feet to a post and mound of stone being at the
South Westerly corner of said claim; thence North easterly 1500
 feet to a post and mound of stone at the North westerly corner of said claim;
 thence North easterly 331 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
 United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and
 Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Maggié
 Mining claim, located by Ed. O. Roberts and Ed. H. Mc Hall

on the _____ day of _____
Jan. 1st, 1900, and recorded in Book 44 of Records of Mines, at
 page 372-35, in the office of the County Recorder of the aforesaid County of Pima
 to which reference is hereby made, and this Amended location Notice is made and posted to correct
 errors in the description in the said original Location Notice.

Dated and posted on the ground this 8th day of October, 1909

Witness
R. S. Wright
Herbert Mosley

County of

ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock M., on this day of, 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Maggie
Charlotte Mining Dist.
Cima County
Arizona

Dated *Oct 8th*, 19*09*

Filed and Recorded at request of

Malter Bennett

Nov 23, A. D. 19*09*

at *9-10* A. M.


Book *V. O. Records of Mines*

Pages *578*

Bennett
County Recorder.

By *D. M. Chubb*
Deputy Recorder.

The H. H. McNeil Co., Printers, Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED
Notice of Mining Location
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Munroe
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased
by Herbert Modley

a Citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 8th day of October, 1907.

The length of this claim is 1500 feet,
and 1 claim 100 feet,

in a South westerly direction and
1400 feet in a North easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the
North easterly to the South westerly

The claim is situated and located in the Crowder Mining District, in
Pima County in the Territory of Arizona, about 1 1/4 miles
in a North westerly direction from The Bates well

The Maggie Claim adjoins it on its Southernly end and the Hawk
claim on its easterly side and the Lincoln claim on its
Westerly side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
A post and mound of stone

at a point in a South westerly direction 100 feet from
the discovery shaft (at which this notice is posted), being in the center of the Southerly
end line of said claim; thence South westerly 331 feet to a post and
mound of stone, being the South westerly corner of said claim; thence
North easterly 1500 feet to a post and mound of stone, being at the
North westerly corner of said claim; thence North easterly 331 feet
to a post and mound of stone the center of the Northerly end of said claim;
thence North easterly 331 feet to a post and mound of stone, being at the
North easterly corner of said claim; thence South westerly 1500
feet to a post and mound of stone at the South easterly corner of said claim;
thence South westerly 331 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Munroe
Mining claim, located by Herbert Modley

on the 8th day of
Jan, 1907, and recorded in Book 6060 of Records of Mines, at
page 647, in the office of the County Recorder of the aforesaid County of Pima
to which reference is hereby made, and this Amended location Notice is made and posted to correct
errors in the description in the said original Location Notice.

Dated and posted on the ground this 8th day of October, 1907.

Witness
R. H. Wright
Herbert Modley Locator

County of

ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clockM., on this day of, 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

The Discoverer
Ernest Quincy Sipes
Paria Ariz

Dated *Sept. 8th*, 19*09*

Filed and Recorded at request of
Walter Bennett

Nov. 23, A. D. 19*09*.


at *9-10* A. M.

Book *U. S. Records of Mines*
579

Pages
Ben Bennett
County Recorder.

By *L. M. Chishell*
Deputy Recorder.

The H. H. McNeil Co., Printers, Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Yellow Hammer Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchased by Herbert Moseley

A Citizen of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 8th day of October, 1909.

The length of this claim is 1500 feet, and 1 claim 50 feet,

in a North easterly direction and 1450 feet in a South westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the North easterly to the South westerly

The claim is situated and located in the Crowder Mining District, in Pima County in the Territory of Arizona, about 1 1/4 miles

in a North westerly direction from the Bates well

The Hawk claim adjoins it on its northerly end Gila and Leiberg claims on its southerly end, Blue Bird on its easterly side and Maggie on its westerly side

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post and mound of stone

at a point in a North easterly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the northerly

end line of said claim; thence North easterly 331 feet to a post and mound of stone, being the North easterly corner of said claim; thence

South westerly 1500 feet to a post and mound of stone, being at the South easterly corner of said claim; thence South westerly 331 feet

to a post and mound of stone at the center of the South westerly end of said claim; thence South westerly 331 feet to a post and mound of stone being at the

South westerly corner of said claim; thence North easterly 1500 feet to a post and mound of stone at the North westerly corner of said claim; thence North Easterly 331 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Yellow Hammer Mining claim, located by Her L. Mc Hall

on the 13th day of April, 1903, and recorded in Book S.I of Records of Mines, at

page 1627-293 in the office of the County Recorder of the aforesaid County of Pima to which reference is hereby made, and this Amended location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8th day of October, 1909.

Witness
R. H. Wright

Herbert Moseley Locator

TERRITORY OF ARIZONA,

County of s.s.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock M., on this day of, 19....., and duly recorded in Book No..... of Records of County, Arizona, at pages

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Yellow Hammer
Shower Mining Dist
Cima Co
Arizona

Dated *Oct 5th / 1909*, 19*09*


Filed and Recorded at request of
Walter Bennett

at *Nov 23*, A. D. 19*09* :
9-10 A. M.

Book *O. O. Record of Mines*
Pages *570*

By *Ben. L. Lusk*
County Recorder.
L. M. Chisholm
Deputy Recorder.

The H. H. McNeil Co., Printers, Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 10, 1910, 190

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey

of the mining claim of Colonial Copper Company, Known as the
 Madison, Portland, Palo Verde, Thrush, Butte, Liberty, Copper Flat, Hawk,
 Arizona, Tuesday, Advance, Daisy, Growler, America, Blue Bird, Gila,
 Copper Hill, Treasury, Wednesday, Washington, Boston, Quail, Lincoln,
 Maggie, Munroe and Yellow Hammer.

situate in Growler

Mining District, Pima County, Arizona.

in Section Approx., Township No. 14 S., Range No. 7 W. Unsur., and

designated as Survey No. 2748, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if

incorporated into a patent, serve fully to identify the premises, and that such reference is made therein

to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-
 ments made upon said mining claim by claimant or its grantors, and that said improvements

or for each of
 consist of 59 shafts, 20 cuts, 4 tunnels, 16 drifts, 4 boilers, 1 pump,
 1 air compressor and 1 hoist, total value, \$36,760.00

Shaft No. 6 on the Copper Hill lode, shaft No. 8 on the Maggie

lode, and shaft No. 8 on the Yellow Hammer lode, together with

the drifts from the 265 and 300 foot levels of the last named

shaft, and the machinery necessary for the operation of such

shafts, being common improvements for the benefit and develop-

ment of all the claims in this survey, an undivided 1/26 interest

therein, value \$972.77 is properly credited to each of said claims.

and that no portion of said labor or improvements has been included in the estimate of expenditures

upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls;

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

May 10, 190¹⁰

I, U. S. Surveyor-General for District of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Colonial Copper Company, known as the Madison, Portland, Palo Verde, Thrush, Butte, Liberty, Copper Flat, Hawk, Arizona, Tuesday, Advance, Daisy, Growler, America, Blue Bird, Gila, Copper Hill, Treasury, Wednesday, Washington, Boston, Quail, Lincoln, Maggie, Munroe and Yellow Hammer, situate in Growler Mining District, Pima County, Arizona.

in Section Approx., Township No. 14 S., Range No. 7 W. Unsur., designated as Survey No. 2748

executed by F. A. Bordwell, U. S. Deputy Mineral Surveyor, Dec. 2 - 24, 190⁹, under my instructions dated Dec. 1, 190⁹, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank A. Lyzack

U. S. Surveyor-General for Arizona.