

9-28-10.

F. L.

AUG 6-1910

4-683.

MINERAL SURVEY No 2830

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John Barry

KNOWN AS THE

Towne, Bryan and Wonder

Wallapai Mining District,

Mohave County, Arizona

Sections 9 and 10, Township 23 N., Range 18 W.

Surveyed under instructions dated July 18 th., 19 10

by Peter Mc Cardell U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced July 22 nd., 19 10

Survey completed July 25 th., 19 10

6-822

Address of claimant, Attorney,
Anson R. Smith,
Kingman, Arizona.

Feet.

SURVEY No. 2830.

TOWNE LODE.

Beginning at Cor. No. 1.

A granite stone, 6 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2830 T, cross (X) at corner point, whence

Corner to sec's 10, 11, 14, and 15, T. 23 N., R. 18 W., bears S. 78° 02' E. 1488.2 ft., no other bearing objects available.

Thence N. 72° 55' W.

Va. 14° 55' E.

750 To south side center monument of location.

A monument of stone, 3 ft. high, 3 ft. base.

1500 To Cor. No. 2.

Identical with Cor. No. 1, Bryan lode of this survey.

A granite stone, 8 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2830 B, and 2-2830 T, on their respective faces, cross (X) at corner point, whence

A cross (X) and B. O. 1-2-2830 scribed on the N. E. corner of a building, bears N. 59° 05' W. 35.5 ft., and Cross (X) and B. O. 1-2-2830 scribed on the S. E. corner of a building, bears N. 49° 04' E. 97.9 ft.

Thence N. 18° 40' E.

Va. 15° 46' E.

Along line 1-4 Bryan lode of this survey.

300 To west end center.

Identical with east end center Bryan lode of this survey.

A granite stone, 8 X 11 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled W. E. C. 2830 T.

(1)

Feet.

SURVEY No.2830 - Continued.

TOWNE LODE - Continued.

and E. E. C. 2830 B. on their respective faces, cross (X) for lode point.

600 To Cor. No.3.

Identical with Cor. No.4, Bryan lode of this survey.

A granite stone, 5 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2830 T. and 4-2830 B. on their respective faces, cross (X) at corner point, no bearing objects available.



Thence S. 72° 55' E.

Va. 14° 45' E.

750 To north side center monument of location.

A monument of stone, 3 ft. base, 3 ft. high.

1397.38 Intersect line 4-3, Survey No.1389, Midnight lode, at N. 23° 25' E. 36.38 ft. from Cor. No.4 and S. 23° 25' W. 563.62 ft. from Cor. No.3.

1500 To Cor. No.4.

A granite stone, 12 X 16 X 28 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2830 T. cross (X) at corner point, whence

Cor. No.4, Survey No.1389, Midnight lode, bears N. 88° 21' E. 112.6 ft., no other bearing objects available.



Thence S. 18° 40' W.

Va. 15° E.

47.87 Intersect line 1-4, Survey No.1389, Midnight lode, at N. 66° 35' W. 1394.05 ft. from Cor. No.1 and S. 66° 35' E 105.95 ft. from Cor. No.4.

300 To east end center.

A granite stone, 6 X 8 X 18 ins., set 12 ins. in the ground, with mound of stone, chiseled E. E. C. 2830 T.

Feet.

SURVEY No. 2830 - Continued.

TOWNE LODE - Continued.

600 To Cor. No. 1, the place of beginning.

 BRYAN LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 2, Towne lode of this survey
and heretofore described, whence

Cor. to sec's 10, 11, 14, 15, T. 23 N., R. 18 W., bears
S. 75° 27' 37" E. 2984.38 ft.

 Thence N. 71° 20' W.

Va. 15° 46' E.

750 To south side center monument of location.

A monument of stone, 3 ft. base, 3 ft. high.

1500 To Cor. No. 2.

Identical with Cor. No. 1, Wonder lode of this survey.

A granite stone, 8 X 12 X 24 ins., set 12 ins. in the
ground, with mound of stone, chiseled 1-2830 W. and
2-2830 B. on their respective faces, cross (X) at corner
point, no bearing objects available.

 Thence N. 18° 40' E.

Va. 15° 25' E.

Along line 1-4, Wonder lode of this survey.

300 To west end center.

Identical with east end center of Wonder lode of this
survey.

A porphyry stone, 6 X 14 X 28 ins., set 12 ins. in the
ground, with mound of stone, chiseled W. E. C. 2830 B.
and E. E. C., 2830 W., on their respective faces, cross
(X) at lode point.

600 To Cor. No. 3.

(3)

Feet

SURVEY No. 2830 - Continued.

BRYAN LODE - Continued.

Identical with Cor. No. 4, Wonder lode of this survey.

A granite stone, 6 X 14 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2830 B, and 4-2830 W, on their respective faces, cross (X) at corner point, whence

A cross (X) and B. R. 3-4-2830, chiseled on a granite rock 1 ft. above the ground, bears S. 12° 19' E. 37.45 ft., no other bearing objects available.

Thence S. 71° 20' E.

Va. 15° 22' E.

750 To north side center monument of location.

A pine post, 3 X 4 ins. square, 4 ft. long set in a monument of stone, 3 ft. base.

1500 To Cor. No. 4.

Identical with Cor. No. 3, Towne lode of this survey and heretofore described.

Thence S. 18° 40' W.

Va. 14° 45' E.

Along line 3-2, Towne lode of this survey.

300 To east end center.

Identical with west end center Towne lode of this survey and heretofore described.

600 To Cor. No. 1, the place of beginning.

WONDER LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 2, Bryan lode of this survey and heretofore described, whence

Cor. to sec's 10, 11, 14, 15, T. 23 N., R. 18 W., bears

Feet.

SURVEY No. 2830 - Continued.

WONDER LODE - Continued.

S. 74° 04' 52" E. 4481.57 ft.

 Thence N. 78° 27' W.

Va. 15° 25' E.

706 Road, course S. 10° E.

750 To south side center monument of location.

A monument of stone, 3 ft. base, 3 ft. high.

~~989.39 Intersect theoretical line between sec's 9 and 10, T. 23 N., R. 18 W., at North 1427.35 ft. from theoretical Cor. to sec's 9, 10, 15, 16, T. 23 N., R. 18 W., and South 1212.65 ft. from theoretical 1/4 corner between sec's 9 and 10, T. 23 N., R. 18 W.~~

1500 To Cor. No. 2.

A granite stone, 6 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2830 W, cross (X) at corner point, no bearing objects available.

 Thence N. 18° 40' E.

Va. 15° 27' E.

300 To west end center.

A granite stone, 6 X 14 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled W. E. C. 2830 W.

600 To Cor. No. 3.

A granite stone, 3 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2830 W, cross (X) at corner point, no bearing objects available.

 Thence S. 78° 27' E.

~~513.26 Intersect theoretical line between sec's 9 and 10, T. 23 N., R. 18 W., at North 2039.75 ft. from theoretical Cor. to sec's 9, 10, 15, 16, T. 23 N., R. 18 W., and~~

Feet.

SURVEY No.2830 - Continued.

WONDER LODE - Continued.

~~South 600.25 ft. from theoretical 1/4 Cor. between sec's 9 and 16, T. 23 N., R. 18 W.~~

432 Road, course North.

750 To north side center monument of location.

A monument of stone, 3 ft. base, 3 ft. high.

1500 To Cor. No.4.

Identical with Cor. No.3, Bryan lode of this survey and heretofore described.

Thence S. 18° 40' W.

Va. 15° 22' E.

Along line 3-2, Bryan lode of this survey.

300 To east end center.

Identical with west end center Bryan lode of this survey and heretofore described.

600 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Towne lode, 1350 ft. S. 72° 55' E., and 150 ft. N. 72° 55' W.

Bryan lode, 367 ft. S. 71° 20' E., and 1133 ft. N. 71° 20' W.

Wonder lode, 165 ft. S. 78° 27' E., and 1335 ft. N. 78° 27' W.

AREA.

Total area, Towne lode..... 20.653 Acres.

SURVEY No.2830 - Continued.

Area in conflict with
 Survey No.1389, Midnight lode..... 0.100 Acre.
 Total and net area Bryan lode..... 20.661 Acres.
 Total and net area Wonder lode..... 20.502 "

This survey is identical with the respective locations. -

LOCATION.

This survey is located in Wallapai Mining District, Mohave County, Arizona, in section's 9 and 10, T. 23 N. R.18 W., G. & S. R. B. & M.

ADJOINING CLAIMS.

The adjoining claim on the N. E. Cor. of the Towne lode is the Midnight lode, Survey No.1389.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

TOWNE LODE.

No. 1. The discovery shaft, on the center line 150 ft. from the center of line 2-3, 4 X 8 ft., 160 ft. deep, timbered.

Value, \$2,400

No.2. A shaft, on the center line 225 ft. from the center of line 2-3, 4 X 9 ft., 300 ft. deep, timbered.

Value, \$6,000

Note- A 1/3 interest in this shaft to be credited to this location.

Value, \$2000

SURVEY No.2330 - Continued.

No.3. A shaft, which bears from Cor. No.2, N. 70° 30' E.
470 ft., 4 X 6 ft., 150 ft. deep.

Value, \$1,800.

No.4. A shaft, which bears from Cor. No.3, S. 41° 06'
E. 586 ft., 4 X 6 ft., 60 ft. deep.

Value, \$600.

No.5. A shaft, which bears from Cor. No.3, S. 49° 28'
E. 783.4 ft., 4 X 6 ft., 80 ft. deep.

Value, \$800.

BRYAN LODE.

No.1. The discovery shaft, on the center line 367 ft.
from the center of line 1-4, 4 X 6 ft., 10 ft. deep.

Value, \$40.

No.2. A shaft, which bears from Cor. No.4, S. 24° 34'
W. 268 ft., 4 X 6 ft., 10 ft. deep.

Value, \$40.

Note- A 1/3 interest in shaft No.2 of the Towne lode
to be credited to this location.

Value, \$2,000.

WONDER LODE.

No.1. The discovery shaft, on the center line 165 ft.
from the center of line 1-4, 4 X 6 ft., 45 ft. deep,
timbered.

Value, \$675.

No.2. A shaft, which bears from Cor. No.1, N. 14° 16'
E. 238 ft., 4 X 6 ft., 45 ft. deep, timbered.

Value, \$675.

Note- A 1/3 interest in shaft No.2, Towne lode to be
credited to this location.

Value, \$2,000.

INSTRUMENT.

This survey was made with a Buff and Berger Transit.
The courses were deflected from the true meridian as
determined by Shattuck solar attachment. The distances

SURVEY No.2830 - Continued.

were measured with a 100-ft. and 500-ft. steel tapes.

 REPORT.

The lode lines of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith. I find the tie line from Cor.No.1, Survey No.1389, Midnight lode, to be S. 00° 01' E. 277.56 ft. instead of S. 00° 17' E. 273.37 ft. There can not be found within two miles of Survey No. 2830 any section corners except the one I have tied to.

Note- Owing to the position of shaft No.2, Towne lode, and its greater depth than the other improvements on this claim and ^{that it} is the cause of draining veins and lodes of the Bryan and Wonder lodes, ^{it} ~~and~~ is entitled to be termed a common improvement, ~~and~~ a 1/3 value of same is credited to all the locations in this claim as stated in the report on improvements.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter McCardell

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

John Barry
known as the Lovne, Bryan and Wonder

and showing the respective capacities in which they acted.

John ~~Brown~~ Brown, Chairman.
_____, Chairman.
S. D. Myers, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, John ~~Brown~~ Brown

and S. D. Myers, do solemnly swear that we assisted

Peter McCardell, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

John Barry
known as the Lovne, Bryan and Wonder

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona
John Brown, Chairman.
_____, Chairman.
S. D. Myers, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 30

day of July, 1910.

Alfred J Conkey
Notary Public

My Commission expires Feb 11-1912

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter Mc Cardell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 18 th. 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of John Barry, known as the Towne, Bryan and Wonder, situate in Wallapai Mining District, Mohave County, Arizona, in Sections 9 and 10, Township No. 23 N., Range No. 18 W. and designated as Survey No. 2830, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter Mc Cardell

U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell
U. S. Mineral Surveyor, before me Anson H. Smith, U. S. Commissioner
this 3 rd.
day of July 1910, 1910

Anson H. Smith

U. S. Commissioner.

2830

Notice of Mining Location

Quartz Claim .

To all whom it May Concern ; This mining claim the name of which is the TOWNE Mining Claim . situated on lands belonging to the United States of America, and in which there are valuable mineral deposits , was entered upon and located for the purpose of exploration and purchase by P.H.McLaughlin the undersigned . on the first day of January 1898, The length of this claim is fifteen hundred feet , and I claim one hundred(100) feet in a northerly direction . and fourteen hundred feet in a southerly direction , from the center of the discovery shaft, (at which this notice is posted, lengthwise of the claim , together with three hundred feet in width of the surface ground , on each side of the center of said claim , The general course of the lode deposit and premises is from the South East to the North West, The claim is situated and located in the Wallapai Mining District , in Mohave County , in the Territory of Arizona , about Two(2) Miles in a Southerly direction from the Chloride Post Office , The surface boundaries of the claim are marked upon the ground as follows; Beginning at North end of ^{the} Sun light and locating what was formerly known as the SunLight claim , Commencing at a Point in a Northerly direction one hundred feet from the discovery shaft(at which this notice is posted) being in the center of the end line of said claim , Thence Westerly three hundred (300) feet to a monument of stone being the North West corner of said claim , thence Southerly direction 750 feet to a Stone Monument at the center of the West side line of said claim , thence Southerly direction 750 feet to a monument of stone , being at the South West corner of said claim , thence in an Easterly 300feet to a monument of stone at the center of the South end of said claim , thence Easterly 300 feet to monument of stone being at the South East corner of said claim ; thence northerly 750 feet to a monument of stone , being at the center of the East side line of said claim ; thence Northerly 750 feet to monument of stone at the North East corner of said claim ; thence Westerly Direction 300 feet to the place of beginning , All done under the provisions of Chapter Six of TITLE XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona , entitled " An Act Concerning Mines " approved March 20th. 1895.

Dated and posted on the ground this First(I) day of January 1898.

P.H.McLaughlin.

Filed and recorded at request of P.H.McLaughlin . March 28th. A.D.1898 at 4 o'clock P.M. in Book N Page 292

A Lefever

By M.E.Lefever . Deputy Recorder

County Recorder

Notice of Mining Location

Quartz Claim .

To All Whom It May Concern; This Mining Claim , the name of which is the Bryan Mining Claim , situate on lands belonging to the United States of America , and in which there are valuable mineral deposits , was entered upon and located , for the purpose of exploration and purchase by John Barry and S.D.Myres the undersigned, on the first (1st) day of January 1898 The length of this claim is fifteen hundred (1500)feet and we claim Two Hundred feet in a Southerly direction and Thirteen Hundred feet in a Northerly direction from the center of the discovery, shaft , at which this notice is posted,lengthwise of the claim , together with Three Hundred feet in width of the surface grounds,on each side of the center of said claim, The general course of the lode deposit and premises is from the South East to the North West, The claim is situated and located in the Wallapai Mining District, in Mohave County. in the Territory of Arizona , about Two (2)miles in a Southerly direction from the Chloride Post office Mohave County,Arizona Territory,The surface boundaries of the claim are marked upon the ground as follows;Beginning at Northerly end of the Sun Light Mine at a point in South East direction TWO (200)feet from the discovery shaft(at which this notice is posted)being in the center of the South end line of said claim ; thence Three Hundred(300)feet to a monument and post- being the South West corner of said claim ;thence Northerly direction (750)feet to a monument and stake at the center of the West side line of said claim ;thence Northerly 750 feet to a monument being at the North West corner of said claim ;thence Easterly 300 feet to a monument at the center of the North end of said claim ; thence Easterly 300 feet to a monument and post being at the North East corner of said claim ;thence Southerly 750 feet to a monument of stone , being at the center of the East side line of said claim thence Southerly 750 feet to a monument -stake at the South East corner of said claim ; thence Westerly 300 feet to the place of beginning ,

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona , entitled "An Act Concerning Mines " , approved March 20th. 1895.

Dated and posted on the ground this First (1st,)day of January, 1898.

John Barry 1000 feet
S.D.Myers 500 feet

Filed and recorded at the request of John Barry March 28th. 1898 at 10 o'clock A.M. in Book N . page 287-288

A Lefever ,
County Recorder.

NOTICE OF MINING LOCATION,

MINERAL LODE.

To All Whom It May Concern: This mining claim, the name of which is the WONDER Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by JOHN BARRY the undersigned, citizen of the United States of America, on the First day of January 1901. The length of this claim is fifteen hundred (1500) feet, and claim 1500 feet in a Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West. The claim is situated and located in the Wallapai Mining District, in Mohave County, in the Territory of Arizona, about one and one half mile in a South Westerly direction from The Town of Chloride and Bounds and commences at the west end of the Bryan Mine and Fifteen hundred feet west of the Towne Mining Claim formerly the Sunlight Mining claim, -- abandoned property. The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence South three hundred (300) feet to a monument of stone, being the Southeast corner of said claim, thence West, seven hundred and fifty (750) feet to a monument of stone at the center of the Southside line of said claim, thence West, seven hundred and fifty (750) feet to a monument of stone, being at the Southwest corner of said claim; thence North three hundred (300) feet to a monument of stone at the center of the West end of said claim; thence North three hundred (300) feet to a monument of stone, being at the Northwest corner of said claim; thence East seven hundred and fifty (750) feet to a monument of stone at being at the center of the North side line of said claim; thence East, seven hundred and fifty (750) feet to a monument of stone at the Northeast corner of said claim; thence South three hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 2, 1899.

Dated and posted on the ground this First day of January 1901, at-min. past o'clock-m.

John Barry 1500 feet.

Filed and Recorded at request of John Barry Sr. March 30th. A.D. 1901 at 20 minutes past 2 o'clock P.M. in Book "S" page 45 Records of Mohave County, Arizona Territory.

Jno. P. Feeny

County Recorder.

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE. } ss.

I, J.W.Morgan, Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing ~~copy~~ copies of location notices of the Tuckaho, Towne, Bryan, Wonder and Gold Nuggett mining claims, and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 16th day of July, 1910.

By Ross H. Blakely,
Deputy.

J.W.Morgan
Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 7, 1910, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of John Barry,

known as the TOWNE, BRYAN and WONDIER,

situate in WALLARAI

Mining District, Mohave County, Arizona,

in Section 9 and 10, Township No. 23 N., Range No. 18 W., and

designated as Survey No. 2830., has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim or for each of said mining claims by claimant or his grantors, and that said improvements consist of 9 shafts, total value \$13030.00. Shaft No. 2 on the Towne lode being a common improvement for the benefit and development of this entire group of claims, an undivided 1/3 interest therein, value \$2000, is properly apportioned to each of the three claims in this group.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona,

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 7, 1910, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of JOHN BARRY,

known as the TOWNE, BRYAN and WONDER,

situate in WALLAPAI Mining District, Mohave County, Arizona,

in Sections 9 and 10, Township No. 23 N., Range No. 18 W., designated as Survey No. 2330.

executed by Peter McCardell, U. S. Deputy Mineral

Surveyor, July 22, 25, 1910, under my instructions dated

July 18, 1910, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank S. Ingalls

U. S. Surveyor-General for Arizona,

Amendment to Field Notes of

Mineral Survey No. 2830.

Beginning at a point on the northerly side line of the Bay State lode, S. $67^{\circ} 40'$ E. 115 feet from the N. W. Corner thereof, being the point of intersection of said northerly side line said Bay State lode and line 1-4 Towne lode, Sur. No. 2830, thence along line 4-1 said Towne lode, S. $18^{\circ} 40'$ W. 548 ft. to Cor. No. 1 thereof, thence along line 1-2 said Towne lode, 110 ft., thence along the north west end line of the said Bay State lode to the N. W. end center monument, thence along said line 300 ft. to the place of beginning, containing $1\frac{1}{4}$ acres.

I do hereby certify that the above correctly describes the conflict between the Towne lode, of Mineral Survey No. 2830, and the Bay State lode, as set forth in the Judgment Roll of the District Court of the 4th Judicial District of Arizona, in and for the County of Mohave, dated June 13, 1912, and that the plats of said survey on file in the General Land Office, the Phoenix Land Office and this office have been amended, in green ink, to show such conflict, pursuant to instructions in G. L. O. letter "N" 013254, dated November 19, 1913.

Francis J. Ingalls
Surveyor-General for
Arizona.

Office of U. S. Surveyor General,
Phoenix, Arizona, December 3, 1913.