

11-16-10.

F.L.

1

4-683.

MINERAL SURVEY No. 2833

LOT No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Wallapai Precious Metals Company

KNOWN AS THE

Western Scene, Mountain Top, Side Hill, New Comstock and Hill

Side View, Wallapai Mining District,

Mohave County, Arizona, in

Section 5, Township 22 N., Range 17 W.

Surveyed under instructions dated July 21 st., 19 10

by Peter Mc Cardell

U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced July 17 th., 19 10

Survey completed July 22 nd., 19 10

6-822

Address of claimants, Attorney,
O.D.M. Goddard, Kingman, Arizona.

MINERAL SURVEY NO. 2833

Claims	M & B Desc. Pg.	Improvements Pg.	Loc. Notices Pg.
Hillside View	9	14	5
Mountain Top	3	13	2
New Comstock	7	13	4
Side Hill	4	13	3
Western Scene	1	13	1

Ft.

SURVEY No. 2833.

WESTERN SCENE LODE.

Beginning at Cor. No. 1.

A granite stone, 6 X 12 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2833 W. S., cross (X) at corner point, whence

A cross (X) and B. R. 1-2833 chiseled on a granite rock 2 1/2 ft. above the ground, bears S. 7° 45' W. 48.5 ft. 1/4 corner between Sec's 5 and 6, T. 22 N., R. 17 W. bears S. 73° 29' 16" W. 1092.29 ft., no other bearing objects available.

Thence N. 55° 59' E.

Va. 15° 59' E.

46.75 To north end center.

A granite stone, 6 X 18 X 36 ins., set 12 ins. in the ground, with mound of stone, chiseled N. E. C. 2833 W. S. cross (X) at lode point.

68 To Cor. No. 2.

A granite stone, 6 X 14 X 28 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2833 W. S., cross (X) at corner point, whence

A cross (X) and B. R. 2-2833 chiseled on a granite rock 3 ft. above the ground, bears S. 50° 59' E. 40 ft., no other bearing objects available.

Thence S. 47° 56' E.

Va. 16° 00' E.

1353.49 To Cor. No. 3.

Identical with Cor. No. 2 Mountain Top lode of this survey.

A cross (X) for corner point and 2-3-2833 M. T., W. S. chiseled on a granite rock showing 2 1/2 X 4 X 1 ft.

Ft.

SURVEY No.2833 - Continued.

WESTERN SCENE LODGE - Continued.

above the ground, at the south east foot of a granite cliff, whence

A cross (X) and B. R. 2-3-2833 chiseled on a granite rock 7 ft. above the ground, bears S. 82° 36' W. 11 ft., and a cross (X) and B. R. 2-3-2833 chiseled on a granite rock 3 ft. above the ground, bears N. 7° 43' W. 5 ft.

Thence S. 55° 59' W.

Va. 16° 08' E.

Along line 2-6 Mountain Top lode of this survey.

300 To south end center.

A granite stone, 8 X 16 X 28 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. C. 2833 W.S. and N. E. C. 2833 M. T., cross at lode point.

393.6 To Cor. No.4.

On line 2-3 New Comstock lode of this survey, at S. 34° 01' E. 974.13 ft. from Cor. No.2 and N. 34° 01' W. 453.71 ft. from Cor. No.3, and identical with cCor. No.1 Mountain Top lode of this survey.

A granite stone, 12 X 12 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-4-2833 M. T. and 4-2833 W. S., cross (X) at corner point, whence a cross (X) and B. R. 1-4-2833 chiseled on a granite rock 5 ft. above the ground, bears N. 22° 55' E. 43.18 ft., no other bearing objects available.

Thence N. 34° 01' W.

Va. 15° 59' E.

Along line 2-3 New Comstock lode of this survey.

974.13 Cor. No.2 New Comstock lode of this survey.

1313.8 To Cor. No.1, the place of beginning.

Ft.

SURVEY No. 2833 - Continued.

MOUNTAIN TOP LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 4 Western Scene lode of this survey and heretofore described, whence 1/4 corner between Sec's 5 and 6, T. 22 N., R. 17 W. bears N. 66° 24' 11" W. 1944.84 ft.

 Thence N. 55° 59' E.

Va. 15° 59' E.

Along line 4-3 Western Scene lode of this survey.

93.6 To north end center.

Identical with south end center Western Scene lode of this survey, and heretofore described.

393.6 To Cor. No. 2.

Identical with Cor. No. 3 Western Scene lode of this survey and heretofore described.

 Thence S. 34° 01' E.

Va. 16° 08' E.

1491 To Cor. No. 2. 3

A granite stone, 7 X 14 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2833 M. T. cross (X) at corner point, whence

A cross (X) and B. R. 3-2833 chiseled on a granite rock 2 ft. above the ground, bears N. 79° 11' W. 6.4 ft., and a cross (X) and B. R. 3-2833 chiseled on a granite rock 2 ft. above the ground, bears S. 1° 17' W. 13.32 ft.

 Thence S. 55° 59' W.

Va. 15° 53' E.

300 To south end center.

A granite stone, 7 X 8 X 22 ins., set 12 ins. in the

Ft.

SURVEY No. 2833 - Continued.

MOUNTAIN TOP LODE - Continued.

ground, with mound of stone, chiseled S. E. C. 2833
M. T., cross (X) at lode point.

393.6 To Cor. No. 4.

On line 2-3 Side Hill lode of this survey, at S. 34°
01' E. 1037.29 ft. from Cor. No. 2 and N. 34° 01' W.
462.71 ft. from Cor. No. 3.

A granite stone, 8 X 10 X 26 ins., set 12 ins. in the
ground, with mound of stone, chiseled 4-2833 M. T.,
cross (X) at corner point, whence

A cross (X) and B. R. 4-2833 chiseled on a granite
rock 1 ft. above the ground, bears N. 36° 48' W. 16.35
ft., and a cross (X) and B. R. 4-2833 chiseled on a
granite rock 3 ft. above the ground, bears S. 30° 36' E.
68.32 ft.

Thence N. 34° 01' W.

Va. 15° 59' E.

Along line 3-2 Side Hill lode of this survey.

897 Gulch, drains S. 85° W.

1037.29 Cor. No. 2-3, Side Hill and New Comstock lodes, both of
this survey, thence along line 3-2 New Comstock lode of
this survey.

1167 Gulch, drains S. 10° W.

1491 To Cor. No. 1, the place of beginning.

SIDE HILL LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 4 New Comstock lode of this
survey, on line 2-3 Hill Side View lode of this survey,
at S. 34° 01' E. 611.9 ft. from Cor. No. 2 and N. 34° 01'
W. 888.1 ft. from Cor. No. 3.

(4)

Ft.

SURVEY No. 2833 - Continued.

SIDE HILL LODE - Continued.

A granite stone, 7 X 24 X 30 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2833 S. H. and 4-2833 N. C., on their respective faces, cross (X) at corner point, whence

A cross (X) and B. R. 1-4-2833 chiseled on a granite rock 1 ft. above the ground, bears N. 86° 08' E. 61.71 ft., 1/4 corner between Sec's 5 and 6, T. 22 N., R. 17 W. bears N. 45° 55' W. 2142.1 ft., no other bearing objects available.

Thence N. 55° 59' E.

Va. 16° 09' E.

Along line 4-3 New Comstock lode of this survey.

300 To north end center.

Identical with South end center New Comstock lode of this survey.

A granite stone, 7 X 17 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled N. E. C. 2833 S. H. and S. E. C. 2833 N. C. on their respective faces, cross (X) at lode point.

600 To Cor. No. 2.

Identical with Cor. No. 3 New Comstock lode of this survey, on line 1-4 Mountain Top lode of this survey, at S. 34° 01' E. 453.71 ft. from Cor. No. 1 and N. 34° 01' W. 1037.29 ft. from Cor. No. 4.

A granite stone, 8 X 12 X 28 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2833 S. H. and 3-2833 N. C. on their respective faces, cross (X) at corner point, whence

A cross (X) and B. R. 2-3-2833 chiseled on a granite rock 2 ft. above the ground, bears N. 1° 55' W. 40.46 ft.

Ft.

SURVEY No.2833 - Continued.

SIDE HILL LODĒ - Continued.

and a cross (X) and B. R. 2-3-2833 chiseled on a granite rock 2 ft. above the ground, bears N. 60° 51' E.

24.22 ft.

Thence S. 34° 01' E.

Va. 16° 03' E.

Along line E-4 Mountain Top lode of this survey.

1037.29 Cor. No.4 Mountain Top lode of this survey.

1500 To Cor. No.3.

A granite stone, 8 X 10 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2833 S. H., cross (X) at corner point, whence

A cross (X) and B. R. 3-2833 chiseled on a granite rock 3 ft. above the ground, bears S. 49° 05' E. 20.45 ft., and a cross (X) and B. R. 3-2833 chiseled on a granite rock 3 ft. above the ground, bears N. 83° 49' W. 19.9 ft., Cor. No.4, Survey No.1456, De La Fontaine lode, bears N. 82° 44' E. 275.1 ft., Cerbat Niggerhead bears S. 10° 51' W.

Thence S. 55° 59' W.

Va. 16° 06' E.

300 To south end center.

A granite stone, 4 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. C. 2833 S. H.

600 To Cor. No.4.

A granite stone, 10 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2833 S. H., cross (X) at corner point, whence

A cross (X) and B. R. 4-2833 chiseled on a granite rock 4 ft. above the ground, bears N. 83° 43' E. 33.45 ft.,

Ft.

SURVEY No.2833 - Continued.

SIDE HILL LODE - Continued.

and a cross (X) and B. R. 4-2833 chiseled on a granite rock 2 ft. above the ground, bears N. 18° 49' W. 33.1 ft.

Thence N. 34° 01' W.

Va. 16° 07' E.

611.9 Cor. No.3 Hill Side View lode of this survey, thence along line 3-2 Hill Side View lode of this survey.

1301 Gulch, drains S. 40° W.

1500 To Cor. No.1, the place of beginning.

NEW COMSTOCK LODE.

Beginning at Cor. No.1.

Identical with S. W. corner Blackfoot lode, unsurveyed,

A granite stone, 7 X 14 X 25 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2833 N. C., cross (X) at corner point, whence

A cross (X) and B. R. 1-2833 chiseled on a granite rock 4 ft. above the ground, bears N. 53° 34' E. 34.2 ft., and a cross (X) and B. R. 1-2833 chiseled on a granite rock 6 ft. above the ground, bears N. 29° 32' W. 34.2 ft., Cor. No.4, Survey No.2617, Golconda lode, bears N. 49° 33' W. 350.9 ft., 1/4 corner between Sec's 5 and 6, T. 22 N., R. 17 W. bears N. 67° 29' W. 800.1 ft. Cor. No.3 Survey No.1315, Tub lode, bears S. 18° 07' W. 280.6 ft.

Thence N. 55° 59' E.

Va. 16° 20' E.

Along south end line Blackfoot lode, unsurveyed.

300 To north end center.

A granite stone, 7 X 10 X 18 ins., set 8 ins. in the ground, with mound of stone, chiseled N. E. C. 2833 N.C.

Ft.

SURVEY No.2833 - Continued.

NEW COMSTOCK LODE - Continued.

Cross (X) at lode point.

600 To Cor. No.2, identical with S. E. Cor. Blackfoot lode, unsurveyed.
On line 1-4 Western Scene lode of this survey, at S.
34° 01' E. 339.67 ft. from Cor. No.1 and N. 34° 01' W.
974.13 ft. from Cor. No.4.

A granite stone, 9 X 14 X 27 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2833 N. C., cross (X) at corner point, whence

A cross (X) and B. R. 2-2833 chiseled on a granite rock 5 ft. above the ground, bears S. 23° 15' E. 32.45 ft., and a cross (X) and B. R. 2-2833 chiseled on a granite rock 2 1/2 ft. above the ground, bears N. 64° 12' W. 14.65 ft.

Thence S. 34° 01' E. -

Va. 16° 23' E.

Along line 1-4 Western Scene lode of this survey.

974.13 Cor. No.1-4 Mountain Top and Western Scene lodes, both of this survey, thence along line 1-4 Mountain Top lode of this survey.

1427.84 To Cor. No.3.

Identical with Cor. No.2 Side Hill lode of this survey and heretofore described.

Thence S. 55° 59' W.

Va. 16° 03' E.

Along line 2-1 Side Hill lode of this survey.

300 To south end center.

Identical with north end center Side Hill lode of this survey and heretofore described.

600 To Cor. No.4.

(8)

Ft.

SURVEY No. 2833 - Continued.

NEW COMSTOCK LODE - Continued.

Identical with Cor. No. 1 Side Hill lode of this survey and heretofore described.

Thence N. 34° 01' W.

Va. 16° 09' E.

Along line 3-2 Hill Side View lode of this survey.

556.9 S. E. Cor. Virginia lode, unsurveyed.

611.9 Cor. No. 2 Hill Side View lode of this survey.

1427.84 To Cor. No. 1, the place of beginning.

HILL SIDE VIEW LODE.

Beginning at Cor. No. 1.

On west side line Virginia lode, unsurveyed, at N. 43° 55' W. 107.51 ft. from the S. W. corner and S. 43° 55' E. 1108.05 ft. from the N. W. corner.

A granite stone, 8 X 13 X 24 ins., set 12 ins. in the ground with mound of stone, chiseled 1-2833 H. S. V., cross (X) at corner point, whence

A cross (X) and B. R. 1-2833 chiseled on a granite rock 4 ft. above the ground, bears S. 79° 33' W. 51.66 ft., and a cross (X) and B. R. 1-2833 chiseled on a granite rock 1 ft. above the ground, bears N. 18° 59' E. 27.3 ft. 1/4 corner between Sec's 5 and 6, T. 22 N., R. 17 W. bears N. 31° 45' 22" W. 1485.3 ft.

Thence N. 55° 59' E.

Va. 16° 05' E.

300 To north end center.

A granite stone, 6 X 18 X 24 ins., set 12 ins in the ground, with mound of stone, chiseled N. E. C. 2833 H. S. V., cross (X) at lode point.

Ft.

SURVEY No.2833 - Continued.

HILL SIDE VIEW LODE - Continued.

496.02 Intersect east side line Virginia lode, unsurveyed,
at N. $38^{\circ} 28' W$. 55.16 ft. from the S. E. corner and S. 38°
28' E. 1158.12 ft. from the N. E. corner. The S.W. Cor.
Virginia lode brs. S. $49^{\circ} 57' W$. 484.5 ft. from the S.E. Cor. thereof.
500.3 To Cor. No.2.

On line 1-4 New Comstock lode of this survey, at S. 34°
01' E. 815.94 ft. from Cor. No.1 and N. $34^{\circ} 01' W$. 611.9
ft. from Cor. No.4.

A granite stone, 7 X 13 X 26 ins., set 12 ins. in the
ground, with mound of stone, chiseled 2-2833 H. S. V.,
cross (X) at corner point, whence

A cross (X) and B. R. 2-2833 chiseled on a granite rock
4 ft. above the ground, bears N. $78^{\circ} 40' W$. 6.75 ft.,
and a cross (X) and B. R. 2-2833 chiseled on a granite
rock 3 ft. above the ground, bears N. $26^{\circ} 03' E$. 8.35 ft.

Thence S. $34^{\circ} 01' E$.

Va. $16^{\circ} 00' E$.

Along line 1-4 New Comstock lode of this survey.

55 S. E. corner Virginia lode, unsurveyed.

611.9 Cors. Nos. 1-4 Side Hill and New Comstock lodes respect -
ively, both of this survey, thence along line 1-4 Side
Hill lode of this survey.

1500 To Cor. No.3.

On line 1-4 Side Hill lode of this survey, at S. 34°
01' E. 888.1 ft. from Cor. No.1 and N. $34^{\circ} 01' W$. 611.9
ft. from Cor. No.4.

A granite stone, 8 X 14 X 25 ins., set 12 ins. in the
ground, with mound of stone, chiseled 3-2833 H. S. V.,
cross (X) at corner point, whence

A cross (X) and B. R. 3-2833 chiseled on a granite
rock 3 ft. above the ground, bears N. $54^{\circ} 34' W$. 16 ft.

Ft.

SURVEY No. 2833 - Continued.

HILL SIDE VIEW LODE - Continued.

and a cross (X) and B. R. 3-2833 chiseled on a granite rock
3 ft. above the ground, bears S. 76° 07' W. 28.22 ft.

Thence S. 55° 59' W.

Va. 16° 18' E.

200.3 To south end center.

A granite stone, 19 X 14 X 22 ins., set 12 ins. in the
ground, with mound of stone, chiseled S. E. C. 2833

H. S. V., cross (X) at corner point,

375.3 To Cor. No. 4.

A cross (X) for corner point and 4-2833 H. S. V. chis-
eled on a granite rock, showing 2 1/2 X 3 X 1 1/2 ft.

above the ground, monument of stone alongside, whence

A cross (X) and B. R. 4-2833 chiseled on a granite
rock 2 ft. above the ground, bears S. 74° 31' E. 42.16
ft., and a cross (X) and B. R. 4-2833 chiseled on a gra-
nite rock 1 ft. above the ground, bears S. 26° 22' E.
27.25 ft.

Thence N. 38° 47' W.

Va. 16° 00' E.

520 Gulch, drains S. 12° W.

1505.2 To Cor. No. 1, the place of beginning.

LODE LINES.

As near as can be determined from present developments
the veins of the several locations embraced in this
claim extend as follows from their respective discovery
points:

Western Scene lode, N. 36° 04' W. 1296.64 ft. and
S. 36° 04' E. 18 ft.

Ft.

SURVEY No. 2833 - Continued.

Mountain Top lode, N. 34° 01' W. 120 ft. and S. 34° 01' E. 1371 ft.

Side Hill lode, N. 34° 01' W. 475 ft., and S. 34° 01' E. 1025 ft.

New Comstock lode, N. 34° 01' W. 768 ft., and S. 34° 01' E. 659.84 ft.

Hill Side View lode, N. 34° 01' W. 310 ft., and S. 34° 01' E. 1190 ft.

AREA.

Area Western Scene lode.....	6.960	Acres.
" Mountain Top lode.....	13.472	"
" Side Hill lode.....	20.661	"
" New Comstock lode.....	19.667	"
Total area Hill Side View lode.....	15.076	"

Area in conflict with Virginia lode, unsurveyed... .909 acres.

The survey of each lode of this location is identical with the respective amended location as staked upon the ground.

LOCATION.

This survey is located in Wallapai Mining District, Mohave County, Arizona, in Section 5, T. 22 N., R. 17 W., G. & S. R. B. & M.

ADJOINING CLAIMS.

The adjoining claims are as follows: The Virginia lode, unsurveyed, Union Basin Mining Company, claimants, on the northwest end of Hill Side View lode. The Blackfoot lode, unsurveyed, Union Basin Mining Company, claimant, on the northwest end of New Comstock lode.

SURVEY No. 2833 - Continued.

the center line 768 ft. from the center of line 1-2, 4 X 6 ft., 30 ft. deep.

Value, \$300

Note - A 1/5 interest in shaft No. 2, Hill Side View lode, to be credited to this location.

Value, \$300

HILL SIDE VIEW LODE. No. 1. The discovery shaft, on the lode line 310 ft. from a point on line 1-2, at N. 55° 59' E. 300 ft. from Cor. No. 1, 4 X 6 ft., 10 ft. deep.

Value \$45

Shaft No. 2. Which bears from Cor. No. 1, S. 57° 51' E. 338 ft., 4 1/2 X 10 ft., 50 ft. deep, in rock, timbered, from the bottom of this shaft is a cross cut, running N. 53° E. 10 ft. Value of shaft and cross cut. \$1,500.

Note - A 1/5 interest in this shaft and cross cut to be credited to this location.

Value, \$300

Tunnel No. 3. The mouth of which bears from Cor. No. 2, S. 29° 10' W. 95 ft., 4 X 6 ft., running N. 80° E. 18 ft.

Value, \$120

Shaft No. 4. Which bears from Cor. No. 2, S. 22° 20' W. 90 ft., 4 X 6 ft., 14 ft. deep.

Value, \$75

* (See Note below)

INSTRUMENT.

This survey was made with a Buff and Berger Transit. The courses were deflected from the true meridian as determined by Shattuck Solar attachment. The distances were measured with a 100-ft. and 500-ft. steel tapes.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines, all tie lines were run either directly upon the ground or by

* Note: The valuation of shaft No. 2 and cross cut, located on Hill Side View claim, was given in by Morgan Jones, superintendent for the Wallapai Precious Metals Co., and is supported by his affidavit, said affidavit is herewith attached and made a part of these field notes. I have no reason to doubt about this shaft and cross cut costing the amount as stated, as the rock where the shaft is located is very hard.

NOV 25 1910

(14)

SURVEY No. 2833 - Continued.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimants or its grantors is not less than five hundred dollars, and that said improvements consist of:

WESTERN SCENE LODE. No. 1. The discovery shaft, on the lode line 18 ft. from a point on line 3-4, at N. 55° 59' E. 93.6 ft. from Cor. No. 4, 4 X 6 ft., 10 ft. deep.

Value, \$40

Note- A 1/2 interest in the discovery tunnel No. 1, of the Mountain Top lode, to be credited to this location, value \$550, and a 1/5 interest in shaft No. 2, Hill Side View lode, to be credited to this location.

Value, \$300

MOUNTAIN TOP LODE. No. 1. The discovery tunnel, the mouth of which being the discovery point, is on the lode line 120 ft. from a point on line 1-2, at N. 55° 59' E. 93.6 ft. from Cor. No. 1, 4 X 6 ft., running N. 34° W. 110 ft.

Value, \$1100

Note- A 1/2 interest in this tunnel to be credited to this location, value \$550, and a 1/5 interest in shaft No. 2, Hill Side View lode, to be credited to this location.

Value, \$300

SIDE HILL LODE. No. 1. The discovery shaft, on the center line 475 ft. from the center of line 1-2, 4 X 6 ft., 30 ft. deep.

Value, \$200

Value, \$240

Note- A 1/5 interest in shaft No. 2, Hill Side View lode to be credited to this location.

Value, \$200

Value, \$300

NEW COMSTOCK LODE. No. 1. The discovery shaft, on

NOV 25 1910

SURVEY No.2833 - Continued.

traverses, run upon the ground and submitted in a separate report herewith.

Note- Owing to the position of shaft No.2, Hill Side View lode, and its cross cut, that they are located on ground that is from 200 to 500 feet lower than the surface of the Western Scene, Mountain Top, New Comstock and Side Hill lodes and is of benefit for mining and drainage purposes for those locations, and on account of its lower position it was located here for the main working shaft for all the locations in this claim, and therefore is a common improvement, and a 1/5 interest is credited to each location in this claim.

Note- Owing to the position of the discovery tunnel No.1, of the Mountain Top lode, and its being on the same vein of the Western Scene lode, and was run for the purpose of developing both of these locations, the Mountain Top and Western Scene lode, is a common improvement and a 1/2 interest is credited to each of these locations. This tunnel is about 150 feet higher in elevation than the Hillside, New Comstock and Hill Side View lodes and for that reason is of no benefit to said lodes.

Note- The discrepancies between these field notes and the amended location certificates, in regard to the courses and distances of the boundary lines, are due to an error in the latter.

DEC 26 1910

TERRITORY OF ARIZONA, }
COUNTY OF MOHAVE. } SS.

Morgan J. Jones, of Kingman, Mohave County, Arizona, being first duly sworn according to law, deposes and says, that he is the superintendent of the Wallapai Precious Metals Company, a corporation doing business in said county and territory, and that he was present at the time when shaft No.2, on the Hill Side View lode, was sunk to its present depth of 50 feet, also a cross cut running northeast 10 ft., and that said shaft and cross cut cost the sum of \$1,500, and was run for the purpose of developing the Western Scene, Mountain Top, Side Hill, New Comstock and Hill Side View lode mining claims, and is a common improvement for said claims.

Morgan J. Jones,
Superintendent.

Subscribed and sworn to before me this 20th day of December, A. D.

1910.

Peter McCardell
U. S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc Cardell

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of The Wallapai

Precious Metals Company

known as the Western Scene, Mountain Top, New Comstock, Side Hill and Hill Side View

and showing the respective capacities in which they acted.

F. L. Mahoney, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

Wes. I, F. L. Mahoney

and _____, do solemnly swear that ^I~~we~~ assisted Peter Mc Cardell

_____, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Wallapai Precious Metals Company

known as the Western Scene, Mountain Top, New Comstock, Side Hill and Hill Side View ~~lode claims~~

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of ^{my}~~our~~ knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

F. L. Mahoney, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 24th

day of August, 1910.

My Com Expires Aug 12, 1913

Charles Metcalf
Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Peter Mc Cardell, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 21 st. 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Wallapai Precious Metals Company, known as the Western Scene, Mountain Top, Side Hill, New Comstock and Hill, Side View lodes, Wallapai Mining District, ~~Mining District,~~ Mohave County, Arizona, in Section 5, Township No. 22 N., Range No. 17 W., G. & S. R. B. & M., and designated as Survey No. 2833, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter Mc Cardell

U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell

U. S. ~~Deputy~~ Mineral Surveyor, before me Anson H. Smith, U. S. Commissioner this 9 th. day of September 1910.

Anson H. Smith

U. S. Commissioner.

Amended Location Certificate

Know All Men by these Presents, That The Wallapai Precious Metals Company, a corporation ~~the undersigned citizen of the United States, over the age of twenty one years,~~ having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai

Mining District, hereby make and file this their amended location of the Western Scene Lode, claiming by right of discovery, location, primal appropriation and possession 1313.8 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 40 feet along the ledge in a S. 33° 59' E. direction from the discovery stake and 1273.8 feet along the ledge in a N. 33° 59' W. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave, Territory of Arizona, in section 5, T. 22 N. R. 17 W. and more particularly described as follows, to-wit:


Beginning at the discovery of the claim, thence S. 33° 59' E. 40 ft to the south end center monument, thence S. 56° 01' W. 93.6 ft to the S. W. cor. monument. thence N. 33° 59' W. 1313.8 ft. to the N. W. cor. monument, whence 1/4 corner between sections 5 and 6, T. 22 N. R. 17 W., bears S. 73° 21' W. 1082.9 ft., thence N. 56° 01' E. 46.75 ft. to the north end center monument and 68 ft. to the N. E. cor monument, thence S. 51° 56' E. 1380.01 ft. to the S. E. cor monument thence S. 56° 01' W. 300 ft. to the south end center monument, to the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made July 17th, 1908, recorded September 8th 1908, in Book A.A., Page 465, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, July 17th, A. D. 1908.

Date of Amended Location, June 28th A. D. 1910.

Attest:



The Wallapai Precious Metals Company

L. S. Smith Secy.

By G. W. Gibson Prest.

No.

Amended Location Certificate

WESTERN SCENE.

LODE.

Recorded at the request of

Wallapai Precious Metals CO.

at minutes past o'clock

A.M., June 29th, 1910.

in Book "DD" of Mining Claims,
page 276-277.

Records of Mohave County, Arizona.

J. W. Morgan

County Recorder.

By

Deputy.

Transferred 190.....

Book Mining Claims, page.....

County Recorder.

By

Deputy.

The H. M. McNeil Co., Printers, Phoenix, Arizona

TERRITORY OF ARIZONA,

ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock,

on this day of 190..., and duly recorded in Book No.

of Records of County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

Filed and recorded at request of G. W. Gibson July 8th A. D. 1910, at 9 o'clock A.M. in Book "DD" pages 281-282 of Mines Records of Mohave County, Arizona Territory.
J. W. Morgan
County Recorder

Amended Location Certificate

Know All Men by these Presents, That The Wallapai Precious Metals Company a corporation

~~The undersigned citizen of the United States, over the age of twenty-one years~~ having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai

Wallapai Mining District, hereby make and file this their amended location of the Mountain Top Lode, claiming by right of discovery, location, primal appropriation and possession

1491 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 120 feet along the ledge in a N. 33° 59' W. direction from the discovery stake and S. 127° feet along the ledge in a S. 33° 59' W. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.


Situate in Wallapai Mining District, County of Mohave, Territory of Arizona, in section 5, T. 22. N. 17 W. and more particularly described as follows, to-wit:

Beginning at the discovery of the claim, thence N. 33° 59' W. 120 ft to the north end center monument, thence N. 56° 01' E. 300 ft. to the N. E. cor monument, thence S. 33° 59' E. 1491 FT. to the S. E. cor monument, thence S. 56° 01' W. 300 ft. to the south end center monument and 393.6 ft. to the S. W. cor monument thence N. 33° 59' W. 1491 ft. to the N. W. cor. monument, whence 1/4 corner between sections 5 and 6, T. 22 N., R. 17 w., bears N. 57° 50' W. 2093.2 ft., thence N. 56° 01' E. 93.6 ft. to the north end center monument the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made July 17th, 1908, recorded September 8th 1908, in Book AA, Page 464, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original locaticn and this certificate an original certificate.

Date of Original Discovery, July 17th A. D. 1908
Date of Amended Location, July 28th A. D. 1910

Attest: L. S. Smith Secty.
The Wallapai Precious Metals Company
By G. W. Gibson Presl.



Amended Location Certificate

Know All Men by these Presents, That The Wallapai Precious Metals Company a corporation

~~the undersigned citizen of the United States, over the age of twenty-one years~~ having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai Mining District, hereby make and file this its amended location of


the Side Hill Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing Gold and other valuable minerals, with all dips, variations and angles, the same being 475 feet along the ledge in a N. 33° 59' W. direction from the discovery stake and 1125 feet along the ledge in a S. 33° 59' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave, Territory of Arizona, in sec 5, T. 22. R. 17 W. and more particularly described as follows, to-wit:

Beginning at the discovery of the claim, thence N. 33° 59' W. 475 ft. to the north end center monument, thence N. 56° 01' E. 300 ft. to the N. E. cor monument, thence S. 33° 59' E. 1500 ft. to the S. E. cor monument, thence S. 56° 01' W. 300 ft. to the south end center monument 600 ft. to the S. W. cor monument, thence N. 33° 59' 1500 ft to the N. W. cor monument, whence 1/4 corner between section 5 and 6 T. 22. N. R. 17 W., bears N. 45° 42' 20" W. 2134.7 ft. thence N. 56° 01' E. 300 ft. to the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made July 1st 1908, recorded July 2nd 1908, in Book AA, Page 378, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, July 1st A. D. 1908
Date of Amended Location, June 28th A. D. ~~1908~~ 1910.

Attest:  The Wallapai Precious Metals Company
L. S. Smith Secty. By G. W. Gibson Prest.

No.

Amended Location Certificate

SIDE HILL
LODE.

Recorded at the request of
Walapai Precious Metals Co

at -----MHHWKS'PMSW 9 o'clock
A.M., June 29th, 1910.

in Book DD. of Mining Claims,
page 274

Records of Mohave County, Arizona.

J. W. Morgan
County Recorder.

By Deputy.

Transferred 190

Book Mining Claims, page

County Recorder.

By Deputy.

The H. M. McNeil Co., Printers, Phoenix, Arizona

Filed and recorded at
request of G. W. Gibson,
JULY 8th, A.D. 1910. at
9 O'clock A.M. in book "DD."
pages 279-280 of Mines
Records of Mohave County,
Arizona Territory.
J. W. Morgan,
County Recorder.

TERRITORY OF ARIZONA, }
County of } ss.
I, County Recorder in and for the County and
Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M.,
on this day of 190..., and duly recorded in Book No.
Records of County, Arizona, at pages
WITNESS my hand and official seal the day and year first above written.
..... County Recorder.

(Copy)

Amended Location Certificate

27

JUL 21 1910

Know All Men by these Presents, That ~~The~~ Wallapai Precious Metals Company, A Corporation, ~~the undersigned citizens of the United States, and the age of twenty one year,~~ having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai

Mining District, hereby make and file this ~~their~~ amended location of the New Comstock Lode, claiming by right of discovery, location, primal appropriation and possession 1427.84 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 768 feet along the ledge in a N. 33° 59' W. direction from the discovery stake and 659.84 feet along the ledge in a S. 33° 59' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave, Territory of Arizona, in Section 5 and 6, T. 22 N. R. 17 W. and more particularly described as follows, to-wit:

Beginning at the discovery of the claim, thence N. 33° 59' W. 768 ft. to the North end center monument, thence N. 56° 01' E. 300 ft. to the N.E. Cor. monument, Thence S. 33° 59' E. 1427.84 ft. to the S.E. Cor. monument, thence S. 56° 01' W. 300 ft. to the South end center monument and 600 ft. to the S.W. Cor. monument, thence N. 33° 59' W. 1427.84 ft. to the N.W. Cor. monument, whence $\frac{1}{4}$ section corner between sections 5 and 6, T. 22. N., R. 17 W., bears N. 67° 12' W. 791.66 ft., thence N. 56° 01' E. 300 ft. to the North end ~~center~~ center monument the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made January 1st, 1907, recorded March 16th, 1907, in Book V, Page 752, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, January 1st, A. D. 1907
 Date of Amended Location, June 28th, A. D. 1910.

Attest: L.S. Smith, Secretary.

THE WALLAPAI PRECIOUS METALS COMPANY
 By G.W. Gibson, Prest.

(Corporate)
 (Seal)

No.

Amended Location Certificate

New Comstock.

LODE.

Recorded at the request of

Wellerpai Precious Metals Co.

at ~~XXXXXXXXXXXX~~ 9 o'clock
A.M., June 29th, 1910

in Book DD of Mining Claims,
page 271-2

Records of Mohave County, Arizona.

J.W.Morgan,
County Recorder.

By Deputy.

Transferred 190

Book Mining Claims, page

County Recorder.

By Deputy.

The H. H. McNeil Co., Printers, Phoenix, Arizona

Filed and recorded at re-
quest of G.W.Gibson, July 8th
A.D.1910, at 9 o'clock, A.M.
in Book DD, Pages 282-285, of
Miners, Records of Mohave County
Arizona Territory.

J.W.Morgan,
County Recorder.

TERRITORY OF ARIZONA,

ss }

County of

I,, County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock,

on this day of 190..., and duly recorded in Book No.

of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

.....
County Recorder.

Amended Location Certificate

29

Know All Men by these Presents, That The Wallapai Precious Metals Company, a corporation
~~the undersigned citizen of the United States, over the age of twenty one years,~~ having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai


Wallapai Mining District, hereby make and file this its amended location of the Hill Side View Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing Gold and other valuable minerals, with all dips, variations and angles, the same being 310 feet along the ledge in a N. 33° 59' W. direction from the discovery stake and 1290 feet along the ledge in a S. 33° 59' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave, Territory of Arizona, in Sec. 5, T. 22 N. R. 17 W. and more particularly described as follows, to-wit:

at Beginning the discovery of the claim, thence N. 33° 59' W. 310 ft. to the north end center monument, thence N. 56° 01' E. 200.3 ft. to the N. E. cor monument, thence S. 33° 59' E. 1500 ft. to the S. E. cor monument, thence S. 56° 01' W. 200.3 ft to the south end center monument and 375.3 ft to the S. W. cor. monument thence N. 38° 45' W. 1505.2 ft to the N. W. cor monument, whence 1/4 section corner between sections 5 and 6, T. 22 N. R. 17 W. bears N. 31° 23' 40" W. 1475.2 ft., thence N. 56° 01' E. 300 ft. to the north end center monument the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made October 27th 1909, recorded November 24th 1909, in Book EE, Page 603, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original locaticn and this certificate an original certificate.

Date of Original Discovery, October 27th A. D. 1909
Date of Amended Location, June 28th A. D. ~~1909~~ 1910.

Attest:  The Wallapai Precious Metals Company
L. S. Smith Secty. G. W. Gibson Prest.

No.

Amended Location Certificate

HILL SIDE VIEW
LODE.

Recorded at the request of

Wallapai Precious Metals Co.

at ~~minutes~~ past 9 o'clock
A.M., June 29th, 1910.

in Book DD. of Mining Claims,
page 275-276.

Records of Mohave County, Arizona.

J. W. Morgan
County Recorder.

By
Deputy.

Transferred 190.

Book Mining Claims, page

County Recorder.

By
Deputy.

The H. H. McNeil Co., Printers, Phoenix, Arizona

Filed and Recorded at request
of G. W. Gibson, July 8th A.D.
1910. at 9 o'clock A.M. in
Book "DD" pages 278-279 of
Mining Records of Mohave County,
Arizona Territory.

J. W. Morgan,
County Recorder.

TERRITORY OF ARIZONA,
ss. }
County of

I,, County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock,

on this day of 190..., and duly recorded in Book No.

of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

December 28, 1910., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

The Wallapai Precious Metals Company,

known as the WESTERN SCENE, MOUNTAIN TOP, SIDE HILL, NEW COMSTOCK and HILL SIDE VIEW
situate in Wallapai

Mining District, Mohave County, Arizona,

in Section 5, Township No. 22 N., Range No. 17 W., and

designated as Survey No. 2833, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ^{or for each of} said mining claim^s by claimant or its grantors, and that said improvements consist of 6 shafts, 2 tunnels and 1 crosscut, total value \$3420.00. Shaft No. 2 on the Hill Side View lode being so situated that it is of benefit for mining and drainage purposes to all the claims of this survey, an undivided 1/5 interest therein, value \$300, is properly credited to each of the lodes in this survey. Tunnel No. 1 on the Mountain Top lode being for the benefit of the Mountain Top and Western Scene lodes of this survey, and only those lodes, an undivided 1/2 interest therein, value \$550, is properly credited to each of the said two lodes. and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

December 28, 1910., 190...

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

The Wallapai Precious Metals Company

known as the

WESTERN SCENE, MOUNTAIN TOP, SIDE HILL, NEW CONSTOCK and HILL SIDE VIEW

situate in Wallapai Mining District,

Mohave County, Arizona,

in Section 5, Township No. 22 N., Range No. 17 W.

designated as Survey No. 2833.

executed by Peter McCardell, U. S. Deputy Mineral

Surveyor, July 17 - 22, 1910., 190, under my instructions dated

July 21, 1910., 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

Handwritten signature of Frank S. Lyall

U. S. Surveyor-General for Arizona.

TIE LINES,
AMENDED ~~DEED~~, SURVEY No.2833.

STATE OF ARIZONA,)
) SS.
COUNTY OF MOHAVE.)

I have resurveyed the tie lines from Cor. No.1 of the Western Scene, Mountain Top, Side Hill, New Comstock and Hill Side View lode mining claims to ^{the} _^1/4 ^{Cor.} _^ between Sec's 5 and 6, T. 22 N., R. 17 W. and find them to be as follows:

- WESTER SCENE, S. 72° 15' 18" W. 1172.57 ft.
- MOUNTAIN TOP, N. 68° 26' 34" W. 1991.16 " ✓
- SIDE HILL , N. 48° 05' 40" W. 2160.95 " ✓
- HILL SIDE VIEW, N. 34° 59' 40" W. 1484.36 " ✓
- NEW COMSTOCK, N. 72° 12' 22" W. 850.18 " ✓

From Cor. No.1, New Comstock lode, Cor. No.4, Survey No.2617, Golconda lode, bears N. 61° 45' W. 382.08 ft. ✓ Cor. No.3, Survey No.1315, Tub lode, bears from Cor. No.1, New Comstock lode, S. 26° 34' 30" W. 350.6 ft.

Survey made March 8 th. 1911.

Peter M. Cardell

U. S. Mineral Surveyor.

Subscribed and sworn to before me this 20 th. day of April, A. D. 1912.


My commission expires
February 21 st. 1916.

Charles Metcalf
Notary Public.

DEPARTMENT OF THE INTERIOR
Office of U. S. Surveyor General,
Phoenix, Arizona,
June 8, 1912.

I hereby certify that the foregoing reports of P. McCardell, U. S. Mineral Surveyor, dated April 20, 1912, and June 6, 1912, state the correct tie lines from the claims of Mineral Survey No. 2833 to the $\frac{1}{2}$ Cor. between Secs. 5 and 6, T. 22 N., R. 17 W., the correct connection from Cor. No. 1 of the New Comstock lode to Cors. 4 and 3 respectively of the Golconda lode, Sur. No. 2617 and the Tub lode, Sur. No. 1315, and correctly describe the conflict between the Hill Side View lode and the Virginia lode, unsurveyed, as the same existed on the ground at the time Survey No. 2833 was executed.

I further certify that said said amendments have been correctly platted upon the plats of survey on file in the General Land Office, the Phoenix Land Office, and this office, in green ink.


Surveyor-General for Arizona.