

OCT. 2 1910

1-3-11.

F.L.

4-683.

MINERAL SURVEY No. 2847

LOT No. \_\_\_\_\_

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Cicero Smith Mining Co.

KNOWN AS THE

Gennie, Nancy Jane, Joe Bowers, Chris Pullman No. 1,  
Henrietta, Little Phyllis, Sophia, Over Sight, Hattie, Mollie, Modenia,  
Velma, and Minnie Well Twis Mining District,

Cochise County, Arizona

Section approx, Township 13 S, Range 26 E unsurveyed

Surveyed under instructions dated Aug. 20, 1910

by John A. Rockfellow  
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced Aug. 20, 1910

Survey completed Aug 31, 1910

6-822

Address:

Anson Hazlewood, Mgr.,

Willcox, Arizona.

SURVEY NO. 2847.

GENEVIEVE LODE.

Beginning at corner No. 1, the S.E. corner of location, identical with corner No. 4 Joe Bower's lode of this survey, a cross (x) S.E.C.G. N.E.C. J.B. chiseled on a small rock, witnessed by a monument alongside, only 3 ins. to decomposed bedrock. In its place set (on its side) a granite rock 9x9x15 ins. Chisel a cross (x) at identical point and S.E.C.G. N.E.C. J.B. 1-4-2847.

Whence:

U.S.L.M. No. 2847 brs. S 24°26'W, 1316.8 ft.

X BR 4-1-2847 chiseled on granite reef brs. S 54°44'W, 10.6 ft.

X BR 4-1-2847 chiseled on granite rock 16x8 ins. 18 ins. above ground brs. S 26°22'E, 5.0 ft.

Feet. Thence N 81°03'W. Va. 13°05'E.

1108.5 Center gulch 24 ft. wide, course N.N.W.

1296.5 Center wagon road, course N.NW-S.SE.

1499.5 ~~Center of gulch 24 ft. wide, course N.N.W.~~ to corner No. 2, identical with location, ~~also N.W. corner Joe Bower's lode this survey,~~ and with Cor. No. 3 Joe Bower's lode of this survey, a cross (x) chiseled on porphyry bedrock 10x8 ins. witnessed by a monument alongside, and S.W.C.-G. N.W.C.-J.B. No room to add more. Over the point place a granite rock 24x16x10 ins. (on its side) and chisel a cross (x) at identical point and S W C-G N W C - J B 2-3-2847.

Whence:

X BR 2-3-2847 chiseled on porphyry 24x10 ins. 4 ins. above ground, brs. S 80°41'E, 14.1 ft.

No other bearings available.

Thence N 9°00'E. Va. 13°E.

300. W. center end a stone monument.

484. Center of gulch 12 ft. wide, course east.

Genevieve lode.

-2-

Feet.,

600. To corner No. 3 identical with location, a cross (x) N W C -G  
chiseled on a granite rock 10x3 ins. 12 ins. above ground  
witnessed by a monument alongside. Add 3-2847 to chiseling.

Whence:

X BR 3-2847 <sup>chiseled</sup> on triangular porphyry rock 30x20 ins. on  
top, 8 ins. high, brs. S 32°52'W, 38.0 ft.

X BR 3-2847 chiseled on porphyry rock 8x8 ins. 6 ins.  
high, brs. N 65°31'W, 44.95 ft.

Thence S 81°03'E. Va 12°55'E.

153. Center road, course N and S.

167. Center gulch 40 ft. wide, course north.

1499.5 To corner No. 4, identical with location, a cross (x)  
N.E.C-G chiseled on granite rock 9x4 ins. 10 ins. high,  
witnessed by a monument alongside. Add 4-2847 to chiseling.

Whence:

X BR 4-2847 chiseled on face of granite outcrop  
5x4½ ft. 3 ft. thick, brs. S 69°02'E, 16.9 ft.

X BR 4-2847 chiseled on triangular face of granite reef  
30x30 ins. brs. S 30°57'W, 5.55 ft.

Thence S 9°00'W. Va 13°20'E.

300. E. center end, a stone monument .

600. To corner No. 1, place of beginning.

-----  
JOE BOWER'S LODE.....

Beginning at corner No. 1, the Southeast corner ident-  
ical with location, also with cor. No. 4 of Hattie lode  
of this survey, a cross (x) chiseled on a porphyry rock  
5x5 ins. 8 ins. above ground, witnessed by a monument  
alongside. Add to chiseling S.E.C.-J.B.-N.E.C. H and  
1-4-2847.

Whence:

U.S.L.M. No. 2847 brs. S 36°37'W, 755.6 ft.

X BR 1-4-2847 chiseled on porphyry rock 16x6 ins.  
8 ins. above ground, brs. N 12°53'E, 30.65 ft.

X BR 1-4-2847 chiseled on granite outcrop brs. N 62°54'W,  
37.7 ft.

Genevieve lode. & others. -3-

Feet.

Thence N 81°02'W. Va. 13°10'E.

1285.5  
1286.5 Center of road, course north.

1308.5 Center gulch 30 ft. wide, course N.NE.

1499.5 To corner No. 2, identical with location, also with corner No. 3, Hattie lode of this survey. A cross (x) chiseled on a granite reef witnessed by a monument alongside, and S.W.C. J.B.-N.WC.H.Add 2-3-2847.

Thence N 9°00'E. Va. 12°45'E.

300. W. center end, a stone monument . . .

599.6 To corner No. 3, identical with location and with corner No. 2 Genevieve lode of this survey, previously described.

Thence S 81°03'E. Va. 13°00'E.

203.0 center road, course NNW. and S.SE.

391.0 center gulch 24 ft. wide, course N.NW..

1499.5 to corner No. 4, identical with location, and corner No. 1 Genevieve lode, this survey, previously described.

Thence S 9°00'W. Va. 13°05'E.

300. E. center end a stone monument.. . . .

600. to corner No. 1, the place of beginning.

HATTIE LODE.....

Beginning at corner No. 1, the S.E. corner of location, identical with Cor. No. 1 Little Philadelphia lode of this survey, a cross (x) chiseled on granite rock 7x7 ins. 12 ins. above ground, witnessed by a monument alongside and S.E C-H-P-N E C . Add 1-1-2847.

Whence:

U.S.L.M. No. 2847 brs. S 72°36'W, 391.2 ft.

X BR 1-1-2847 chiseled on granite bedrock exposing face 48x20 ins. brs. N 63°35'W, 7.4 ft.

No other bearings available.

Thence N 81°02'W. Va. 12°50'E.

961.5 center wagon road, course N&S.

1251.5 center gulch 16 ft. wide, course northerly.

Genevieve - and other lodes. -4-

- Feet.
- 1499.5 to corner No. 2, identical with location, also with corner No. 4 of Little Philadelphia lode of this survey, a porphyry rock 6x5 ins. 10 ins. high chiseled X P-H. Add 2-4-2847.
- Whence:
- X BR 2-4-2847 chiseled on porphyry rock 10x10 ins. 8 ins. above ground, brs. N 58°28'W, 4.9 ft.
- X BR 2-4-2847 chiseled on porphyry reef brs. S 6°40'E, 22.75 ft.
- Thence N 9°00'E. Va. 12°40'E.
- 261.0 W. center end identical with location and with Cor. No. 1 Henrietta lode of this survey, a cross (x) chiseled on porphyry rock 5x4 ins. 10 ins. above ground, witnessed by a monument alongside and W.C.E.H.-N.E.C. H. Add 2847.
- 495.4 to corner No. 3, identical with location and with corner No. 2 Joe Bower's lode of this survey previously described.
- Thence S 81°02'E. Va. 12°45'E.
- 191.0 center gulch 30 ft. wide, course N.NE.
- 214.0 center wagon road, brs. north and south.
- 1499.5 to corner No. 4 identical with location, also corner No. 1 Joe Bower's lode of this survey, previously described.
- Thence S 9°00'W. Va. 13°10'E.
- 234.4 E. center end, identical with location and with corner No. 1 Oversight lode, this survey, a granite rock 10x6 ins. 12 ins. above ground, chiseled E.C.E.-H and N.W.C.-O.S. Add 2847.
- 495.4 to corner No. 1 the place of beginning.
- 
- LITTLE PHILADELPHIA LODE.
- Beginning at corner No. 1, the ~~North~~ <sup>North</sup> east corner of location, identical with corner No. 1, Hattie lode of this survey, previously described.
- Thence S 9°00'W. Va. 12°50'E.
300. E. center end stone monument, as the point for corner No. 2. As the point for corner No. 2 falls in a wash at

Genevieve &amp; others.

-5-

- Feet.
- 573.7 set porphyry rock 8x6 ins. 24 ins. long, 12 ins. in the ground, chiseled X WC-2-2847. P. Raise monument alongside, for W.C. to Cor. No 2.
600. set temporary stake in wash 20 ft. wide, course N.Easterly for true corner No. 2, also corner No. 1, Mollie Modenia lode of this survey.
- Whence: (from true corner).
- The witness corner of location for both corner No. 2 and corner No. 1 Mollie Modenia lode. brs. S 20°37'E, 54.6 ft. A cross (x) and S E C - P N E C -M M W C chiseled on a granite rock in place and witnessed by a monument alongside.
- X BR-2-1-2847 chiseled on porphyry face 30x10 ins. in conglomerate bank of gulch brs. N 34°03'W, 13.15 ft.
- X BR-2-1-2847 chiseled on a granite face 24x24 ins. brs. S 10°58'E, 57.9 ft.
- Thence N 81°02'W. Va. 13°E.
- 1369.5 center gulch 20 ft. wide, course N.NE.
- 1499.5 to corner No. 3, identical with location. Also with corner No. 4 Mollie Modenia lode of this survey, a cross (x) and P M M chiseled on porphyry rock 8x6 ins. 10 ins. above ground, witnessed by a monument alongside. Add 3-4-2847 to chiseling.
- Whence:
- X BR-3-4-2847 chiseled on porphyry bedrock brs. N 40°05'W, 5.15 ft.
- X BR-3-4-2847 chiseled on porphyry bedrock brs. S 72°42'W, 6.75 ft.
- Thence N 9°00'E. Va. 12°35'E.
300. W. center end a stone monument.
600. to corner No. 4, identical with location and with corner No. 2 Hattie lode this survey, previously described.
- Thence S 81°02'E. Va. 12°40'E.
- 248.0 center gulch.
- 538.0 wagon road.
- 1499.5 to corner No. 1, the place of beginning.

Feet.

## MOLLIE MODENIA LODE.

Beginning at corner No. 1, the N.E. corner of location, a temporary stake in wash in gulch. Also corner No. 2 Little Philadelphia lode, this survey, and previously described.

## Whence:

U.S.L.M. No. 2847 brs. N 30°26'W, 551.5 ft.

Thence S 9°00'W. *5a-13°E*

30.15 chisel X WC 1-2847 M.M. on granite reef for witness corner <sup>to cor N<sup>2</sup>1</sup> and raise a monument alongside.

300. E. center end, a stone monument.

400. center gulch 30 ft. wide, course N.NW.

600. to corner No. 2, identical <sup>with location and</sup> with corner No. 1 Nancy Jane lode, this survey, a cross (x) and S E C. M.M.-N E C. N.J. chiseled on a granite rock in place 12x12 ins. 10 ins. above ground, witnessed by a monument alongside. Add 2-1-2847 to chiseling.

## Whence:

X BR 2-1-2847 chiseled on granite face 36x36 ins. brs. S 59°58'W, 20.6 ft.

No other bearing. *available*

Thence N 81°02'W. Va. 13°E.

1499.5 to corner No. 3 identical with location and with Cor.

No. 4 Nancy Jane lode of this survey, a cross (x) chiseled on a porphyry rock 8x6 ins. 10 ins. above ground witnessed by a monument alongside and S W C - M.M- N W. C-N.J. Add 3-4-2847 to chiseling.

## Whence:

X BR 3-4-2847 chiseled on porphyry rock 12x8 ins. 2 ins. above ground, brs. S 9°55'W, 19.75 ft.

X BR 3-4-2847 chiseled on porphyry face 14x10 ins. brs. N 67°00'E, 11.6 ft.

Thence N 9°00'E. Va. 13°25'E.

300. W. center end, a stone monument.

350. center gulch 12 ft. wide; course N.E .

600. to corner No. 4, identical with location, and with corner No. 3, Little Philadelphia lode this survey, pre-

Genevieve and other lodes.

-7-

Feet

600. To corner No. 4, identical with location, and with corner No. 3, Little Philadelphia lode this survey, previously described.  
Thence S 81°02'E. Va. 12°35'E

130. center gulch 30 ft. wide, course northerly.

1499.5 to corner No. 1, the place of beginning.

-----  
NANCY JANE LODGE....

Beginning at corner No. 1, the N.E. corner of location, identical with corner No. 2 Mollie Modenia lode of this survey, previously described.

Whence:

U.S.L.M. No. 2847 brs. N 9°51'W, 1084.1 ft.

Thence S 9°00'W. Va 13°E.

39.0 corner 4-1 Oversight and Pullman lodes, this survey.

300.0 E. center end a stone monument.

600.0 to corner No. 2, identical with location, a cross (x) S E C-  
N.J. chiseled on a porphyry rock <sup>in place</sup> 18x12 ins. 2 ins.

above ground, witnessed by a monument alongside. ADD  
to scribing 2-2847.

Whence:

X BR 2-2847 chiseled on porphyry rock 18x14 ins. 10  
ins. above ground, brs. N 26°26'W, 7.35 ft.

X BR 2-2847 chiseled on porphyry reef brs. N 74°54'E, 15.8 ft.

Thence N 81°01'W. Va. 12°20'E.

1499.5 to corner No. 3, identical with location, a cross (x)  
S W C - N.J. chiseled on porphyry reef, witnessed by a  
monument alongside. Add to scribing 3-2847.

Thence N 9°00'E. Va. 13°15'E.

260.5 E. center end Velma lode, this survey, a stone monument

299.5 W. center end, a stone monument.

560.5 corner No. 1 Velma lode of this survey.

599.5 to corner No. 4, identical with location, also with corner  
No. 3, Mollie Modenia lode, this survey and previously  
described.

Thence S 81°02'E. Va. 13°25'E.

1499.5 to corner No. 1, the place of beginning.

Feet.

## OVERSIGHT LODE.....

Beginning at corner No. 1, identical with location also with E. center end Hattie lode, this survey, previously described. Add to chiseling 1-2847.

Whence:

U.S.L.M. No. 2847 brs. S 47°51'W, 558.6 ft.

X BR 1-2847 chiseled on face of granite reef 40x35 ins. brs. N 24°35'W, 13.4 ft.

X BR 1-2847 chiseled on flat surface of granite reef brs. N 82°10'W, 11.7 ft.

Thence S 81°01'E. Va. 13°10'E.

300. N. center end, a stone monument.

490. center gulch 20 ft. wide, course N.NE.

600. to corner No. 2, the N.E. corner location, a cross (x) chiseled on a porphyry rock 8x5 ins. 13 ins. above ground, witnessed by a monument alongside and N.E.C.-0.5. Add 2-2847 to chiseling.

Whence:

X BR 2-2847 chiseled on granite rock 14x8 ins. 3 ins. above ground brs. N 86°29'E, 43.0 ft.

X BR 2-2847 chiseled on granite rock 14x14 ins. 2 ins. above ground, brs. S 31°17'E, 58.7 ft.

Thence S 9°00'W. Va. 15°10'E.

1500. to corner No. 3, identical with location and with corner No. 2 Pullman No. 1 lode of this survey, a cross (x) ~~is~~ chiseled on granite rock, 18x10 ins. 6 ins. above grade, witnessed by a monument alongside and S.E.C.-D.S.N.E.C. P.1. Add 3-2-2847 to chiseling. ....

Whence X BR 3-2-2847 chiseled on 18x12 ins. face of granite reef, brs. S 76°13'W.

X BR 3-2-2847 chiseled on granite bedrock exposing 24x24 ins. face, brs. N 51°31'E 22 E

Thence N 81°01'W. Va. 13°20'E

300. S. center end a monument of stone identical with N. center end Pullman No. 1 lode of this survey.

- Feet.  
497. center gulch 30 ft. wide, course northerly.
600. to corner No. 4 identical with location and with corner No. 1 Pullman No. 1 lode, this survey, a cross (x) chiseled on a porphyry rock 7x3 ins. 8 ins. above ground, witnessed by a monument alongside and S W C. O.S. NWC-Pl. Add 4-1-2847 to chiseling.
- Whence:
- X BR 4-1-2847 chiseled on porphyry face 48x24 ins. brs. N 72°15'W, 13.8 ft.
- X BR 4-1-2847 chiseled on porphyry face 36x18 ins. brs. N 0°27'E, 20.3 ft.
- Thence N 9°00'E. Va. 130E.
- 39.0 corner 2-1 Mollie Modenia and Nancy Jane lodes, this survey.
- 239.0 center gulch 30 ft. wide, course N.NW.
- 339.0 E. center end Mollie Modenia lode.
- 558.85 X W C 1-2847 M.M. on granite reef, W.C. for Cor No. 1. Mollie Modenia lode of this survey
- 639.0 True corner 2-1 Little Philadelphia and Mollie Modenia lodes, this survey.
- 665.3 W C to corner No. 2 Little Philadelphia lode, this survey
- 939.0 E. center end Little Philadelphia.
- 1239.0 Corner 1-1 Little Philadelphia and Hattie lodes. this survey
- 1500.0 to corner No. 1, the place of beginning.
- 
- PULLMAN NO. 1 LODE.
- Beginning at corner No. 1, the north west corner location, identical with corner No. 4 Oversight lode, this survey, previously described.
- Whence:
- U.S.L.M. No. 2847 brs. N 9°13'W, 1121.1 ft.
- Thence S 81°01'E. Va. 13°E.
- 103 center gulch 30 ft. wide, course northerly.
300. N. center end a stone monument identical with S. center end Oversight lode of this survey.
600. to corner No. 2, identical with location and with corner No. 3 Oversight lode of this survey, previously described.

- feet. Thence  $S 9^{\circ}00'W$ . Va.  $13^{\circ}20'E$ .
- 1237.5 to corner No. 3 identical with location and with corner No. 2 Mineral Wells lode of this survey, a cross (x) chiseled on a granite rock 5x6 ins. <sup>7 in.</sup> above ground and X S E C P-1, witnessed by a monument alongside. ADD 3-2-2847 to chiseling.
- Whence:
- X BR 3-2-2847 chiseled on porphyry outcrop exposing 36x34 ins. face, brs.  $S 20^{\circ}04'W$ , 50.5 ft.
- X BR 3-2-2847 on porphyry outcrop 3 ins. above ground brs.  $S 60^{\circ}03'E$ , 27.5 ft.
- Thence  $N 81^{\circ}01'W$ . Va.  $13^{\circ}30'E$ .
118. gulch 30 ft. wide, course N.NE.
300. S. center end identical with N. center end Mineral Wells lode of this survey, a stone monument.
360. center gulch 4 ft. wide, course northerly.
600. to corner No. 4, identical with location and with corner No. 1 Mineral Wells lode of this survey, a cross (x) chiseled on a porphyry rock 6x4 ins. 8 ins. above ground and S.W.C.-P-1, N W C - M W, witnessed by a monument alongside. Add 4-1-2847 to chiseling.
- Whence:
- X BR 4-1-2847 chiseled on porphyry rock in place 14x12 ins. to 1x12 ins. top, brs.  $S 52^{\circ}08'E$ , 9.6 ft.
- X BR 4-1-2847 chiseled on a porphyry rock 12x6 ins. ~~x4~~ ins. above ground brs.  $S 32^{\circ}40'W$ , 23.2 ft.
- Thence  $N 9^{\circ}00'E$ . Va.  $13^{\circ}15'E$ .
668. center gulch 30 ft. wide, course easterly.
- 676.5 corner No. 2 Nancy Jane lode, of this survey,
- 976.5 E. center end Nancy Jane lode of this survey.
- 1237.5 to corner No. 1, the place of beginning.

-----  
MINERAL WELLS LODE.

Beginning at corner No. 1, the northwest corner of location, identical with corner No. 4 Pullman No. 1 lode of this survey, previously described.

Whence:

Genevieve and other lodes.

-11-

- Feet.
- U.S.L.M. No. 2847 brs. N  $0^{\circ}21'E$ , 2328.9 ft.  
 Thence S  $81^{\circ}01'E$ . Va.  $13^{\circ}15'15"E$ .
240. center small gulch, course northerly.
300. S. center end Pullman <sup>N<sup>o</sup> 1</sup> and N. center end Mineral Wells lodes of this survey, a stone monument.
482. center gulch 30 ft. wide, course N.NE.
600. to corner No. 2, identical with location also with corner No. 3 Pullman No. 1 lode, <sup>this survey</sup> previously described.  
 Thence S  $15^{\circ}46'E$ . Va.  $13^{\circ}30'E$ .
1500. to corner No. 3, identical with location, a cross (x) S.E.C.-M.W. chiseled on 48x12 in. face of porphyry outcrop, witnessed by a monument alongside. ADD 3-2847 to chiseling.  
 Thence N  $81^{\circ}01'W$ . Va.  $12^{\circ}30'E$ .
270. center gulch 15 ft. wide, course N.W.
300. S. center end, a stone monument.
550. center gulch 20 ft. wide, course SW-NE.
600. to corner No. 4, a cross (x) S W C - M W chiseled on porphyry rock 6x4 ins. 9 ins. above ground, witnessed by a monument alongside. Add 4-2847 to chiseling.
- Whence:
- X BR 4-2847 chiseled on schist outcrop exposing 10x12 in. face brs. N  $81^{\circ}49'W$ , 5.8 ft.
- X BR 4-2847 on schist outcrop, brs. S  $15^{\circ}50'W$ , 9.0 ft.
- Thence N  $15^{\circ}46'W$ . Va.  $12^{\circ}30'E$ .
1500. to corner No. 1, the place of beginning.
- HENRIETTA LODE.
- Beginning at corner No. 1, the N.E. corner of location, and west center end Hattie lode, previously described. Add 1-2847 to chiseling.
- Whence:
- U.S.L.M. No. 2847 brs. S  $60^{\circ}18'E$ , 1228.4 ft.
- X BR 1-2847 chiseled on a porphyry rock 12x12 ins. 4 ins. above ground, Brs. N  $69^{\circ}43'W$ , 4.8 ft.

- Feet. X BR 1-2847 chiseled on granite rock 10x8 ins. 2 ins. above ground, brs. N 7°42'E, 21.9 ft.  
Thence S 9°00'W. Va. 12°30'E.
- 261.0 Corner 2-4 Hattie lode and Little Philadelphia lode of this survey.
- 561.0 W. center end Little Philadelphia lode of this survey.
- 861.0 ~~XXXXXXXXXXXX~~ Cor. <sup>No. 3</sup> 3-4 Little Philadelphia and Mollie Modenia lodes of this survey.
- 1111.0 center gulch 12 ft. wide, course N.E.
1161. W. center end Mollie Modenia lode, *this survey*
1461. corner <sup>No. 2</sup> 3-4 Mollie Modenia and Nancy Jane lodes, this survey.
1500. to corner No. 2, identical with location and with corner No. 1 Velma lode of this survey, a cross (x) chiseled on porphyry rock 5x5 ins. 6 ins. above ground and S.E. C.H.-N.E.C.V. Witnessed by a monument alongside. Add 2-1-2847.  
Whence:  
X BR 2-1-2847 chiseled on porphyry face 13x10 ins. brs. N 32°26'E, 10.8 ft.  
X BR 2-1-2847 chiseled on porphyry face 12 x 10 ins. brs. S 58°24'E, 24.9 ft.  
Thence N 81°00'W. Va. 13°E.
130. center of gulch 20 ft. wide, course northerly.
300. S. center end a stone monument.
600. to corner No. 3 identical with location and corner No. 2 Olivia lode of this survey, a cross (x) chiseled on a porphyry rock 10x8 ins. 12 ins. above ground and S W C-H-SEC 0. Add 3-2-2847 to chiseling.  
Whence:  
X BR 3-2-2847 chiseled on a porphyry rock 14x12 ins. 12 ins. above ground, brs. N 19°30'E, 24.3 ft.  
X BR 3-2-2847 chiseled on porphyry reef exposing face 24x24 ins. Brs. S 62°57'W, 51.44 ft.  
Thence N 9°00'E. Va. 13°00'E.

- Feet.  
30. center gulch 20 ft. wide, course easterly.
1500. to corner No. 4, identical with location and with corner No. 1, Olivia lode of this survey, a cross (x) chiseled on a lime rock 10x13 ins. 18 ins. above ground and N.W.C. - H. N. E. C. O. Witnessed by a monument alongside. Add 4-1-2847 to chiseling.
- Whence:
- X BR 4-1-2847 chiseled on porphyry outcrop exposing 18x6 in. face 24 ins. above ground, brs. S 0°18'E, 18.3 ft.
- X BR 4-1-2847 chiseled on porphyry outcrop exposing 10x10 ins. face 18 ins. above ground, brs. S 87°36' E, 6.5 ft.
- Thence S 81°00'E. Va. 12°45'E.
300. N. center end a stone monument.
600. to corner No. 1 the place of beginning..
- 
- OLIVIA LODE.
- Beginning at corner No. 1, the N.E. corner of location identical with corner No. 4, Henrietta lode, <sup>this survey</sup> previously described.
- Whence:
- U.S.L.M. No. 2847 brs. S 87°04'E, 1802.3 ft.
- Thence S 9°00'W. Va. 12°45'E.
1470. center gulch 20 ft. wide, course easterly.
1500. to corner No. 2, identical with location and corner No. 3 Henrietta lode of this survey and previously described.
- Thence N 81°00'W. Va. 13°15'E.
300. S. center end, a stone monument. at edge of gulch.
600. to corner No. 3, identical with location. A cross (x) chiseled on a porphyry rock 6x4 ins. 10 ins. above ground and S.W.C. - O witnessed by a monument alongside. Add 3-2847 to chiseling.
- Whence:
- X BR 3-2847 <sup>chiseled</sup> on porphyry outcrop exposing 8x6 ins. Face brs. N 59°17'W, 7.7 ft.

- Feet. ~~Whence~~ **Chiseled**  
 X BR on porphyry outcrop 6x5 in. face 6 ins. above ground  
 brs. S 44°45'W, 7.8 ft.  
 Thence N 9°00'E. Va. 13°10'E.
1500. to corner No. 4, identical with location, a cross (x)  
 chiseled on a limestone rock 6x5 ins. 11 ins. above  
 ground and N W C - 0, witnessed by a monument alongside,  
 Add 4-2847 to chiseling.  
 Whence:  
 X BR 4-2847 chiseled on porphyry outcrop 12x10 ins.  
 14 ins. above ground, brs. N 61°44'E, 28.9 ft.  
 X BR 4-2847 chiseled on porphyry outcrop 10x6 ins.  
 12 ins. above ground, brs. S 47°23'E, 27.ft.  
 Thence S 81°00'E. Va. 13°E.
300. N center end, a stone monument.
600. to corner No. 1 place of beginning.
- VELMA LODE..  
 -----
- Beginning at corner No. 1, the -N.E. corner of location,  
 identical with corner No. 2 Henrietta lode of this  
 survey previously described.  
 Whence:  
 U.S.L.M. No. 2847 brs. N 56°09'E, 1567.3 ft.  
 Thence S 9°00'W. Va. 12°<sup>30'</sup>15'E.
261. W. center end Nancy Jane lode of this survey.
300. E. center end a stone monument.
- 560.5 corner No. 3 Nancy Jane lode of this survey.
- 599.2 to corner No. 2, identical with location, a cross (x)  
 chiseled on a porphyry rock 8x6 ins. <sup>10</sup>ins. above ground and  
 S.E.C. V: Witnessed by a monument alongside. Add 2-2847 to  
 chiseling.  
 Whence:  
 X BR 2-2847 chiseled on porphyry face 36x24 ins. brs.  
 S 71°47'E, 17.8 ft:  
 X BR 2-2847 chiseled on porphyry face 14x10 ins. 14 ins.  
 above ground brs. S 6°22'W, 27.1 ft.

Feet.

Thence N 8°01'W. Va. 13°25'E.

1500. to corner No. 3, identical with location, a cross (x) and S W C V chiseled on schist bedrock, witnessed by a monument alongside. Add 3-2847 to chiseling.

Thence N 9°00'E. Va. 13°00'E.

299.6  
500.  
599.6  
800.

W. center end a stone monument.

to corner No. 4 the N.W. corner of location, a lime rock <sup>ins.</sup> 7 ins. x ~~5~~ 10 ins. above ground chiseled X N.W.C.V. Witnessed by a monument alongside. Add 4-2847 to chiseling.

Whence:

X BR 4-2847 chiseled on lime rock 10x8 ins. <sup>ins</sup> 10 above ground brs. N 15°10'W, 3.1 ft.

X BR 4-2847 chiseled on porphyry outcrop 12x8 in. face brs. S 2°40'W, 6.4 ft.

Thence S 81°00'E. Va. 12°50'E.

300. corner No. 3 Olivia lode of this survey.

600. S. center end Olivia lode of this survey.

900. corner <sup>N<sup>o</sup></sup> 3-2 Henrietta and Olivia lodes of this survey

1200. S. center end Henrietta lode of this survey.

1370. Center of gulch 20 ft wide, course northerly westerly.

1500. to corner No. 1 the place of beginning.

This survey is identical with location.

AREAS....

Acres.

Genevieve lode,.....	20.654 ✓
Joe Bower's lode,.....	20.647 ✓
Hattie lode,.....	17.054 ✓
Little Philadelphia lode,.....	20.654 ✓
Mollie Modenia lode,.....	20.654 ✓
Nancy Jane lode,.....	20.645 ✓
Over5ight lode,.....	20.661 ✓
Pullman No. 1, lode,.....	17.045 ✓
Mineral Wells lode,.....	18.763 ✓
Henrietta lode,.....	20.661 ✓
Ol via. lode,.....	20.661 ✓
Velma lode,.....	20.640 ✓

## LOCATION.

This claim is located in the Tevis Mining District, Cochise County, Arizona, in approximate T<sub>p</sub> 13 S, R 26 E, unsurveyed. Not within the boundaries of any known National Forest.

The presumed course of the lodes or veins upon the claims of this survey are as follows:-

Genevieve: From E. center end N 81°03'W, 1499.5 ft. to W. center end.

Joe Bowers: From E. center end N 81°02'W, 1499.5 ft. to W. center end.

Hattie lode: From E. center end N 81°02'W, 1499.5 ft. to W. center end.

Little Philadelphia: From E. center end N 81°02'W, 1499.5 ft. to W. center end.

Mollie Modenia: From E. center end N 81°02'W, 1499.5 ft. to W. center end.

Nancy Jane: From E. center end N 81°02'W, 1499.5 ft. to W. center end.

Oversight: From S. center end N 9°00'E, 1500 ft. to N. center end.

Pullman No. 1: From S. center end N 9°00'E, 1237.5 ft. to N. center end.

Mineral Wells: From S. center end N 15°46'W, 1500 ft. to N. center end.

Henrietta: From S. center end N 9°00'E, 1500 ft. to N. center end.

Olivia: From S. center end N 9°00'E, 1500 ft. to N center end.

Velma: From E. center end N 81°00'W, 1500 ft. to W. center end.

## ADJOINING CLAIMS.....

On the East: Extension lode, unsurveyed, Lucy Denson, claimant.

Unknown claim, unsurveyed, A.M. Denson claimant.

## EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claims by claimants or their grantors, is not less than five hundred dollars for each location, and that said improvements consist of:-

On the Genevieve lode: From W. center end.

No. 1 North west corner discovery shaft 6x4 ft. 8 ft. deep bears S 81°03'E, 130 ft., Value,.....\$ 60.

No. 2 Center of shaft 6x4 ft. 8 ft. deep, caved, brs. N 86°42'E, 710 ft., Value,.....\$ 60.

Joe Bower's lode: From W. center end.

No. 1 Center of mouth of discovery cut 20 ft. long by 6 ft. wide to 13 ft. face brs. S 81°02'E, 404.9 ft. Course of cut S 81°E. Value,.....\$125.

Hattie lode: From E. center end.

No. 1 Center discovery shaft 6x4 ft. 8½ ft. deep, brs. N 81°02'W, 166 ft. Value,.....\$ 70.

No. 2 Center of shaft 6x4 ft. 8 ft. deep, brs. N 59° 57'W, 164.9 ft. Value \$60

From corner No. 1.

No. 3 Center of shaft 7x4 ft. 50 ft. deep, brs. N 39° 45'W, 249 ft. Value at \$10. per ft.,.....\$500.

No. 4 Center of shaft ~~6x4 ft. 10 ft. deep~~ <sup>brs N 49° 21' W 291 feet</sup> Value,.....\$100.

Little Philadelphia lode: From point on lode line at S 81°02'E, 646.5 ft. from W. center end.

No. 1 Mouth of discovery cut brs. N 86°55'E, 83 ft. Course of cut S 84°W, 51 ft. 4 ft. wide to 9 ft.

face thence westerly 45 ft. tunnel 4x6½ ft. to <sup>Discovery point at face of cut and mouth of tunnel, on lode line at S. 81°02'E, 679 ft. from W. Center End.</sup> incline shaft No. 3, Value of cut,.....\$200.

Value of tunnel at \$10. per ft.,.....\$450.

Total value of cut and tunnel,.....\$650.

No. 2 Mouth of cut 4 ft. wide 20 ft. N.E. to 10 ft. face brs. N 80°20'E, 96.9 ft., Value,..... \$100.

From West Center End.

No. 3 Center foot wall inclined shaft 10x6 ft. 26 ft. deep, stoped at bottom and top brs. S 81°02'E, 632.5 ft. Value at \$15. per ft.,..... \$390.  
 From point on lode line at S 81°02'E, 436.35 ft. from W. center end.

No. 4 Center of track in collar foot wall of main shaft brs. N 19°30'W, 63 ft. Shaft inclined, 320 ft. deep. Shaft 6x4 ft. in the clear, timbered. At 116 ft. is a level, whence drifts extend S. westerly 40.6ft. Easterly and southeasterly ~~more than~~ 247.67 ft. At 206 is a level, whence a drift or cross <sup>cut</sup> extends northeasterly more than 40 ft. Value of 320 ft. shaft, (timbered) at \$20. a ft. \$6400. Value of 360 ft. drifting at \$10. per ft. \$3600. Total value of shaft and drifts,..... \$10000.

From Cor. No. 1.

No. 5 Northerly end open stope brs. S 76°17'W, 162.3 ft. Course of stope southerly 45 ft. average 4 ft. deep x 3½ ft. wide. Value,.....\$125.

Mollie Modenia: From E. center end.

No. 1 S. E. corner Discovery Shaft 6x4 ft. 8 ft. deep, brs. N 81°02'W, 538.4 ft. Value,.....\$ 60.

Nancy Jane: From E. center end.

No. 1 Center discovery shaft 6x4 ft. 7 ft. deep, caved, brs. N 81°02'W, 404.6 ft. Value .....\$ 60.

OverSight: From N. center end.

No. 1 North corner discovery shaft 6x4 ft. 6 ft. deep, (badly caved) brs. S 9°00'W, 367.3 ft. Value,..... \$ 60.

Pullman No. 1:

No. 1 From N. center end center west end of discovery shaft bears S. 9° 00' W. 387.5 ft. Shaft caved, average 6 x 4 ft., larger at top, now 7½ ft. deep. Mineral Wells; Value, \$60.00

No. 1, from S. center end point in discovery cut brs. N. 15° 46' W. 10 ft., cut northwesterly 3 ft. and southeasterly 3ft

8 ft. 4 ft. wide to 8 ft. face. Value,..... \$ 70.

No. 2 From north center end of shaft 6x5 ft. 7½ ft. deep, brs. S 29°42'E, 548.9 ft. Value, \$ 60.

Henrietta lode: From N. center end.

No. 1 Center discovery shaft 6x4 ft. 8 ft. deep, brs. S 9°00'W, 604 ft. Value,..... \$ 70.

No. 2 Center shaft 6x4 ft. 8 ft. deep, brs. S 2°58'W, 329.4 ft. Value,..... \$ 70.

Olivia lode: From S. center end.

No. 1 Mouth discovery cut 15 ft. long x 2½ ft. 8 ft. face, brs. N 9°00'E, 50 ft. N.NW. Value,..... \$ 50.

Velma lode: From E. center end.

No. 1 Face discovery cut brs. N 81°W, 10 ft. Course to mouth westerly 13 ft. 3 ft. wide to 8 ft. face. Value,..... \$ 55.

The claimants of this group of mines state that they are concentrating the work on the Little Philadelphia lode with the intention of sinking the present Main Shaft ( No. 4 ) much deeper and exploring all of the several locations by means of drifts and cross cuts from this shaft. The topographical conditions are favorable for this scheme. \*

Hence I consider the whole survey as a unit and distribute the work as follows:

Total work on all 12 locations,	\$12855.
Proportion for each location,	\$ 1071.25

OTHER IMPROVEMENTS.

Hattie lode: From corner No. 2.

- S.W. corner of a frame building 18x18 ft. used as a cook house. Course N. & S. brs. S 66°35'E, 243.6 ft.
- S.W. corner frame building 22x12 ft. used as residence of Sup't brs. S 53°21'E, 272.6 ft.
- S.W. corner frame building used as a residence, brs. S 36°02'E, 420.7 ft.

\* The slope of the surface ground of this entire group is toward the north. From the south end of the survey to the main shaft of the Little Philadelphia the fall is quite rapid, while from said shaft to northerly end of survey the fall is very slight: hence from this point the region to the south, east and west can be explored by cross cuts and tunnels (which was being done at time of survey) to a better advantage than by sinking independent shafts: while to the north the slope is so slight that the loss in depth is immaterial while the saving in running tunnels is great over the expense of sinking: and there is the constant possibility of striking blind leads which do not crop on the surface. The lodes are gold bearing and generally narrow; very rich ore is found at times in the network of narrow seams and veins which intersect the whole region and are mere stringers from the larger lodes. Hence personally I consider the plan of working the group from a common point, notably the main shaft of the Little Philadelphia, as both practical and economical.

- N.W. corner frame building used as a store, approximately 60x24 ft., brs. S 50°31'E, 452 ft.

Little Philadelphia lode: From point on lode line  
 S. 81°02'E, 456.35 ft. from W. center end - the center of front of 10 stamp mill building, brs. N 19°30'W, 86.1 ft. This course is the same as that of the building lengthwise.

- From S.E. corner of building it is 64 ft. northerly 42 ft. westerly, 51 ft. southerly, 18 ft. easterly, 13 ft. southerly and 24 ft. easterly. Mill is in operation at time of survey.
- Center of south end Hoist house, brs. N 19°30'W, 15.3 ft. House, frame covered with corrugated iron 14.3 northerly and southerly x 10.2 ft. easterly and westerly. Contains gasoline hoisting engine.
- S.W. corner blacksmith shop 21.5 ft. x 10.2 northerly and southerly, brs. N 15°40'E, 29.3 ft.
- From point S 81°02'E, 492.05 ft. from W. center end.
- Exit point of circular water tank brs. S 24°20'E, 26.05 ft. Approximately 18 ft. diameter, 8 ft. high.
- These improvements, all the property of claimants


-----  
 INSTRUMENT.

This survey was made with a Young & Son's Mountain Transit No. 6855, provided with Smith Solar Attachment. The courses were deflected from true meridians as obtained by direct solar observations. The measurements were made with 500 and 50 ft. steel tapes

NOTE.

Any discrepancies between this survey and the notices of location are due to errors in the latter.

Tombstone, Arizona,  
 October 5, 1910.

  
 U.S. Mineral Surveyor.

## U. S. LOCATION MONUMENT NO. 2847.

Located August 20, 1910.

Tervis Mining District, Cochise Co., Arizona.  
-----

There being no public survey corner within the statutory two miles I establish a U.S. Location Monument.

Select a point on the crest of a ridge, a spur of the main divide of the Dos Cabezas mountains, extending northerly.

In porphyry croppings, drill a hole seven (7) inches, insert an iron rod  $3/4$  ins. diameter, 14 ins. long, and secure with Portland cement. Over the seven inches of rod above ground slip a piece of  $3/4$  inch galvanized iron pipe eight (8) feet long. Plumb the pipe and surround with a conical mound of stone, 8 ft. base,  $4\frac{1}{2}$  ft. high. On a stone in bottom tier on north side of monument chisel "U.S.L.M. 2847". Latitude by noon observation N  $30^{\circ}15'$ .

Va.  $12^{\circ}50'E$ .


Approximate longitude  $109^{\circ}40' W$ .

## BEARINGS.

- 1) A dome like mountain on east side of San Simon Valley, N  $36^{\circ}36'E$ .
- 2) A sugar loaf mountain N  $31^{\circ}36'E$ , about 20 miles.
- 3) A picacho N  $30^{\circ}15'E$ .
- 4) A deep sawtooth notch in Graham mountains N  $16^{\circ}52'W$ .
- 5) Another sawtooth notch in Graham mountains N  $17^{\circ}55'W$ .
- 6) A lone juniper tree on skyline N  $65^{\circ}48'W$ , about  $1\frac{1}{2}$  miles.
- 7) A juniper tree in saddle main divide of mountains S  $7^{\circ}20'E$ , about two miles.
- 8) Notch between Dos Cabezas peaks S  $50^{\circ}52'E$ , about 4 miles.
- 9) "Nippers" on W. peak of Dos Cabezas S  $50^{\circ}42'30" E$ .
- 10) West front of a white ranch house north of S.P.R.R. N  $39^{\circ}56'E$ , about 12 miles.
- 11) Center of trestle on S.P.R.R., N  $13^{\circ}52'E$ , about 5 miles.
- 12) Center of a trestle on S.P.R.R., N  $20^{\circ}26'E$ .
- 13) XBR U.S.L.M. 2847 chiseled on a granite rock  $18 \times 12 \times 10$  ins. N  $0^{\circ}45'W$ , 25.15 ft.

Underground Workings  
 at 116 foot Level  
 Little Philadelphia Shaft.  
 (Improvement No. 4)

North



From Sta.	To Sta.	Course	Dist.
At Shaft.	Δ1	S72°W.	15 ft.
Δ1	Face	S41°W	25.6"
At Shaft	Δ2	N72°22'E.	72.9"
Δ2	Δ3	N57E	15.8
Δ3	Δ4	N77°36'E	22.0"
Δ4	Δ5	S42°39'E	68.0
Δ5	Δ6	S50°40'E	39.97
Δ6	Face	S42°10'E	79'
			338.27

14) XBR U.S.L.M. 2847 chiseled on a porphyry rock 24x22-  
6 ins. S 59°00'E, 8.35 ft.

15) XBR U.S.L.M. 2847 chiseled on a granite rock 60x40-  
20 ins. brs. S 19°10'W, 25.75 ft.

Tombstone , Arizona.

Sept. 1910.

*John A. Rockwell*  
U.S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller  
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

The Cicero Smith Mining Co.  
 Genivieve, Nancy Jane, Joe Powers, Olivia Puumann, Henrietta  
 known as the Little Philadelphia, Cor Sight, Hattie, Mollie Modenia, Verna  
and Mineral Wells  
 and showing the respective capacities in which they acted.

L. D. Mars \_\_\_\_\_, Chairman.  
E. R. Wash \_\_\_\_\_, Chairman.  
A. A. Benedict \_\_\_\_\_, Chairman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, L. D. Mars, E. R. Wash

and A. A. Benedict \_\_\_\_\_, do solemnly swear that we assisted John A. Rockefeller  
 \_\_\_\_\_, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of The Cicero Smith Mining Co.  
Genivieve, Nancy Jane, Joe Powers, Olivia Puumann, Henrietta  
 known as the Little Philadelphia, Cor Sight, Hattie, Mollie Modenia  
Verna and Mineral Wells.

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona

L. D. Mars \_\_\_\_\_, Chairman.  
E. R. Wash \_\_\_\_\_, Chairman.  
A. A. Benedict \_\_\_\_\_, Chairman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 5<sup>th</sup>

day of October, 1910.

My Commission expires Oct 15-1912 Signed L. A. Rockefeller  
 Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Johna Rockfellow, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug 20 1910, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Clegg Smith Mining Co. Genevieve Nancy Ann Powers, Ohio, known as the Pulsman No. 1 Quartzetta Little Philadelphia Over Sight, Hattie, Modie, Modena, Alma and Mabel Wells situate in Tewis Mining District, Cochise County, Arizona, in Section Approximate, Township No. 35, Range No. 26E unsurveyed and designated as Survey No. R 847, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Johna Rockfellow  
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Johna Rockfellow  
U. S. Deputy Mineral Surveyor, before me Samuel  
L. Rockfellow this 5<sup>th</sup>  
day of October 1910.

My Commission expires Oct 15 1912  
Samuel L. Rockfellow  
Notary Public

# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Lucie Genevieve Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The Cicero Smith Mining Co -

By Anson Hazelwood managed  
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 15<sup>th</sup> day of November 1909

The length of this claim is Fifteen Hundred feet, and 7 claim 1350 feet, in a Easterly direction and 120 Westerly feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Easterly to the Westerly

The claim is situated and located in the Pavie Mining District, in Coahuila County, in the Territory of Arizona, about Four miles in a Easterly direction from Miller and side lines the Joe Bowers claim on the east and about 5 miles north westerly from Wm Cabezas Mt.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a \_\_\_\_\_ direction \_\_\_\_\_ feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence \_\_\_\_\_ feet to a \_\_\_\_\_, being the \_\_\_\_\_ corner of said claim; thence \_\_\_\_\_ feet to a \_\_\_\_\_, being at the \_\_\_\_\_ corner of said claim; thence \_\_\_\_\_ feet to a \_\_\_\_\_ at the center of the \_\_\_\_\_ end of said claim; thence \_\_\_\_\_ feet to a \_\_\_\_\_, being at the \_\_\_\_\_ corner of said claim; thence \_\_\_\_\_ feet to a \_\_\_\_\_ at the \_\_\_\_\_ corner of said claim; thence \_\_\_\_\_ feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 15<sup>th</sup> day of November 1909

The Cicero Smith  
Mining Co  
Anson Hazelwood

TERRITORY OF ARIZONA,  
County of..... **COCHISE** } ss.

I,..... *H. M. [Signature]*....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... *9*..... o'clock,..... *A*..... M. on this..... **DEC 24 1909**..... day of..... 19....., and duly recorded in Book No. *45* of..... **MINING**..... Records of..... **COCHISE**..... County, Arizona, at pages..... *432*

WITNESS my hand and official seal the day and year first above written.

..... *H. M. [Signature]*.....  
County Recorder.

**Notice of Location**

**LODE CLAIM**

Dated..... 19.....

Filed and Recorded at request of

*Lucien Smith, Mining Co.*

**DEC 24 1909**

A. D. 19.....

at..... *A*..... M.


Book *45*

Pages *432*

County Recorder.

By *[Signature]* Deputy Recorder.

THE H. H. MORRIS CO., PRINTERS, PHOENIX, ARIZONA.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence to and the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

COMPARED

AUG 2 1910

*6758*

*ad*

# Notice of Mining Location

AUG 2-1910

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Nancy Jane  
Mining Claim, situate on lands belonging to the United States of America, and in which there  
are valuable mineral deposits, was entered upon and located for the purposes of exploration and  
purchase by Cicero Smith Mng. Co. per Anson Hazelwood, Gn'l. Mgr.  
Citizens of the U. S.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 29th day of April 1909

The length of this claim is 1500 feet,  
and We claim 403 feet,  
in a South Easterly direction and 1097  
feet in a North Westerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together  
with 300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the  
South East to the North West

The claim is situated and located in the Tevis Mining District, in  
Cochise County, in the Territory of Arizona, about 6 miles  
in a North Westerly direction from Dos Cabezas Peaks, approximately  
in Tp. 13, S., R. 26 E unsurveyed, at Yeckley Camp. The North side line  
is identical with the South side line of Mollie Madenia

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
a monument of Stone

at a point in a S 83° 08' E 300 direction 403 feet from  
the discovery shaft (at which this notice is posted), being in the center of the South East  
end line of said claim; thence S 7° 52' W. 300 feet to a (X) on a rock witnessed  
by Mnt. Stones, being the South East corner of said claim; thence  
N. 82° 08' W 1500 feet to a (X) on a rock witnessed, being at the  
South West corner of said claim; thence N 7° 52' E. 300 feet  
to a Mnt. of Stones at the center of the N. West end of said claim;  
thence Same course 300 feet to a (X) on a rock witnessed by a mnt. stones  
N West corner of said claim; thence S 82° 08' E 1500  
feet to a (X) on a rock witnessed by a mnt. stones at the North East corner of said claim;  
thence S 7° 52' W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of  
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to  
Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of April 1909

Cicero Smith Mng. Co.

per Anson Hazelwood, Gn'l. Mgr.

Filed and recorded at request of E. R. Wash, May 25, 1909, at 1:45 P.M.  
in Book 44 Record of Mines, at page 538.



AMENDED

# Notice of Mining Location

LODE CLAIM

AUG. 2- 1910

To All Whom It May Concern:

This Mining Claim, the name of which is the Joe Bowers Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by William Yeckley and L. G. Jones

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 14 day of October 1903

The length of this claim is 1500 feet, and We claim 490 feet, in a Westerly direction and 1010 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South East to the North West

The claim is situated and located in the Tevis Mining District, in Cochise County, in the Territory of Arizona, about 4 1/2 miles in a North West direction from Dos Cobazes Peaks and Joins the Yeckley & Jones Mining Claim on the West

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Stone Monument

at a point in a Westerly direction 490 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence 300 feet to a Stone Monument, being the South West corner of said claim; thence 1500 feet to a Stone Monument, being at the South East corner of said claim; thence 300 feet to a Stone Monument at the center of the East end of said claim; thence 300 feet to a Stone Monument, being at the North East corner of said claim; thence 1500 feet to a Stone Monument at the North West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Joe Bowers Mining Claim, located by William T. Yeckly and L. G. Jones on the 14 day of October 1903, and recorded in Book 29 of Records of Mines, at page 410 in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 29 day of November 1903

William T. Yeckley

L. G. Jones

Filed and recorded at request of W. T. Yeckley, Dec. 31st, A. D. 1903 at 9: A. M. in Book 29 Record of Mines, at page 538



# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Olivia Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Amos Hazelwood a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")  
the undersigned, on the 29 day of January 1910  
The length of this claim is 1500 feet,  
and 1450 claim 1450 feet,  
in a Westerly direction and 50 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Trois Mining District, in Cochise County, in the Territory of Arizona, about 1/2 mile in a North West direction from Little Philadelphia

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Stone Monument

at a point in a Southerly direction fifty feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 300 feet to a Stone monument, being the South East corner of said claim; thence 1500 feet to a Stone monument, being at the North East corner of said claim; thence 300 feet to a Stone monument at the center of the North end of said claim; thence 300 feet to a Stone monument, being at the North West corner of said claim; thence 1500 feet to a Stone monument at the South West corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29 day of January 1910

Witness  
J. P. Hubbard

Amos Hazelwood

TERRITORY OF ARIZONA,

County of COCHISE } ss.

I, Edmond, County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at 9 o'clock a.M.,

on this MAR 1 1910 day of MAR 1 1910, 1910, and duly recorded in Book No. 46

of MINING Records of COCHISE County, Arizona, at pages 38

Witness my hand and official seal the day and year first above written.

Edmond  
County Recorder.

COMPARED

AUG 2-1910

1182

# Notice of Location

## LODE CLAIM

Dated 19

Filed and Recorded at request of

Barra Smith Mining Co

MAR 1 1910 A. D. 1910

at a.M.

Book 46

Pages 38

Edmond  
County Recorder.

By Ed  
Deputy Recorder.

The H. H. McNeil Co., Phoenix, Arizona

WILCOX, ARIZ

Excerpts from the Mining Laws of the Territory of Arizona.

Title XLVII of the Revised Statutes of 1901, and Amendments Thereto.


Sec. 2. Such location shall be made by erecting at or contiguous to the point of discovery a conspicuous monument of stones not less than three feet in height, or an upright post, securely fixed, projecting at least four feet above the ground, in which monument of stones or on which post there shall be posted a location notice which shall be signed by the name or names of the locator or locators.

Sec. 4. From the time of the location of a mining claim, as above specified, the locator shall be allowed ninety days within which to do or cause to be done the following things:  
\* \* \* \* \*

2. To sink a discovery shaft in the claim to a depth of at least eight feet from the lowest part of the rim of the shaft at the surface, and deeper, if necessary, until there is disclosed in said shaft mineral in place.

Sec. 6. Such surface boundaries shall be marked by six substantial posts projecting at least four feet above the surface of the ground, or by substantial stone monuments at least three feet high, to-wit: One at each corner of said claim and one at the center of each end-line thereof.

Sec. 8. Location notices may be amended at any time and the monuments changed to correspond with the amended location; Provided, That no change shall be made that will interfere with the rights of others.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Pullman No 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Amos Hazelwood - a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the seventh day of February 1910.

The length of this claim is Fifteen Hundred feet, and 9 claim eight Hundred & fifty feet, in a Southerly direction and Six Hundred & fifty feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Thirteen Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Tewis Mining District, in Cochise County, in the Territory of Arizona, about 3/4 mile in a Southerly direction from The Little Philadelphia

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument

at a point in a Southerly direction 800 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 300 Easterly feet to a stone monument, being the South East corner of said claim; thence 1500 Westerly feet to a stone monument, being at the North East corner of said claim; thence 300 Westerly feet to a stone monument at the center of the North end of said claim; thence 300 W Westerly feet to a stone monument, being at the North West corner of said claim; thence 1500 S Southerly feet to a stone monument at the South West corner of said claim; thence 300 Easterly feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this seventh day of February 1910

Witness  
J.R. Hubbs

Amos Hazelwood

County of COCHISE ss.

I, E. McDonald, County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at 9 o'clock a.m.,

on this day of MARCH 1 1910, 19, and duly recorded in Book No. 46

of MINING Records of COCHISE County, Arizona, at pages 36

Witness my hand and official seal the day and year first above written.

E. McDonald County Recorder.

COMPARED AUG 2 - 1910

Notice of Location

LODE CLAIM

Dated 19

Filed and Recorded at request of

Lucas Smith Mining Co.

MARCH 1 1910 A. D. 19

at

46 N J Mines

Pages 36

E. McDonald County Recorder.

By Deputy Recorder.

The H. H. McNeil Co., Phoenix, Arizona

Excerpts from the Mining Laws of the Territory of Arizona.

Title XLVII of the Revised Statutes of 1901, and Amendments Thereto.


Sec. 2. Such location shall be made by erecting at or contiguous to the point of discovery a conspicuous monument of stones not less than three feet in height, or an upright post, securely fixed, projecting at least four feet above the ground, in which monument of stones or on which post there shall be posted a location notice which shall be signed by the name or names of the locator or locators.

Sec. 4. From the time of the location of a mining claim, as above specified, the locator shall be allowed ninety days within which to do or cause to be done the following things:

2. To sink a discovery shaft in the claim to a depth of at least eight feet from the lowest part of the rim of the shaft at the surface, and deeper, if necessary, until there is disclosed in said shaft mineral in place.

Sec. 6. Such surface boundaries shall be marked by six substantial posts projecting at least four feet above the surface of the ground, or by substantial stone monuments at least three feet high, to-wit: One at each corner of said claim and one at the center of each end-line thereof.

Sec. 8. Location notices may be amended at any time and the monuments changed to correspond with the amended location; Provided, That no change shall be made that will interfere with the rights of others.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

ed

# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

*the Newmont Lode*  
*West of*

This Mining Claim, the name of which is the *West of* Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by *the Cicero Smith mining Co*

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the *29* day of *July* 19*09*

The length of this claim is *1500* feet,

and *900* claim feet,

in a *southerly direction* direction and *900*

feet in a *northerly* direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with *900* feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

*monument* to the *south and south*

The claim is situated and located in the *Yuma* Mining District, in

*Coconino* County, in the Territory of Arizona, about

in a *west 4 miles* direction from *northerly from*

*darabac peak*

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point in a *west* direction *900* feet from

the discovery shaft (at which this notice is posted), being in the center of the

end line of said claim; thence *900* feet to a *corner*

*corner*, being the *corner* corner of said claim; thence

*900* feet to a *corner*, being at the

*corner* corner of said claim; thence *900* feet

to a *corner* at the center of the *corner* end of said claim;

thence *900* feet to a *corner*, being at the

*corner* corner of said claim; thence

*900* feet to a *corner* at the *corner* corner of said claim;

thence *900* feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this *29th* day of *July* 19*09*

*Cicero Smith mining Co*  
*By Chas. Haylerwood*



# Notice of Mining Location

AUG 2-1910

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Little Philadelphia Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Cicero Smith Mining Co. per Anson Hazelwood

a Citizens of the U. S.  
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 29 day of Apr 1909

The length of this claim is 1500 feet, and we claim 858 feet, in a South Easterly direction and 642 feet in a North westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South East to the North West

The claim is situated and located in the Tezis Mining District, in Cochise County, in the Territory of Arizona, about 6 miles in a North westerly direction from Dos Cabezas Pks. approximately in Tp. 13, S. R. 26 E., unsurveyed, at Yeckley Camp North side line is identical with the South side line of Hattie and the South side line is identical with the North side line of Mollie Modenia

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

### Monument of Stone

at a point in a S 82° 08' E. direction 858 feet from the discovery shaft (at which this notice is posted), being in the center of the South East end line of said claim; thence S. 7° 52' W.. 300 feet to a (x) on a rock witnessed by Mnt. stone, being the South East corner of said claim; thence N. 82° 08' W. 1500 feet to a (x) on a rock witnessed by Mnt. stone being at the South West corner of said claim; thence N. 7° 52' E. 300 feet to a Mnt. of stone at the center of the N. West end of said claim; thence Same course 300 feet to a (x) on a rock witnessed by Mnt stones being at the North West corner of said claim; thence S. 82° 08' E. 1500 feet to a (x) on a rock witnessed by Mnt. stone at the North West corner of said claim; thence S. 7° 52' W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of Apr. 1909

Cicero Smith Mng. Co.

per Anson Hazelwood Gn'l. Mgr.

Filed and recorded at request of E. R. Wash, May 25, 1909, at 1:45 P.M., in Book 44 Records of Mines, 536.



# Notice of Mining Location

AUG. 2-1910

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Over Sight Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Cicero Smith Mng. Co. per ===== Citizens of the U. S.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")  
the undersigned, on the 29 day of April 1909

The length of this claim is 1500 feet, and We claim 371 feet, in a Northerly direction and 1129 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Tevis Mining District, in Cochise County, in the Territory of Arizona, about 6 miles in a North Westerly direction from Dos Cabezas Pks., approximately in Tp. 13 S. R 26 E. unsurveyed, at Yerckley Camp, a portion of the West side Line is identical with East End line Little Pliia, Lode claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument of Stone

at a point in a N. 7° 52' E direction 371 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence S. 82° 08' E 300 feet to a (x) on a rock witnessed by mnt. stone, being the North East corner of said claim; thence S. 7° 52' W. 1500 feet to (x) on a rock witnessed by mnt. stones being at the South East corner of said claim; thence N. 82° 08' W. 300 feet to a Mnt. Stone at the center of the South end of said claim; thence Same course 300 feet to a (x) on a rock witnessed by mnt. stones being at the South West corner of said claim; thence N 7° 52' E 1500 feet to a (x) on a rock witnessed by mnt. stones at the North West corner of said claim; thence S 82° 08' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of April 1909.

Cicero Smith Mng. Co.  
per Anson Hazelwood, Genl. Mgr.

Filed and recorded at request of E. R. Wash, May 26, 1909, at 1:45 P. M., in Book 44 Record of Mines, at page 539.



13  
44

AUG 20 1910

AMENDED

# Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Hattie Mining Claim Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Cecero Smith Mining Co.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 29 day of August 1900

The length of this claim is 1500 feet, and NE claim 160 feet, in a South Easterly direction and 1340 feet in a North Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the South East to the North West

The claim is situated and located in the Jewis Mining District, in Cochise County, in the Territory of Arizona, about 3 miles in a North westerly direction from Dos Cabezas Pk.

The south side line is identical with the North side line of the Little Philadelphia

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mit of stone

at a point in a S 81° 04' E direction 160 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence N 8° 56' E 234.4 feet to a mid stone, being the North East corner of said claim; thence N 81° 04' W 1500 feet to a rock near mid stone being at the North West corner of said claim; thence S 8° 56' W 234.4 feet to a mid stone at the center of the West end of said claim; thence same course feet to a 261, being at the South West corner of said claim; thence S 81° 04' E 1500 feet to a rock near mid stone at the South East corner of said claim; thence N 8° 56' E 261 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Hattie Mining Claim Mining Claim, located by Cecero Smith Mining Co.

on the 29 day of apr 1909, and recorded in Book 44 of Records of Mines, at

pages 535 in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 17 day of August 1900

The Cecero Smith M. Co.  
By J. R. Hubbard

TERRITORY OF ARIZONA,

County of COCHISE } ss.

I, *Cam Donald*, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at 9 o'clock, A. M., on this AUG 19 1910 day of 190, and duly recorded in Book No. 492 of MINING Records of COCHISE County, Arizona, at pages 492

WITNESS my hand and official seal the day and year first above written.

*Cam Donald*  
County Recorder.

COMPARED

362


AMENDED  
Notice of Location.  
LODE CLAIM.

Dated 190  
Filed and Recorded at request of  
*Green Smith Mining Co.*

AUG 19 1910 A. D. 190  
at 9 a. M.  
Book 492  
Pages *Cam Donald*  
County Recorder.  
By Deputy Recorder.

The H. H. McNeil Co., Printers, Phoenix

*Amundson, Surveyor General*  
*Phoenix*



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

AUG 2-1910

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Mollie Modenia Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Cicero Smith Mining Co., per Anson Hazelwood Gn'l. Mgr.

Citizens of the U. S.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 29th day of April 19 09

The length of this claim is 1500 feet,

and We claim 531 feet,

in a South Easterly direction and 969

feet in a North Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

South East to the North West

The claim is situated and located in the Tevis Mining District, in

Cochise County, in the Territory of Arizona, about 6 miles

in a North Westerly direction from Dos Cabezas Peaks approximately

in Tp. 13, S., R 26 E. unsurveyed, at Yeckley Camp. The South side

line is identical with the North side line of Nancy Jane and the North

side line is identical with South side line Little "Phila"

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument of Stones

at a point in a S 82° 08' E direction 531 feet from

the discovery shaft (at which this notice is posted), being in the center of the South East

end line of said claim; thence S 7° 52' W 300 feet to a (x) on a rock

witnessed by stone Mnt. being the S. East corner of said claim; thence

N 82° 08' W 1500 feet to a (x) by mnt. stone on a rock witnessed, being at the

S. West corner of said claim; thence N 7° 52' E. 300 feet

to a Mnt. Stone at the center of the N. W. end of said claim;

thence Same course 300 feet to a (x) nessed by a mnt stones on a rock wit., being at the

N. W corner of said claim; thence S 82° 08' E. 1500

feet to a (x) by a mnt. stone on rock witnessed, at the N. East corner of said claim;

thence S 7° 52' W 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29th day of April 19 09

Cicero Smith Mng. Co.

per Anson Hazelwood, Gn'l. Mgr.

Filed and recorded at request of E. R. Wash, May 25, 1910, at 1:45 P. M., in Book 44 Record of Mines, at page 537.

TERRITORY OF ARIZONA )  
                                  ) SS.  
COUNTY OF COCHISE     )

I, C. A. McDonald, County Recorder in and for the County and Territory aforesaid, do hereby certify that I have compared the annexed and foregoing copy with the original Location Notice of the Mollie Modenia, filed for record in my office on the 25th day of May, 1909, and recorded in Book 44 of Mining Locations, at page 537, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and official seal, this the 29th. day of July, A. D. 1910

C. A. McDonald  
County Recorder.

# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Valma Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Arson Hazelwood a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 29 day of Jan 1910

The length of this claim is Fifty Five Hundred feet, and 1 claim Fourteen Hundred and ninety five feet, in a North Westerly direction and five feet in a South Easterly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the

North west to the South east

The claim is situated and located in the Trois Mining District, in Cochise County, in the Territory of Arizona, about one fourth in a Westerly direction from Little Philadelphia

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument

at a point in a South Easterly direction five feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence 300 feet to a Stone monument

, being the North east corner of said claim; thence 1500 feet to a Stone monument, being at the North west corner of said claim; thence 300 feet

to a Stone monument at the center of the West end of said claim; thence 300 feet to a Stone monument, being at the South west corner of said claim; thence 1500

feet to a Stone monument at the South east corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 29 day of January 1910

Witness J.R. Hubland Arson Hazelwood

TERRITORY OF ARIZONA,

County of COCHISE ss.

I, Cam Donald, County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at 2 o'clock a M.,

on this 11 day of MAR 11 1910, 1910, and duly recorded in Book No. 46

of MININO Records of COCHISE County, Arizona, at pages 37

Witness my hand and official seal the day and year first above written.

Cam Donald  
County Recorder.

95  
COMPARED AUG 2-1910

1181

# Notice of Location

## LODE CLAIM

Dated 11 1910

Filed and Recorded at request of

Lucera Smith Mining Co.

MAR 11 1910 D. 1910

at 9 a M.

Book 46

Pages 37

Cam Donald  
County Recorder.

By Ed Deputy Recorder.

The H. H. McNeil Co., Phoenix, Arizona

Excerpts from the Mining Laws of the Territory of Arizona.

Title XLVII of the Revised Statutes of 1901, and Amendments Thereto.


Sec. 2. Such location shall be made by erecting at or contiguous to the point of discovery a conspicuous monument of stones not less than three feet in height, or an upright post, securely fixed, projecting at least four feet above the ground, in which monument of stones or on which post there shall be posted a location notice which shall be signed by the name or names of the locator or locators.

Sec. 4. From the time of the location of a mining claim, as above specified, the locator shall be allowed ninety days within which to do or cause to be done the following things: \* \* \* \* \*

2. To sink a discovery shaft in the claim to a depth of at least eight feet from the lowest part of the rim of the shaft at the surface, and deeper, if necessary, until there is disclosed in said shaft mineral in place.

Sec. 6. Such surface boundaries shall be marked by six substantial posts projecting at least four feet above the surface of the ground, or by substantial stone monuments at least three feet high, to-wit: One at each corner of said claim and one at the center of each end-line thereof.

Sec. 8. Location notices may be amended at any time and the monuments changed to correspond with the amended location; Provided, That no change shall be made that will interfere with the rights of others.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Mineral Wells Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by P. W. Reynolds agt Cicero Smith Mining Co. a citizen of the United States (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 14<sup>th</sup> day of December 1909

The length of this claim is Forty Five Hundred feet, and 1 claim Fourteen Hundred and nine feet, in a Northerly direction and one foot feet in a Southerly direction direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North

The claim is situated and located in the Levis Mining District, in Cochise County, in the Territory of Arizona, about one mile in a southerly direction from Little Philadelphia

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

South East cor a stone monument

at a point in a direction feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence East 300 feet to a Stone monument, being the South east corner of said claim; thence 1500 ft northerly feet to a stone monument, being at the North east corner of said claim; thence 300 ft westerly feet to a stone monument at the center of the North end of said claim; thence 300 ft westerly feet to a stone monument, being at the North west corner of said claim; thence 1500 ft southerly feet to a stone monument at the South west corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 14<sup>th</sup> day of December 1909

P. W. Mc Donald for  
the Cicero Smith M. Co agt.

TERRITORY OF ARIZONA,

County of COCHISE ss.

I, Cam Donald, County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at 9 o'clock a M.,

on this MAR 11 1910 day of MAR 11 1910, 1910, and duly recorded in Book No. 46

of MINING Records of COCHISE County, Arizona, at pages 39

Witness my hand and official seal the day and year first above written.

Cam Donald  
County Recorder.

COMPARED

AUG 2-1910

1183

Notice of Location

LODE CLAIM

Dated 19 1910

Filed and Recorded at request of

Cisco Smith Mining Co.

MAR 11 1910 A. D. 1910

at M.  
Book 46 7 9 mines

Pages 39  
Cam Donald  
County Recorder.

By Cam Donald  
Deputy Recorder.

The H. H. McNeil Co., Phoenix, Arizona

Excerpts from the Mining Laws of the Territory of Arizona.

Title XLVII of the Revised Statutes of 1901, and Amendments Thereto.


Sec. 2. Such location shall be made by erecting at or contiguous to the point of discovery a conspicuous monument of stones not less than three feet in height, or an upright post, securely fixed, projecting at least four feet above the ground, in which monument of stones or on which post there shall be posted a location notice which shall be signed by the name or names of the locator or locators.

Sec. 4. From the time of the location of a mining claim, as above specified, the locator shall be allowed ninety days within which to do or cause to be done the following things: \* \* \* \* \*

2. To sink a discovery shaft in the claim to a depth of at least eight feet from the lowest part of the rim of the shaft at the surface, and deeper, if necessary, until there is disclosed in said shaft mineral in place.

Sec. 6. Such surface boundaries shall be marked by six substantial posts projecting at least four feet above the surface of the ground, or by substantial stone monuments at least three feet high, to-wit: One at each corner of said claim and one at the center of each end-line thereof.

Sec. 8. Location notices may be amended at any time and the monuments changed to correspond with the amended location; Provided, That no change shall be made that will interfere with the rights of others.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 14, 1911., 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

The Cicero Smith Mining Co.

GENEVIEVE, NANCY JANE, JOE BOWERS, OLVIA, PULLMAN NO. 1,  
 known as the HENRIETTA, LITTLE PHILADELPHIA, OVER-SIGHT, HATTIE,  
 MOLLIE MODENIA, VELMA and MINERAL WELLS  
 situate in Tevis

Mining District, Cochise County, Arizona

in Section Approx., Township No. 13 S., Range No. 26 E., unsurveyed, and  
 designated as Survey No. 2847,

has been correctly copied from the originals on file in  
 this office; that said Field Notes furnish such an accurate description of said mining claim as will, if  
 incorporated into a patent, serve fully to identify the premises, and that such reference is made therein  
 to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-  
 or for each of  
 ments made upon said mining claim by claimant or its grantors, and that said improvements  
 consist of 15 shafts, 6 cuts, 1 tunnel, 1 slope and 378.27 ft. of  
 drifts, total value \$12,855. Improvement No. 4 on the Little  
 Philadelphia lode being the main working shaft for this group  
 of claims and so situated that all of the claims in this survey  
 may be developed thereby, an undivided 1/12 interest therein,  
 value \$833-1/3, is properly credited to each of the twelve lodes  
 in this survey. The apportionment by the surveyor of a 1/12  
 interest in the aggregate work on this group, to each location  
 therein, is not approved for the reason that it does not appear  
 that each and every one of said improvements tends to develop  
 each and every claim in the survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures  
 upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
 Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

February 14, 1911, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Cicero Smith Mining Co.

known as the GENEVIEVE, NANCY JANE, JOE BOWERS, OLIVIA, PULLMAN NO. 1, HENRIETTA, LITTLE PHILADELPHIA, OVER SIGHT, HATTIE, MOLLIE, MODENIA, VELMA and MINERAL WELLS.

situate in Tevis mining district,

Cochise County, Arizona,

in Section approx., Township No. 13 S., Range No. 26 E., unsurveyed,

designated as Survey No. 2847

executed by John A. Rockfellow, United States Mineral

Surveyor, August 20 - 31, 1910, under my instructions dated

August 20, 1910, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank S. Ingalls

U. S. Surveyor-General for Arizona.