2-2-1911.

F.L.

DEC 21 1910

(4—683.)

Mineral Survey No. 2872

Lot No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

T. L. Ayers

KNOWN AS THE

Mohawk Booby

Wallapai Mining District,

Mohave County, Arizona

Section 7, Township 22 N., Range 17 W.

Surveyed under instructions dated December 7 th, 1 910

by Peter Mc.Cardell,

U. S. Deputy Mineral Surveyor

Claim located see location notices, 1

Survey commenced December 14 th., 1910.

Survey completed December 16 th., 1910.

o 6—162

Address of Claimant: [illegible],

[illegible], Kingman, Arizona.

(3)

SURVEY No.2872.

BOOBY LODE.

Beginning at Cor. No.1.

A granite stone, 8 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled B 1-2872, cross (X) at corner point, whence

A cross (X) and B. R. 1-2872 chiseled on a granite rock 1 ft. above the ground, bears S. 0° 04' W. 17 ft., and a cross (X) and B. R. 1-2872 chiseled on a granite rock 2 ft. above the ground, bears N. 73° 01' W. 63.9 ft.

Corner to sections 7, 8, 17 and 18, T. 22 N., R. 17 W. bears S. 39° 37' 42" E. 1242.1 ft.

Thence N. 63° 09' W.

Feet. Va. 15° 43' E.

255 Cerbat wash, drains S. 30° W.

366 Road, course S. 35° W. and N. 35° E.

450 House on line.

508.4 Cor. No.6, Mohawk lode of this survey. thence along line 6-5 Mohawk lode, of this survey.

510.2 Intersect the north end line of Post Master General lode, unsurveyed, at N. 53° 26' E. 455.57 ft. from the N. W. corner and S. 53° 26' W. 161.23 ft. from the N. E. Cor.

1485.2 To Cor. No.2. Identical with Cor.No.2 Vanderbilt lode, Survey No. 2502, and Cor. No. 5 Mohawk lode of this survey, a granite stone 4 x 12 x 24 ins., set 8 ins. to bedrock, with mound of stone alongside, chiseled 2-2872 B and 5-2872 M. on their respective faces, whence a cross (X) and B.R.2-5-2872 chiseled on a granite rock 5 ft. above the ground, bears S.77°10'E. 4.4 ft., and a cross (X) and B.R.2-5-2872 chiseled on a granite rock 5 ft. above the ground bears N. 24° 11' W. 26.14 ft.

Thence N. 33° 04' E.

Va. 15° 27' E.

Along line 2-1 Vanderbilt lode, Survey No. 2502.

150 South end center of Vanderbilt lode, Survey No.2502.

195.1 To north end center.

SURVEY No.2872 - Continued.

BOOBY LODE - Continued.

A granite stone, 3 X 10 X 18 ins., set 10 ins. in the ground, with mound of stone, chiseled B., N. E. C. 2872 cross (X) at line point.

300 Cor. No.1, Vanderbilt lode, Survey No.2502.

495.1 To Cor. No.3.

A granite stone, 6 X 18 X 30 ins., set 14 ins. in the ground, with mound of stone, chiseled B. 3-2872, cross (X) at corner point, whence

A cross (X) and B. R. 3-2872 chiseled on a granite rock 2 ft. above the ground, bears S. 41° 14' W. 31 ft., and

a cross (X) and B. R. 3-2872 chiseled on a granite rock 2 ft. above the ground, bears S. 87° 30' W. 24.7 ft.

Thence S. 67° 08' E.

Va. 16° 03' E.

1330 Cerbat wash, drains S. 37° W.

1374.75 Intersect the west side line of Jasper lode, unsurveyed, at S. 49° 59' E. 793.84 ft. from the N. W. Cor. and N. 49° 59' W. 704.16 ft. from the S. W. Cor.

1500 To Cor. No.4.

A granite stone, 6 X 7 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled B. 4-2872, cross at corner point, whence

A cross (X) and B. R. 4-2872 chiseled on a granite rock 1 ft. above the ground, bears S. 47° 45' W. 16.65 ft.

Discovery shaft of the Jasper lode, unsurveyed, bears N. 13° 46' E. 297 ft.

Thence S. 33° 04' W.

Va. 15° 35' E.

37.2 Intersect the west side line of Jasper lode, unsurveyed,

SURVEY No.2872 - Continued.

BOOBY LODE - Continued.

Feet. at S. 49° 59' E. 918 ft. from the N. W. Cor. and N. 49° 59' W. 580 ft. from the S. W. Cor.

70 Road, course S. 53° W. and N. 53° E.

300 To south end center.

A granite stone, 4 X 7 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled B. 2872 S. E. C.

369.2 Intersect the east side line of Post Master General lode, unsurveyed, at S. 73° 35' E. 479.93 ft. from the N. E. Cor. and N. 73° 35' W. 1029.7 ft. from the S. E. Cor.

600 To Cor. No.1, the place of beginning.

MOHAWK LODE.

Beginning at Cor. No.1.

A granite stone, 6 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled M. 1-2872, cross (X) at corner point, whence

A cross (X) and B. R. 1-2872 chiseled on a granite rock 3 ft. above the ground, bears N. 84° 07' E. 24.4 ft., 1/4 corner between Sec's 7 and 18, T. 22 N., R. 17 W., bears S. 55° 54' W. 1364.93 ft.

Thence N. 46° 16' W.

N. 16° 19' E.

70 Road, course S. 38° W. and N. 38° E.

342.66 Cor. No.3, Survey No. 1289, Golden Gem lode, and intersect line 3-4 Survey No.2779, R. A. lode, at N. 52° 35' E. 472 ft. from Cor. No.3, and S. 52° 35' W. 182.1 ft. from Cor. No.4. Thence along line 3-2 Survey No.1289, Golden Gem lode.

742.93 To Cor. No.2.

Identical with Cor. No.2 Survey No.1289, Golden Gem lode,

SURVEY No. 2872 - Continued.

MOHAWK LODE - Continued.

A pine post, 4 ins. square, showing 2 1/2 ft. above the ground, with mound of stone, M 2-2872, whence A cross (X) and B. R. 2-2872 chiseled on a granite rock 1 ft. above the ground, bears N. 81° 20' E. 14.8 ft. no other bearing objects available.

Thence N. 40° 40' W.

Feet. Va. 16° 01' E.

772.32 To Cor. No. 3.

A granite stone, 4 X 9 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled M. 3-2872, cross (X) at corner point, whence

A cross (X) and B. R. 3-2872 chiseled on a granite rock 2 ft. above the ground, bears S. 36° 02' E. 8.2 ft., no other bearing objects available.

Thence N. 33° 04' E.

Va. 16° 05' E.

24.6 To north end center.

A granite stone, 4 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled N. E. C. 2872 M.

45.93 Intersect line 1-2 Survey No. 1289, Golden Gem lode, at S. 37° 27' E. 11.94 ft. from Cor. No. 1 and N. 37° 27' W. 786.86 ft. from Cor. No. 2.

46.5 To Cor. No. 4.

on line 2-3 Survey No. 2502, Vanderbilt lode, at S. 56° 56' E. 118 ft. from Cor. No. 3.

A granite stone, 10 X 12 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled M 4-2872, cross (X) at corner point, whence

A cross (X) and B. R. 4-2872 chiseled on a granite rock 1 ft. above the ground, bears S. 83° 31' E. 32.6 ft.,

SURVEY No.2872 - Continued.

MOHAWK LODE - Continued.

no other bearing objects available.

Thence S. 56° 56' E.

Feet. Va. 15° 40' E.

Along line 3-2 Survey No.2502, Vanderbilt lode.

501 To Cor. No.5.

Identical with Cor. No.2-2, Booby lode of this survey and Survey No.2502, Vanderbilt lode, and heretofore described.

Thence S. 63° 09' E.

Va. 15° 27' E.

Along line 2-1 Booby lode of this survey.

975 Intersect the north end line of Post Master General lode, unsurveyed, at N. 53° 26' E. 455.57 ft. from the N. W. Cor. and S. 53° 26' W. 161.23 ft. from the N. E. Cor.

976.8 To Cor. No.6.

On line 1-2 Booby lode of this survey, at N. 63° 09' W. 508.4 ft. from Cor. No.1.

A granite stone, 6 X 14 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled M 6-2872, cross (X) at corner point, whence

A cross (X) and B. R. 6-2872 chiseled on a granite rock 3 ft. above the ground, bears S. 72° 51' W. 110 ft.

N. W. Cor. of School house bears N. 67° 51' E. 94 ft.

Thence S. 33° 04' W.

Va. 16° 15' E.

206 To south end center.

A granite stone, 3 X 10 X 22 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. C. 2872 M.

209.86 Intersect line 1-4 Survey No.2779, R. A. lode, at N.

SURVEY No.2872 - Continued.

MOHAWK LODE - Continued.

69° 25' W. 1217.42 ft. from Cor. No.1 and S. 69° 25' E.

282.58 ft. from Cor. No.4, and 88.79 ft. from its intersection with the North end line of the Post Master General lode, unsurveyed.

311 Road, course S. 48° W. and N. 48° E.

379.37 Intersect the west side line of Post Master General lode, unsurveyed, at S. 73° 35' E. 167.31 ft. from the N. W. Cor. and N. 73° 35' W. 1332.69 ft. from the S. W. Cor.

506 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from present developments the veins of the locations embraced in this claim extend as follows from their respective discovery points:

BOOBY LODE, 13 ft. N. 67° 08' W., and 1487 ft. S. 67° 08' E.

MOHAWK LODE, 896.33 ft. N. 58° 35' W., and S. 46° 39' E. 584.73 ft.

AREA.

Total area Booby lode..... 18.558 Acres.

Area in conflict with-

Post Master General lode, unsurveyed 2.030

Jasper lode, unsurveyed..... .052

Total area Mohawk lode..... 9.368 Acres.

Area in conflict with-

Sur. No.2779, R. A. lode..... 1.645

Sur. No.1289, Golden Gem lode.... .391

Post Master General lode, unsurveyed, .706

exclusive of its conflict with

Sur. No.2779, R. A. lode..... .213

SURVEY No.2872 - Continued.

This survey is identical with the respective amended locations as monumented upon the ground.

LOCATION.

This survey is located in Wallapai Mining District, Mohave County, Arizona, in section 7, T. 22 N., R. 17. W., G. & S. R. B. & M.

ADJOINING CLAIMS.

The adjoining claims are as follows: On the northwest: Vanderbilt lode, Sur. No.2502, claimant Cerbat Mountain Mining Co.; Golden Gem lode, Sur. No.1239, claimant Golden ~~Gem~~ Star Mining and Milling Co. On the east; Jasper lode, unsurveyed, claimant, Mrs. James Dundon. On the southeast: Post Master General lode, unsurveyed, claimant, St. Louis Mining Co. Sur. No.2779, R. A. lode, claimant, Golden Star Mining and Milling Co. On the southwest: Survey No. 2779, R. A. lode and Survey No.1239, Golden Gem lode, claimant, Golden Star Mining and Milling Co.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimant is not less than five hundred dollars for each location, and that said improvements consist of:

BOOBY LODE.

No.1. The discovery shaft on the lode line 13 ft. from a point on line 2-3, at N. 33° 04' E. 195.1 ft. from Cor. No.2, 4 X 6 ft., 36 ft. deep.

Value, $288

No.2. A tunnel, the mouth of which bears from Cor. No.3; S. 17° 38' E. 334 ft., 4 X 6 ft., running N. 69° W. 13 ft.

Value, $90

SURVEY No.2872 - Continued.

No.3. A tunnel, the mouth of which bears from Cor. No.3 S.44° 04' E. 697 ft., 4 X 6 ft., running N. 69° W. 173 ft.

Value, $1,384

MOHAWK LODE. No.1. The discovery shaft, which bears from Cor. No.2, N. 63° 10' E. 308 ft., 4 X 6 ft., 50 ft. deep.

Value, $500

No.2. A shaft, which bears from Cor. No.2, N. 49° 51' E. 269 ft., 4 X 6 ft., 10 ft. deep.

Value, $60

No.3. A shaft, which bears from Cor. No.3, S. 48° 38' E. 254 ft., 4 X 6 ft., 22 ft. deep.

Value, $160

OTHER IMPROVEMENTS.

A school house, the N. W. Cor. of which bears from Cor. No.6, Mohawk lode, N. 67° 51' E. 94 ft., 16 X 36 ft., course of long side N. 42° W.

A residence, the N. W. Cor. of which bears from Cor. No.6, Mohawk lode, S. 56° 36' E. 40.8 ft.

A building, the S. E. Cor. of which bears from Cor. No. 4, Booby lode, S. 70° 51' W. 65.9 ft., 12 X 36 ft., course of long side, N. 28° 20' W.

A house, the S. E. Cor. of which bears from Cor. No.4, Booby lode, S. 54° 25' W. 104 ft., 16 X 55 ft., course of long side, N. 28° 20' W.

INSTRUMENT.

This survey was made with a Buff and Berger Transit, The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes.

REPORT.

SURVEY No.2872 - Continued.

The lode line each location of this claim was run directly upon the ground, and the several corners established by means of offsetts from the lode lines. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a seperate report herewith.

Note- I find the following errors in lines of former approved surveys, line 2-3 Survey No.1289, Golden Gem lode, S. 46° 16' E. 400.27 ft. instead of S. 48° E. 400 ft., line 1-2, Survey No.1289, Golden Gem lode, S. 37° 27' E. 798.2 ft. instead of S. 38° 50' E. 800 ft.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter McCardell

United States ~~Xxxxx~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of T. L. Ayers

known as the Booby Mohawk

and showing the respective capacit~~ies~~y in which ~~the~~ acted.

Wm Barrett, *Chainman.*

, *Chainman.*

, *Axman.*

, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Wm Barrett

~~and~~, do solemnly swear that ~~we~~ I assisted

Peter McCardell, United States ~~Xxxxx~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of T. L. Ayers

known as the Booby Mohawk

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of ~~our~~ my knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

Wm Barrett, *Chainman.*

, *Chainman.*

, *Axman.*

, *Flagman.*

Subscribed and sworn to by the above-named persons before me this 17th

day of December, 1910.

Charles Metcalfe

Notary Public

My Com expires Aug 12, 1913

9189b5m8-03

4—686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter Mc.Cardell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated December 7 th. 1910, , I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of T. L. Ayers, , known as the Lee Mohawk and Booby, , situate in Wallapai Mining District, Mohave County, Arizona, , in Section 7, Township No. 22 N., Range No. 17 W., G. & S. R. B. & M., and designated as Survey No. 2872, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant ********** are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter McCardell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc.Cardell U. S. Mineral Surveyor, before me U. S. Commissioner, 4 th. Judicial District, this 19 th. day of December 1910, ***

Chas. H. Smith
U. S. Commissioner, 4 th. Judicial District.

6—1044

2872

Amended Location Certificate

Know All Men by these Presents, *That* T. L. Ayres

the undersigned citizen of the United States, *over the age of twenty-one years, having complied with all the requirments of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of* Wallapai *Mining District, hereby make and file this* his *amended location of the* Mohawk *Lode, claiming by right of discovery, location, primal appropriation and possession* 1481.06 *feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing* gold and silver *and other valuable minerals, with all dips, variations and angles, the same being* 896.33 *feet along the ledge in a* N.58° 35' W. *direction from the discovery* ~~stake~~ shaft *and* 584.73 *feet along the ledge in a* S.46° 39' E. *direction therefrom, together with* 300 *feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.*

Situate in Wallapai *Mining District, County of Mohave, Territory of Arizona, in* section 7, T.22 N.,R.17 W. *and more particularly described as follows, to-wit:*

Beginning at Cor. No.1, whence 1/4 cor. between sec's 7 and 18 T. 22 N., R. 17 W., bears S. 62° 29' W. 1656.4 ft. Thence N. 46° 16' W. 742.93 ft. to Cor. No.2: Thence N. 40° 40' W. 772.32 ft. to Cor. No.3: Thence N. 33° 04' E. 24.6 ft. to the north end center monument and 46.5 ft' to Cor. No.4: Thence S. 56° 56' E. 501 ft. to Cor. No.5: Thence S. 63° 09' E. 976.8 ft. to Cor. No.6: Thence S. 33° 04' W. 206 ft. to the south end center monument and 506 ft. to Cor. No.1, the place of beginning.

Magnetic Va. N. 16° E.

THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. *1* 1908, *recorded* January 25 th. *1* 1908, *in Book* Y, *Page* 753, *of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.*

Date of Original Discovery, January 1 st. *A. D.* 1908

Date of Amended Location, December 3 rd. *A. D.* 1910.

Attest: T. L. Ayers

Recorded at request of T.L.Ayers at 9 o'clock AM., December 5th 1910 in Book DD of Mining Claims, Page 333, Records of Mohave County,Arizona.

J.W.Morgan
County Recorder

GEO. D. BARNARD & CO., PRINTERS, ST. LOUIS

TERRITORY OF ARIZONA,
COUNTY OF MOHAVE. } *ss.*

14

I, J. W. Morgan *Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy's of* Amended Location Certificates of Foot Hill, Mohawk and Booby, Mining Claims (2874) *and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.*

WITNESS my hand and the seal of said office, this 5th *day of* December 1910

J. W. Morgan
Recorder of Mohave County.

2872

Amended Location Certificate

Know All Men by these Presents, That T. L. Ayres,

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirments of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai Mining District, hereby make and file this his amended location of the Booby Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and silver and other valuable minerals, with all dips, variations and angles, the same being 13 feet along the ledge in a N. 67° 08' W. direction from the discovery ~~#~~ shaft and 1487 feet along the ledge in a S. 67° 08' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Wallapai Mining Mining District, County of Mohave, Territory of Arizona, in section 7, T. 22 N., R. 17 W. more particularly described as follows, to-wit:

Beginning at the south west corner monument, whence Cor. to Sec's 7, 8, 17 and 18, T. 22 N., R. 17 W., bears S. 39° 38' 30" E. 1241.4 ft. Thence N. 63° 09' W. 1485.2 ft. to the N. W. Cor. monument, Thence N. 33° 04' E. 195.1 ft. to the north end center monument: and 495.1 ft. to the N. E. Cor. monument: Thence S. 67° 08' E. 1500 ft. to the S. E. Cor. monument: Thence S. 33° 04' W. 300 ft. to the south end center monument and 600 ft. to the S. W. Cor. monument the place of beginning.

Magnetic Va. N. 16° E.

THIS AMENDED LOCATION is made in conformity with the original location, made May 15 th. 1887 ~~s~~, recorded July 12 th. 1887, in Book ~~B~~ K, Page 129, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery, May 15 th. A. D. 1887

Date of Amended Location, Dec. 3 rd. A. D. 1910

Attest: T. L. Ayers

Recorded at request of T.L.Ayers at 9 o'clock AM., December 5th 1910. in Book DD, of Mining Claims, page 334. Records of Mohave, County, Arizona.

J.W.Morgan
County Recorder.

4—688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 21, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

T. L. Ayers,

known as the MOHAWK, BOOBY,

situate in Wallapai

Mining District, Mohave County, Arizona,

in Section 7, Township No. 22 N., Range No. 17 W., and designated as Survey No. 2872, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 4 shafts and 2 tunnels, total value $2482.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

0-2

4—687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 21, 1911, 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

T. L. Ayers,

, known as the

MOHAWK, BOOBY,

situate in Wallapai mining district,

Mohave County, Arizona,

in Section 7, Township No. 22 N., Range No. 17 W.

, designated as Survey No. 2872,

executed by Peter McCardell, United States Mineral Surveyor, December 14 - 16, 1910. ~~190~~, under my instructions dated December 7, 1910. ~~190~~, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

0-2