

JUL 15 1911

4-683.

MINERAL SURVEY No. 2896

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. H. Bright and
M. D. Buckett

KNOWN AS THE

Quinn Sabre
Turquoise Mining District,
Cochise County, Arizona

Sections approx 31+, Township 19 S., Range 25 E unsurveyed
" 6, " 20 S.

Surveyed under instructions dated Feb 20, 1911

by John A. Rockfellow
U. S. Mineral Surveyor.

Claim located ^{Location} See Notice, 19

Survey commenced May 5, 1911

Survey completed May 6, 1911

6-822

Attorney for Claimants
D. L. Cunningham
Tombstone Ariz

Quin Sabe Lode.

Beginning at Cor No. 1 the N.E. Cor of location, identical with Cor. ^{N^o} 3 Oaks lode, Survey No. 2660, a pine post 4 ins square, 3½ ft above ground in a mound of stone, scribed for Oaks lode SEC-O 3-2660, add NEC-QS J-2896. Cor. No. 4, Oaks lode brs. S. 72°19' W., 568 ft.
Whence

U.S. Mineral Monument No. 1 Turquoise District bears N. 8°10'E., 6417.9 ft.
A cross (x) and BR 1-2896 chiseled on a granite rock 16x16 ins, 14 ins above ground bears S 41°28'W 23.5 ft
Thence S 15°25' E, Variation 12° 50' E

300 E. Center End monument of stone, identical with location
419 Wagon road bears Northerly and Southerly

600 To Cor No. 2, set a pine post 4 ins square, 3½ ft long, 6 ins in ground to bedrock in a mound of stone, scribed SEC-QS 2-2896
Whence

Cor of location, a pine post in a mound of stone bears S 15°25'E 37.0 ft. A post marked in paint SWCA bears N 35°11'W 70.7 ft
A stone monument bears N 32°30'W 135.0 ft
A cross (x) and BR 2-2896 chiseled on a granite rock 9x7 ins, 2 ins above ground bears S 75°20'W 8.4 ft
No other nearby bearings available

Thence S 73°17' W, Variation 13° 15' E

65 Wagon road bears Northerly and Southerly

1367 Center wash 30 ft wide, course S. Easterly

1457.0 To Cor No. 3, set a pine post 4 ins square, 3.8 ft long, 1 foot in ground to bedrock, in a mound of stone, scribed SWC-QS 3-2896

Whence Cor of location, a post in a mound of stone marked SWC-QS brs S 18°00'E 1.5 ft.

A cross (x) and BR 3-2896 chiseled on a porphyry rock

10x6 ins, 6 in shigh bears N 36°37'W 12.4ft. No other nearby bearings available.

Thence N 18°0' W, Variation 13°15' E.

145.0 Wash 20 ft wide. Course S. Easterly

300 To Cor No.4, identical with location a pine post 4 ins square, 4 ft above ground, in a mound of stone, marked with paint WCEQS scribe same and 4-2896

Whence

A cross (x) and BR 4-2896 chiseled on a porphyry rock 12x10 ins, 2 ins above ground bears N 54°55' W 11.3 ft

A cross (x) ^{and BR} (Not room for more) chiseled on a porphyry rock 8x7 ins, 1 in above ground bears N 89°28'E 51.1 ft

Thence N.15°25'W, Variation 13°15' E

300 To Cor No.5, set a pine post 4 ins square, 4 1/2 ft long, 6 ins in ground to bed rock, in a mound of stone, scribed NWC-QS 5-2896

Whence

Cor of location, a post in a mound of stone bears N 81°15'W 15 ft.

A cross (x) and BR 5-2896 chiseled on a porphyry rock 12x8 ins, 2 ins above ground bears N 63°05'E 9.8 ft.

No other nearby bearings available.

Thence N 75°17'E, Variation 13°15' E

301.74 Intersect line 3-4 Meadow lode, Survey No.2660 at N 19° 12' W 6.89 ft from Cor No.3, a post in a ^{mound} of stone scribed S.W.C-M 3-2660

468.59 Intersect line 3-2 Meadow lode, same survey at N 70°55' E 16.64 ft from Cor No.3

902.31 Intersect line 4-5 Oak lode, Survey No.2660 at N 19°12' W 9.54 ft from Cor No.4, a post in a ^{mound} of stone scribed S.W.C-0 4-2660

1470.65 To Cor No.1 the place of beginning

Area

Acres

Quin Sabe lode

20.205

Area in conflict with Meadow lode, Survey

No. 2660

Acres.
0.013

Area in conflict with Oakslode

Survey No. 2660

0.063

Location.

This claim is located in the Turquoise Mining District, Cochise County, Arizona, not within the boundaries of any National Forest, in approximately Township 19 + 20 S,

Range 25 E, unsurveyed. ^{Vein}
The presumed course of the vein on this claim is S. 73° 17' W., 1470. 65 ft. from the ECE to Cor. No. 4.

Adjoining Claims.

On the North

Meadows and Oakslodes, Survey No. 2660

G.I. Van Meter, Claimant.

On the East

Arizona lode, unsurveyed

J. Heffley, Claimant.

On the South and West

Unknown lodes unsurveyed

Claimants unknown

Five Hundred Dollars Improvement

I certify that the value of the labor and improvements on this claim, placed thereon by the claimants or their grantors, is not less than five hundred dollars and that said improvements consist of:

No. 1 - Discovery shaft the center of North edge of which bears from E. Center End S 73° 17' W 303 ft, shaft 10x5 ft at top, 6x4 ft at bottom, 9 1/2 ft deep

Value \$100.00

From point on lode line at S 73° 17' W 234 ft from E Center End

No. 2 - A shaft the center of which bears S 31° 50' W 100.5 ft, shaft 6x4 ft, 12 ft deep

Value \$100.00

No 3. A shaft the center of which bears S 6° 05' W 92 ft
shaft 6x4 ft, 5 ft deep

Value \$ 30.00

From Cor. NO. 2.

No 4. A shaft the center of which bears N. 88° 30' W 160
ft, shaft 6x4 ft, ^{5 ft} deep

Value \$ 30.00

From Cor. No. 1,

No 5. A shaft the center of which bears S 41° 25' W 34
ft, shaft 5x4 ft, 50 ft deep, 14 ft timbered.

Value at \$10. per foot \$500.00

Other Improvements.

A frame building used as a stable or tool house, 12x10
ft the N.E. Cor of which bears from Cor No. 1 S 12° 19' W
82.1 ft. Owned by claimants.

Instrument.

This survey was made with a Young and Sons Mountain
transit No. 6855, provided with Smith Solar Attachment.
The courses were deflected from true meridian as ob-
tained by direct solar observations. The measurements
were made with 500 ft and 50 ft steel tapes.

Tombstone, Arizona.

June 26, 1911.

John A. Rockefeller

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

J. H. Bright and M. D. Pickett
known as the Quinn Lumber

and showing the respective capacities in which they acted.

W. H. O'Connor, Chainman.

W. A. Harwood, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, W. H. O'Connor

and W. A. Harwood, do solemnly swear that we assisted John A.

Rockefeller, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of J. H. Bright and

M. D. Pickett

known as the Quinn Lumber

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

W. H. O'Connor, Chainman.

W. A. Harwood, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 12

day of May, 1911

Sidney Rieley

Notary Public.

My Commission Expires May 11 1912.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, John A. Rockfellow, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Feb. 20, 1911, I have, in strict conformity to the laws of the

United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. H. Bright and M. D. Puckett

, known as the Quin Sabes, situate in Maricopa Mining District,

Cochise County, Arizona, in Sections

Approx 31+6, Township No. 19 S, Range No. 25 E Unmanned and designated as Survey No. 2896, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockfellow
U. S. Mineral Surveyor.

Subscribed and sworn to by the said U. S. Mineral Surveyor, before me

John A. Rockfellow
Flora A. Rockfellow

day of June, 1911

this 29

My Commission Expires April 25 1915

Flora A. Rockfellow
Notary Public

FEB. 20. 1911

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Quin Sabe Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. H. Bright & M. D. Puckett

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 8 day of Jan. 1906

The length of this claim is 1500 feet, and we claim 300 feet, in an easterly direction and 1200 feet in a westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, about 1/2 mile in a S. W. direction from Copper Bell Shaft

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone

at a point in a easterly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence 300 feet to a mon. of stone, being the N. E. corner of said claim; thence 1500 feet to a mon. of stone, being at the N. W. corner of said claim; thence 300 feet to a mon. of stone at the center of the west end of said claim; thence 300 feet to a mon. of stone, being at the S. W. corner of said claim; thence 1500 feet to a mon. of stone at the S. E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 8 day of Jan. 1906

J. H. Bright

M. D. Puckett

Filed and recorded at request of M. D. Puckett, Apr, 6, 1906, at 10:A.M. in Book 36 Record of Mines, at page 187.

TERRITORY OF ARIZONA)
) SS
COUNTY OF COCHISE)

I, C. A. McDonald, County Recorder in and for said County and Territory, do hereby certify that I have compared the annexed and foregoing copy with the original Location Notice of the Q U I N S A B E Lode Mining Claim, filed for record in my office on the 6th day of April, 1906, and recorded in Book 36 of Records of Mines, at page 187, and that same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and official seal this the 16th day of February, A. D 1911.

.....*C. A. McDonald*.....
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 9, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

J. H. Bright and M. D. Puckett,

known as the QUIN SABE,

situate in Turquoise

Mining District, Cochise County, Arizona, approximate

in Section s. 6 and 31, Township Nos 19&20 S., Range No.25 E., unsurveyed, and

designated as Survey No. 2896, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 5 shafts, total value \$560.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona,

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 9, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

J. H. Bright and M. D. Puckett,

, known as the

QUIN SABE,

situate in Turquoise mining district,

Cochise County, Arizona, approximate

in Sections 6 and 31, Township No. 19 and 20 S., Range No. 25 E., unsurveyed,

, designated as Survey No. 2896,

executed by John A. Rockfellow, United States Mineral

Surveyor, May 5 - 6, 1911, under my instructions dated

February 20, 1911, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.