

Copied 6-1-11
2. 13.

APR 17 1911

1

4-683.

MINERAL SURVEY No. 2907

LOT No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Arizona Copper Company

Post Office Address: Clifton, Arizona.

KNOWN AS THE

Midway, King West, Jamieson, Jamieson No. 2, King No. 2, King No. 3,
King No. 4, North King, North King No. 2, North King No. 3, North King No. 4,
War Eagle, Raton, Raton No. 2, Raton No. 3, Mikado, Sirdar, Greenlee Gold Mountain
Mining District,

Greenlee County, Arizona.

Section 2-3-10, uns, Township 4 south, Range 29 E,

Surveyed under instructions dated April 3, 1911

by Lamar Cobb
U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced April 6, 1911

Survey completed April 15, 1911

6-822

Address:

John R. Hampton, Attorney,
Clifton, Arizona.

SUR. NO. 2907.

Feet

KING NO. 2 LODE.

Beginning at Cor. No. 1.

Identical with Cors. Nos. 2-3-4, North King No. 2, North King No. 3 and King No. 3 lodes, respectively, of this survey.

A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed N K2-2, NK3-3, K3-4, K2-1-2907, whence,

A cross (x) and B R 2-3-4-1-2907 chiseled on quartz porphyry bed rock facing south bears N. 44° 37' W. 40.3 ft.

U. S. L. M. No. 1576 bears N. 84° 25' E. 6288.2 ft.

Thence E. 31° 56' W.

610. Cross gulch, course from Northeast to southwest.

1019.12 Intersect line 1-2 Sur. No. 1851, Standard lode, at S. 37° 35' W. 383.89 ft. from Cor. No. 2,

1497. To Cor. No. 2.

Identical with Cor. No. 3 King No. 3 lode of this survey.

Identical with the southwest cor. of the original location.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed K3-3, K2-2-2907, whence

A cross (x) and BR 3-2-2907 chiseled on quartz porphyry bedrock 1 x 3 ft. facing south bears N. 20° 03' E. 14.4 ft.

Cor. No. 2 Sur. No. 1851, Standard lode, which is on the original southeast side line of this lode, bears N. 34° 27' E. 860.74 ft.

Thence N. 55° 51' W.

47.13 Cor. No. 3 Sur. No. 1947, Fire Fly lode, and intersect line 1-2 Sur. No. 1851, Standard lode at S. 37° 35' W. 862.27 ft. from Cor. No. 2.

Feet.

77.00 Cross gulch course from northeast to southwest.

170.83 Cor. No. 2 Sur. No. 1947, Fire Fly lode and intersect line 3-4 Sur. No. 1945, San Jose lode, at S. $34^{\circ} 42'$ W. 463.62 ft. from Cor. No. 3.

300.22 Southwest end center of the location.

600.44 To Cor. No. 3.

Identical with Cor. No. 3 Sur. No. 574 King lode.

A pine post, in place, 4 x 6 ins. 3 ft. high, with mound of stone, scribed K2-3-2907, whence

A cross (x) and B R 3-2907 chiseled on quartz porphyry bed rock bears N. 77° W. 3.1 ft.

Thence N. $31^{\circ} 56'$ E.

284.85 Intersect line 2-3 Sur. No. 1945 San Jose lode at N. $77^{\circ} 40'$ W. 479.50 ft. from Cor. No. 3.

1452.00 Cor. No. 4 Sur. No. 574 King lode, and Cor. No. 3 North Kind lode of this survey.

1497.00 to Cor. No. 4.

Identical with Cos. Nos 2-3 North King and North King No. 2 lodes, respectively of this survey.

A cross (x) at Cor. point and NK -2-Nk2-3, K2-4-2907 chiseled on quartz porphyry stone 4 x 6 ins. 24 ins. long, set 12 ins. in the ground, with mound of stone alongside.

Thence S. $55^{\circ} 51'$ E.

300.22 North east end center of the location.

600.44 To cor. No. 1, the place of beginning.

KING NO. 3 Lode.

Beginning at Cor. No. 1.

Identical with Cors. Nos. 2-3-4 North King No. 3, North King No. 4 and King No. 4 lodes, respectively, of this Sur. A pine post in place, 4x6 ins., 3, ft. high, with mound of stone, scribed NK 3-2, NK 4-3, K 4-4, K 3-1-2907.

whence

A cross (x) and B R 2-3-4-1-2907, chiseled on face of quartz porphyry bed rock, bears N. 22° 28' E. 9.3 ft.

U. S. L. M. No. 1576 bears N. 80° 39' E. 5839.5 ft.

Thence S. 31° 56' W.

669.44 Intersect line 2-3 Sur. No. 1851, Standard lode, at S. 52° 25' E. 564.33 ft. from Cor. No. 2 and at N. 52° 25' W. 35.67 ft. from Cor. No. 3.

1051.77 Intersect line 1-2 and 3-4, Sur. No. 1851, Hazel and Standard lodes at S. 37° 35' W. 360.57 ft. from Cors. Nos. 2-3.

1497.00 To Cor. No. 2.

Identical with Cor. No. 3 King No. 4 lode of this survey, and the southeast Cor. of the original location of this lode.

A pine post, in place, 4 x 6 ins. 3 ft. high, with mound of stone, scribed K4-3, K3-2-2907, whence

A cross (x) and B. R. 3-2-2907 chiseled on quartz porphyry face bears S. 84° 15' E. 40.8 ft.

Cors. Nos. 3-2 Sur. No. 1851, Standard and Hazel lodes, respectively, which are on the common side line of the original locations of King Nos 3 and 4 lodes, of this survey, bear N. 34° 24' E. 824.81 ft.

Thence N. 55° 51' W.

45.88 Intersect lines 3-4 and 1-2 Sur. No. 1851 Standard and Hazel lodes, respectively at S. 37° 35' W. 826.29 ft. from Cors. Nos. 3-2, respectively.

300.00 Southwest end center of the location.

600.00 To Cor. No. 3

Identical with Cor. No. 2 King No. 2 lode, of this survey, heretofore described, whence,

Cor. No. 2 Sur. No. 1851, Standard lode, which is on the Northwest side line of the original location of this lode, bears N. 34° 27' E. 860.74 ft.

Feet.

Thence N. $31^{\circ} 56'$ E.

477.88 Intersect line 1-2 Sur. No. 1851 Standard lode, at S. $37^{\circ} 35'$ W. 383.89 ft. from Cor. No. 2.

887.00 Cross gulch, course from northeast to southwest

1497.00 To Cor. No. 4

Identical with cors Nos. 1-2-3 King No. 2, North King No. 2 and North King No. 3 lodes, respectively, of this survey, ~~here to fore~~ described.

Thence S. $55^{\circ} 51'$ E.

300.00 Northeast end center of the location, in gulch, course from northeast to southwest.

600.00 To Cor. No. 1, the place of beginning.

KING NO. 4 LODE.

Beginning at Cor. No. 1,

Identical with Cors. Nos. 2-3 North King No. 4 and War Eagle lodes, respectively of this survey,

A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed NK4-2, WE-3, K4-1-2907, whence No bearings available.

U. S. L. M. No. 1576 bears N. $76^{\circ} 56'$ E. 5360.8 ft.

Thence S. $31^{\circ} 56'$ W.

136.59 Intersect line 1-2 Sur. No. 1851 Mabel lode at N. $52^{\circ} 56'$ E, 1056.77 ft. from Cor. No. 1, and at N. $52^{\circ} 56'$ E. 676.27 ft. from its intersection with line 2-3 Sur. No. 1851 Hazel lode.

791.81 Intersect line 2-3 Sur. No. 1851 Hazel lode, at S. $52^{\circ} 25'$ E. 562.84 ft. from Cor. No. 2 and at N. $52^{\circ} 25'$ W. 37.16 ft. from Cor. No. 3 and at S. $52^{\circ} 25'$ E. 242.99 ft. from its intersection with line 1-2 Sur. No. 1851 Mabel lode.

1169.27 Intersect line 3-4 Sur. No. 1851 Hazel lode, at S. $37^{\circ} 35'$ W., 375.62 ft. from Cor. No. 3.

1268.38 Intersect line 1-4, Sur. No. 1851, Mabel lode at S. 37°

Feet. 04' E. 405.01 ft. from Cor. No. 1 and at N. 37° 04' W. 18.66 ft. from Cor. No. 2, Sur. No. 1851 Nellie lode, and at S. 37° 04' E. 10.04 ft. from its intersection with line No. 3-4 Sur. No. 1851, Hazel lode.

1320.45 Intersect line 1-2 Sur. No. 1851 Nellie lode, at S. 52° 56' W. 48.61 ft. from Cor. No. 2

1497.20 To Cor. No. 2.

A pine post in place 4 x 6 ins., 3 ft. high with mound of stone, scribed K4-2-2907, whence

A cross (x) and B R chiseled on quartz porphyry bed rock 1 x 1 ft. facing northwest bears S. 56° 30' W. 15.9 ft.

Thence N. 64° 08' W.

32.97 Intersect line 3-4 Sur. No. 1851, Hazel lode at S. 37° 35' W. 708.65 ft. from Cor. No. 3 and at S. 37° 35' W. 128.43 ft. from its intersection with line 1-2 Sur. No.

1851 Nellie lode, 237.14 ft. from its intersection with line 1-4, Mabel lode, Sur. No. 1851, and ~~708.65 ft. from Cor. No. 3.~~

71.15 Intersect line 1-2 Sur. No. 1851 Nellie lode, at S. 52° 56' W. 246.05 ft. from Cor. No. 2, and at S. 52° 56' W. 141.22 ft. from its intersection with line 3-4 Sur. No. 1851 Hazel lode.

298.84 Southwest end center of the location.

598.84 To Cor. No. 3.

Identical with the location southeast and southwest Cor. of King No. 3 and this lode, respectively.

Identical with Cor. No. 2 King No. 3 lode, of this survey, whence Cors. Nos. 3-2 Sur. No. 1851, Standard and Hazel lodes, respectively, which are on the common side of the original locations of the King No. 3 and King No. 4 lodes, of this survey, bears N. 34 24' E. 824.81 ft.

Thence N. 31° 56' E.

465.23 Intersect lines 3-4 and 1-2 Sur. No. 1851 Standard and

Feet. Hazel lodes, respectively, at S. 37° 35' W. 360.57 ft. from Cors. Nos. 3-2 respectively.

827.56 Intersect line 2-3 Sur. No. 1851, Standard lode, at N. 52° 25' W. 35.67 ft. from Cor. No. 3 .

1497. To Cor. No. 4

Identical with Cors. Nos. 1-2-3 King No. 3, North King No. 3 and North King No. 4 lodes, respectively, of this survey, ~~heretofore~~ described.

Thence S. 64° 08' E.

300. Northeast end center of the location.

600 To Cor. No. 1, the place of beginning.

MIDWAY LODE.

Beginning at Cor. No. 1.

On line 3-4 Sur. No. 1732 White Hawk ~~Ext~~ ^{Extension} and line 3-4 Jamieson No. 2 lode, of this survey, at N. 30° 19' E. 987.6 ft. from Cor. No. 3.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed M-1-2907, whence,

A cross (x) and B R 1-2907 chiseled on quartz porphyry bed rock 3 x 4 ft, facing south, bears S. 80' E. 9.3 ft.

U. S. L. M. No. 1576 bears S. 79° 10' E. 7945.5 ft.

Thence S. 22° 28' W.

105.

105. Cross gulch, course from east to southwest.

1001 Intersect lines 2-3 and 4-1 Jamieson No. 2 and King West lodes, respectively, of this survey at S. 58° E. 136.77 ft. from Cors. Nos. 3-4 respectively.

1497.80 To Cor. No. 2.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed M-2-2907, whence

A cross (x) and B R 2-2907 chiseled on quartz porphyry bed rock 6x7 ft. facing Southwest bears S. 64° 40' W.

Feet. 11.5 ft.

 Thence N. 72° 11' W.

182.90 Intersect lines 2-3 and 2-3 King West lode, of this Survey and Sur. No. 1733, San Pedro lode at S. 57° 50' E. 42.49 ft. and 51.63 ft. from Cors. Nos. 3-2 respectively

235.63 Intersect lines 1-2 and 4-1 Sur. No. 1733, San Pedro and Jolly Liar lodes, respectively at S. 29° 46' W. 13.08 ft. from Cors. Nos. 2-4, respectively.

300.45 South west end center of the location.

428. Cross gulch, course from northeast to southwest.

600.9 To Cor. No. 3

Identical with Cor. No. 3 Lot No. 47 Oriental lode.

A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed M-3-2907, whence

A cross (x) and B R Chiseled on quartz porphyry bed rock 1 x 2 ft. facing north bears S. 20° E.

6 ft.

 Thence N. 22° 28' E.

104.86 Intersect line 3-4 Sur. No. 1733, Jolly Liar lode, at N. 57° 50' W. 371 ft. from Cor. No. 4

1497.80 To Cor. No. 4

Identical with Cor. No. 4 Lot No. 47, Oriental lode, and on line 3-7 Lot No. 50 Dark Horse lode.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed M-4-2907, whence

A cross (x) and B R 4-2907 chiseled on quartz porphyry bed rock 4 x 5 ft. facing east bears N. 18° W. 9.4 ft.

 Thence S. 72° 11' E.

95.0 Cor. No. 4 Sur. No. 1732, White Hawk ^{East Extension} lode, and Cor. No. 3 Lot No. 50 Dark Horse lode.

300.45 Northeast end center of the location

600.9 To Cor. No. 1, the place of beginning.

Feet.

KING WEST LODE.

Beginning at Cor. No. 1

Identical with Cors. Nos. 2-4 Jamieson and North King lodes, respectively, of this survey and Cor. No. 6 Sur. No. 574, King lode.

A pine post, in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed J-2, NZ-4, KW-1-2907, whence
No bearings available.

U. S. L. M. No. 1576 bears S. 89° 58' E. 7285.1 ft.

Thence S. 32° 04' W.

269.1 Southeast end center of the location.

538.2 To Cor. No. 2.

On line 6-7 Sur. No. 574 King lode.

On line 2-3 Sur. No. 1733 Ida Bell lode.

A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone scribed KW-2-2907, whence

A cross (x) and B R 2-2907 chiseled on face of quartz porphyry bed rock 2 x 3 ft. bears N. 12° 16' E. 19.2 ft.

Thence N. 57° 50' W.

409.14 Cors. Nos. 2-4 Sur. No. 1733 Ida Bell and Copper Chief lodes, respectively.

809.14 Cors. Nos. 3-3 Sur. No. 1733 Copper Chief and San Pedro lodes

1157.51 Intersect line 2-3 Midway lode of this survey at N. 72° 11' W. 182.9 ft. from Cor. No. 2

1200 To Cor. No. 3

A cross (x) at Cor. point and KW-3-2907 chiseled on quartz porphyry face 15 x 20 ft. with mound of stone alongside, whence

A cross (x) and B R 3-2907 chiseled on quartz porphyry

Feet.	face 15 x 20 ft. bears S. 17° 27' E. 3.6 ft.

	Thence N. 32° 04' E.
266.	Northwest end center of the location.
535.1	To Cor. No. 4. Identical with Cor. No. 3 Jamieson No. 2 lode of this survey. Impracticable to erect Cor. monument at this point as it is in a crevice below the dump of the No. 2 tunnel of this lode, W. C. hereafter described bears S. 58° E., 103.14 ft.

	Thence S. 58° E.
103.14	To witness Cor. for Cor. No. 4 Identical with witness Cor. for Cor. No. 3 Jamieson No. 2 lode of this survey. A cross (x) at Cor. point and WC-J2-3. WC-KW-4-2907 chiseled on quartz porphyry face of bed rock 1 x 1 ft. with mound of stone alongside.
136.77	Intersect line 1-2 Midway lode of this survey at N. 22° 28' E. 496.8 ft. from Cor. No. 2.
600.24	Cors. Nos 2-3 Jamieson No. 2 and Jamison lodes respectively, of this survey.
1200.48	To cor. No. 1, the place of beginning.

	JAMIESON NO. 2 LODE.
	Beginning at Cor. No. 1. Identical with Cor. No. 4 Jamieson lode of this survey. A cross (x) at Cor. point and J-4, J2-1-2907 chiseled on quartz porphyry bluff 20 x 30 ft. facing West, with a pine post in mound of stone alongside, whence, A cross (x) and B R 4-1-2907 chiseled on face of quartz porphyry bed rock 20x30 ft. bears N. 58° W. 7.2 ft. U. S. L. M. No. 1576 bears S. 77° 05' E. 7220.3 ft.

	Thence S. 30° 19' W.
1497.5	To Cor. No. 2.

Feet.

On line 4-1 King West lode of this survey
 Identical with Cor. No. 3 Jamieson lode of this survey.
 A pine post in place 4 x 4 ins., 3 ft. high, with mound
 of stone, scribed J-3, J2-2-2907, whence
 A cross (x) and B R 3-2-2907 chiseled on face of quartz
 porphyry bed rock 1 x 3 ft. bears S. 58° E. 3.1 ft.

 Thence N. 58° W.

300.12 Southwest end center of the location.

463.47 Intersect line 1-2 Midway lode at S. 22° 28' W. 1001 ft.
 from Cor. No. 1

497.1 To witness Cor. for Cor. No. 3.

Identical with witness Cor. for Cor. No. 4 King West
 lode of this survey, heretofore described.
 To Cor. No. 3

600.24/ Identical with Cor. No. 4 King West lode, of this sur-
 vey. W.C. heretofore described hrs. S. 58° W., 103.14 ft.

 Thence N. 30° 19' E.

877.6 Cross gulch, course from East to southwest.

987.6 Cor. No. 1 Midway lode, of this survey, and intersect
 line 3-4 Sur. No. 1732 White Hawk Est E^{ension} lode at N. 72°
 11' W. 94.1 ft. from Cor. No. 3.

1422.93 Intersect line 2-3 Sur. No. 1732 White Hawk Est E^{ension} lode
 at N. 17° 50' E. 425.02 ft. from Cor. No. 3

1497.5 To Cor. No. 4.

A cross (x) at Cor. point and J2-4-2907 chiseled on
 quartz porphyry bed rock 1 x 1 ft. facing southeast with
 mound of stone alongside, whence

A cross (x) and B R 4-2907 chiseled on quartz porphyry
 bed rock 3 x 6 ft. facing south bears N. 17° W. 10.4 ft.

 Thence S. 58° E.

20.00 Cross gulch, course from northeast to southwest.

300.12 Northeast end center of the location

600.24 To Cor. No. 1, the place of beginning.

Feet.

JAMIESON LODE.

Beginning at Cor. No. 1

Identical with Cor. No. 5 North King lode, of this survey.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed NK-5, J-1-2907, whence,

A cross (x) and B R 5-1-2907 chiseled on quartz porphyry bed rock 4 x 6 ft, facing south, bears N. 37° 50' E. 9.1 ft.

U. S. L. M. No. 1576 bears S. 78° 46' E. 6656 ft.

Thence S. 30° 19' W.

1497.5 To Cor. No. 2.

Identical with Cors. Nos. 4-1 North King and King West lodes, respectively, of this survey, and identical with Cor. No. 6 Sur. No. 574 King lode, heretofore described.

Thence N. 58° W.

300.12 Southwest end center of the locations.

600.24 To Cor. No. 3

On line 4-1 King West lode of this survey.

Identical with Cor. No. 2 Jamieson No. 2 lode, of this survey, heretofore described.

Thence N. 30° 19' E.

1497.5 To Cor. No. 4.

Identical with Cor. No. 1, Jamieson No. 2 lode, of this survey, heretofore described.

Thence S. 58° E.

300.12 Northeast end center of the location.

600.24 To Cor. No. 1, the place of beginning.

North King Lode.

Beginning at Cor. No. 1

On line 3-4 North King No. 2 lode, of this survey.

Feet.	
	<p>On line 2-3 Sur. No. 1640 Veiled Prophet No. 4 lode. A pine post in place 4 x 6 ins., 3 ft. high with mound of stone scribed NK-1-2907, whence No bearings available. U. S. L. M. No. 1576 bears S. 80° 46' E. 6098.5 ft. ----- Thence S. 30° 22' W.</p>
1157.5	Cross trail course from northeast to southwest.
1453.5	To Cor. No. 2 Identical with Cors. Nos. 3-4 North King No. 2 and King No. 2 lodes respectively, of this survey, heretofore described. ----- Thence S. 31° 56' W.
45.0	To Cor. No. 3 Identical with Cor. No. 4 Sur. No. 574 King lode On line 3-4 King No. 2 lode of this survey. A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed NK-3-2907, whence. No bearings available ----- Thence N. 58° W.
263.	Cross trail course from northeast to southwest.
297.68	Southwest end center, of the location.
597.8	To Cor. No. 4. Identical with Cors. Nos. 1-2 King West and Jamieson heretofore described, lodes, respectively, of this survey, and identical with Cor. No. 6. Sur. No. 574 King lode. ----- Thence N. 30° 19' E.
1497.5	To Cor. No. 5. Identical with Cor. No. 1, Jamieson lode of this survey, heretofore described. ----- Thence S. 58° E.

Feet.
 40.5 Cor. No. 3 Sur. No. 1640 Veiled Prophet No. 4 lode.
 300.12 Northeast end center of the location.
 600.24 To Cor. No.1, the place of beginning.

NORTH KING NO.2

Beginning at Cor. No. 1
 On line 3-4 North King No. 3 lode of this survey.
 On line 2-3 Sur. No. 1640 Veiled Prophet No. 3 lode at S.
 58° E. 559.12 ft. from Cor. No. 3
 A pine post in place 4 x 6 ins., 3 ft. high, with mound
 of stone scribed NK2-1-2907, whence
 A cross (x) and B R 1-2907 chiseled on quartz porphyry
 bed rock 5 x 6 ft. facing southwest bears S. 58° E. 7.3
 ft.
 U.S.L.M.No. 1576 bears S. 83° 10' E. 5551. ft.

 Thence S. 30° 22' W.

476.04 Cross trail course from east to southwest
 1476.04 To Cor. No. 2
 Identical with Cors. Nos. 3-4-1 North King No. 3 King
 No. 3 and King No. 2 lodes, respectively, of this survey,
 heretofore described.

 Thence N. 55° 51' W.

300.22 Southwest end center of the location, heretofore described.
 600.44 To Cor. No. 3.
 Identical with Cors. Nos. 4-2 King No. 2 and North
 King lodes, respectively, of this survey, heretofore described

 Thence N. 30° 22' E.

296. Cross trail course from northeast to southwest.
 1453.5 Intersect line 2-3 Sur. No. 1640 Veiled Prophet No. 4
 lode, at N. 58° W. 40. 26 ft. from Cor. No. 2.
 To Cor. No. 4
 1476.04 A pine post, in place, 4 x 4 ins., 3 ft. high, with
 mound of stone, scribed NK2-4-2907, whence
 No bearings available.

 Thence S. 55° 51' E.

40.98 Intersect lines 1-2 and 3-4 Sur. No. 1640 Veiled Pro-
 phet, Nos. 4 and 3 lodes, respectively, at N. 32° 06'
 E. 21 ft. from Cors. Nos. 2-3 respectively.

300.22 Northeast end center of the location.
 600.44 To Cor. No. 1, the place of beginning.

Feet.

NORTH KING NO. 3 LODE.

Beginning at Cor. No. 1

On line 2-3 Sur. No. 1640 Veiled Prophet No. 2 lode, at
S. 58° E. 556.76 ft. from Cor. No. 3

Identical with Cor. No. 4 North King No. 4 lode of this
survey.

A pine post in place 4 x 4 ins., 3 ft. high, with mound
of stone, scribed NK4-4, NK3-1-2907, whence

A cross (x) and BT4-1-2907 scribed on a pine tree 5 in.
in diam. bears N. 63° 07' W. 20.8 ft.

U. S. M. M. No. 1576 bears S. 86° 05' E. 5015.4 ft.

Thence S. 30° 22' W.

200. Cross trail course from east to west.

600. Cross gulch, course from northeast to southwest.

1498.56 To Cor. No. 2.

Identical with Cors. Nos. 3-4-1 North King No. 4, King
No. 4 and King No. 3 lodes, respectively, of this survey,
heretofore described.

Thence N. 55° 51' W.

300 Southwest end center of the location, in gulch, course
from northeast to southwest

600 To Cor. No. 3

Identical with Cors. Nos 4-1-2 King No. 3, King No. 2
and North King No. 2 lodes, respectively of this survey,
heretofore described.

Thence N. 30° 22' E.

1000 Cross trail course from east to southwest.

1476.04 Cor. No. 1 North King No. 2 lode of this survey, and
intersect line 2-3 Sur. No. 1640 Veiled Prophet No. 3
lode at N. 58° W. 42.18 ft. from Cor. No. 2.

1498.56 To Cor. No. 4,

A pine post in place 4 x 4 ins., 3 ft. high, with mound
of stone scribed NK3-4-2907, whence

Feet.	A cross (x) and B R 4-2907 chiseled on quartz porphyry bed rock 10 x 10 ft. facing west bears S. 58° E. 11.4 ft.

	Thence S. 55° 51' E. 11.4 ft.
42.88	Intersect lines 1-2 and 3-4 Sur. No. 1640 Veiled Prophet Nos. 3 and 2 lodes, respectively, at N. 32° 06' E. 20.9 ft. from Cors. Nos. 2-3, respectively.
300.	Northeast end center of the location.
600	To Cor. No. 1, the place of beginning.

	NORTH KING NO. 4
	Beginning at Cor. No. 1.
	Identical with Cors. Nos. 2-3-4 Raton No. 3, Raton No. 2 and War Eagle lodes, respectively, of this survey.
	A pine post in place 4 x 6 ins., 3 ft., high, with mound of stone, scribed R3-2, R2-3, WE-4 NK4-1-2907, whence
	A cross (x) and B R 2-3-4-1-2907 chiseled on quartz porphyry bed rock 4 x 6 ft. facing west bears S. 64° W. 7.7 ft.
	U. S. L. M. No. 1576 bears S. 88° 58' E. 4464.8 ft.

	Thence S. 30° 22' W.
1498.56	To Cor. No. 2.
	Identical with Cors. Nos. 3-1 War Eagle and King No. 4, lodes, respectively, of this survey, heretofore described.

	Thence N. 64° 08' W.
300.	Southwest end center of the location
600	To Cor. No. 3
	Identical with Cors. Nos. 4-1-2 King No. 4, King No. 3 and North King No. 3 lodes, respectively, of this survey, heretofore described.

	Thence N. 30° 22' E.
898.56	Cross gulch, course from Northeast to southwest.
1298.56	Cross trail course from northeast to west.
1498.56	To Cor. No. 4.

Feet.

Identical with Cor. No. 1, North King No. 3 lode of this Survey, heretofore described.

On line 2-3 Sur. No. 1640, Veiled Prophet No. 2 lode at N. 58° W . 44.7 ft. from Cor. No. 2.

Thence S. 64° 08' E.

45.00 Cor. No. 3 Raton No. 3 lode, of this survey, and intersect line 1-2 Sur. No. 1640 Veiled Prophet No. 2 lode at N. 32° 06' E. 4.8 ft. from Cor. No. 2.

200. Cross trail course from northeast to southwest.

300. North^{east} end center of the location.

563 Cross gulch course from northeast to southwest.

600 To Cor. No. 1, the place of beginning.

WAR EAGLE

Beginning At Cor. No. 1.

On line 2-3 Raton No. 2 lode, of this survey.

A pine post in place 4 x 6 ins., 3 ft., high, with mound of stone, scribed WE-1-2907, whence

A cross (x) and B R 1-2907 chiseled on quartz porphyry bed rock 5 x 10 ft., bears S. 78° 06' E. 8.0 ft.

U. S. L. M. No. 1576 bears N. 87° 08' E. 3937.2 ft.

Thence S. 30° 22' W.

1434.76 Intersect line 2-3 Sur. No. 1851, Mabel lode, at S. 37° 04' E. 469.29 ft. from Cor. No. 2

1498.56 To Cor. No. 2.

A pine post in place 4 x 6 ins., 3 ft., high, with mound of stone scribed WE-2-2907 whence

A cross (x) and B R 2-2907 chiseled on quartz porphyry bed rock 2 x 2 ft. facing south east bears S. 89° 30' W. 7.3 ft.

Thence N. 62° 23' W.

Feet.	
300.	Southwest end center of the location.
546.38	Intersect line 1-2 Sur. No. 1851 Mabel lode at S. 52° 56' W. 292.59 ft. from Cor. No. 2.
600.	To Cor. No. 3.
	Identical with Cors. Nos. 1-2 King No. 4 and North King No. 4 lodes, respectively, of this survey, heretofore described.

	Thence N. 30° 22' E.
1498.56	to Cor. No. 4.
	Identical with Cors. Nos. 1-2-3 North King No. 4, Raton No. 3 and Raton No. 2 lodes, respectively, of this survey, heretofore described.

	Thence S. 62° 23' E.
300	Northeast end center of the location.
600	To Cor. No. 1, the place of beginning.

	RATON NO. 3
	Beginning at Cor. No. 1
	A pine post in place 4 x 4 ins., 3 ft. high, with mound of stone, scribed R3-1-2907, whence
	No bearings available.
	U. S. L. M. No. 1576 bears S. 69° 56' E. 3893.2 ft.

	Thence S. 32° 43' W.
61.0	Cor. No. 4 Midako lode, of this survey, and Cor. No. 1 Sur. No. 1640, Veiled Prophet, No. 1 lode.
891.8	Cors. Nos. 3-4 Mikado and Raton No. 2 lodes, respectively of this survey, in trail course from northeast to southwest
1346.8	Cross gulch, course from North east to southwest.
1491.8	To Cor. No. 2.
	Identical with Cors. Nos. 3-4-1 Raton No. 2, War Eagle and North King No. 4 lodes, respectively, of this survey, heretofore described.

	Thence N. 64° 08' W.

Feet.

37. Cross gulch, course from Northeast to southwest.

300. Southwest end center of the location.

400. Cross trail course from northeast to southwest.

555. To Cor. No. 3

On line 4-1 North King No. 4 lode, of this survey, and on line 1-2 Sur. No. 1640 Veiled Prophet No. 2 lode.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed R3-3-2907, whence

A cross (x) and B R 3-2907 chiseled on quartz porphyry bed rock 2 x 2 ft. facing south, bears N. 32° E. 8.7 ft.

Thence N. 32° 06' E.

1490.2 To Cor. No. 4

Identical with Cor. No. 1 Sur. No. 1640 Veiled Prophet No. 2 lode, and

On line 1-2 Sur. No. 1640 Veiled Prophet No. 1 lode at N. 58° W. 567.2 ft. from Cor. No. 1.

A pine post in place 4 x 4 ins., 3 ft. high, with mound of stone scribed R3-4-2907 whence.

No bearings available.

Thence S. 64° 08' E.

271.2 Northeast end center of the location.

570.58 Intersect lines 4-1 and 4-5 Sur. No. 1640 Veiled Prophet No. 1 and Mikado lodes, respectively, of this survey at N. 32° 08' E. 60.93 ft. from Cors. Nos 1 and 4 respectively.

571.2 To Cor. No. 1, the place of beginning.

RATON NO. 2

Beginning at Cor. No. 1.

Identical with Cor. No. 2 Raton lode, of this survey.

A pine post in place 4 x 4 ins., 3 ft. high, with mound of stone, scribed R-2, R2-1-2907, whence,

- Feet. A cross (x) and B R 2-1-2907 chiseled on quartz porphyry bed rock 2 x 3 ft. bears S. 32° 43' W. 11.8 ft.
U. S. M. M. No. 1576 bears S. 89° 24' E. 3082.4 ft.
-
- Thence S. 32° 43' W.
- 259.68 Intersect the north line of the Eclipse lode unsurveyed, at S. 86° E. 506.76 ft. from the Northwest Cor.
- 300.00 Southeast end center of the location.
600. To Cor. No. 2.
A pine post in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed R2-2-2907, whence,
A cross (x) and B R 2-2907 chiseled on quartz porphyry bed rock 3 x 6 ft. facing Southwest, bears N. 13° 42' E. 108.3 ft.
-
- Thence N. 62° 23' W.
- 374.62 Intersect the West end line of the Eclipse lode, unsurveyed, at S. 4° W. 148.39 ft. from the northwest cor.
- 593.4 Cor. No. 1 War Eagle lode, of this survey.
- 1193.4 To Cor. No. 3.
Identical with Cors. Nos. 4-1-2 War Eagle, North King No. 4 and Raton No. 3 lodes, respectively, of this survey, heretofore described.
-
- Thence N. 32° 43' E.
145. Cross gulch, course from northeast to southwest
300, Northwest end center of the location.
600. To Cor. No. 4.
Identical with Cor. No. 3 Mikado lode, of this survey, in trail course from northeast to southwest, and
On line 1-2 Raton No. 3 lode, of this survey.
Impracticable to establish corner monument at this point as it is in a much used trail, W.C. hereafter described brs. S. 62° 23' E., 6 ft.
-
- Thence S. 62° 23' E.
- 6.0 To witness Cor. for Cor. No. 4.
Identical with witness Cor. for Cor. No. 3, Mikado lode,

Feet.

of this survey.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed WC-M-3, WC-R2-4-2907, whence

A cross (x) and B R WC-3-4-2907 chiseled on quartz porphyry bed rock 1 x 2 ft., brs. N. 87° 47' W. 14.7 ft.

173. Cross gulch course from northeast to southwest.

593.4 Cors. Nos. 2-3, Mikado and Raton lodes, respectively, of this survey.

1193.4 To Cor. No. 1, the place of beginning.

MIKADO

Beginning at Cor. No. 1

Identical with Cor. No. 4 Raton lode, of this survey, and

On line 1-2 Sirdar lode, of this survey.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed R-4, M-1-2907, whence.

A cross (x) and B R 4-1-2907 chiseled on granite porphyry bed rock 1 x 4 ft. facing north bears S. 29° 50' E. 15.7 ft.

U. S. M. M. No. 1576 bears S. 61° 07' E. 3214.6 ft.

Thence S. 32° 43' W.

600.00 Cross trail course from northeast to southwest

1476.2 To Cor. No. 2.

Identical with Cor. No. 3 Raton lode, of this survey, and

On line 4-1 Raton No. 2 lode of this survey.

A pine post in place 4 x 6 ins. 3 ft. high, with mound of stone scribed R -3, M-2-2907,.

No bearings available.

Thence N. 62° 23' W.

300.00 South west end center of the location.

420.4 Cross gulch, course from northeast to southwest.

- Feet.
587.4 To witness Cor. for Cor. No. 3.
Identical with witness Cor. for Cor. No. 4 Raton No. 2 lode of this survey, heretofore described.
- 593.4 To Cor. No. 3.
Identical with Cor. No. 4 Raton No. 2 lode, of this survey, in trail course from northeast to southwest, W.C. heretofore described brs. S. 62° 23' E., 6 ft.

Thence N. 32° 43' E.
- 830.8 To Cor. No. 4
Identical with Cor. No. 1 Sur. No. 1640 Veiled Prophet No. 1 lode.
On line 1-2 Raton No. 3 lode of this survey at S. 32° 43' W. 61.0 ft. from Cor. No. 1.
A pine post, in place, 4 x 4 ins., 3 ft. high with mound of stone, scribed M-4-2907, whence
U. S. L. M. No. 1576 bears S. 70° 48' E. 3907 ft.

Thence N. 32° 08' E.
- 60.93 Intersect line 4-1 Raton No. 3 lode, of this survey, at N. 64° 08' W. 0.62 ft. from Cor. No. 1.
600. Cor. No. 4 Sur. No. 1640 Veiled Prophet No. 1 lode.
- 644.9 To Cor. No. 5.
A pine post in place 4 x 4 ins., 3 ft. high, with mound of stone scribed M-5-2907, whence
A cross (x) and B R 5-2907 chiseled on granite porphyry bed rock 3 x 4 ft. facing East bears S. 57° 10' E. 18.5 ft.

Thence S. 62° 23' E.
- 285.00 Cross gulch course from Northeast to southwest.
- 298.2 Cor. No. 2 Sirdar lode, of this survey.
300. Northeast end center of the location.
600. To Cor. No. 1, the place of beginning.

RATON

Beginning at Cor. No. 1.

A pine post in place 4 x 6 ins., 3 ft. high, with mound

Feet. of stone scribed R-1-2907, whence
 A cross (x) and B R 1-2907 chiseled on quartz porphyry
 bed rock 10 x 10 ft. facing southeast, bears N. 20° 20'
 W. 16.7 ft.
 U. S. L. M. No. 1576 bears S. 60° 50' E. 2614.7 ft.

100. Thence S. 32° 43' W.
 Cross trail course from northeast to southwest.

1476.2 To Cor. No. 2.
 Identical with Cor. No. 1 Raton No. 2 lode, of this sur-
 vey, heretofore described.

300 Thence N. 62° 23' W.
 Southwest end center of the location.

600 To Cor. No. 3, heretofore described.
 Identical with Cor. No. 2, Mikado lode, of this survey.
 On line 4-1 Raton No. 2 lode, of this survey.

876.2 Thence N. 32° 43' E.
 Cross trail, course from northeast to southwest.

1476.2 To Cor. No. 4.
 Identical with Cor. No. 1, Mikado lode, of this survey,
 heretofore described.
 On line 1-2 Sirdar lode, of this survey.

298.2 Thence S. 62° 23' E.
 Cor. No. 1 Sirdar lode, of this survey.

300 Northeast-end center of the location.

600 To Cor. No. 1, the place of beginning.

SIRDAR

Beginning at Cor. No. 1.
 On line 4-1 Raton lode, of this survey.
 A pine post, in place, 4 x 6 ins., 3 ft. high, with mound
 of stone, scribed S-1-2907, whence,

Feet.	A cross (x) and B R 1-2907 chiseled on quartz porphyry bed rock 4 x 6 ft. bears N. 89° 50' E. 30.3 ft. U. S. L. M. No. 1576 bears S. 61° 00' E. 2916.5 ft.
	----- Thence N. 62° 23' W.
298.2	Cor. Nos. 1-4 Mikado and Raton lodes, respectively, of this survey.
300	Southwest end center of the location.
600	To Cor. No. 2.
300	On line 5-1 Mikado lode, of this survey. A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed S-2-2907. No bearings available.
	----- Thence N. 27° 37' E.
1500.00	To Cor. No. 3. A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed S-3-2907. No bearings available.
	----- Thence S. 62° 23' E.
300.	Northeast end center of the location.
600	To Cor. No. 4. A pine post, in place, 4 x 6 ins., 3 ft high, with mound of stone, scribed S-4-2907, whence A cross (x) and B R 4-2907 chiseled on face of granite bed rock 6 x 8 ft. facing North bears S. 17° 07' E. 4.5 ft.
1500.	To Corner No. 1, the place of beginning. Thence S. 27° 37' W. Variation at all corners 13° 40' E.

Description of Tract A.

Beginning at Cor. No. 3 of the King No. 4 lode, which is on the common side line of the original locations of the King No. 3 and King No. 4 lodes, thence along line 3-4 of the King No. 4 lode, 465.23 ft. to its intersection with line 1-2 of the Hazel lode, Sur. No. 1851, thence along said line 1-2 of the Hazel lode, N. 37° 35' E. 360.57 ft. to Cor. No. 2 of said Hazel lode, thence along the north side line of the original location of the King No. 4 lode, S. 34° 24' W. 824.81 ft. to the place of beginning, being that portion of the King No. 4 lode in conflict with the Hazel lode, Sur. No. 1851, without the original location of the King No. 4 lode and not excluded from Sur. No. 1851, and containing 0.190 acres.

LODE LINES.

As near as can be determined from present developments, the veins of the several locations embraced in this claim extend as follows from their respective discovery points.-

King No. 2 lode,	20. ft.N.31°56'E. and 1477. ft.S.31°56'W. ✓
King No. 3 lode,	20. ft.N.31°56'E. and 1477. ft.S.31°56'W. ✓
King No. 4 lode,	20. ft.N.31°56'E. and 1477. ft.S.31°56'W. ✓
Midway lode,	1497.8 ft.S.22°28'W. ✓
King West lode,	1200.48 ft.N.58° W. ✓
Jamieson No. 2. lode,	1497.5 ft.S.30°19'W. ✓
Jamieson lode,	1497.5 ft.S.30°19'W. ✓
North King lode,	1497.5 ft.N.30°19'E. ✓
North King No. 2. lode,	1476.04 ft.N.30°22'E. ✓
North King No. 3 lode,	1498.56 ft.N.30°22'E. ✓
North King No. 4 lode,	1498.56 ft.N.30°22'E. ✓
Raton No. 3 lode,	1491.8 ft.N.32°43'E. ✓
Raton No. 2. lode,	1193.4 ft.S.62°23'E. ✓
Mikado lode,	1476.2 ft.N.32°43'E. ✓
Raton lode,	1476.2 ft.S. 32° 43' W. ✓
Sirdar lode,	1500.00 ft.N.27°37'E. ✓
War Eagle lode,	1498.56 ft. S. 30° 22' W. ✓

AREA.

	Acres	Acres.
Total Area, King No. 2 lode		20.620 ✓
Area in conflict with		
Sur. No. 1945 San Jose lode,	3.759 ✓	
Sur.No.1851, Standard lode,	0.258 ✓	
Total Area, King No. 3 lode,		20.604 ✓
Area in conflict with		
Sur.No.1851, Standard lode,	11.225 ✓	
Sur.No.1851, Hazel lode,	0.245 ✓	
Total Area, King No. 4 lode,		20.485 ✓
Area in conflict with		
Sur.No.1851, Standard lode,	0.148 ✓	

	Sur.No.1851,Hazel lode,	10.208 ✓	
	Sur.No.1851,Hazel lode and side the original location of King No.4 lode and not excluded from Sur. No. 1851,(Tract A))	0.190 ✓	
	Sur.No.1851 Nellie lode,	0.144 ✓	
	Sur.No.1851,Hazel lode, (exclusive of its conflict,(.055A) with Sur. No.1851,Nellie lode)	10.153 ✓	
	Sur.No.1851, Mabel lode,	4.913 ✓	
	Sur.No.1851,Hazel lode, (exclusive of its conflict(3.081A) with Sur.No.1851,Mabel lode)	7.127 ✓	
Total	Area Midway lode,		20.594 ✓
	Area in conflict with		
	Sur.No. 1733,Jolly Liar lode,	0.494 ✓	
	Sur.No.1733, San Pedro lode,	0.008 ✓	
Total	Area King West lode,		14.787 ✓
	Area in conflict with		
	Midway lode of this survey,	2.141 ✓	
Total	Area, Jamieson No. 2 lode,		20.626 ✓
	Area in conflict with		
	Sur.No.1732,White Hawk ^{Ext. Extension} lode,	0.459 ✓	
	Midway lode of this survey,	1.550 ✓	
Total	Area Jamieson lode,		20.626 ✓
Total	area North King lode,		20.612 ✓
Total	area, North King No. 2 lode,		20.302 ✓
	Area in conflict with		
	Sur.No.1640,Veiled Prophet No. 4 lode,	0.020 ✓	
	Sur.No.1640,Veiled Prophet No. 3 lode,	0.135 ✓	
Total	area North King No. 3 lode,		20.596 ✓
	Area in conflict with		
	Sur.No.1640Veiled Prophet No. 3 lode,	0.021 ✓	
	Sur.No. 1640,Veiled Prophet No. 2 lode,	0.134 ✓	
Total	area North King No. 4 lode,		20.577 ✓
	Area in conflict with		
	Sur.No.1640 Veiled Prophet No. 2 lode,	0.002 ✓	
Total	area War Eagle lode,		20.617 ✓

	acres	acres
Area in conflict with Sur.No. 1851, Mabel lode,	1.976 ✓	
Total area, Raton No. 3 lode,		19.148 ✓
Area in conflict with Sur.No.1640, Veiled Prophet No. 1 lode,	0.397 ✓	
Total area, Raton No. 2 lode,		16.373 ✓
Area in conflict with Eclipse lode, unsurveyed,	2.321 ✓	
Total area, Mikado lode,		20.079
Area in conflict with Raton No. 3 lode, this survey, (nominal), 0.000+		
Total area, Raton lode,		20.252 ✓
Total area, Sirdar lode,		20.661 ✓

 The survey of each lode of this location is identical with the respective amended location as staked upon the ground.

LOCATION.

This survey is located approximately in Sections 2, 3 and 10, T. 4 S., R. 29 E. of the G and S. R. P. M., Greenlee Gold Mountain Mining District, Greenlee County, Arizona.

ADJOINING LODES.

This survey is bounded as follows:
 On the northwest Lot No. 47 Oriental lode, claimant herein; Lot No. 50, Dark Horse and Sur. No. 1752, White Hawk East Extension lodes, Shannon Copper Co. Claimant; on the Northeast by the Celtic No. 1, Wedge, and Celtic lodes, unsurveyed, Clifton-Morenci Copper Co. Claimant; Sur. No. 1640 Veiled Prophet Nos. 1, 2, 3 and 4 lodes, claimant herein; the Evolutor and Central lodes, unsurveyed, New England and Clifton Copper Co., claimant; on the southeast by the Graham Nos. 1 and 2 lodes, unsurveyed, J.R. Hampton, claimant; Eclipse and Green Tree lodes, unsurveyed, New England and Clifton Copper Co.,

claimant; Sur. No. 1851, Mabel lode, Standard Copper Mines claimant; and on the southwest by Sur. No. 1851 Nellie, Hazel and Standard lode, Sur. No. 1947 FireFly lode, and Sur. No. 1945 San Jose lode, Standard Copper Mines claimant, Sur. No. 574 King lode, claimant herein; Sur. No. 1733 Ida Bell, Copper Chief, San Pedro and Jolly Liar lodes, Shannon Copper Co., claimant.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

KING NO. 2

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line 20 ft. from the northeast end center.

No. 2 A shaft which bears from Cor. No. 2 N. 22° 50' E. 680 ft. 5 x 7 ft. 32 ft. deep. Value \$320.00

No. 3 A shaft which bears from Cor. No. 2 N. 19° E. 580 ft. 5 x 7 ft. 27 ft. deep. Value \$270.00

Note: An undivided $\frac{1}{8}$ interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

Value \$1410.00

KING NO. 3

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line 20 ft. from the northeast end center.

No. 2 A tunnel the mouth of which bears from Cor. No. 4 S. 16° 50' W. 411 ft. running S. 50° 30' E. 137 ft. 5 x 6.5 ft.

Value \$1370.00

Note: An undivided $1/8$ interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

value \$1410.00

King No. 4

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line, 20 ft. from the northeast end center.

No. 2 A shaft which bears from the Northeast end center S. 30° 40' E. 49 ft. 5 x 6 ft. 10 ft. deep

Value \$100.00

No. 3: An undivided $1/8$ interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

Value \$1410.00

Note: An undivided $1/2$ interest in the North King No. 4 lode No. 2 Tunnel is accredited to this lode.

Value \$155.00

Midway

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the northeast end center.

No. 2 A tunnel, the mouth of which bears from Cor. No. 4 S. 10° W. 54 ft. running north 30 ft. 5 x 6 ft.

Value \$300.00

No. 3 A tunnel the mouth of which bears from Cor. No. 2 N. 10° W. 460 ft. running S. 60° 30' E. 73 ft., thence S. 57° 19' E. 700 ft. 5 x $6\frac{1}{2}$ ft.

Value \$7730.00

Note: An undivided $1/8$ interest in the Midway lode, No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

Value \$1410.00

King West Lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the southeast end center.

No. 2 A tunnel, the mouth of which bears from a point on line 4-1, 600.24 ft. from Cor.No. 4 N. $63^{\circ}10'W$. 100 ft. running N. $85^{\circ}14'E$. 80 ft. thence N. $77^{\circ}10'E$. 380 ft., 5x7 ft. value \$4600.00

Value first 28 ft. \$280.00

Note: The value of the above working is accredited as follows: to each of the three lodes upon which it is situate and in proportion to the amount of work done on each lode:

The first 28 ft. to the King West lode, the next 85 ft. to the Jamieson No. 2 lode, and the last 347 ft. to the Jamieson lode.

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode. Value \$1410.00

Jamieson No. 2 lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the northeast end center.

Note: From the 29th to the 113th foot inclusive, of the King West No. 2 Tunnel, which is on this lode, (85 ft.) Value \$850.00

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton Lode No. 2 shaft is accredited to this lode. Value \$1410.00

Jamieson Lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the northeast end center.

No. 2 A tunnel, the mouth of which bears from Cor. No. 3 N. $62^{\circ}10'E$. 145 ft. running N. $78^{\circ}40'E$. 235 ft. 5 x 7 ft.

Value \$2350.00

No. 3. A tunnel, the mouth of which bears from Cor. No. 2 N. $50^{\circ}36'W$. 240 ft. running S. $56^{\circ}15'E$. 264 ft. thence S. $75^{\circ}36'E$. 38 ft. thence N. $47^{\circ}30'E$. 148 ft., thence N. $71^{\circ}50'E$. 594 ft., thence S. $71^{\circ}24'E$. 496 ft. 5 x 7 ft., Value \$15400.00.

Note: The last 347 ft. of the King West lode No. 3 Tunnel which is on this lode,

Value \$3470.00

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

Value \$1410.00

North King Lode.

No. 1 The discovery, showing mineral, in place in the outcrop, which is on the lode line at the southwest end center.

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

Value \$1410.00

North King No 2 Lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the southwest end center.

No. 2 A shaft, the northwest side of which is on the lode line 12 ft. from the southwest end center 5 x 6 ft. 8 ft. deep.

Value \$80.00

No. 3 A shaft which bears from Cor. No. 1 S. 52° 35' W. 830 ft. 5 x 6 ft. 48 ft deep.

Value \$480.00

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

Value \$1410.00

North King No. 3 Lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the southwest end center.

No. 2 A Tunnel, the mouth of open cut approach to which, bears from the southwest end center N. 30° E. 37 ft. running N. 1° 35' W. 18 ft. in open cut and 36 ft. in tunnel 5 x 7 ft.

Value \$360.00

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

\$1410.00

North King No. 4

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the southwest end center.

No. 2 A tunnel, the mouth of open cut approach to which, bears from the southwest end center N. 37° 20' W. 53 ft. running S. 40° E. 9 ft. in open cut 31 ft. in tunnel, 5 x 7 ft., value \$310.00

Value 1/2 interest \$155.00

Note: An undivided 1/2 interest in this working is accredited to the King No. 4 lode

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

\$1410.00

War Eagle

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the Northeast end center.

No. 2 A shaft which bears from the northeast end center S. 10° 45' W. 204 ft. 5 x 7 ft. 9 ft. deep.

Value \$90.00

No. 3 A tunnel, the mouth of open cut approach to which, bears from the northeast end center S. 4° 10' W. 208 ft. running S. 71° E. 4 ft. in open cut and 20 ft. in tunnel 5 x 7 ft. Value \$200.00

No. 4 A tunnel, the mouth of which bears from Cor. No. 1, S. 31° 10' W. 829 ft. running South 16 ft., 5 x 6 ft. Value \$160.00

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode.

Value \$1410.00

Raton No. 3

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the southwest end center.

No. 2 A shaft which bears from Cor. No. 2 N. 62° W. 219 ft.
5 x 6 ft. 6 ft. deep.

Value \$60.00

Note: An undivided $\frac{1}{18}$ interest in the Midway lode No. 3
Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No.
2 shaft is accredited to this lode.

Value \$1410.00

Raton No. 2

No. 1 The discovery, showing mineral in place in the outcrop,
which is on the lode line at the northwest end center.

No. 2 A tunnel the mouth of which bears from the northwest
end center S. 53° 35' E. 128 ft. running S. 38° E. 21
ft. 5 x 6 ft.

Value \$210.00

Note An undivided $\frac{1}{2}$ interest in the Mikado lode, No. 2
Tunnel is accredited to this lode.

Value \$90.00

Note: An undivided $\frac{1}{18}$ interest in the Midway lode No. 3
Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No.
2 Shaft is accredited to this lode.

Value \$1410.00

Mikado

No. 1 The discovery, showing mineral in place in the outcrop,
which is on the lode line at the southwest end center.

No. 2 A tunnel, the mouth of open cut approach to which,
bears from the southwest end center S. 73° E. 100 ft.
running south 13 ft. in open cut and 18 ft in tunnel,
5 x 6 ft. Value \$180.00

Value $\frac{1}{2}$ interest \$90.00

Note An undivided $\frac{1}{2}$ interest in this working is accredited
to the Raton No. 2 lode.

Note: An undivided $\frac{1}{18}$ interest in the Midway lode No. 3
Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode
No. 2 shaft is accredited to this lode.

Value \$1410.00

Raton Lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the northeast end center.

No. 2 A shaft, which bears from the northeast end center S. 42° W. 697 ft. 6 x 10 ft. 75 ft. deep, timbered 2 compartments, value \$2250.00

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 Shaft is accredited to this lode. Value \$1410.00

Sirdar Lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the southwest end center.

No. 2 A tunnel, the mouth of open cut approach to which, bears from the southwest end center N. 5° 40' E. 114 ft. running N. 15° E 26. ft. in open cut and 9 ft. in tunnel 5 x 6 ft. Value \$90.00

No. 3: The last 50 ft. of a tunnel, the mouth of which bears from Cor. No. 2 N. 26° E. 709 ft. running east 80 ft. 5 x 6 ft. Value \$500.00

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode, Value \$1410.00

No. 2 Tunnel, on the North King No. 4 lode is accredited equally to that lode and to the King No. 4 lode, for the reason that, tho the greater portion lies on the former lode, it does not reach any depth of value for development, until it has passed into the King No. 4 lode, and for the same reason tunnel No. 2 on the Mikado lode is accredited equally to that lode and to the Raton No. 2 lode.

King West lode No. 2 Tunnel has been accredited to that lode and to the Jamieson and Jamieson No. 2 lodes, in proportion to its length as located on these three lodes. This working could be extended as a common improvement for all the lodes in this survey lying east of it, but

owing to the greater depth afforded by the Midway No. 3 Tunnel, it will probably never be used for that purpose.

By examination of the map entitled "Contour Map Sur. No. 2907", which is an enlargement of a portion of the U. S. Geological Survey Map of this District, it will be seen that the Midway lode No. 3 Tunnel, Jamieson lode, No. 3 Tunnel and the Raton lode, No. 2 Shaft form the nucleus of a general system of workings for the entire group of seventeen lodes and for Sur. No. 574, the King lode, claimant herein. The approximate elevations of these three workings are, in the order named, 4700 ft., 5250 ft. and 5800 ft. By extending the tunnels to connect with the Raton lode No. 2 shaft and by lateral tunnels from both these main workings, all the veins of the eighteen lodes comprising this group can be economically and most advantageously developed. Therefore an undivided $1/18$ interest has been accredited to each of the lodes embraced in this survey.

INSTRUMENT.

This survey was made with a Buff and Berger light mountain transit. The courses were deflected from the true meridian as determined by Polaris observations. The distances were measured with 5 ft. and 500 ft. steel tapes.

REPORT.

U.S.L.M.No. 1576 is a pine post about 7 ft. high, properly set and scribed.

Lot No. 47 Oriental lode:

All of the corners are pine posts properly set and scribed with the number of the corner and survey.

Lot No. 50, Dark Horse lode:

All of the corners are pine posts, properly set,

but too old for the markings to be distinguishable.

Sur. No. 1732, White Hawk East Extension Lode:

All of the corners are pine posts properly set and scribed, with the number of the corner and survey, except corner No. 3, which has been obliterated. I reestablished Cor. No. 3 on a line prolonged from Cor. No. 4 through the S.W. end center, which is still in place, and at 800 ft. from Cor. No. 4, as called for in the returns of this survey.

Sur. No. 1640, Veiled Prophet Nos. 1, 2, 3 and 4 lodes:

All of the corners are pine posts properly set and scribed with the number of the corner and survey.

Eclipse Lode, unsurveyed:

All of the corners are pine posts properly set and marked.

Sur. No. 1851, Mabel, Nellie, Hazel and Standard lodes:

All corners are pine posts, except Cors. Nos. 3 and 4 Mabel lode and Cor. No. 3 Nellie lode, which are stones. All corners are properly set and scribed with the number of corner and survey.

Sur. No. 1974, Fire Fly lode:

All of the corners are pine posts properly set and scribed with the number of the corner and survey:

Sur. No. 1945, San Jose Lode:

All of the corners are pine posts, properly set and scribed, with the number of the corner and survey.

Sur. No. 574, King lode:

All of the corners are pine posts properly set and scribed with the number of the corner and survey.

Sur. No. 1733, Ida Bell, Copper Chief, San Pedro and Jolly Liar lodes:

All of the corners are pine posts properly set and scribed with the number of the corner and survey.

The differences between these field notes and the location certificates, are due to errors in the latter.

The differences between these field notes and the returns of prior surveys, are due to errors in the latter.

The end center monuments of all the lodes embraced in this survey are monuments built of stone.

Leaves 100
U.S. Min. Survey

38
MAY 21 1911

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Lamar Cobb

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Arizona Copper Company

known as the Midway, King West, Jamieson, Jamieson No. 2, King No. 2, King No. 3, King No. 4, North King, North King No. 2, North King No. 3, North King No. 4, War Eagle, Raton, Raton No. 2, Raton No. 3, Mikado and Sirdar lodes and showing the respective capacities in which they acted.

....., *Chainman.*
....., *Chainman.*
....., *Arman.*
....., *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, J. L. Awalt

and Pablo Gonzales, do solemnly swear that we assisted Lamar Cobb

....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Arizona Copper Company

known as the Midway, King West, Jamieson, Jamieson No. 2, King No. 2, King No. 3, King No. 4, North King, North King No. 2, North King No. 3, North King No. 4, War Eagle, Raton, Raton No. 2, Raton No. 3, Mikado, and Sirdar represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

J. L. Awalt, *Chainman.*
Pablo Gonzales, *Chainman.*
....., *Arman.*
....., *Flagman.*

Subscribed and sworn to by the above-named persons before me this 12th

day of May, 1911.

Wade Hampton
Notary Public,

My Commission expires Dec. 27, 1913.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Lamar Cobb, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 3, 1911, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Arizona Copper Company

known as the Midway, King West, Jamieson, Jamieson No. 2, King No. 2, King No. 3, King No. 4, North King, North King No. 2, North King No. 3, North King No. 4, War Eagle Raton, Raton No. 2, Raton No. 3, Mikado and Sirdar situate in Greenlee Gold Mountain Mining District,

Greenlee County, Arizona, in Section 2, 3, 10, uns., Township No. 4 S., Range No. 29 E., and designated as Survey No. 2907

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or the grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Lamar Cobb U. S. Mineral Surveyor.

Subscribed and sworn to by the said Lamar Cobb U. S. Mineral Surveyor, before me Wade Hampton this 15th day of April, 1911

My Commission expires Wade Hampton Notary Public December 27, 1913.

AMENDED NOTICE OF LOCATION—Loc Claim

To all Whom it may Concern:

This mining claim, the name of which is the Midway Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company by

A. T. Thomson,

the undersigned on the 31st day of March, 1911

The length of the claim is 1497.8 feet, and its claim is 1497.8 feet in a S. 22° 28' W. direction, and 300 feet in a direction from the center of the discovery at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee (formerly Graham) County, Territory of Arizona, about direction from From the East Cor. of this claim U. S. M. M. No. 1576 bears S. 79° 11' 30" E. 7945.5 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a direction feet from the discovery (at which this notice is posted), being in the center of the Northeasterly end line of said claim; thence S. 72° 11' E. 300.45 feet to a Pine post, being the East corner of said claim; thence S. 22° 28' W. 1497.8 feet to a Pine post, being at the South corner of said claim; thence N. 72° 11' W. 300.45 feet to a Monument of stone being the center of the Southwesterly end of said claim; thence N. 72° 11' W. 300.45 feet to a Pine post being at the West corner of said claim; thence N. 22° 28' E. 1497.8 feet to a Pine post at the North corner of said claim; thence S. 72° 11' E. 300.45 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statues of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Midway mining Claim, located by The Arizona Copper Company

on the 10th day of October 1900, and recorded in Book 13 of Records of Mines at page 58-59, in the office of the County Recorder of the aforesaid County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY, By A. T. Thomson

41 TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

514

APR 3-1911

**Amended
Notice of Location**

LODE CLAIM

"Midway"

Dated March 31st 19011

Filed and recorded at request of

*John G. Cooper for
Mining Exp Co
March 31st A. D. 1901*

at request of *J. M.*
Book *Out of Office*
Pages *117-118*.

John G. Cooper
County Recorder.

W. S. Brundage
Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the King West Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company by A. T. Thomson

the undersigned on the 31st day of March, 1911

The length of the claim is 1200.48 feet, and it claims 1200.48 feet in a N. 58° W. direction, and direction from the center of the discovery at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwest to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee (formerly Graham) County, Territory of Arizona, about direction from From the East Cor. of this claim U. S. M. M. No. 1576, bears S 89° 59' 30" E. 7285.1 A

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a direction feet from the discovery (at which this notice is posted), being in the center of the Southeasterly end line of said claim; thence S. 32° 04' W. 269.1 feet to a Pine post, being the South corner of said claim; thence N. 57° 50' W. 1200 feet to a Pine post, being at the West corner of said claim; thence N. 32° 04' E. 266 feet to a Monument of stone being the center of the Northwesterly end of said claim; thence N. 32° 04' E. 269.1 feet to a Pine post being at the North corner of said claim; thence S. 58° E. 1200 feet to a Pine post at the East corner of said claim; thence S. 32° 04' W. 269.1 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the King West Mine mining Claim, located by James Colquhoun

on the 1st day of January, 1911, and recorded in Book 7 of Records of Mines at page 197, in the office of the County Recorder of the aforesaid County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY, By Thomson

TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan or location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

523

APR 3-1911

Amended Notice of Location LODE CLAIM

King Street

Dated *March 1st* 190*11*

Filed and recorded at request of

J. D. Cooper for Lewis Cooper & Sons A. D. 1901

at *9 second St* M. Book # *1 location*

Pages *135-136*

J. F. Bunker County Recorder.

By _____ Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the Jamieson Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company by A. T. Thomson,

the undersigned on the 31st day of March 1911 The length of the claim is 1497.5 feet, and it claims 1497.5 feet in a S. 30° 19' W. direction, and --- feet in a --- direction from the center of the discovery --- at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee (formerly Graham) County, Territory of Arizona, about --- direction from ---

From the east Cor. of this claim U.S.M.M. No. 1576 bears S. 70° 47' 30" E. 6656 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a --- direction --- feet from the discovery --- (at which this notice is posted), being in the center of the Northeasterly end line of said claim; thence S. 58° E 300.12 feet to a pine post, being the East corner of said claim; thence S. 30° 19' W. 1497.5 feet to a pine post, being at the South corner of said claim; thence No. 58° W 300.12 feet to a monument of stone being the center of the Southwesterly end of said claim; thence N. 58° W. 300.12 feet to a pine post being at the West corner of said claim; thence N. 30° 19' E. 1497.5 feet to a pine post at the North corner of said claim; thence S. 58° E 300.12 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statues of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Jamieson mining Claim, located by Jas. Colquhoun

on the 26th day of November, 1896, and recorded in Book 9 of Records of Mines at page s 123-124, in the office of the County Recorder of the aforesaid County of Graham to which reference if hereby made,

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY, By [Signature]

TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____.

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

512

APR 3-1911

Amended
Notice of Location
LODE CLAIM

"Jamieson"

Dated March 31 1901

Filed and recorded at request of

J. S. Deacon
Gold Mining Capital Co.
March 31st A. D. 1901

at Prescott CM.

Book 1 of Mines

Pages 113-114

John J. Burt
County Recorder.

By W. A. Bradfield
Deputy Recorder.

4
46
AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the Jamieson No. 2
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by
The Arizona Copper Company by
A. T. Thomson,

the undersigned on the 31st day of March 1911

The length of the claim is 1497.5 feet, and it claim S 1497.5
feet in a S. 30° 19' W. ~~direction~~ and ~~feet in a~~
direction from the center of the discovery ~~at~~ at which this notice is posted, lengthwise of the claim
together with 300 feet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode deposit and premises is from the Northeast
to the Southwest

The claim is situated and located in the Greenlee Gold Mountain
Mining District, in Greenlee County, Territory of Arizona, ~~about~~
(formerly Graham) ~~direction from~~
From the east Cor. of this claim U. S. M. M. No. 1576 bears
S. 77° 06' E. 7220.3 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at
a monument of stone at

~~at a point in a~~ ~~direction~~ ~~feet from~~
the discovery ~~at~~ (at which this notice is posted), being in the center of the Northeasterly
end line of said claim; thence S. 58° E. 300.12 feet to a
Pine post, being the East
corner of said claim; thence S. 30° 19' W. 1497.5 feet to a
Pine post, being at the South
corner of said claim; thence N. 58° W. 300.12 feet to a
Monument of stone being the center of the Southwesterly
end of said claim; thence N. 58° W. 300.12 feet to a
Pine post being at the West
corner of said claim; thence N. 30° 19' E. 1497.5 feet to a
Pine post at the North
corner of said claim; thence S. 58° E. 300.12 feet to
the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statutes of the United States, and of
an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the
Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Jamieson No. 2
mining Claim, located by The Arizona Copper Co.

on the 12th
day of February, 1897, and recorded in Book 9 of Records of Mines at
page 155, in the office of the County Recorder of the ~~aforsaid~~ County of Graham
to which reference is hereby made,

Dated and posted on the ground this 31st day of March 1911

THE ARIZONA COPPER COMPANY,
By A. T. Thomson

47

TERRITORY OF ARIZONA,

County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____


o'clock _____ M, on this _____ day of _____ 190_____, and

duly recorded in Book No _____ of _____ Records of Graham County

Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

513

APR 3-1911

Amended

Notice of Location

LODE CLAIM

"Jammison No 2"

Dated March 31st 1911

Filed and recorded at request of

*J. S. Cooper for
Erving Cooper, Co.
March 31st A. D. 1911*

at 9 o'clock A.M.

Book 1 of Mines

Pages 115-116

John S. Porter
County Recorder

W. S. Bradford
Deputy Recorder

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the King No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company by A. T. Thomson

the undersigned on the 31st day of March 1911

The length of the claim is 1500 feet, and it claims 1480 feet in a S. 31°56' W. direction, and 20 feet in a N. 31°56' E direction from the center of the discovery at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee (formerly Graham) County, Territory of Arizona, about direction from From the East Cor. of this claim U. S. M. M. No. 1576 bears N. 84° 23' E. 6200.2 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone

at a point in a N. 31° 56' E direction 20 feet from the discovery (at which this notice is posted), being in the center of the Northeasterly end line of said claim; thence S. 55° 51' E. 300.22 feet to a Pine post, being the East corner of said claim; thence S. 31° 56' W 1500. feet to a Pine post, being at the South corner of said claim; thence N. 55° 51' W. 300.22 feet to a Monument of stone being the center of the Southwesterly end of said claim; thence N. 55° 51' W. 300.22 feet to a Pine post being at the West corner of said claim; thence N. 31° 56' E 1500. feet to a Pine post at the North corner of said claim; thence S. 55° 51' E 300.22 feet to the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the King No. 2 mining Claim, located by

on the 2nd day of May, 1898, and recorded in Book 10 of Records of Mines at pages 127-128, in the office of the County Recorder of the aforesaid County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY, By A. T. Thomson

49

TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

524

APR 3-1911

Amended Notice of Location

LODE CLAIM

"King Road"

Dated March 31 1901

Filed and recorded at request of

J. S. Cooper for
Mining Property
March 31 A. D. 1901

at _____ M.
Book _____
Pages 134-138

John J. Burt
County Recorder.

By _____
Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

50

To all Whom it may Concern:

This mining claim, the name of which is the King No. 3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company by A. T. Thomson

the undersigned on the 31st day of March, 1911 The length of the claim is 1500 feet, and it claims 1480 feet in a S. 31° 56' W. direction, and 20 feet in a N. 31° 56' E direction from the center of the discovery --- at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, about (formerly Graham) direction from From the East Cor. of this claim U. S. M. M. No. 1576 bears N. 80° 37' E. 5839.5 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone

at a point in a N. 31° 56' E direction 20 feet from the discovery -- (at which this notice is posted), being in the center of the Northeasterly end line of said claim; thence S. 55° 51' E. 300 feet to a Pine post, being the East corner of said claim; thence S. 31° 56' W. 1500 feet to a Pine post, being at the South corner of said claim; thence N. 55° 51' W. 300 feet to a Monument of stone being the center of the Southwesterly end of said claim; thence N. 55° 51' W. 300 feet to a Pine post being at the West corner of said claim; thence N. 31° 56' E. 1500 feet to a Pine post at the North corner of said claim; thence S. 55° 51' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statues of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the King No. 3 mining Claim, located by The Arizona Copper Co. on the 2nd day of May, 1898, and recorded in Book 10 of Records of Mines at pages 128-129, in the office of the County Recorder of the aforesaid County of Graham to which reference is hereby made.

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY. By A. T. Thomson

TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

525

Amended 1911

Notice of Location

LODE CLAIM

"King No 3"

Dated March 31 1901

Filed and recorded at request of

J. L. Cooper loc
King No 3
March 31st A. D. 1901

at 9 o'clock A. M.
Book One of Mines
Pages 139-140

John A. Burt
County Recorder.

By W. S. Burtfield
Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

2907

52

To all Whom it may Concern:

This mining claim, the name of which is the King No. 4 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company by

A. T. Thomson,

the undersigned on the 31st day of March 1911

The length of the claim is 1500 feet, and it claims 1480 feet in a S. 31° 56' W. direction, and 20 feet in a N. 31 56' E direction from the center of the discovery -- at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, ~~about -~~ (formerly Graham) ~~in a~~ ~~direction from~~

From the East Cor. of this claim U. S. M. M. No. 1576 bears
N. 76° 54' 50" E. 5360.8 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone

at a point in a N. 31° 56' E direction 20 feet from the discovery (at which this notice is posted), being in the center of the Northeasterly end line of said claim; thence S. 64° 08' E. 300 feet to a Pine post, being the East corner of said claim; thence S. 31° 58' W. 1500.2 feet to a Pine post, being at the South corner of said claim; thence N. 64° 08' W. 298.8 feet to a Monument of stone being the center of the Southwesterly end of said claim; thence N. 64° 08' W. 300. feet to a Pine post being at the West corner of said claim; thence N. 31° 56' E. 1500 feet to a Pine post at the North corner of said claim; thence S. 64° 08' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the King No. 4 mining Claim, located by The Arizona Copper Co.

on the 9th day of July, 1898, and recorded in Book 10 of Records of Mines at page 134, in the office of the County Recorder of the ~~aforsaid~~ County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March 1911


THE ARIZONA COPPER COMPANY,
BY A. T. Thomson

TERRITORY OF ARIZONA, } ss.
County of Graham

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

526
APR 3-1911

Amended
Notice of Location
LODE CLAIM

"King No 4"

Dated March 31 19011

Filed and recorded at request of

*J. D. Cooper for
King No 4
March 31st A. D. 1901*

at Phoenix M.
Book Quincy Miner
Pages 141-142

John S. Burste
County Recorder.

By *W. S. Brundage*
Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

54
82

To all Whom it may Concern:

This mining claim, the name of which is the North King Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company by

A. T. Thomson

the undersigned on the 31st day of March 1911

The length of the claim is 1497.5 feet, and it claims 1497.5 feet in a N. 30° 19' E direction, and ----- feet in a ----- direction from the center of the discovery ----- at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, about ----- direction from -----

From the East Cor. of this claim U. S. M. M. No. 1576 bears
S. 80° 47' 40" E. 6098.5 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a ----- direction ----- feet from
the discovery ----- (at which this notice is posted), being in the center of the Southwesterly end line of said claim; thence N. 58° W 300.12 feet to a Pine post, being the West corner of said claim; thence N. 30° 19' E. 1497.5 feet to a Pine post, being at the North corner of said claim; thence S. 58° E. 300.12 feet to a Monument of stone being the center of the Northwesterly end of said claim; thence S. 58° E. 300.12 feet to a Pine post being at the East corner of said claim; thence S. 30° 22' W. 1453.5 feet to a Pine post at a Cor; thence S. 31° 56' W. 45 ft. at the South corner of said claim; thence N. 58° W 297.68 feet to the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statues of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the North King mining Claim, located by Jas. Colquhoun

on the 1st day of January, 1895, and recorded in Book 8 of Records of Mines at page 350, in the office of the County Recorder of the fore-said County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY,
BY J. Colquhoun

TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

515

APR 3-1911

Amended Notice of Location

LODE CLAIM

"Musk King"

Dated March 31st 1901

Filed and recorded at request of

J. S. Cooper, Geo. Henry Cooper, and Mel S. Cooper

at Prescott, A. M.

Book One of Three

Pages 119-120 =

John S. Swartz County Recorder.

W. S. Bradford Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the North King No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company, by
A. T. Thomson

the undersigned on the 31st day of March, 1911

The length of the claim is 1476.04 feet, and it claims 1476.04 feet in a N. 30° 22' E direction, and 300 feet in a Southwesterly direction from the center of the discovery at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, about (formerly Graham) direction from From the East Cor. of this claim U. S. M. M. No. 1576 bears
S. 83° 11' 20" E. 5551 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a Southwesterly direction 300.22 feet from the discovery (at which this notice is posted), being in the center of the Southwesterly end line of said claim; thence N. 55° 51' W. 300.22 feet to a Pine post, being the West corner of said claim; thence N. 30° 22' E 1476.04 feet to a Pine post, being at the North corner of said claim; thence S. 55° 51' E. 300.22 feet to a monument of stone being the center of the Northeasterly end of said claim; thence S. 55° 51' E. 300.22 feet to a Pine post being at the East corner of said claim; thence S. 30° 22' W. 1476.04 feet to a Pine post at the South corner of said claim; thence N. 55° 51' W 300.22 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the North King No. 2 mining Claim, located by The Arizona Copper Company

on the 2nd day of May, 1898, and recorded in Book 10 of Records of Mines at pages 126-127, in the office of the County Recorder of the aforesaid County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY,
By A. T. Thomson

57

TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

516

APR 3 - 1911

Amended Notice of Location

LODE CLAIM

"Mum's King Pros"

Dated *April 3 1911*

Filed and recorded at request of

*J. S. Cooper for
Mining Property,
March 3 1911 A. D. 1901*

at *Grant* A.M.
Book *Quincy*
Pages *121-122*

John J. Butler
County Recorder.

By *W. S. Bradford*
Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the North King No. 3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company by A. T. Thomson

the undersigned on the 31st day of March, 1911

The length of the claim is 1498.56 feet, and it claims 1498.56 feet in a N. 30° 22' E. direction, and ----- feet in a ----- direction from the center of the discovery ----- at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, about ----- (formerly Graham) in a ----- direction from From the East Cor. of this claim U. S. M. M. No. 1576 bears S. 86° 06' 20" E. 5015.4 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a ----- direction ----- feet from the discovery ----- (at which this notice is posted), being in the center of the Southwesterly end line of said claim; thence N. 55° 51' W 300 feet to a Pine post, being the West corner of said claim; thence N. 30° 22' E 1498.56 feet to a Pine post, being at the North corner of said claim; thence S. 55° 51' E 300 feet to a Monument of stone being the center of the Northeasterly end of said claim; thence S. 55° 51' E 300 feet to a Pine post being at the East corner of said claim; thence S. 30° 22' W. 1498.56 feet to a Pine post at the South corner of said claim; thence N. 55° 51' W. 300 feet to the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the North King No. 3 mining Claim, located by The Arizona Copper Company

on the 2nd day of May, 1898, and recorded in Book 10 of Records of Mines at page 127, in the office of the County Recorder of the aforsaid County of Graham to which reference is hereby made,

Dated and posted on the ground this 31 day of March, 1911

By A. T. Thomson THE ARIZONA COPPER COMPANY,

59 TERRITORY OF ARIZONA,


County of Graham

} ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

517

APR 3-1911

Amended Notice of Location

LODE CLAIM

Wm. H. King No. 3

Dated *March 31st 1911*

Filed and recorded at request of

J. D. Cooper
Wm. H. King Capt. Co.
March 31st A. D. 1911

at *Phoenix* A. M.

Book *County of Graham*

Pages *123-124*

John G. Burt
County Recorder.

By *Wm. H. King*
Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the North King No. 4 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company, by A. T. Thomson

the undersigned on the 31st day of March, 1911
The length of the claim is 1498.56 feet, and it claims 1498.56 feet in a N. 30° 22' E. direction, and ----- feet in a ----- direction from the center of the discovery ----- at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Cold Mountain Mining District, in Greenlee County, Territory of Arizona, about ----- ----- direction from -----
From the East Cor. of this claim U. S. M. M. No. 1576 bears S. 88° 59' 20" E. 4464.6 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a ----- direction ----- feet from the discovery ----- (at which this notice is posted), being in the center of the Southwesterly end line of said claim; thence N. 64° 08' W. 300 feet to a Pine post, being the West corner of said claim; thence N. 30° 22' E. 1498.56 feet to a Pine post, being at the North corner of said claim; thence S. 64° 08' E. 300 feet to a Monument of stone being the center of the Northeasterly end of said claim; thence S. 64° 08' E. 300 feet to a Pine post being at the East corner of said claim; thence S. 30° 22' W. 1498.56 feet to a Pine post at the South corner of said claim; thence N. 64° 08' W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the North King No. 4 mining Claim, located by The Arizona Copper Company, on the 9th day of July, 1898, and recorded in Book 10 of Records of Mines at page 134 & 135 in the office of the County Recorder of the ~~Greenlee~~ County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1911


THE ARIZONA COPPER COMPANY,
By A. T. Thomson

TERRITORY OF ARIZONA,
County of Graham } ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

518

APR 3-1911

**Amended
Notice of Location**

LODE CLAIM

"Mount King No. 1"

Dated March 31st 1911

Filed and recorded at request of

J. S. Cooper
Mount King Lode Co.
at *9 o'clock A.M.*

Book *One of Mines*

Pages *125 = 125L.*

John J. Purdie
County Recorder.

W. S. Bradlee
Deputy Recorder.

12
62
658

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the War Eagle Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Company, by

A. T. Thomson

the undersigned on the 31st day of March, 1911

The length of the claim is 1498.56 feet, and it claims 1498.56 feet in a S. 30° 22' W. -direction, and ----- feet in a ----- direction from the center of the discovery ----- at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, about (formerly Graham) in a ----- direction from From the East Cor. of this Claim U. S. M. No. 1576 bears N. 87° 06' E. 3937.2 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a ----- direction ----- feet from the discovery ----- (at which this notice is posted), being in the center of the Southwesterly end line of said claim; thence N. 62° 23' W. 300 feet to a Pine post, being the West corner of said claim; thence N. 30° 22' E. 1498.56 feet to a Pine post, being at the North corner of said claim; thence S. 62° 23' E. 300 feet to a Monumnet of stone being the center of the Northeasterly end of said claim; thence S. 62° 23' E. 300 feet to a Pine post being at the East corner of said claim; thence S. 30° 22' W. 1498.56 feet to a Pine post at the South corner of said claim; thence N. 62° 23' W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the War Eagle

mining Claim, located by The Arizona Copper Company,

on the 1st day of June, 1899, and recorded in Book 11 of Records of Mines at page 367, in the office of the County Recorder of the aforsaid County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY,
BY A. T. Thomson

63

TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 Feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

527

APR 3-1911

Amended Notice of Location

LODE CLAIM

Stanley Taylor

Dated *March 31* 190*11*

Filed and recorded at request of

Geo. S. Cooper for Mining Property Co. 3101 A. D. 1901

at *9 second St. M.*

Book *One of Mines*

Pages *1413-1414*

John J. Smith
County Recorder.

By *W. S. Bradfield*
Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

13
64

To all Whom it may Concern:

This mining claim, the name of which is the Raton
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by
The Arizona Copper Company, by
A. T. Thomson,

the undersigned on the 31st day of March, 1901

The length of the claim is 1476.2 feet, and it claim is 1476.2
feet in a S. 32° 43' W. direction, and ----- feet in a -----
direction from the center of the discovery --- at which this notice is posted, lengthwise of the claim
together with 300 feet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode deposit and premises is from the Northeast
to the Southwest

The claim is situated and located in the Greenlee Gold Mountain
Mining District, in Greenlee County, Territory of Arizona, about -----
(formerly Graham) na ----- direction from
From the East Cor. of this claim U. S. M. M. No. 1576 bears
S. 60° 53' E. 2614.7 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at
a monument of stone at

at a point in a ----- direction ----- feet from
the discovery --- (at which this notice is posted), being in the center of the Northeasterly
end line of said claim; thence S. 62° 23' E. 300 feet to a
Pine post, being the East
corner of said claim; thence S. 32° 43' W. 1476.2 feet to a
Pine post, being at the South
corner of said claim; thence N. 62° 23' W. 300 feet to a
monument of stone being the center of the Southwesterly
end of said claim; thence N. 62° 23' W. 300 feet to a
Pine post being at the West
corner of said claim; thence N. 32° 43' E. 1476.2 feet to a
Pine post at the North
corner of said claim; thence S. 62° 23' E. 300 feet to
the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statutes of the United States, and of
an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the
Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Raton
mining Claim, located by James Colquhoun

on the 16th
day of March, 1895, xxx, and recorded in Book 8 of Records of Mines at
page 418, in the office of the County Recorder of the Greenlee County of Graham
to which reference is hereby made, Amended May 22, 1899 and recorded in Book 11,
page 166, Record of Mines, in the office of the County Recorder of
Graham County.

Dated and posted on the ground this 31st day of March, 1901


THE ARIZONA COPPER COMPANY,
By A. T. Thomson

TERRITORY OF ARIZONA,
County of Graham

I, _____ ss. _____
County Recorder in and for the County and
Territory aforesaid, do hereby certify that the within instrument was filed for record at _____
o'clock _____ M, on this _____ day of _____ 190_____, and
duly recorded in Book No _____ of _____ Records of Graham County
Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan or location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

521

APR 3-1911

Amended Notice of Location

LODE CLAIM

Antoni

Dated *March 31 1911*

Filed and recorded at request of

John S. Switzer
at *Phoenix* A. D. 1911

Book *One of Mines*
Pages *129-130*

John S. Switzer
County Recorder.

By *W. S. Switzer*
Deputy Recorder.

14
66
AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the Raton No. 2
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by

The Arizona Copper Company, by
A.T. Thomson,

the undersigned on the 31st day of March, 1901

The length of the claim is 1193.4 feet, and it claim s 1193.4
feet in a S. 62. 23' E. direction, and ----- feet in a -----
direction from the center of the discovery --- at which this notice is posted, lengthwise of the claim
together with 300 feet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode deposit and premises is from the Northwest
to the Southeast

The claim is situated and located in the Greenlee Gold Mountain
Mining District, in Greenlee County, Territory of Arizona, about -----
(formerly Graham) ----- direction from

From the East Cor. of this claim U. S. M. M. No. 1576 bears
S. 89° 26' E. 3082.4 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at
a monument of stone at

at a point in a ----- direction ----- feet from
the discovery --- (at which this notice is posted), being in the center of the Northwesterly
end line of said claim; thence N. 32° 43' E. 300 feet to a
Pine post, being the North
corner of said claim; thence S. 62° 23' E. 1193.4 feet to a
Pine post, being at the East
corner of said claim; thence S. 32° 43' W. 300 feet to a
monument of stone being the center of the Southwesterly
end of said claim; thence S. 32° 43' W. 300 feet to a
pine post being at the South
corner of said claim; thence N. 62° 23' W. 1193.4 feet to a
Pine post at the West
corner of said claim; thence N. 32° 43' E. 300 feet to
the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of
an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the
Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Raton No. 2
mining Claim, located by The Arizona Copper Co.

on the 10th
day of May, 1899, xxx, and recorded in Book 11 of Records of Mines at
page s 164-165, in the office of the County Recorder of the xxxxxx County of Graham
to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1901

By THE ARIZONA COPPER COMPANY,
A.T. Thomson

TERRITORY OF ARIZONA,

County of Graham

ss.


I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____

o'clock _____ M, on this _____ day of _____ 190_____, and

duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

522

APR-3-1911

**Amended
Notice of Location**

LODE CLAIM

Patron No 21

Dated *March 31* 190*11*

Filed and recorded at request of

*J. O. Cooper
Huntington Coal Co.
March 31 A.D. 1901*

at *Phoenix* A.M.

Book # *1* *Locations*

Pages *133-134*

Geo. F. Burke
County Recorder.

By _____ Deputy Recorder.

15
68
68
AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the Raton No. 3
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by
The Arizona Copper Company by
A. T. Thomson

the undersigned on the 31st day of March, 1911
The length of the claim is 1491.8 feet, and it claims 1491.8
feet in a N. 32° 43' E direction, and 300 feet in a Southwesterly
direction from the center of the discovery at which this notice is posted, lengthwise of the claim
together with 300 feet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode deposit and premises is from the Northeast
to the Southwest

The claim is situated and located in the Greenlee Gold Mountain
Mining District, in Greenlee County, Territory of Arizona, about
(formerly Graham) direction from
From the East Cor. of this claim U. S. M. M. No. 1576 bears
S. 69° 57' 40" E. 3893.2 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at
a monument of stone at

at a point in a Southwesterly direction 300 feet from
the discovery at which this notice is posted, being in the center of the Southwesterly
end line of said claim; thence N. 64° 08' W. 255 feet to a
Pine post, being the West
corner of said claim; thence N. 32° 06' E. 1490.2 feet to a
Pine post, being at the North
corner of said claim; thence S. 64° 08' E. 271.2 feet to a
Monument of stone being the center of the Northeasterly
end of said claim; thence S. 64° 08' E. 300 feet to a
Pine post being at the East
corner of said claim; thence S. 32° 43' W. 1491.8 feet to a
Pine post at the South
corner of said claim; thence N. 64° 08' W 300 feet to
the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the revised Statutes of the United States, and of
an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the
Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Raton No. 3
mining Claim, located by The Arizona Copper Company,
on the 10th
day of May, 1899, and recorded in Book 11 of Records of Mines at
page 165, in the office of the County Recorder of the aforsaid County of Graham
to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1911

THE ARIZONA COPPER COMPANY,
By A. T. Thomson

TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

519

APR 3 - 1911

Amended Notice of Location

LODE CLAIM

"Patton Pros 3"

Dated March 31 1911

Filed and recorded at request of

J. S. Cooper
John Cooper
A. D. 1911

at Phoenix A. T.

Book One of mine

Pages 127-128

John O. Swite
County Recorder.

By *W. S. Bradford*
Deputy Recorder.

16
70
AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the Mikado
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by
The Arizona Copper Co., by
A. T. Thomson

the undersigned on the 31st day of March, 1901
The length of the claim is 1476.2 feet, and it claims 1476.2
feet in a N. 32° 43' E direction, and ~~-----~~ feet in a ~~-----~~
direction from the center of the discovery ----- at which this notice is posted, lengthwise of the claim,
together with 300 feet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode deposit and premises is from the Northeast
to the Southwest

The claim is situated and located in the Greenlee Gold Mountain
Mining District, in Greenlee County, Territory of Arizona, ~~about~~
(formerly Graham) ~~-----~~ direction from
From the East Cor. of this claim U. S. M. M. No. 1576 bears
S. 61° 09' 30" E. 3214.6 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at
a monument of stone

at a point in a N. 32° 43' E direction 1476.2 feet from
the discovery ----- (at which this notice is posted), being in the center of the Northeasterly
end line of said claim; thence S. 62° 23' E. 300.2 feet to a
Pine post, being the East
corner of said claim; thence S. 32° 43' W. 1476.2 feet to a
Pine post, being at the South
corner of said claim; thence N. 62° 23' W. 300 feet to a
a monument of stone being the center of the Southwesterly
end of said claim; thence N. 62° 23' W. 293.4 feet to a
Pine post being at the West
corner of said claim; thence N. 32° 43' E. 830.8 feet to a
corner; Thence N. 32° 08' E. 644.9 ft to pine post at the North
corner of said claim; thence S. 62° 23' E. 300 feet to
the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statues of the United States, and of
an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the
Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Mikado
mining Claim, located by The Arizona Copper Co.
----- on the 22nd
day of May, 1899 ~~xx~~, and recorded in Book 11 of Records of Mines at
pages 166-167, in the office of the County Recorder of the ~~xxxxxx~~ County of Graham
to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1901

THE ARIZONA COPPER COMPANY,
By A. T. Thomson


TERRITORY OF ARIZONA,
County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

521

APR-3-1911

**Amended
Notice of Location**

LODE CLAIM

Michaelson

Dated *March 31* 190*11*

Filed and recorded at request of

J. S. Cooper
Henry Cooper
Michaelson A. D. 1901

at *9 o'clock* A. M.

Book *County of Graham*

Pages *131 = 132*

John J. Dunne
County Recorder.

W. S. Bradford
Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

72

To all Whom it may Concern:

This mining claim, the name of which is the Sirdar. Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Arizona Copper Co., by

A. T. Thomson,

the undersigned on the 31st day of March, 1901

The length of the claim is 1500 feet, and it claims 1500 feet in a N. 27° 37' E direction, and 300 feet in a Southwest direction from the center of the discovery at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, about (formerly Graham) in a Southwest direction from

From the South Cor. of this claim U. S. M. M. No. 1576 bears S. 61° 02' E. 2944.7 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at a monument of stone at

at a point in a Southwesterly direction 300 feet from the discovery at (at which this notice is posted), being in the center of the Southwesterly end line of said claim; thence N. 62° 23' W. 300 feet to a Pine post, being the West corner of said claim; thence N. 27° 37' E. 1500 feet to a Pine post, being at the North corner of said claim; thence S. 62° 23' E. 300 feet to a monument of stone being the center of the Northeasterly end of said claim; thence S. 62° 23' E. 300 feet to a Pine post being at the East corner of said claim; thence S. 27° 37' W. 1500 feet to a Pine post at the South corner of said claim; thence N. 62° 23' W. 300 feet to the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Sirdar mining Claim, located by The Arizona Copper Co.

on the 4th day of June, 1899, and recorded in Book 11 of Records of Mines at page 366, in the office of the County Recorder of the aforesaid County of Graham to which reference is hereby made,

Dated and posted on the ground this 31st day of March, 1901

THE ARIZONA COPPER COMPANY,

BY A. T. Thomson

73 TERRITORY OF ARIZONA,


County of Graham

ss.

I, _____ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock _____ M, on this _____ day of _____ 190_____, and duly recorded in Book No _____ of _____ Records of Graham County Arizona, at pages _____

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

511

APR 3-1911

Amended Notice of Location

LODE CLAIM

Siraban

Dated *March 31* 1901

Filed and recorded at request of

J. G. Cooper
San Diego Copper Co.
March 31st A. D. 1901

at *9 o'clock* P. M.

Book *1 of Mines*

Pages *111 and 112.*

John J. Burnett
County Recorder.

W. S. Bradford
Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 20, 1911., 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

The Arizona Copper Company known as the KING WEST, JAMIESON, JAMIESON NO. 2, KING NO. 2, KING NO. 3, KING NO. 4, NORTH KING, NORTH KING NO. 2, NORTH KING NO. 3, NORTH KING NO. 4, WAR EAGLE, RATON, RATON NO. 2, RATON NO. 3, MIKADO, SIRDAR situate in Greenlee Gold Mountain

Mining District, Greenlee County, Arizona

in Section S. 2, 3, 10, Township No. 4 S., Range No. 29 E., and

designated as Survey No. 2907, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of said mining claim by claimant or its grantors, and that said improvements consist of 8 shafts, 14 tunnels and 5 cuts, total value \$37,255.00.

Tunnel No. 3 on the Midway lode, tunnel No. 3 on the Jamieson lode and shaft No. 2 on the Raton lode being for the common benefit and development of all the claims in this survey and the King lode, Sur. No. 574, an undivided 1/18 interest therein, value \$1410, is properly credited to each of said claims.

The value of tunnel No. 2 on the North King No. 4 lode, \$310, is apportioned equally to the North King No. 4 and North King lodes for the reason that although the greater portion lies on the North King No. 4 lode it does not reach any depth of value for development until it has passed into the King No. 4 lode, and for a similar reason the value of tunnel No. 2 on the Mikado lode, \$180, is apportioned equally to the Mikado and Raton No. 2 lodes.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 20, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

The Arizona Copper Company,

known as the MIDWAY, KING WEST, JAMIESON, JAMIESON NO. 2, KING NO. 2, KING NO. 3, KING NO. 4, NORTH KING, NORTH KING NO. 2, NORTH KING NO. 3, NORTH KING NO. 4, WAR EAGLE, RATON, RATON NO. 2, RATON NO. 3, MIKADO, SIRDAR, situate in Greenlee Gold Mountain mining district,

Greenlee County, Arizona,

in Sections 2, 3, 10 Uns, Township No. 4 South, Range No. 29 East,

designated as Survey No. 2907,

executed by Lamar Cobb, United States Mineral

Surveyor, April 6 - 15, 1911., 190X, under my instructions dated

April 3, 1911., 190X, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank S. Ingalls

U. S. Surveyor-General for Arizona,

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

SUR. NO. 2907.

Feet

KING NO. 2 LODE.

Beginning at Cor. No. 1.

Identical with Cors. Nos. 2-3-4, North King No. 2, North King No. 3 and King No. 3 lodes, respectively, of this survey.

A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed N K2-2, NK3-3, K3-4, K2-1-2907, whence,

A cross (x) and B R 2-3-4-1-2907 chiseled on quartz porphyry bed rock facing south bears N. 44° 37' W. 40.3 ft.

U. S. L. M. No. 1576 bears N. 84° 25' E. 6288.2 ft.

Thence S. 31° 56' W.

610. Cross gulch, course from Northeast to southwest.

1019.12 Intersect line 1-2 Sur. No. 1851, Standard lode, at S. 37° 35' W. 383.89 ft. from Cor. No. 2,

1497. To Cor. No. 2.

Identical with Cor. No. 3 King No. 3 lode of this survey.

Identical with the southwest cor. of the original location.

A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed K3-3, K2-2-2907, whence

A cross (x) and BR 3-2-2907 chiseled on quartz porphyry bedrock 1 x 3 ft. facing south bears N. 20° 03' E. 14.4 ft.

Cor. No. 2 Sur. No. 1851, Standard lode, which is on the original southeast side line of this lode, bears N. 34° 27' E. 860.74 ft.

Thence N. 55° 51' W.

47.13 Cor. No. 3 Sur. No. 1947, Fire Fly lode, and intersect line 1-2 Sur. No. 1851, Standard lode at S. 37° 35' W. 862.27 ft. from Cor. No. 2.

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

A

whence

A cross (x) and B R 2-3-4-1-2907, chiseled on face of quartz porphyry bed rock, bears N. 22° 28' E. 9.3 ft.

U. S. L. M. No. 1576 bears N. 80° 39' E. 5839.5 ft.

Thence S. 31° 56' W.

669.44 Intersect line 2-3 Sur. No. 1851, Standard lode, at S. 52° 25' E. 564.33 ft. from Cor. No. 2 and at N. 52° 25' W. 35.67 ft. from Cor. No. 3.

1031.77 Intersect line 1-2 and 3-4, Sur. No. 1851, Hazel and Standard lodes at S 37° 35' W. 360.57 ft. from Cors. Nos. 2-3.

1497.00 To Cor. No. 2.

Identical with Cor. No. 3 King No. 4 lode of this survey, and the southeast Cor. of the original location of this lode.

A pine post, in place, 4 x 6 ins. 3 ft. high, with mound of stone, scribed K4-3, K3-2-2907, whence

A cross (x) and B. R. 3-2-2907 chiseled on quartz porphyry face bears S. 84° 15' E. 40.8 ft.

Cors. Nos. 3-2 Sur. No. 1851, Standard and Hazel lodes, respectively, which are on the common side line of the original locations of King Nos 3 and 4 lodes, of this survey, bear N. 34° 24' E. 824.81 ft.

Thence N. 55° 51' W.

45.88 Intersect lines 3-4 and 1-2 Sur. No. 1851 Standard and Hazel lodes, respectively at S. 37° 35' W. 826.29 ft. from Cors. Nos. 3-2, respectively.

300.00 Southwest end center of the location.

600.00 To Cor. No. 3

Identical with Cor. No. 2 King No. 2 lode, of this survey, heretofore described, whence,

Cor. No. 2 Sur. No. 1851, Standard lode, which is on the Northwest side line of the original location of this lode, bears N. 34° 27' E. 860.74 ft.

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet.	04' E. 405.01 ft. from Cor. No. 1 and at N. 37° 04' W. 18.66 ft. from Cor. No. 2, Sur. No. 1851 Nellie lode, and at S. 37° 04' E. 10.04 ft. from its intersection with line No. 3-4 Sur. No. 1851, Hazel lode.
1320.45	Intersect line 1-2 Sur. No. 1851 Nellie lode, at S. 52° 56' W. 48.61 ft. from Cor. No. 2
1497.20	To Cor. No. 2. A pine post in place 4 x 6 ins., 3 ft. high with mound of stone, scribed K4-2-2907, whence A cross (x) and B R chiseled on quartz porphyry bed rock 1 x 1 ft. facing northwest bears S. 56° 30' W. 15.9 ft. ----- Thence N. 64° 08' W.
32.97	Intersect line 3-4 Sur. No. 1851, Hazel lode at S. 37° 35' W. 708.65 ft. from Cor. No. 3 and at S. 37° 35' W. 128.43 ft. from its intersection with line 1-2 Sur. No. 1851 Nellie lode, 237.14 ft. from its intersection with line 1-4, Mabel lode, Sur. No. 1851, and 708.65 ft. from Cor. No. 3.
71.15	Intersect line 1-2 Sur. No. 1851 Nellie lode, at S. 52° 56' W. 246.05 ft. from Cor. No. 2, and at S. 52° 56' W. 141.22 ft. from its intersection with line 3-4 Sur. No. 1851 Hazel lode.
298.84	Southwest end center of the location.
598.84	To Cor. No. 3. Identical with the location southeast and southwest Cor. of King No. 3 and this lode, respectively. Identical with Cor. No. 2, King No. 3 lode, of this survey, whence Cors. Nos. 3-2 Sur. No. 1851, Standard and Hazel lodes, respectively, which are on the common side of the original locations of the King No. 3 and King No. 4 lodes, of this survey, bears N. 34° 24' E. 824.81 ft. ----- Thence N. 31° 56' E.
465.23	Intersect lines 3-4 and 1-2 Sur. No. 1851 Standard and

Feet.	Hazel lodes, respectively, at S. 37° 35' W. 360.57 ft. from Cors. Nos. 3-2 respectively.
827.56	Intersect line 2-3 Sur. No. 1851, Standard lode, at N. 52° 25' W. 35.67 ft. from Cor. No. 3 .
1497.	To Cor. No. 4 Identical with Cors. Nos. 1-2-3 King No. 3, North King No. 3 and North King No. 4 lodes, respectively, of this survey, heretofore described.
	----- Thence S. 64° 08' E.
300.00	Northeast end center of the location.
600.00	To Cor. No. 1, the place of beginning.
	----- MIDWAY LODGE.
	Beginning at Cor. No. 1. On line 3-4 Sur. No. 1732 White Hawk ^{Est Extension} and line 3-4 Jamieson No. 2 lode, of this survey, at N. 30° 19' E. 987.6 ft. from Cor. No. 3. A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed M-1-2907, whence, A cross (x) and B R 1-2907 chiseled on quartz porphyry bed rock 3 x 4 ft, facing south, bears S. 80' E. 9.3 ft. U. S. L. M. No. 1576 bears S. 79° 10' E. 7945.5 ft.
	----- Thence S. 22° 28' W.
105.00	105. Cross gulch, course from east to southwest.
1001	Intersect lines 2-3 and 4-1 Jamieson No. 2 and King West lodes, respectively, of this survey at S. 58° E. 136.77 ft. from Cors. Nos. 3-4 respectively.
1497.80	To Cor. No. 2. A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed M-2-2907, whence A cross (x) and B R 2-2907 chiseled on quartz porphyry bed rock 6x7 ft. facing Southwest bears S. 64° 40' W.

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet. 11.5 ft.

Thence N. 72° 11' W.

182.90 Intersect lines 2-3 and 2-3 King West lode, of this Survey and Sur. No. 1733, San Pedro lode at S. 57° 50' E. 42.49 ft. and 51.63 ft. from Cors. Nos. 3-2 respectively

235.63 Intersect lines 1-2 and 4-1 Sur. No. 1733, San Pedro and Jolly Liar lodes, respectively at S. 29° 46' W. 13.08 ft. from Cors. Nos. 2-4, respectively.

300.45 South west end center of the location.

428. Cross gulch, course from northeast to southwest.

600.9 To Cor. No. 3

Identical with Cor. No. 3 Lot No. 47 Oriental lode. A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed M-3-2907, whence A cross (x) and B R Chiseled on quartz porphyry bed rock 1 x 2 ft. facing north bears S. 20° E. 6 ft.

Thence N. 22° 28' E.

104.86 Intersect line 3-4 Sur. No. 1733, Jolly Liar lode, at N. 57° 50' W. 371 ft. from Cor. No. 4

1497.80 To Cor. No. 4

Identical with Cor. No. 4 Lot No. 47, Oriental lode, and on line 3-7 Lot No. 50 Dark Horse lode. A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed M-4-2907, whence A cross (x) and B R 4-2907 chiseled on quartz porphyry bed rock 4 x 5 ft. facing east bears N. 18° W. 9.4 ft.

Thence S. 72° 11' E.

95.0 Cor. No. 4 Sur. No. 1732, White Hawk ^{East Extension} lode, and Cor. No. 3 Lot No. 50 Dark Horse lode.

300.45 Northeast end center of the location

600.9 To Cor. No. 1, the place of beginning.

Feet.	
	KING WEST LODE.
	Beginning at Cor. No. 1.
	Identical with Cors. Nos. 2-4 Jamieson and North King lodes, respectively, of this survey and Cor. No. 6 Sur. No. 574, King lode.
	A pine post, in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed J-2, NK-4, KW-1-2907, whence
	No bearings available.
	U. S. L. M. No. 1576 bears S. 89° 58' E. 7285.1 ft.

	Thence S. 32° 04' W.
269.1	Southeast end center of the location.
538.2	To Cor. No. 2.
	On line 6-7 Sur. No. 574 King lode.
	On line 2-3 Sur. No. 1733 Ida Bell lode.
	A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone scribed KW-2-2907, whence
	A cross (x) and B R 2-2907 chiseled on face of quartz porphyry bed rock 2 x 3 ft. bears N. 12° 16' E. 19.2 ft.

	Thence N. 57° 50' W.
409.14	Cors. Nos. 2-4 Sur. No. 1733 Ida Bell and Copper Chief lodes, respectively.
809.14	Cors. Nos. 3-3 Sur. No. 1733 Copper Chief and San Pedro lodes
1157.51	Intersect line 2-3 Midway lode of this survey at N. 72° 11' W. 182.9 ft., from Cor. No. 2.
1200	To Cor. No. 3
	A cross (x) at Cor. point and KW-3-2907 chiseled on quartz porphyry face 15 x 20 ft. with mound of stone alongside, whence
	A cross (x) and B R 3-2907 chiseled on quartz porphyry

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet.	<p>On line 4-1 King West lode of this survey Identical with Cor. No. 3 Jamieson lode of this survey. A pine post in place 4 x 4 ins., 3 ft. high, with mound of stone, scribed J-3, J2-2-2907, whence A cross (x) and B R 3-2-2907 chiseled on face of quartz porphyry bed rock 1 x 3 ft. bears S. 58° E. 3.1 ft.</p>
	<p>----- Thence N. 58° W.</p>
300.12	Southwest end center of the location.
463.47	Intersect line 1-2 Midway lode at S. 22° 28' W. 1001 ft. from Cor. No. 1
497.1	To witness Cor. for Cor. No. 3. Identical with witness Cor. for Cor. No. 4 King West lode of this survey, heretofore described. To Cor. No. 3
600.24	Identical with Cor. No. 4 King West lode, of this sur- vey. W.C. heretofore described brs. S. 58° W., 103.14 ft.
	<p>Thence N. 30° 19' E.</p>
877.6	Cross gulch, course from East to southwest.
987.6	Cor. No. 1 Midway lode, of this survey, and intersect line 3-4 Sur. No. 1732 White Hawk ^{Ext} ^{Extension} lode at N. 72° 11' W. 94.1 ft. from Cor. No. 3.
1422.93	Intersect line 2-3 Sur. No. 1732 White Hawk ^{Ext} ^{Extension} lode at N. 17° 50' E. 425.02 ft. from Cor. No. 3
1497.5	To Cor. No. 4. A cross (x) at Cor. point and J2-4-2907 chiseled on quartz porphyry bed rock 1 x 1 ft. facing southeast with mound of stone alongside, whence A cross (x) and B R 4-2907 chiseled on quartz porphyry bed rock 3 x 6 ft. facing south bears N. 17° W. 10.4 ft.
	<p>----- Thence S. 58° E.</p>
20.00	Cross gulch, course from northeast to southwest.
300.12	Northeast end center of the location
600.24	To Cor. No. 1, the place of beginning.

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet.	
	<p style="text-align: center;">JAMIESON LODE.</p> <p>Beginning at Cor. No. 1</p> <p>Identical with Cor. No. 5 North King lode, of this survey.</p> <p>A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone, scribed NK-5, J-1-2907, whence,</p> <p>A cross (x) and B R 5-1-2907 chiseled on quartz porphyry bed rock 4 x 6 ft, facing south, bears N. 37° 50' E. 9.1 ft.</p> <p>U. S. L. M. No. 1576 bears S. 78° 46' E. 6656 ft.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 30° 19' W.</p>
1497.5	<p>To Cor. No. 2.</p> <p>Identical with Cors. Nos. 4-1 North King and King West lodes, respectively, of this survey, and identical with Cor. No. 6 Sur. No. 574 King lode, heretofore described.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 58° W.</p>
300.12	<p>Southwest end center of the locations.</p>
600.24	<p>To Cor. No. 3</p> <p>On line 4-1 King West lode of this survey.</p> <p>Identical with Cor. No. 2 Jamieson No. 2 lode, of this survey, heretofore described.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 30° 19' E.</p>
1497.5	<p>To Cor. No. 4.</p> <p>Identical with Cor. No. 1, Jamieson No. 2 lode, of this survey, heretofore described.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 58° E.</p>
300.12	<p>Northeast end center of the location.</p>
600.24	<p>To Cor. No. 1, the place of beginning.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">North King Lode.</p> <p>Beginning at Cor. No. 1</p> <p>On line 3-4 North King No. 2 lode, of this survey.</p>

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet. 40.5 300.12 600.24	<p>Cor. No. 3 Sur. No. 1640 Veiled Prophet No. 4 lode. Northeast end center of the location. To Cor. No. 1, the place of beginning.</p> <p style="text-align: center;">NORTH KING NO. 2</p> <p>Beginning at Cor. No. 1 On line 3-4 North King No. 3 lode of this survey. On line 2-3 Sur. No. 1640 Veiled Prophet No. 3 lode at S. 58° E. 559.12 ft. from Cor. No. 3 A pine post in place 4 x 6 ins., 3 ft. high, with mound of stone scribed NK2-1-2907, whence A cross (x) and B R 1-2907 chiseled on quartz porphyry bed rock 5 x 6 ft. facing southwest bears S. 58° E. 7.3 ft. U.S.L.M.No. 1576 bears S. 83° 10' E. 5551. ft. ----- Thence S. 30° 22' W.</p> <p>476.04 Cross trail course from east to southwest 1476.04 To Cor. No. 2 Identical with Cors. Nos. 3-4-1 North King No. 3 King No. 3 and King No. 2 lodes, respectively, of this survey, heretofore described. ----- Thence N. 55° 51' W.</p> <p>300.22 Southwest end center of the location, heretofore described. 600.44 To Cor. No. 3. Identical with Cors. Nos. 4-2 King No. 2 and North King lodes, respectively, of this survey, heretofore described ----- Thence N. 30° 22' E.</p> <p>296. Cross trail course from northeast to southwest. 1453.5 Intersect line 2-3 Sur. No. 1640 Veiled Prophet No. 4 lode, at N. 58° W. 40. 26 ft. from Cor. No. 2. To Cor. No. 4 1476.04 A pine post, in place, 4 x 4 ins., 3 ft. high, with mound of stone, scribed NK2-4-2907, whence No bearings available. ----- Thence S. 55° 51' E.</p> <p>40.98 Intersect lines 1-2 and 3-4 Sur. No. 1640 Veiled Pro- phet, Nos. 4 and 3 lodes, respectively, at N. 32° 06' E. 21 ft. from Cors. Nos. 2-3 respectively. 300.22 Northeast end center of the location. 600.44 To Cor. No. 1, the place of beginning.</p>
-----------------------------------	--

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet.	A cross (x) and B R 4-2907 chiseled on quartz porphyry bed rock 10 x 10 ft. facing west bears S. 58° E. 11.4 ft.

	Thence S. 55° 51' E.
42.88	Intersect lines 1-2 and 3-4 Sur. No. 1640 Veiled Prophet Nos. 3 and 2 lodes, respectively, at N. 32° 06' E. 20.9 ft. from Cors. Nos. 2-3, respectively.
300.	Northeast end center of the location.
600	To Cor. No. 1, the place of beginning.

	NORTH KING NO. 4
	Beginning at Cor. No. 1.
	Identical with Cors. Nos. 2-3-4 Raton No. 3, Raton No. 2 and War Eagle lodes, respectively, of this survey.
	A pine post in place 4 x 6 ins., 3 ft., high, with mound of stone, scribed R3-2, R2-3, WE-4 NK4-1-2907, whence
	A cross (x) and B R 2-3-4-1-2907 chiseled on quartz porphyry bed rock 4 x 6 ft. facing west bears S. 64° W. 7.7 ft.
	U. S. L. M. No. 1576 bears S. 88° 58' E. 4464.8 ft.

	Thence S. 30° 22' W.
1498.56	To Cor. No. 2.
	Identical with Cors. Nos. 3-1 War Eagle and King No. 4, lodes, respectively, of this survey, heretofore described.

	Thence N. 64° 08' W.
300.	Southwest end center of the location
600	To Cor. No. 3
	Identical with Cors. Nos. 4-1-2 King No. 4, King No. 3 and North King No. 3 lodes, respectively, of this survey, heretofore described.

	Thence N. 30° 22' E.
898.56	Cross gulch, course from Northeast to southwest.
1298.56	Cross trail course from northeast to west.
1498.56	To Cor. No. 4.

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet.	
	<p>Identical with Cor. No. 1, North King No. 3 lode of this Survey, heretofore described.</p> <p>On line 2-3 Sur. No. 1640, Veiled Prophet No. 2 lode at N. 58° W . 44.7 ft. from Cor. No. 2.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 64° 08' E.</p>
45.00	<p>Cor. No. 3 Raton No. 3 lode, of this survey, and intersect line 1-2 Sur. No. 1640 Veiled Prophet No. 2 lode at N. 32° 06' E. 4.8 ft. from Cor. No. 2</p>
200.	Cross trail course from northeast to southwest.
300.	North ^{east} end center of the location.
563	Cross gulch course from northeast to southwest.
600	To Cor. No. 1, the place of beginning.
	<p style="text-align: center;">-----</p> <p style="text-align: center;">WAR EAGLE</p> <p>Beginning At Cor. No. 1.</p> <p>One line 2-3 Raton No. 2 lode, of this survey.</p> <p>A pine post in place 4 x 6 ins., 3 ft., high, with mound of stone, scribed WE-1-2907, whence</p> <p>A cross (x) and B R 1-2907 chiseled on quartz porphyry bed rock 5 x 10 ft., bears S. 78° 06' E. 8.0 ft.</p> <p>U. S. L. M. No. 1576 bears N. 87° 08' E. 3937.2 ft.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence S. 30° 22' W.</p>
1434.76	Intersect line 2-3 Sur. No. 1851, Mabel lode, at S. 37° 04' E. 469.29 ft. from Cor. No. 2
1498.56	To Cor. No. 2.
	<p>A pine post in place 4 x 6 ins., 3 ft., high, with mound of stone scribed WE-2-2907 whence</p> <p>A cross (x) and B R 2-2907 chiseled on quartz porphyry bed rock 2 x 2 ft. facing south east bears S. 89° 30' W. 7.3 ft.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 62° 23' W.</p>

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet.	
300.	Southwest end center of the location.
546.38	Intersect line 1-2 Sur. No. 1851 Mabel lode at S. 52° 56' W. 292.59 ft. from Cor. No. 2.
600.	To Cor. No. 3.
	Identical with Cors. Nos. 1-2 King No. 4 and North King No. 4 lodes, respectively, of this survey, heretofore described.
	----- Thence N. 30° 22' E.
1498.56	to Cor. No. 4.
	Identical with Cors. Nos. 1-2-3 North King No. 4, Raton No. 3 and Raton No. 2 lodes, respectively, of this survey, heretofore described.
	----- Thence S. 62° 23' E.
300	Northeast end center of the location.
600	To Cor. No. 1, the place of beginning.
	----- RATON NO. 3
	Beginning at Cor. No. 1
	A pine post in place 4 x 4 ins., 3 ft. high, with mound of stone, scribed R3-1-2907, whence
	No bearings available.
	U. S. L. M. No. 1576 bears S. 69° 56' E. 3893.2 ft.
	----- Thence S. 32° 43' W.
61.0	Cor. No. 4 Midako lode, of this survey, and Cor. No. 1 Sur. No. 1640, Veiled Prophet, No. 1 lode.
891.8	Cors. Nos. 3-4 Mikado and Raton No. 2 lodes, respectively of this survey, in trail course from northeast to southwest
1346.8	Cross gulch, course from North east to southwest.
1491.8	To Cor. No. 2.
	Identical with Cors. Nos. 3-4-1 Raton No. 2, War Eagle and North King No. 4 lodes, respectively, of this survey, heretofore described.
	----- Thence N. 64° 08' W.

Feet. 587.4	To witness Cor. for Cor. No. 3. Identical with witness Cor. for Cor. No. 4 Raton No. 2 lode of this survey, heretofore described.
593.4	To Cor. No. 3. Identical with Cor. No. 4 Raton No. 2 lode, of this survey, in trail course from northeast to southwest, W.C. heretofore described brs. S. 62° 23' E., 6 ft. ----- Thence N. 32° 43' E.
830.8	To Cor. No. 4 Identical with Cor. No. 1 Sur. No. 1640 Veiled Prophet No. 1 lode. On line 1-2 Raton No. 3 lode of this survey at S. 32° 43' W. 61.0 ft. from Cor. No. 1. A pine post, in place, 4 x 4 ins., 3 ft. high with mound of stone, scribed M-4-2907, whence U. S. L. M. No. 1576 bears S. 70° 48' E. 3907 ft. ----- Thence N. 32° 08' E.
60.93	Intersect line 4-1 Raton No. 3 lode, of this survey, at N. 64° 08' W. 0.62 ft. from Cor. No. 1.
600.	Cor. No. 4 Sur. No. 1640 Veiled Prophet No. 1 lode.
644.9	To Cor. No. 5. A pine post in place 4 x 4 ins., 3 ft. high, with mound of stone scribed M-5-2907, whence A cross (x) and B R 5-2907 chiseled on granite porphyry bed rock 3 x 4 ft. facing East bears S. 57° 10' E. 18.5 ft. ----- Thence S. 62° 23' E.
285.00	Cross gulch course from Northeast to southwest.
298.2	Cor. No. 2 Sirdar lode, of this survey.
300.	Northeast end center of the location.
600.	To Cor. No. 1, the place of beginning. ----- RATON Beginning at Cor. No. 1. A pine post in place 4 x 6 ins., 3 ft. high, with mound

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

Feet.	<p>of stone scribed R-1-2907, whence</p> <p>A cross (x) and B R 1-2907 chiseled on quartz porphyry bed rock 10 x 10 ft. facing southeast, bears N. 20° 20' W. 16.7 ft.</p> <p>U. S. L. M. No. 1576 bears S. 60° 50' E. 2614.7 ft.</p>
	<p>-----</p> <p>Thence S. 32° 43' W.</p>
100.	<p>Cross trail course from northeast to southwest.</p>
1476.2	<p>To Cor. No. 2.</p> <p>Identical with Cor. No. 1 Raton No. 2 lode, of this survey, heretofore described.</p>
	<p>-----</p> <p>Thence N. 62° 23' W.</p>
300	<p>Southwest end center of the location.</p>
600	<p>To Cor. No. 3, heretofore described.</p> <p>Identical with Cor. No. 2, Mikado lode, of this survey.</p> <p>On line 4-1 Raton No. 2 lode, of this survey.</p>
	<p>-----</p> <p>Thence N. 32° 43' E.</p>
876.2	<p>Cross trail, course from northeast to southwest.</p>
1476.2	<p>To Cor. No. 4.</p> <p>Identical with Cor. No. 1, Mikado lode, of this survey, heretofore described.</p> <p>On line 1-2 Sirdar lode, of this survey.</p>
	<p>-----</p> <p>Thence S. 62° 23' E.</p>
298.2	<p>Cor. No. 1 Sirdar lode, of this survey.</p>
300	<p>Northeast end center of the location.</p>
600	<p>To Cor. No. 1, the place of beginning.</p>
	<p>-----</p> <p>SIRDAR</p> <p>Beginning at Cor. No. 1.</p> <p>On line 4-1 Raton lode, of this survey.</p> <p>A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed S-1-2907, whence,</p>

TRANSCRIBED COPY OF
ORIGINAL FIELD NOTES

24

23

Feet.	<p>A cross (x) and B R 1-2907 chiseled on quartz porphyry bed rock 4 x 6 ft. bears N. 89° 50' E. 30.3 ft. U. S. L. M. No. 1576 bears S. 61° 00' E. 2916.5 ft.</p> <p style="text-align: center;">-----</p> <p style="text-align: right;">Thence N. 62° 23' W.</p>
298.2	<p>Cors. Nos. 1-4 Mikado and Raton lodes, respectively, of this survey.</p>
300	<p>Southwest end center of the location.</p>
600	<p>To Cor. No. 2.</p>
	<p>On line 5-1 Mikado lode, of this survey.</p>
	<p>A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed S-2-2907.</p>
	<p>No bearings available.</p> <p style="text-align: center;">-----</p> <p style="text-align: right;">Thence N. 27° 37' E.</p>
1500.00	<p>To Cor. No. 3.</p>
	<p>A pine post, in place, 4 x 6 ins., 3 ft. high, with mound of stone, scribed S-3-2907.</p>
	<p>No bearings available.</p> <p style="text-align: center;">-----</p> <p style="text-align: right;">Thence S. 62° 23' E.</p>
300.	<p>Northeast end center of the location.</p>
600	<p>To Cor. No. 4.</p>
	<p>A pine post, in place, 4 x 6 ins., 3 ft high, with mound of stone, scribed S-4-2907, whence</p>
	<p>A cross (x) and B R 4-2907 chiseled on face of granite bed rock 6 x 8 ft. facing North bears S. 17° 07' E.</p>
	<p>4.5 ft.</p>
	<p style="text-align: right;">Thence S. 27° 37' W.</p>
1500.	<p>To Corner No. 1, the place of beginning.</p>
	<p style="text-align: center;">Variation at all corners 13° 40' E.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">Description of Tract A.</p>
	<p>Beginning at Cor. No. 3 of the King No. 4 lode, which is on the common side line of the original locations of the King No. 3 and King No. 4 lodes, thence along line 3-4 of the King No. 4 lode, 465.23 ft. to its intersection with line 1-2 of the Hazel lode, Sur. No. 1851, thence along said line 1-2 of the Hazel lode, N. 37° 35' E. 360.57 ft. to Cor. No. 2 of said Hazel lode, thence along the north side line of the original location of the King No. 4 lode, S. 34° 24' W. 824.81 ft. to the place of beginning, being that portion of the King No. 4 lode in conflict with the Hazel lode, Sur. No. 1851, without the original location of the King No. 4 lode and not excluded from Sur. No. 1851, and containing 0.190 acres.</p>

King West Lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the southeast end center.

No. 2 A tunnel, the mouth of which bears from a point on line 4-1, 600.24 ft. from Cor.No. 4 N. 63°10'W. 100 ft. running N. 83°14'E. 80 ft. thence N. 77°10'E. 380 ft., 5x7 ft. value \$4600.00

Value first 28 ft. \$280.00

Note: The value of the above working is accredited as follows: to each of the three lodes upon which it is situate and in proportion to the amount of work done on each lode:

The first 28 ft. to the King West lode, the next 85 ft. to the Jamieson No.2 lode, and the last 347 ft. to the Jamieson lode.

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton lode No. 2 shaft is accredited to this lode. Value \$1410.00

Jamieson No. 2 lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the northeast end center.

Note: From the 29th to the 113th foot inclusive, of the King West No. 2 Tunnel, which is on this lode, (85 ft.) Value \$850.00

Note: An undivided 1/18 interest in the Midway lode No. 3 Tunnel, Jamieson lode No. 3 Tunnel and the Raton Lode No. 2 shaft is accredited to this lode.

Value \$1410.00

Jamieson Lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the northeast end center.

No. 2 A tunnel, the mouth of which bears from Cor. No. 3 N. 62° 10' E. 145 ft. running N. 78° 40' E. 235 ft. 5 x 7 ft.

Value \$2350.00

No. 3: A tunnel, the mouth of which bears from Cor. No. 2 N. 50°36' W. 240 ft. running S. 56°15' E. 264 ft. thence S. 75° 36' E. 38 ft. thence N. 47°30'E. 148 ft., thence N. 71° 50' E. 594 ft., thence S. 71°24'E. 496 ft. 5 x 7 ft., Value \$15400.00.