

MAY 18 1911

4-683.

MINERAL SURVEY No. 2913

LOT No. ....

Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

T. G. Norris

KNOWN AS THE

High Lode N<sup>o</sup> 1, High Lode N<sup>o</sup> 2, High Lode N<sup>o</sup> 3 and High Lode N<sup>o</sup> 4

Hassayampa Mining District,

Yavapai County, Arizona, approximately in

Section 22, Township 12 N., Range 2 W. 1<sup>st</sup> 1/2,

Prescott National Forest.  
Surveyed under instructions dated April 20, 1911.

by William Bennett  
U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced May 2<sup>nd</sup>, 1911

Survey completed May 5-, 1911

6-822

Address of Claimant  
Norris & Smith, Attorneys  
Prescott Arizona

SURVEY No.2913 HIGH LINE NO.1 LODE. (1)

Feet

Beginning at Cor.No.1.  
Identical with the loc.and with Cor.No.2 High Line No.3  
lode of this sur.A Schist stone 6X8X24 ins.set 12 ins.in  
the ground with mound of stones chiseled 1-H-L-No.1.2-  
H-L-No.3-2913.Whence:-

U.S.L.M.No.1691 brs.N 56°49'W 3844.15 feet.

An oak tree 10 ins.diam scribed X-B-T-1-H-L-No.1.2-H-L-  
No.3-2913 brs.N 15°00'E 35.feet.

An Oak tree 16 ins.diam.scribed X-B-T-1-H-L-No.1.2-H-L  
No.3-2913 brs.N 74°00'W 21 feet.

Loc.cor.mound of stones 3 X 3 ft.

Thence S 63°28'E  
va.14°E

300 N.C.End identical with the loc.a mound of stones 3X3 ft.

600 To Cor.No.2.

Identical with the loc.

A granite stone 6X8X24 ins.set 12 ins.in the ground  
with mound of stones chiseled 2-H-L-No.1-2913.Whence:-

An oak tree 12 ins.diam.scribed X-B-T-2-H-L-No.1-2913 brs.  
N 32°30'E 17.4 ft.

A pine tree 7 ins.diam.scribed X-B-T-2-H-L-No.1-2913  
brs.N 67°00'W 22.6 feet.Loc.cor.mound of stones 3X3 ft.

Thence S 26°32'W  
va.14°E

1115 Cross wash 5 ft.wide course East.

1140 To Cor.No.3.

Identical with the loc.and with cor.No.2.High Line No.2  
lode of this sur.

A granite stone 8X12 X26 ins.set 14 ins.in the ground  
with mound of stones chiseled 3-H-L-No.1.2-H-L-No.2-  
2913.whence:- X-B-R-3-H-L-No.1-2-H-L-No.2-2913 chiseled  
on rock in place brs.S 83°00'W 3.8 ft.No other bearings  
available.Loc.cor.mound of stones 3X3 ft.

Thence N 63°28'W  
va.14°E

Feet.	
40	Cross wash 5 ft. wide course East.
300	S.C. End identical with the loc. and with the N.C. End of High Line No. 2 lode of this sur. a mound of stones 3X3 ft.
600	To Cor. No. 4. Identical with the location and with cor. No. 1 High Line No. 2 lode of this sur. A granite stone 4X6X24 ins. set 12 ins. in the ground with mound of stones chiseled, 4-H-L-No. 1. 1-H-L-No. 2-2913. Whence:- A pine tree 10 ins. diam. scribed X-B-T-4-H-L-No. 1 1-H-L-No. 2-2913 brs. N 27°00'E 4.1 feet. A pine tree 14 ins. diam. scribed X-B-T-4-H-L-No. 1. 1-H-L-No. 2-2913 brs. S 24°00'E 20 feet. Loc. cor. mound of stones 3X3 ft. Thence N 26°32'E va. 14°E
1140	To Cor. No. 1 the place of beginning. HIGH LINE No. 2 LODGE. Beginning at Cor. No. 1. Identical with the loc. and with cor. No. 4 High Line No. 1 lode of this sur. hereinbefore described. Whence:- U.S.L.M. No. 1691 brs. N 40°55'W 4133.22 feet. Thence S 63°28'E va. 14°E
300	N.C. End identical with the loc. and with the s.c. end of High Line No. 1 lode of this sur. hereinbefore described.
560	Cross wash 5 ft. wide course East.
600	To Cor. No. 2. Identical with the loc. and with cor. No. 3 High Line No. 1 lode of this sur. hereinbefore described. Thence S 26°32'W va. 14°E
1500	To Cor. No. 3. Identical with the loc.. A porphyry stone 4X8X26 ins. set 14 ins. in the ground with mound of stones chiseled 3-H-L-No. 2-2913. No bearings

Feet. available.Loc.cor.mound of stones 3X3 ft.  
 Thence N 63°28'W  
 va.14°E

300 S.C.End identical with the loc.a mound of stones 3X3 ft.

350 Cross road course N 34°E and S 34°W

450 Cor.No.3 High Line No.4 lode of this sur.

600 To Cor.No.4.  
 Identical with the loc.  
 A granite stone 6X12X24 ins.set 12 ins.in the ground  
 with mound of stones, chiseled 4-H-L-No.2-2913.Whence:-  
 A pine tree 12 ins.diam.scribed X-B-T-4-H-L-No.2-2913  
 brs. S 9°00'E 8.9 feet.  
 An oak tree 10 ins.diam.scribed X-B-T-4-H-L-No.2-2913  
 brs. N 31°30'E 20.9 feet.Loc.cor.mound of stones 3X3 ft.  
 Thence N 26°32'E  
 va.14°E

433.58 Intersect line 2-3-High Line No.4 lode of this sur.at  
 N 7°27'E 458.79 ft.from cor.No.3

950 Cross road course S 14°00'E and N 14°00'W

1500 To Cor.No.1 the place of beginning.  
 HIGH LINE No.3.  
 Beginning at cor.No.1.  
 Identical with the loc.  
 A schist stone 6X14X26 ins.set 13 ins.in the ground with  
 mound of stones, chiseled 1-H-L-No.3-2913.Whence:-  
 U.S.L.M.No.1691 brs. N 55°36'W 3248.6 ft. No bearings  
 available.Loc.cor.mound of stones 3X3 ft.  
 Thence S 63°28'E  
 va.14°E

300 N.C.End identical with the loc.amound of stones 3X3 ft.

340 Cross road course S 6°00'E and N 6°00'W

600 To Cor.No.2.  
 Identical with the loc.and with cor.No.1 High Line No.1  
 lode of this sur.hereinbefore described.  
 Thence S 36°54'W  
 va.14°E

Feet.  
320

Cross road course North and SSS 24° 00'W

1467

To Cor.No.3.

Identical with the loc.and with cor.No.2 High Line No.4 lode of this sur.

A granite stone 4X10X28 ins.set 14 ins.in the ground with mound of stones, chiseled 3-H-L-No.3.2-H-L-No.4-2913.

whence: X-B-R-3-H-L-No.3.2-H-L-No.4-2913 chiseled on rock in place brs.S 69°30'W 16.5 ft.No other bearings available.

Loc.cor.Mound of stones 3X3 ft.

Thence N 63°28'W  
va.14°E

300

S.C.End identical with the loc.and with the N.C.End of High Line No.4 lode of this sur.a mound of stones 3X3 ft.

600

To Cor.No.4.

Identical with the loc.and with cor.No.1 High Line No.4 lode of this sur.

A granite stone 10X12X26 ins.set 14 ins.in the ground with mound of stones, chiseled 4-H-L-No.3.1-H-L-No.4-2913.

whence: A pine tree 14 ins.diam.scribed X-B-T-4-H-L-No.3.1-H-L-No.4-2913 brs.S 10°00'W 39.6 ft.

A pine tree 22 ins.diam.scribed X-B-T-4-H-L-No.3.1-H-L-No.4-2913.brs.N 51°00'W 25.6 ft.

Thence N 36°54'E  
va.14°E

1467

To Cor.No.1 the place of beginning.

HIGH LINE No.4.

Beginning at Cor.No.1.

Identical with the loc.and with Cor.No.4.High Line No.3 lode of this sur.hereinbefore described.Whence:-

U.S.L.M.No.1691 brs.N 30°53'W 3505.55 ft.

Thence S 63°28'E  
va.14°E

300

N.C.End identical with the loc.and with the S.C.End of High Line No.3 lode of this sur.hereinbefore described.

600 To Cor.No.2.  
 Identical with the loc.and with Cor.No.3 High Line No.3 lode of this sur.hereinbefore described.

Thence S 7°27'W  
 va 14°E

807.68 Intersect line 4-1 High Line No.2 lode of this sur.at  
 N 26°32'E 433.58 ft.from cor.No.4

1266.47 To Cor.No.3.  
 Identical with the loc.  
 X-3-H-L-No.4-2913 chiseled on granite rock in place 10  
 X15X12 ins.above the ground,with mound of stones.No  
 bearings available.Loc.cor.mound of stones 3X3 ft.

Thence N 63°28'W  
 va.14°E

150 Cor.No.4 High Line No.2 lode of this sur.

300 S.C.End identical with the loc.a mound of stones 3X3 ft.

600 To Cor.No.4.  
 Identical with the loc.  
 A granite stone 6X 8X24 ins.set 12 ins.in the ground with  
 mound of stones,chiseled 4-H-L-No.4-2913.No bearings avail-  
 able.Loc.cor.mound of stones 3X3 ft.

Thence N 7°27'E  
 va.14°E

1266.47 To Cor.No.1 the place of beginning.

AREA.

- High Line No.1 total area .....15.702 acres.
- High Line No.2 lode total area..... 20.661 acres.
- area in conflict with High Line No.4 lode 0.746 acres.
- High Line No.3 lode total area. 19.876 acres.
- High Line No.4 lode total area. 16.485 acres

ADJOINING CLAIMS

This claim is bounded on all sides by U.S.Land.

LEDGES.

As near as can be determined from present developments the  
 veins of the several locations embraced in this claim  
 extend as follows from their respective end centers.

- High Line No.1 lode 1140 ft. N 26°32'E from S.C.E. to N.C.E.
- High Line No.2. lode 1500 "S26°32'W from N.C.E. to S.C.E.
- High Line No.3 lode 1467 "N 36°54'E " S.C.E. to N.C.E.
- High Line No.4 lode 1266.47 ft. S 7°27'W. From N.C.E. to S.C.E.

LOCATION.

This claim is located on unsurveyed land approximately in Sec. 22 T. 12 N. R. 2 W. Hassayampa Mining District Yavapai County Arizona, in the Prescott National Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimant or his grantors is not less than five hundred dollars on each lode, and that said improvements consist of:-

High Line No.1.

No.1 dis. shaft which is on the lode line 7 ft. from the S.C. End 4X6X50 ft. value.....\$500.00

No.2 shaft which is on the lode line 450 ft. from the S.C.E. 4X6X8 ft. value \$75.00

No.3 shaft which brs. from the S.C. End. N 23°E 210 ft. 4X6X8 ft. value....\$75.00

High Line No.2.

No.1 dis. Cut which is on the lode line 65 ft. from the N.C. End 4X20X10 ft. value \$50.00

No 2 shaft which brs. from N.C. End S 13°40'W 195 ft. 4X6X 50 ft. value .....\$500.00

High Line No.3.

No.1 dis. shaft which is on the lode line distance 7 ft. from S.C.E. 4X6X50 ft. ....value.... \$500.00

No.2 shaft which brs. from the S.C.E. N 11°30'E 95 ft. 4X6X10 ft. value \$100.00

High Line No.4.

No.1 dis. Tunnel which is on the lode line 40 ft. from the N.C. End. 4X6X70 ft. course S 7°30'W at the face there is a winze 4X6X20 ft. ....value. \$690.00

## INSTRUMENT

This survey was made with a Gurley Solar Transit. The Courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 500-ft. and 100-ft. steel tapes.

REPORT (See \* below)

*William H. Merritt*  
U.S. Mineral Surveyor.

~~\* I searched for the corners of Lots 42, 44 and 45, Savage, Plevna and Mona lodes, but could find none, however I judge that corner No. 1 of Highline No. 3 lode, Survey No. 2913, is about 100 ft. from the south side line of the above named claims.~~

\*Cor. No. 1 of the Mono lode, Lot No. 43, a granite stone 7 x 8 x 16 ins., in mound of stone, brs. N. 10° 15' E. 1948.9 ft. from Cor. No. 1 High Line No. 3 lode.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

T. G. Norris

known as the High Lode N<sup>o</sup> 1, High Lode N<sup>o</sup> 2, High Lode N<sup>o</sup> 3 & High Lode N<sup>o</sup> 4

and showing the respective capacities in which they acted.

W. H. Merritt, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

I, W. H. Merritt

and ....., do solemnly swear that I assisted William

H. Merritt, United States ~~Deputy~~ Mineral Surveyor; in marking the corners and surveying

the boundaries of the mining claim of T. G. Norris

known as the High Lode N<sup>o</sup> 1, High Lode N<sup>o</sup> 2, High Lode N<sup>o</sup> 3 & High Lode N<sup>o</sup> 4

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

W. H. Merritt, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 16<sup>th</sup>

day of May, 1904.

Wm. H. Merritt  
Notary Public

*My commission expires June 8, 1906.*

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William H. Merritt, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
April 20, 1911, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of T. G. Norris  
, known as the  
High Lode N<sup>o</sup> 1, High Lode N<sup>o</sup> 2, High Lode N<sup>o</sup> 3 and High Lode N<sup>o</sup> 4,  
situate in Assayampa Mining District,  
Yanapai County, Arizona, approximately  
22 in Section 22, Township No. 12, Range No. 2 W. Unst.  
Prescott National Grant, and designated as Survey No. 2913, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or his grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

William H. Merritt  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt  
U. S. Mineral Surveyor, before me W. N. Kelly  
this 16<sup>th</sup>  
day of May, 1911

W. N. Kelly  
Notary Public  
My commission expires June 8, 1911.

# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the "High Line No 1" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by F. R. Mendenhall and Frank Marlow

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 23rd day of August 1901.

The length of this claim is fifteen hundred feet, and we claim fifteen hundred feet, in a northerly direction and --- feet in a --- direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the northerly to the southerly

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a southerly direction from what is known as the old Ross Cabins on head of Ash Creek

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a northerly direction 1500 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899, ~~Revised and Codified the Laws of the Territory of Arizona, approved March 16, 1901.~~ and March 16, 1901

Dated and posted on the ground this 23rd day of August 1901,

F. R. Mendenhall

Frank Marlow



AMENDED  
Notice of Mining Location  
LODE CLAIM

APR. 20. 1911

To All Whom It May Concern:

This Mining Claim, the name of which is the *High Line No. 2*  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by *J. G. Norris, a citizen of the United States*

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")  
the undersigned, on the *18th* day of *April* 19*11*

The length of this claim is *Fifteen Hundred* feet,  
and *1* claim *One Hundred ninety* feet,  
in a *northerly* direction and *Thirteen Hundred*  
*ten* feet in a *Southerly* direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with *Three Hundred* feet in width of the surface grounds, on each side of the center of ~~said claim~~ <sup>the vein</sup>. The general course of the lode deposit and premises is from the *Northerly* to the *Southerly*

The claim is situated and located in the *Hurrayampa* Mining District, in *Yavapai* County, in the Territory of Arizona, about *one mile* in a *Southerly* direction from *what is known as the old Ross Cabins, on the head of Ark Creek*

The surface boundaries of the claim are marked upon the ground as follows: Beginning at *a monument of stone*

at a point in a *northerly* direction *190* feet from the discovery shaft (at which this notice is posted,) being in the center of the *North* end line of said claim; thence *Easterly 300* feet to a *monument of stone*, being the *Northeast* corner of said claim; thence *Southerly 1500* feet to a *monument of stone*, being at the *Southeast* corner of said claim; thence *westerly 300* feet to a *Monument of stone* at the center of the *South* end of said claim; thence *westerly 300* feet to a *monument of stone*, being at the *Southwest* corner of said claim; thence *Northerly 1500* feet to a *Monument of stone* at the *Northwest* corner of said claim; thence *Easterly 300* feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the *High Line No. 2* Mining Claim, located by *J. R. Mendenhall and Frank Marlow* on the *23rd* day of *August* 19*01*, and recorded in Book *60* of Records of Mines, at page *201*, in the office of the County Recorder of the aforesaid County of *Yavapai* to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this *18th* day of *April* 19*11*.  
*J. G. Norris.*

12A

TERRITORY OF ARIZONA

County of .....

ss.

13A

TERRITORY OF ARIZONA

County of .....

ss.

I, ....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at ..... o'clock, ..... M, on this ..... day of ..... 191 .., and duly recorded in Book No. .... of ..... Records of ..... County, Arizona, at pages .....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED  
**Notice of Location.**  
 LODGE CLAIM.

Dated ....., 191 ..

Filed and Recorded at request of

*Norris & Smith,*

*April 18,* A. D. 1911,

at *8:40 o'clock P. M.,*

Book *86 of Mines,*


Page *230,*

RECORDS OF THE TERRITORY OF ARIZONA

*J. C. Bradbury,*  
County Recorder.

By ..... Deputy Recorder.

The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

1266

# Notice of Mining Location

## LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the High Line No 4 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by F.R.Mendenhall and Frank Marlow

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 23rd day of August, 1901

The length of this claim is fifteen hundred feet, and we claim fifteen hundred feet, in a ----- direction and ----- feet in a southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said <sup>vein</sup> claim. The general course of the lode deposit and premises is from the northerly to the southerly

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a southerly direction from what is known as the old Ross Cabins on head of Ash Creek

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a southerly direction 1500 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence easterly 300 feet to a monument of stones, being the southeast corner of said claim; thence northerly 1500 feet to a monument of stones, being at the northeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the north end of said claim; thence westerly 300 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 1500 feet to a monument of stones at the southwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act ~~to~~ Concerning Mines, approved March 20th, 1895, and amended March 20th, 1899, ~~Revise and Codify the Laws of the Territory of Arizona, approved March 16, 1901.~~ and March 18, 1901

Dated and posted on the ground this 23rd day of August, 1901,

F.R.Mendenhall

Frank Marlow

Excerpts from the Mining Laws of the Territory of Arizona.

Title XLVII of the Revised Statutes of 1901, and Amendments Thereto.


Sec. 2. Such location shall be made by erecting at or contiguous to the point of discovery a conspicuous monument of stones not less than three feet in height, or an upright post, securely fixed, projecting at least four feet above the ground, in which monument of stones or on which post there shall be posted a location notice which shall be signed by the name or names of the locator or locators.

Sec. 4. From the time of the location of a mining claim, as above specified, the locator shall be allowed ninety days within which to do or cause to be done the following things:  
\* \* \* \* \*

2. To sink a discovery shaft in the claim to a depth of at least eight feet from the lowest part of the rim of the shaft at the surface, and deeper, if necessary, until there is disclosed in said shaft mineral in place.

Sec. 6. Such surface boundaries shall be marked by six substantial posts projecting at least four feet above the surface of the ground, or by substantial stone monuments at least three feet high, to-wit: One at each corner of said claim and one at the center of each end-line thereof.

Sec. 8. Location notices may be amended at any time and the monuments changed to correspond with the amended location; Provided, That no change shall be made that will interfere with the rights of others.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Notice of Location

LODE CLAIM

Dated..... 19.....

Filed and Recorded at request of

T. P. Mendenhall

Nov 20<sup>th</sup> A. D. 1901,

at 230 o'clock P. M.,

Book 60, of Mines

Pages 203, Records of Yavapai

County, Arizona.

P. J. Farley

County Recorder.

By D. J. Sullivan

Deputy Recorder.

County Recorder.

I, \_\_\_\_\_, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at \_\_\_\_\_ o'clock \_\_\_\_\_ M., on this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_, and duly recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_ County, Arizona, at pages \_\_\_\_\_ of \_\_\_\_\_

Witness my hand and official seal the day and year first above written.

TERRITORY OF ARIZONA, }  
County of Yavapai. } ss.

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, Do Hereby Certify, that I have compared the foregoing with and that the same are true and correct copies of the Notices of Location (as the same appear of record in my said office), of the following named lode mining claims, situated in the Hassayampa Mining District, Yavapai County, Arizona, viz:

HIGH LINE NO.2 the amended notice of location whereof is of record in Book 86 of Mines, page 228, Records of Yavapai County, Arizona.

<sup>1912</sup>  
YAVAPAI, the amended notice of location whereof is of record in Book 86 of Mines, page 229, said records.

HIGH LINE NO.3, the amended notice of location whereof is of record in Book 86 of Mines, page 230, said records.

HIGH LINE NO.1, the original notice of location whereof is of record in Book 60 of Mines, page 200, said records.

HIGH LINE NO.4, the original notice of location whereof is of record in Book 60 of Mines, page 203, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 18th day of April, A.D.1911.



*J. C. Bradbury*  
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 8, 1911.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

T. G. Norris,

known as the HIGH LINE NO. 1, HIGH LINE NO. 2, HIGH LINE NO. 3, HIGH LINE NO. 4, Hassayampa

situate in Mining District, Yavapai County, Arizona, approximately

in Section 22, Township No. 12 N., Range No. 2 W., unsurveyed, and Prescott National Forest, designated as Survey No. 2913,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 6 shafts, 1 cut, 1 tunnel and 1 winze, total value \$2490.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 8, 1911.

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

T. G. Norris,

known as the

HIGH LINE NO. 1, HIGH LINE NO. 2, HIGH LINE NO. 3, HIGH LINE NO. 4,

situate in Hassayampa mining district,

Yavapai County, Arizona, approximately

in Section 22, Township No. 12 N., Range No. 2 W., unsurveyed, Prescott National Forest, designated as Survey No. 2913,

executed by William H. Merritt, United States Mineral

Surveyor, May 2 - 5, 1911, under my instructions dated

April 20, 1911, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank S. [Signature]

U. S. Surveyor-General for Arizona,