

JUN 6-1911

4-683.

MINERAL SURVEY No. 2917 A and B

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

A. M. Forman

KNOWN AS THE

Home Stead lode and mill site

Mineral Creek Mining District,

Pinal County, Arizona

Sections 11 and 36, Township 3 S, Range 13 E (unsurv.)

Surveyed under instructions dated May 22nd. 1911, 19

by Geo. C. Clark U. S. Mineral Surveyor.

Claim located See location Notices, 19

Survey commenced See location certificates 19
May 23d. 1911

Survey completed June 1st. 1911, 19

6-822

Claimants Address: Ray, Pinal County, Arizona.

Survey #2917 A

Feet

Home Stead Lode

Beginning at cor. No. 1, the S. W. cor., identical with the N. W. cor. of an unsurveyed fractional claim name unknown, owned by David L. Horn and H. P. Foley,

A pine post 4 ft. long, 4 ins. sq. set 2 ft. in the ground in a mound of stones, scribed 1/2917 A/ H.S whence

Cor. No. 3 Survey No. 2605 Era No. 1 lode bears S 2°16' W 68.65 ft.

Cor. No. 1 Survey No. 2718, Mineral Zone No. 8 bears S 2°16' W 184 ft.

Original S. W. cor. of location bears S 79°51' W 193 ft.

A quartzite rock 18x12x12 ins., chiseled + 1-2917A B. R bears N 75°58' E 52 ft.

U. S. M. M. No. 2718 bears S 2°16' W 2054 ft.

Thence N 79°51' E

50.00 To the E bank of Mineral Creek, course S.
97.4 Intersect lode line.
107.00 To original location for the S end center, a mound of stones, 3 ft. high, 3 ft. base,

407.42 To cor. No. 2, the S. E. cor., identical with location and with the S. W. cor. unsurveyed Iron Queen lode, owned by the Don Pugh estate,

A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scribed 2/2917 A/ H. S. whence

A quartzite rock in place 3x2x2 ft., chiseled + 2-2917 A B. R. bears N 79°51' E 35.6 ft.

Thence N 1°43'30" W

616.69 To cor. No. 3, identical with the N. W. cor. unsurveyed Iron Queen lode, and on the S end line of the unsurveyed Nellie lode, Robert Jackson, owner,

A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scribed 3/2917A/ H. S.

No bearing objects available

Survey 2917 A

Feet

Home Stead ~~lode~~

Thence S 87°12' W

197.16

To cor. No. 4, identical with the S. W. cor. of the unsurveyed Nellie lode, owned by Robert Jackson,

A pine post 3.5 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scribed 4/2917A/H. S.

whence

A quartzite rock in place 3x4x3 ft., chiseled + 4-2917 A-B. R. bears N 87°12' E 13.10 ft.

Thence N 2° 37' E

850.67

Along the W. side line of the unsurveyed Nellie lode to cor. No. 5, the N. E. cor., identical with the S. E. cor. of the unsurveyed Bonn Fraction, Robert Jackson, owner

A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones, scribed 5/2917A/H. S.

whence

A tuff rock in place 1.5 ft. sq. 1 ft. high, chiseled + 5-2917A-B. R. bears N 2° 37' E 6.6 ft.

Original location for the N. E. cor. bears N 86° 38' E 160 ft.

Thence S 79° 51' W

130.6

Intersect lode line.

167.69

To cor. No. 6, the N. W. cor, identical with a cor. of the unsurveyed Bonn Fraction,

A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of earth and stones, scribed 6/2917A/HS

whence

Original location for the N end center bears N 43° 54' E 50 ft.

Original location for the N. W. cor. bears N 81° 13' W 280 ft.

Cor. No. 4 Mineral Zone No. 4, survey No. 2718 bears N 2° 16' E 116 ft.

No other bearing objects available

Survey 2917 A

Feet

Home Stead Lode

Thence S 2° 16' W .

184.00 To E end center Survey No. 2718 Mineral Zone No. 4
lode

484.00 To cors. Nos. 1 and 4, Survey No. 2718, Mineral Zone
No. 4 and Mineral Zone No. 6, lodes.

784.00 To E end center Mineral Zone No. 6, Survey No. 2718

845.00 To intersect E bank Mineral Creek, course southerly

1084.00 To cors. Nos. 1 and 4, survey No. 2718, Mineral Zone No.
6 and Mineral Zone No. 8

1384.00 To E end center Mineral Zone No. 8, survey No. 2718

1500.00 To cor. No. 1, the place of beginning

Variation at all corners 14° E

Lode Line

As near as can be determined from present development
the presumed course of the vein on this location, is from
the Discovery Cut No. 1, N 798 ft. and S 690.2 ft.
(690.2)

Survey 2917 B

Home Stead Mill Site

Beginning at cor. No. 1, identical with location,
A pine post 4 ft. long, 4 ins. sq., set 2.5 ft. in ground
in a mound of earth and stones, scribed 1/2917B/HSMS
whence

Cor. No. 1, Home Stead lode of this survey bears
N 18° 32' W 22134 ft.

The W $\frac{1}{4}$ cor. sec 6 T 4 S R 14 E bears S 24° 36' 30" E
7394.50 ft.

No other bearing objects available

Thence N 27° 5' 18" E

230.00 To the W bank Mineral Creek, course southwesterly

Survey 2917 B

Feet.

Home Stead Mill Site

- 330.28 To cor. No. 2, identical with location,
A pine post 4 ft. long, 4 ins. sq., set 2 ft. in the
ground in a mound of stones, scribed 2/2917B/HSMS
whence
A pine post 4 ft. long, 4 ins. sq., set 2 ft. in
the ground in a mound of stones, scribed B. P. 2/2917B/
HSMS bears S 63° 40' W 148.65 ft.
An ash tree 18 ins. diameter, scribed + 2/2917B -
B. T. bears N 6° 36' 30" E 38.65 ft.
Thence N 0° 8' 20" E
- 130.00 To the W bank of Mineral Creek
- 471.27 To cor. No. 3, the N. E. cor., identical with location,
A pine post 4 ft. long, 4 ins. sq. set 2 ft. in the
ground in a mound of earth and stones, scribed 3/2917B/
HSMS, whence
A sycamore tree 24 ins. diameter, scribed B. T. 3/
2917 B + bears N 18° 27' E 145.6 ft.
Thence S 63° 47' 30" W
- 290.00 To center wagon road
- 474.00 To cor. No. 4, the N. W. cor., identical with locat-
ion and with cor. No. 1 Survey No. 2881 B, Alma Mill Site
A pine post 3 ft. high, 4 ins. sq. in a mound of
stones, scribed 4/2917B/HSMS
No bearing objects available
Thence S 26° 12' 30" E
- 181.50 To center of wagon road
- 466.50 To cor. No. 5, identical with location and with cor.
No. 4, Survey No. 2881 B Alma mill site
A pine post 2 ft. high, 4 ins. sq. in a mound of
earth and stones, scribed 5/2917B/HSMS
whence *No bearing objects available*
~~A mesquite tree, 2 ft. diameter scribed B.T.5-2917B +
bears N 36° 8' 30" W 169 ft.~~

Survey 2917 B

Feet.

Home Stead Mill Site

Thence S 45° 59' 30" W

489.00 To cor. No. 6, the S. W. cor., identical with location and with cors. Nos. 3 and 4, Survey No. 2881 B, Alma and Copper King mill sites

A pine post 2 ft. high in a mound of earth and stones scribed 6/2917B/ HSMS, post is 4 ins. sq.

whence

A mesquite tree, 2 ft. diameter, scribed B. T. 6-2917 B + bears N 35° 8' 30" W 169 ft.

Thence N 64° 14' 56" E

465.67 To cor. No. 1, the place of beginning

Containing 5 Acres

Variation at all corners 14° E

Area

Total Area Home Stead lode	8.693 Acres
Total Area Home Stead mill site	5.000 "

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon this claim by the claimant is not less than five hundred dollars and that said improvements consist of;-

No. 1	Discovery Cut 4x6x5 ft., course S, bears from cor. No. 4 N 73° W 94 ft.	\$ 10.00
No. 2	Shaft 4x6x9 ft., bears from same point N 30° W 35 ft.	\$ 30.00
No. 3	Shaft 4x6x42 ft. bears from same point N66°W 115 ft.	\$504.00

Other Improvements

One story frame house, facing S, N. E. cor. bears from cor. No. 4, S 88° 30' W 116 ft.

Survey 2917

A & B

con. No. Instrument.

One report
The Survey was made with a C. L. Berger transit No. 6072. The courses were deflected from the true meridian as determined by direct solar observations.

No. 2

No. 8

The distances were measured with a 300 ft. steel tape..

Location

The survey is located in the Mineral Creek mining district, Pinal County, Arizona, on unsurveyed lands, the lode in Sec. 11, ^{in Sec. 36} the mill site, T 3 S R 13 E, Gila and Salt River Base and Meridian.

Adjoining Claims

The lode claim of this survey is adjoined by, on

North	Bonn Fraction, unsurveyed Robert Jackson, Owner.
East	Nellie lode, unsurveyed, same owner Iron Queen lode, unsurveyed, Don Pugh estate, owner
South	An unsurveyed fraction, name unknown, owned by David L Horn and H. P. Foley
West	Survey No. 2718, Mineral Zone No. 4, Mineral Zone No. 6, Mineral Zone No. 8 lodes, Ray Con. Copper Co., owners

The mill site claim of this survey is adjoined by, on

North	Unclaimed ground
East	Unclaimed ground
South	Unclaimed ground
West	Survey No. 2881 B, Copper King and Alma mill sites, John A. Tillman, Owner

Report

The exterior boundaries of the survey were run directly upon the ground. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

Survey 2917 A and B

Continued

The W. $\frac{1}{4}$ cor. sec 6 T 4 S R 14 E is the nearest cor. of the public survey that could be found and identified.

Survey No. 2718 Mineral Zone No. 4, Mineral Zone No. 6 and Mineral Zone No. 8. All the corners are pine posts properly set and scribed with the number of the corner and survey.

The original location monuments of this survey were all mounds of stone 3 ft. high, 4 ft. base, except the S end center of location which was 3 ft. high, 3 ft. base.

Geo. C. Clark

U. S. Mineral Surveyor

June 1st. 1911

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Geo. C. Clark

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

A. M. Forman

known as the Home Stead lode and Mill Site

and showing the respective capacities in which they acted.

E. D. Chandler, Chainman.

Harry J. Orr, Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, Harry J. Orr

and E. D. Chandler, do solemnly swear that we assisted

Geo. C. Clark, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of A. M. Forman

known as the Home Stead lode and Mill Site

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

E. D. Chandler, Chainman.

Harry J. Orr, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 26

day of May, 1911

G. O. Nolan

Notary Public

My Commission Expires Aug. 26. 1913

10
JUL 26 1911

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Geo. C. Clark, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 22nd 1911, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of

A. M. Forman, known as the Home Stead lode and mill site, situate in Mineral Creek Mining District, Pinal County, Arizona, in Sections 11 & 36, Township No. 3 S, Range No. 13 E, unsurveyed, G & S R B & M and designated as Survey No. 2917 A and B, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Geo. C. Clark
U. S. Mineral Surveyor.

Subscribed and sworn to by the said George C. Clark
U. S. Mineral Surveyor, before me _____
this 26th
day of July, 1911

Frank S. Ingalls
U. S. Surveyor General, Arizona

Notice of Location.


NOTICE IS HEREBY GIVEN that the home stead Mining Claim was located by A. M. Farnman on this 15 day of June 1907, for mining purposes. Said claim is 1,500 feet in length along this vein or deposit of mineral-bearing rock in place, and 300 feet in width on each side of the center of said vein or deposit, from end to end of said claim. The general course of this claim is northerly and southerly and it is situated in the Mineral Creek Mining District, Pinal County, Arizona, about about one mile north of the ray mine

(Write on above lines the distance and direction the claim is from some permanent natural object, such as a mountain peak, stream, etc.) This claim runs from the discovery monument, or stake, on which this notice is posted, 750 feet in a northerly direction to the north end center end monument, or stake, and 750 feet in a southerly direction from the aforesaid location monument, or stake, to the south end center end monument, or stake, and is also marked by two corner monuments, or stakes, at each end of said claim, one on each side of and 300 feet from the center end monuments, or stakes, making the claim in the form of a parallelogram.

A. M. Farnman

Locator

How to monument a claim:



Stone monuments must be three feet high; Stakes must be four feet above ground and substantial, no thickness is specified. You can record as soon as you locate if you desire to, and do your location work at any time within 90 days from date of location.

How to fill out a location notice:

Notice of Location.

Notice is hereby given that the Copper King Mining claim was located by John Doe and Richard Roe on this 11th day of June 1901, for mining purposes. Said claim is 1500 feet in length along this vein or deposit of mineral-bearing rock in place, and 300 feet in width on each side of the center of said vein or deposit, from end to end of claim. The general course of this claim is North and South and it is situated in the Mineral Hill Mining district, Pinal county, Arizona, about Two Miles Southeast from Rock Peak. This claim runs from the discovery monument, or stake, upon which this notice is posted, 750 feet in a Southerly direction to the Southerly center end monument, or stake, and 750 feet in a Northerly direction from the aforesaid location monument, or stake, to the Northerly center end monument, or stake, and is also marked by two corner monuments, or stakes, at each end of said claim, one on each side of and 300 feet from the center end monuments, or stakes, making claim in the form of a parallelogram.

JOHN DOE,
RICHARD ROE
Locators.

MAY 4-1911

NOTICE OF LOCATION

OF THE

Mining Claim.

TERRITORY OF ARIZONA, }
County, } ss.

I,

hereby certify that I am a locator of the within

named claim and that the location work was

performed thereon within 90 days from the

date of location, to the full amount and in

the manner required by law.

WITNESS my hand and seal this.....

day of.....190.....

[SEAL.]

Arizona Blad form. For sale at Blad office only.

A. M. Foreman

Kelvin

Homestead

TERRITORY OF ARIZONA, }
County of Pinal. } ss.

I, G. F. Watson, Recorder in and for the County of Pinal, Territory aforesaid, do hereby certify that the annexed instrument was filed and recorded at request of

A. M. Foreman

on the 6th day of September

A. D. 1907, at ----- minutes past

9 o'clock A. M. in Book No. --26

of --Mines-- Page --16--

WITNESS my hand and official seal this

6th day of September 1907-

G. F. Watson

Recorder

By M. N. Wells Deputy.

11A

MAY 21 1911

HOME STEAD MILL SITE.



Territory of Arizona)
County of Pinal) ss

Know all men by these presents that A. M. Forman does hereby declare and publish as a legal notice to all the world that he has a valid right to the occupation, possession, and enjoyment of all and singular, that tract or parcel of land, not exceeding five acres, situate, lying, and being in The Mineral Creek Mining District, in the County of Pinal, in the Territory of Arizona, bounded and described as follows, to-wit:

Beginning at the Southwest corner, identical with the Southwest corner Alma Mill Site, Survey No. 2881 B; Thence Northeasterly 460 feet to a pine post in a mound of stones; Thence Northeasterly 350 feet to a pine post in a mound of stones at the Southeast corner; Thence Northerly 430 feet to a pine post in a mound of stones at the Northeast corner; Thence Southwesterly 475 feet to a pine post in a mound of stones, the Northwest corner identical with the Northeast corner of the Alma Mill Site, Survey No. 2881 B.; Thence Southeasterly 470 feet to the Southeast corner of said Alma Mill Site; Thence Southwesterly 490 feet to the place of beginning.

This claim is located on the North bank of Mineral Creek, about five miles in a Southerly direction from the Home Stead Mining claim, and about two miles in a Northerly direction from the town of Kelvin.

dated and fasted this 10th day of May 1911

A M Forman

12A

INDEXED
COMPARED

HOME STATE MINING

TERritORY OF ARIZONA
County of Pinal

I, G. F. Watson, Recorder for the County of Pinal, Territory of Arizona, do hereby certify that the mineral instrument

was filed and recorded at request of

on the 12th day of May

A. D. 1901, at _____ minutes past

9 o'clock A.M. in Book No. 13

of Miscell Page 237

WITNESS my hand and official seal this

12th day of May 1901

By _____ Recorder.
Deputy.

G. F. Watson

Territory of Arizona }
County of Pinal }

Known all men by these presents that A. W. Brown
has granted unto the said A. W. Brown
all that certain parcel of land, situate,
position, and enjoyment of all and singular, that tract
or parcel of land, not exceeding five acres, situate,
lying, and being in the Mineral Greek Mining District, in
the County of Pinal, in the Territory of Arizona, bounded and
described as follows, to-wit:

Beginning at the southeast corner, identical
with the southwest corner Ains Mill Site, Survey No. 2881 B;
Thence Northeasterly 460 feet to a pine post in a mound of stones;
Thence Northeasterly 250 feet to a pine post in a mound of stones
at the Southeast corner; Thence Northerly 450 feet to a pine
post in a mound of stones at the Northeast corner; Thence
Southwesterly 478 feet to a pine post in a mound of stones,
the Northwest corner identical with the Northeast corner of
the Ains Mill Site, Survey No. 2881 B.; Thence South-
easterly 470 feet to the Southeast corner of said Ains Mill Site;
Thence Southwesterly 490 feet to the place of beginning.

This claim is located on the North bank of Mineral
Greek, about five miles in a Southerly direction from the
Home Head Mining claim, and about two miles in a Northerly
direction from the town of Kevin.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 18, 1911, 1910

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of A. M. Forman

known as the HOME STEAD LODE AND MILL SITE

situate in Mineral Creek

Mining District, Pinal County, Arizona

in Section s. 11 and 36, Township No. 3 S., Range No. 13 E. uns., and

designated as Survey No. 2917 A & B, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 cut and 2 shafts, total value \$544.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls

United States Surveyor-General for Arizona

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 18, 1911, 1900

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of A. M. Forman

known as the

HOME STEAD LODE AND MILL SITE

situate in Mineral Creek mining district,

Pinal County, Arizona

in Sections 11 and 36, Township No. 3 S., Range No. 13 E. uns.

designated as Survey No. 2917 A & B

executed by Geo. C. Clark, United States Mineral

Surveyor, May 23, - June 1, 1911, 1900, under my instructions dated

May 22, 1911, 1900, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of J. S. Ingalls

U. S. Surveyor-General for Arizona.