

4-683.

MINERAL SURVEY No. 2926.

LOT No. \_\_\_\_\_

Arizona

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Shannon Copper Company

KNOWN AS THE

New Century, Copper Era, Gosson King, and Little Monitor

Greenlee Gold Mountain

Mining District,

Greenlee

County,

Arizona,

Approx.

Sections 26 & 27, Township 3 S., Range 29 E. unsurveyed.

Surveyed under instructions dated May 22, 1911

by Lamar Cobb

U. S. Mineral Surveyor.

Claim located ( see Location notices ) 19

Survey commenced May 24, 1911

Survey completed May 29, 1911

6-322

Attorney for claimant

J.R.Hampton,

Clifton, Arizona.

26 5 - 2

feet

Survey No. 2926

New Century

Beginning at Cor. No. 1

A pine post, in place, 4 X 6 ins., 3 ft. high, with mound of stone, scribed N C 1-2926, whence

A cross ( X ) and BR 1-2926 chiseled on limestone bed rock 5 X 6 ft., facing Southeast, bears S 58° 39' W. 30.8 ft.

U. S. L. M. No. 2 bears S. 78° 41' W. 2795.8 ft.

Thence N. 44° 20' E.

- 104.28 Intersect the Southwest side line of the Edna lode, unsurveyed, and the Northeast end line of the Lacey lode, unsurveyed, at N. 74° 48' W. 371.7 ft. from the Northeast Cor. of the Lacey lode, 330 ft. from the Southeast Cor. of the Edna lode, and 272.2 ft. from its intersection with line 1-2, Sur. No. 2485 Boulder Mine lode, whence Cor. No. 2 Sur. No. 2485 Boulder Mine lode bears N. 28° 47' E. 213.46 ft.
297. Intersect gulch, course from North to South.
- 703.96 Intersect the South side line of the Parole lode, unsurveyed, at S. 88° 29' W. 269.83 ft. from the Southeast Cor.; and at 71.56 ft. from its intersection with the Southeast end line of the Edna lode, unsurveyed, whence the Northeast and the Southeast Cors. of the Edna lode bear N. 18° 23' E. 55.7 ft., and S. 18° 23' W. 545.22 ft., respectively.
- 791.18 Intersect the Northeast side line of the Edna lode, N. 74° 48' W. 29.13 ft. from the Northeast Cor., whence the intersection of the Southeast end line of the Edna lode, unsurveyed, with line 2-3, Sur. No. 2485 Boulder Mine lode bears S. 18° 23' W. 397.70 ft.
- 995.73 Intersect the Southwest side line of the Paisano lode, unsurveyed, at N. 78° 05' W. 21.5 ft. from the Southeast Cor.

- feet  
1017.29 Intersect the East end line of the Paisano lode, unsurveyed, at N. 16°45' W. 20.74 ft, from the Southeast Cor.
- 1193.53 Northeast Cor. of the Parole lode, unsurveyed, and  
On the South side line of the East Lynne lode, unsurveyed, at N. 11°55' E. 350.6 ft. from the Southeast Cor. of the Parole lode, unsurveyed, and N. 82°03' E. 156.11 ft. from the Southwest Cor. of the East Lynne lode, unsurveyed.
1500. To Cor. No. 2.  
A pine post, in place, 4 X 6 ins., 3 ft. high, with mound of stone, scribed N C 2-2926.  
No bearings available.  
-----  
Thence S. 38°11' E.
217. Intersect line 1-2 Copper Era lode, of this survey, at N. 35°31' E. 989.20 ft. from Cor. No. 1, and  
Intersect the South side line of the East Lynne lode, unsurveyed, at N. 82°03' E. 507.8 ft. from the Southwest Cor.
300. Northeast end center of the location and lode.
- 555.2 To Cor. No. 3.  
A pine post, in place, 4 X 6 ins., 3 ft. high, with mound of stone, scribed N C 3-2926, whence  
A cross ( X ) and B R 3-2926 chiseled on limestone bed rock 4 X 6 ft., bears N. 38°11' W. 11.1 ft.  
-----  
Thence S. 44°20' W.
- 882.33 Intersect line 2-3, Sur. No. 2485 Boulder Mine lode, at S. 61°13' E. 384 ft. from Cor. No. 2., and at 364.5 ft. from its intersection with the Southeast end line of the Edna Lode, unsurveyed, whence the Southeast Cor. of the Edna Lode bears S. 18°23' W. 203.22 ft., and  
Intersect line 5-1 Copper Era lode, of this survey,

feet at S. 61°13' E. 190.7 ft. from Cor. No. 1.

1500. To Cor. No. 4.

A pine post, in place, 4 X 6 ins., 3 ft. high, with mound of stone, scribed N C 4-2926, whence

A cross ( X ) and B R 4-2926 chiseled on porphyry bed rock, 1 X 1 ft., facing West bears N. 37° E. 3.1 ft.

-----

Thence N. 38°11' W.

132.27 Intersect the East side line of the Lacey lode, unsurveyed, at S. 28°48' W. 353.22 ft. from the Northeast Cor.

230. Intersect gulch, course from North to South.

237.31 Intersect line 1-2, Sur. No. 2485 Boulder Mine lode, at S. 28°47' W. 502.21 ft. from Cor. No.2, and 288.75 ft. from its intersection with the Northeast end line of the Lacey lode, unsurveyed.

255.2 Southwest end center of the location and lode.

555.2 To Cor. No. 1, the place of beginning.

-----

Copper Era lode.

Beginning at Cor. No.1.

On line 2-3, Sur. No. 2485 Boulder Mine lode.

A pine post, in place, 4 X 6 ins., 3 ft. high, with mound of stone, scribed C E 1-2926, whence

No bearings available

U. S. L. M. No. 2 bears S. 79°05' W. 3410.2ft.

-----

Thence N.35°31' E.

989.20 Intersect line 2-3 New Century lode, of this survey, at N. 38°11' W. 338.2ft. from Cor. No. 3, and

Intersect the Southside line of the East Lynne lode, unsurveyed, at N.82°03' E. 507.8 ft. from the Southwest Cor.

1422.20 To Cor. No.2.

A pine post, in place, 4 X 4 ins., 3 ft. high, with mound of stone scribed C E 2-2926, whence

feet

No bearings available.

-----

Thence S. 61°13' E.

300. Northeast end center of the location and lode.

525.7 To Cor. No. 3.

On line 1-2 Gosson King lode, of this survey, and

On the South side line of the East Lynne lode, unsurveyed at N.82°03' E. 1227 ft. from the Southwest Cor.

A pine post, in place, 4 X 4 ins., 3 ft. high, with mound of stone, scribed C E 3-2926, whence

Cor. No. 1 Little Monitor lode, of this survey, bears S. 0°57' E.

-----

Thence S. 35°31' W.

1333.5 To Cor. No. 4.

Identical with Cor. No. 1 Gosson King lode, of this survey, and

On line 2-3, Sur. No. 2485 Dead Pine lode.

A pine post, in place, 4 X 6 ins., 3 ft. high, with mound of stone, scribed G K 1-, C E 4-2926, whence

A cross ( X ) and B R 1-4-2926 chiseled on limestone bed rock 2.5 X 3 ft. bears S. 84°32' W. 21.4 ft.

-----

Thence S. 84°32' W.

29.5 Cor. No. 3 Sur. No. 2485 Lone Pine lode.

156.5 To Cor. No. 5.

Identical with Cors. Nos. 2-2-3 Sur. No. 2485 Lone Pine, Dead Pine, and Boulder Mine Lodes, respectively,

A pine post, in place, 4 X 6 ins., 3 ft. high, with mound of stone, scribed C E 5-2926, whence

A cross ( X ) and B R 5-2926 chiseled on limestone bed rock 1.5 X 2 ft., 1 ft. high, bears N.64° E. 9.9 ft.

-----

feet

Thence N. 61°13' W.

106.7 Southwest end center of the location and lode.

216. Intersect line 3-4 New Century lode, of this survey, at S. 44°20' W. 882.33 ft. from Cor. No. 3.

406.7 To Cor No. 1, the place of beginning.

Gosson King lode

Beginning at Cor. No. 1.

On line 2-3 Sur. No. 2485 Dead Pine lode, and

Identical with Cor. No. 4 Copper Era lode, of this survey, heretofore described, whence,

U. S. L. M. No. 2 bears S. 83°08' W. 3888.5 ft.

Thence N. 35°31' E.

1333.5 To Cor. No. 3, Copper Era lode of this survey.

1500. To Cor. No. 2.

A pine post, in place, 4 X 4 ins., 3 ft. high, with mound of stone, scribed G K 2-2926, whence

Dos Cabezas Peak bears S. 14°02' W.

West side of water tanks at Morenci bears S. 18°41' W.

Thence N. 84°32' E.

397.4 Northeast end center of the location and lode.

490. Intersect gulch, course from Northeast to Southwest.

794.8 To Cor. No. 3.

A pine post, in place, 4 X 4 ins., 3 ft. high, with mound of stone, scribed G K 3-2926, whence

A cross ( X ) and B R 3-2926 chiseled on Malpai bed rock bears S. 24°36' E. 12 ft.

Thence S. 35°31' W.

705.19 Intersect line 2-3 Little Monitor lode, of this survey, at N. 84°32' E. 521.27 ft. from Cor. No. 2

1500. To Cor. No. 4,

On line 2-3 Sur. No. 2485 Dead Pine lode, and

feet

Identical with Cor. No. 1 Little Monitor lode, of this survey.

A pine post, in place, 4 X 4 ins., 3 ft. high, with mound of stone, scribed L-M 1-, G-K 4-2926, whence,

Cor. No. 2 Gosson King lode, of this survey bears N. 4° 00' 30" E.

Cor. No. 3 Copper Era lode, of this survey, bears N. 9° 57' W.

-----  
Thence S. 84° 32' W.

250. Intersect gulch, course from Northeast to Southwest.

397.4 Southwest end center of the location and lode.

794.8 To Cor. No. 1, the place of beginning.

-----  
Little Monitor lode.

Beginning at Cor. No. 1.

On line 2-3 Sur. No. 2485 Dead Pine lode, and

Identical with Cor. No. 4 Gosson King lode, of this survey, whence

U. S. L. M. No. 2 bears S. 83° 22' W. 4683.2 ft.

-----  
Thence N. 5° 28' W.

300. West end center of the location and lode.

378. Intersect gulch, course from Northeast to Southwest.

600. To Cor. No. 2.

A pine post, in place, 4 X 6 ins., 3 ft. high, with mound of stone, scribed L M 2-2926, whence

A cross ( X ) and B R 2-2926 chiseled on limestone bed rock 5 X 10 ft. bears S. 5° 28' E. 7.3 ft.

-----  
Thence N. 84° 32' E.

145. Intersect gulch, course from Northeast to Southwest.

521.27 Intersect line 3-4 Gosson King lode; of this survey, at N. 35° 31' E. 794.81 ft. from Cor. No. 4.

feet  
1498.2

To Cor. No. 3.

A pine post, in place, 4 X 4 ins., 3 ft. high, with mound of stone, scribed L M 3-2926, whence

No bearings available.

-----  
Thence S. 5°28' E.

300. East end center of the location and lode.

593.91 Intersect line 2-3 Sur. No. 2485 Iolanthe lode at N. 84° 15' E. 948.87 ft. from Cor. No. 2.

600. To Cor. NO. 4.

A pine post, in place, 4 X 4 ins., 3 ft. high, with mound of stone, scribed L M 4-2926, whence

A cross ( X ) and B R 4-2926 chiseled on quartz-iron bed rock, 3 X 4 ft. bears N.5°50' W. 20.7 ft.

-----  
Thence S. 84°32' W.

949.5 Cor. No. 3 Sur. No. 2485 Dead Pine lode, and Intersect line 1-2 Sur. No. 2485 Iolanthe lode, at S. 19°40' W. 1.5 ft. from Cor. No. 2.

1498.2 To Cor. No. 1, the place of beginning.

-----  
Variation at all corners 13° E.

-----  
Lode Lines

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

New Century lode, 1500. ft. S. 44° 20' W.

Copper Era lode 1422.2 ft. N.35° 31' E.

Gosson King lode 1500. ft. N. 35° 31' E.

Little Monitor lode 1498.2 ft. S.84° 32' W.

	Area	Acres	Acres
Total area New Century lode			18.956
Area in conflict with-*			
Sur.No.2485 Boulder Mine lode		3.882	
Lacey lode,unsurveyed		1.967	
Lacey lode,unsurveyed,(exclusive of its conflict with Sur.No.2485 Boulder Mine lode (713 A))		1.254	
Edna lode,unsurveyed		2.474	
Edna lode,unsurveyed,(exclusive of its conflict with Sur.No.2485 Boulder Mine lode (183 A))		2.291	
Parole lode, unsurveyed		1.056	
Paisano lode,unsurveyed.		0.004	
Parole lode,unsurveyed,( exclusive of its conflict with Paisano lode,unsurveyed) (.004 A)		1.052	
Parole lode,unsurveyed,( exclusive of its conflict with the Edna lode,unsurveyed) (.068 A)		0.988	
East Lynne lode,unsurveyed		0.757	
CopperEra lode, of this survey		5.546	
Total area Copper Era lode			16.924
Area in conflict with -			
East Lynne lode,unsurveyed		2.595	
Total area Gosson King lode			20.661
Area in conflict with Little Monitor lode, of this survey.		3.590	
Total area Little Monitor lode			20.636
Area in conflict with -			
Sur. No.2485 Iolanthe lode		0.080	

-----

The survey of each lode of this location is identical with the respective amended location as staked on the ground.

-----

Adjoining lodes.

This claim is bounded as follows:

On the North by the East Lynne lode, unsurveyed, Stevens Copper Co. claimant; on the East unlocated ground; on the South by Sur. No. 2485 Iolanthe, Dead Pine, Lone Pine, and Boulder Mine lode, Arizona Copper <sup>Company,</sup> Claimant, and the Lacey lode, unsurveyed, Stevens Copper Co. claimant; and on the West by the Lacey, Edna, Parole, Paisano, and East Lynne lodes, unsurveyed, Stevens Copper Co. claimant.

Location

This claim is located approximately in Sections 26 and 27, T. 3 S., R. 29 E., <sup>U.S.</sup> of the Gila & Salt River Meridian, Greenlee Gold Mountain Mining District, Greenlee County, Arizona.

Instrument.

This survey was made with a Buff & Berger Light Mountain Transit.

The courses were deflected from the true meridian as determined by Polaris observations.

The distances were measured with 500 ft. and 5 ft. steel tapes.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that the said improvements consist of:

New Century lode.

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the Northeast end center.

No. 2. A tunnel the mouth of which bears from a point on line 1-2, 422 ft from Cor. No. 1. N. 83°05' E. 69 Ft., running N. 83° 05' E. 225 ft.; thence S. 68° E. 70 ft., 5 X 6 ft.: Total value \$2,950.00.

Value  $\frac{1}{4}$  interest \$737.50

## Copper Era.

No. 1. The discovery, showing mineral in place in the outcrop, which is on the lode line at the Southwest end center.

No. 2. An open cut which bears from Cor. No. 1, N. 70° E. 247 ft. 6 X 10 ft., 10 ft. face.

Value \$ 75.00

Note: An undivided  $\frac{1}{2}$  interest in the New Century No. 2 Tunnel is accredited to this lode.

Value  $\frac{1}{2}$  interest \$737.50

## Gosson King lode.

No. 1. The discovery, showing mineral in place in the outcrop, which is on the lode line at the Southwest end center.

No. 2. A shaft which bears from Cor. No. 4 N. 50° W. 275 ft. 4 X 6 ft., 7 ft. deep.

Value \$ 70.00

No. 3. A tunnel the mouth of which bears from Cor. No. 4 N. 48° 20' W. 235 ft. running N. to connect with shaft No. 2, 4 X 6 ft. 29 ft. long.

Value \$ 290.00

Note: An undivided  $\frac{1}{2}$  interest in the New Century No. 2 Tunnel is accredited to this lode.

Value  $\frac{1}{2}$  interest \$737.50

Note: An undivided  $\frac{1}{2}$  interest the Little Monitor No. 2 Shaft is accredited to this lode.

Value  $\frac{1}{2}$  interest \$ 85.00

Note: An undivided  $\frac{1}{2}$  interest in the Little Monitor No. 3 Tunnel is accredited to this lode.

Value  $\frac{1}{2}$  interest \$515.00

## Little Monitor lode

No. 1 The discovery, showing mineral in place in the outcrop, which is on the lode line at the East end center.

No. 2. A shaft which bears from Cor. No. 1 N. 6° 10' E. 604 ft., 5 X 5 ft., 17 ft. deep. Total value \$170.00

Value  $\frac{1}{2}$  interest \$ 85.00

No. 3. A tunnel the mouth of open cut approach to which bears from a point on line 4-1, 1039. ft. from Cor. No. 4 N. 41°05' E. 369 ft., running N. 55° W. 10 ft. in open cut and 65 ft. in tunnel; thence N.30° W. 38 ft., 4 X 6 ft. Total value \$ 1030.

Value  $\frac{1}{2}$  interest \$ 515.00

Note: An undivided  $\frac{1}{4}$  interest in the New Century No. 2 Tunnel is accredited to this lode.

Value  $\frac{1}{4}$  interest \$ 737.50

Note:

The general slope of the country is from the Southwest to Northeast. The New Century No. 2 Tunnel is located at the lowest accessible point and if it is continued in its present general direction it will cut the veins of the several locations several hundred ft. in depth. Its location is well suited for the development of the four lodes in this claim as a whole, and it will enable claimant to develop the entire group with one system of workings and one plant of machinery; therefore a  $\frac{1}{4}$  interest is accredited to each the New Century, Copper Era, Gosson King, and Little Monitor lodes.

The Little Monitor No. 2 shaft and No. 3 tunnel are common workings for this lode and the Gosson King lode. No. 3 tunnel if continued to connect with the No. 2 shaft and thence along the vein of the Gosson King lode will afford a practicable and economical method for the development of both lodes: therefore an undivided  $\frac{1}{2}$  interest in the Little Monitor No. 2 and No. 3 workings have been accredited to each the Little Monitor and Gosson King Lodes. As the other claims of this survey can be developed to a much greater depth with about the same cost from No. 2 tunnel on the New Century lode, --I do not consider their development from the Little Monitor No. 2 shaft and No. 3 tunnel, feasible.

Report

U. S. L. M. No. 2 is a pine post 6 X 6 ins. 7 ft. high properly set and scribed.

Sur. No. 2485 Lone Pine, Dead Pine, Iolanthe, and Boulder Mine lodes:

All the corners of this survey are pine posts properly set and scribed.

Lacey, Edna, Parole, Paisano and East Lynne lodes, unsurveyed:

All corners are pine posts properly set and marked.

The end center monuments of all the lodes in this claim are monuments of stone.

The differences between these field notes and the returns of prior surveys are due to errors in the latter.

The differences between these field notes and the location certificates are due to errors in the latter.

*Lawrence C. ...*

U. S. Mineral Surveyor.

MAR 19 1913

MAR 11 1913

14

a-12-4

Phoenix, Arizona, March 10, 1913.

U. S. Surveyor General,  
Phoenix, Arizona.

Sir:

Pursuant to your instructions in letter of December 4, 1912 and in compliance with those of the Commissioner of the General Land Office, I herewith give the field notes of the conflict between the East Lynne lode unsurveyed with survey No. 2926 Gosson King lode:

"Beginning at Cor. 2 Gosson King; thence N. 84° 32' E. along line 2-3 said Gosson King, to an intersection with 166.9 ft. to the East end line of East Lynne; thence S. 16° along said east end line of East Lynne, 45' E. 115.0 ft. to the S. E. Cor. East Lynne; thence S. 82° along the south side line East Lynne, to its intersection with line 1-2 Gosson King, being 03' W. 298.8 ft. at Cor. 3 Copper Era Sur. 2926; thence N. along said line 1-2 Gosson King, 35° 31' E. 166.5 ft. to the place of beginning," containing 0.630 Acres.

Yours truly,

*Leomar Goffe*  
Mineral Surveyor.

LC/HP

-----  
Subscribed and sworn to before me this *Eighteenth* day of *March*, 1913.

*Chas. L. Berault*  
Notary Public.

My commission expires *Aug 1-1916*

(Seal)

DEPARTMENT OF THE INTERIOR,  
Office of U. S. Surveyor General,  
Phoenix, Arizona,  
March 22, 1913.

I certify that the foregoing report of Lamar Cobb, U. S. Mineral Surveyor, dated March 18, 1913, correctly describes the conflict between the Gosson King lode, Survey No. 2926, and the East Lynne lode, unsurveyed, and I further certify that the plats of Survey No. 2926 on file in the local land office in this city, in the General Land Office at Washington, D. C., and in this office, have been amended in accordance therewith, pursuant to the directions contained in General Land Office letter "N" dated November 29, 1912.

*Frank P. Ingalls*  
Surveyor-General for  
Arizona.

JUN 16 1911

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Lamar Cobb

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Shannon Copper Company

known as the New Century, Copper Era, Gosson King, and Little Monitor

and showing the respective capacities in which they acted.

J.L. Awalt, Chainman.

....., Chainman.

Pablo Gonzales, Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, J.L. Awalt

and Pablo Gonzales, do solemnly swear that we assisted

Lamar Cobb, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Shannon Copper Company

known as the New Century, Copper Era, Gosson King, and Little Monitor.

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

J. L. Awalt, Chainman.

....., Chainman.

Pablo Gonzales, Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 3<sup>rd</sup>

day of June, 1911.

Wade Hampton

Notary Public.

My Commission expires Dec. 27, 1913.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Lamar Cobb, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
May 22 nd., 1911, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of The Shannon Copper Company  
, known as the  
New Century, Copper Era, Gosson King, and Little Monitor  
situate in Greenlee Gold Mountain Mining District,  
Greenlee County, Arizona, Approx, in Sections  
26 & 27, Township No. 3 S., Range No. 29 E. unsurveyed  
and designated as Survey No. 2926, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or its grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim. -----

*Lamar Cobb*  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Lamar Cobb  
U. S. Mineral Surveyor, before me Wade Hampton  
this 30 th.  
day of May, 1911, 1911

*Wade Hampton*  
Notary Public.

*My Commission expires Dec 22, 1913.*

# AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the New Century Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Shannon Copper Co.,  
by H.A.Collin

the undersigned on the 18 th. day of May, 1911 ~~190~~  
The length of the claim is 1500 feet, and It claim s 1500 feet in a S.44°20'W. direction, and ~~-----~~ feet in a ~~-----~~ direction from the center of the discovery ~~---~~ at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, ~~about -----~~  
~~-----~~ direction from The South corner of this claim bears from the northeast corner (Cor. No.3) Boulder Mine, Sur. No.2485 S.61°29'W. 706 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at

a monument of stone at

~~at a point in a -----~~ direction ~~-----~~ feet from the discovery ~~---~~ (at which this notice is posted), being in the center of the Northeasterly end ~~line~~ of said claim; thence S.38°11'E. 255.2 feet to a pine post, being the East corner of said claim; thence S.44.°20'W. 1500 feet to a pine post, being at the South corner of said claim; thence N.38°11'W. 255.2 feet to a monument of stone being the center of the Southwesterly end of said claim; thence N.38°11'W. 300 feet to a pine post being at the West corner of said claim; thence N.44°20'E. 1500 feet to a pine post at the North corner of said claim; thence S.38°11'E. 300 feet to the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statues of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the New Century mining Claim, located by R.A.Campbell and J.T.Randle

on the 1 st. day of Jan. 1901, and recorded in Book 13 of Records of Mines at page 190 & 191, in the office of the County Recorder of the ~~aforsaid~~ County of Graham to which reference is hereby made, ~~-----~~

Dated and posted on the ground this 18 th. day of May, 1911 ~~190~~

The Shannon Copper Co.,  
by H.A.Collin.

AMENDED NOTICE OF LOCATION—Lode Claim

TERRITORY OF ARIZONA,

County of Graham

ss.

County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at


o'clock M, on this day of 190, and

duly recorded in Book No of Records of Graham County

Arizona, at pages

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

# 757

MAY 21 1911

Amended Notice of Location LODE CLAIM

*Shannon Copper*

Dated May 18 1911

Filed and recorded at request of

*Shannon Copper Company*

May 19th A. D. 1911

at *Probert* M.

Book *273-274*

Pages *273-274*

By *John J. Bunker* County Recorder

*John J. Bunker* Deputy Recorder

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the Copper Era Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Shannon Copper Co., by H.A.Collin

the undersigned on the 18 th. day of May, 1911  
The length of the claim is 1422.2 feet, and it claims 1422.2 feet in a N.35°31'E. direction, and 300 feet in a Southwest direction from the center of the discovery at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, about The South corner of this claim is identical with Cor. No.3 Boulder Mine Sur. No.2485

The surface boundaries of the claim are marked upon the ground as follows: beginning at

a monument of stone at

at a point in a Southwesterly direction 300 feet from the discovery at (at which this notice is posted), being in the center of the Southwesterly end ~~line~~ of said claim; thence N.61°13'W. 300 feet to a pine post, being the West corner of said claim; thence N.35°31'E. 1422.2 feet to a pine post, being at the North corner of said claim; thence S.61°13'E. 300 feet to a monument of stone being the center of the Northeasterly end of said claim; thence S.61°13'E. 225.7 feet to a pine post being at the East corner of said claim; thence S.35°31'W. 1333.5 feet to a pine post at the Southeast corner of said claim; thence S.84°32'W. 156.5 to the South Cor.; thence N.61°13'W. 106.7 ft. to the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statutes of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Copper Era mining Claim, located by J.T.Randle

on the 30 th. day of Jan. 1902, and recorded in Book 13 of Records of Mines at page       , in the office of the County Recorder of the Graham County of Graham to which reference is hereby made,       

Dated and posted on the ground this 18 th. day of May, 1911

The Shannon Copper Co.,  
by H.A.Collin.

TERRITORY OF ARIZONA,


County of Graham

ss.

I, \_\_\_\_\_ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at \_\_\_\_\_ o'clock \_\_\_\_\_ M, on this \_\_\_\_\_ day of \_\_\_\_\_ 190\_\_\_\_\_, and duly recorded in Book No \_\_\_\_\_ of \_\_\_\_\_ Records of Graham County Arizona, at pages \_\_\_\_\_

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

#1755

MAY 21 1911

Amended Notice of Location LODGE CLAIM

*Caplan Ben*

Dated May 18th 1911

Filed and recorded at request of

*Hannan Caplan*

*Company* A. D. 1901

at *Phoenix* M.

Book *One of Mines*

Pages *269-270*

*John A. Burke* County Recorder.

By *W. S. Bradford* Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim

To all Whom it may Concern:

This mining claim, the name of which is the Gosson King Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Shannon Copper Co., by H.A.Collin

the undersigned on the 18 day of May, 1911<sup>100</sup>  
The length of the claim is 1500 feet, and it claim s 1500 feet in a N.35°31'E. direction, and ----- feet in a ----- direction from the center of the discovery --- at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, about ----- direction from From the southwest Corner of this claim Cor. No.3 Boulder Mine, Sur. No.2485 bears S.84°32'W. 156.5 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at -----

at a monument of stone at

at a point in a ----- direction ----- feet from the discovery -- (at which this notice is posted), being in the center of the Southwesterly end line of said claim; thence S.84°32'W. 397.4 feet to a Pine post, being the Southwest corner of said claim; thence N.35°31'E. 1500 feet to a pine post, being at the Northwest corner of said claim; thence N.84°32'E. 397.4 feet to a monument of stone being the center of the Northeasterly end of said claim; thence N.84°32'E. 397.4 feet to a pine post being at the Northeast corner of said claim; thence S.35°31'W. 1500 feet to a pine post at the Southeast corner of said claim; thence S.84°32'W. 397.4 feet to the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statues of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Gosson King mining Claim, located by H.G.Rice

----- on the 1 st. day of Feb. 1900, and recorded in Book 12 of Records of Mines at page 251, in the office of the County Recorder of the aforsaid County of Graham to which reference if hereby made, -----

Dated and posted on the ground this 18 th. day of May, 1911<sup>100</sup>

The Shannon Copper Co.,  
by H.A.Collin.

TERRITORY OF ARIZONA,

County of Graham

ss.

County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at


o'clock M, on this day of 190

duly recorded in Book No of Records of Graham County

Arizona, at pages

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

# 757

MAY 21 1911

Amended Notice of Location LODGE CLAIM

*James King*

Dated May 18 1911

Filed and recorded at request of

*Shannon Cooper*

Com years May 19 1911 A. D. 1911

at Prescott M.

Book *Law of Mines*

Pages 273-274

*John J. Bunker*

County Recorder.

By *W. S. Bradford* Deputy Recorder.

AMENDED NOTICE OF LOCATION—Lode Claim <sup>2926</sup>

To all Whom it may Concern:

This mining claim, the name of which is the Little Monitor Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and amended for the purpose of exploration and purchase by The Shannon Copper Co.,

by H.A. Collin.

the undersigned on the 18 th. day of May, 1911 190

The length of the claim is 1498.2 feet, and it claims 1498.2 feet in a S.84°32'W. direction, and ----- feet in a ----- direction from the center of the discovery -- at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Greenlee Gold Mountain Mining District, in Greenlee County, Territory of Arizona, ~~about~~ -----

~~direction from~~  
From the southwest corner of this claim Cor. No.3 boulder Mine, Sur. No.2485 bears S.84°32'W. 951.3 ft.

The surface boundaries of the claim are marked upon the ground as follows: beginning at

a monument of stone at

at a point in a ----- direction ----- feet from the discovery -- (at which this notice is posted), being in the center of the Easterly end line of said claim; thence S5°28'E. 300 feet to a pinepost, being the Southeast corner of said claim; thence S.84°32'W. 1498.2 feet to a pine post, being at the Southwest corner of said claim; thence N.5°28'W. 300 feet to a monument of stone being the center of the Westerly end of said claim; thence N.5°28'W. 300 feet to a pine post being at the North west corner of said claim; thence N.84°32'E. 1500 feet to a pine post at the Northeast corner of said claim; thence S.5°28'E. 300 feet to the place of beginning.

All done under the provisions of Chapter SIX, of Title XXXII, of the revised Statues of the United States, and of an act of the General Assembly of the Territory of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

This is an Amended Location Notice of the Little Monitor mining Claim, located by H.G. Rice.

19 on the 7 th. day of Feb. 1900, and recorded in Book 12 of Records of Mines at page 249, in the office of the County Recorder of the aforsaid County of Graham to which reference if hereby made, -----

Dated and posted on the ground this 18 th. day of May, 1911 190

The Shannon Copper Co.,  
by H.A. Collin.

TERRITORY OF ARIZONA,

County of Graham

ss.


I, \_\_\_\_\_ County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at \_\_\_\_\_

o'clock \_\_\_\_\_ M, on this \_\_\_\_\_ day of \_\_\_\_\_ 190\_\_\_\_, and

duly recorded in Book No \_\_\_\_\_ of \_\_\_\_\_ Records of Graham County Arizona, at pages \_\_\_\_\_

Witness my hand and seal the day and year first above written,

County Recorder



The above diagram is to give the locator a general idea of the plan or location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

#758 MAY 21 1911

Amended Notice of Location

LODE CLAIM

Little Monrovia

Dated May 18th 1911

Filed and recorded at request of

Shannon Copper Company  
May 19th A. D. 1911

at \_\_\_\_\_  
Book \_\_\_\_\_  
Pages 2975-2976

John J. Dunbar  
County Recorder.

W. S. Bradford  
Deputy Recorder.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 18, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

The Shannon Copper Co.

known as the New Century, Copper Era, Gosson King, Little Monitor,

situate in Greenlee Gold Mountain

Mining District, Greenlee County, Arizona, approximately

in Section 26 & 27, Township No. 3 S., Range No. 29 E., unsurveyed, anddesignated as Survey No. 2926, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of  
 improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 3 tunnels, 2 cuts and 2 shafts, total value \$4585.00.

No. 2 tunnel on the New Century lode being so situated that it will, if continued in its present course, develop all four of the claims in this survey, an undivided 1/4 interest therein, value \$737.50, is properly credited to each of the claims in this group.

No. 2 shaft and No. 3 tunnel on the Little Monitor lode afford an economical method of development for both the Gosson King and Little Monitor lodes, and their value, \$170 and \$515, respectively, is properly distributed between the Gosson King and Little Monitor lodes, the development of the New Century and Copper Era lodes from these workings not being feasible, as they may be developed with about the same cost and at a much greater depth from another improvement.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona,

is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona,

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

**Department of the Interior,**

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 18, 1911., 190

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

The Shannon Copper Company,

, known as the

New Century, Copper Era, Gosson King, Little Monitor,

situate in Greenlee Gold Mountain mining district,

Greenlee County, Arizona, approximately

in Section s 26 & 27, Township No. 3 S., Range No. 29 E., unsur.,

, designated as Survey No. 2926,

executed by Lamar Cobb, United States Mineral

Surveyor, May 24 - 29, 1911, 190, under my instructions dated

May 22, 1911, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

*Frank H. Taylor*

U. S. Surveyor-General for Arizona,