

NOV. 22 1911

(4-683.)

Mineral Survey No. 2959

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Louis Goldman

Donna R. Rubin Dough Nut Supplies Copper Down Copper Bucket Bank missing Rebuck
KNOWN AS THE

Aqua Tria Mining District.

Yavapai County, Arizona

Sections 31, 32, 33 Township 13 N. Range 2 E.
697 (unmapped survey) 12 N.

Surveyed under instructions dated Nov 7, 1911.

by William A. Merritt,
U. S. ~~Deputy~~ Mineral Surveyor

Claim located See Location Notices, 1

Survey commenced Nov 9, 1911.

Survey completed Nov 14, 1911.

o 6-1071

Address:
Norris & Smith Attorneys
Prescott Arizona

Feet

Beginning at Cor.No.1.
Identical with the loc. and with Cor.No.1 Robin lode of this survey

A schist stone 4 1/2 X 26 ins. set 14 ins. in the ground with mound of stones chiseled 1-I-1-R-2959. whence:-
Cor. to Secs 31-32 on 3rd. Standard N.R. 2.E. brs. N 87°42'E 964.56 feet. No bearings available. Loc. Cor. mound of stones 3X3 ft.

94.21
1496.77

Thence N 12°26'W va. 14.°E
Intersect 3rd Standard N. S 86°54'E 985.31 ft. to cor. to sec. 31, 32 and N 86°54'W 1498.91 ft. to 1/4 Cor. on Sec. 31. To Cor.No.2.

Identical with the loc.
A schist stone 4X6X24 ins. set 12 ins. in the ground with mound of stones chiseled 2-I-2959. No bearings available.
Loc. Cor. mound of stones 3X3 ft.

Thence S 80°00'W
va. 14°E

300
500

N.C.E. identical with the loc. a mound of stones 3X3 ft.
To Cor.No.3.
Identical with the loc. and with Cor.No.2 Lightning Bug and 3 Gracie lodes, Sur.No. 1854.

A schist stone 3X10X 14 ins. with mound of stones, chiseled L-B-2, C-3-1854. I chiseled 3-I-2959. on the side facing this lode. No bearings available. Loc. Cor. mound of stones 3X3 ft.

Thence S 12°32'E
va. 14°E

808

To Cor.No.4.
Identical with Cor.No.2 Gracie and 4 Copper Queen lodes, Sur. No. 1854.

A quartz stone 6X6X8 ins. with mound of stones, chiseled G-2, C-4-1854. I chiseled 4-I-2959 on the side facing this lode. No bearings available. Loc. Cor. mound of stones 3X3 ft

Thence S 4°00'E
va. 14°E

Feet.	
463.39	Intersect 3rd. Standard N. at S 86°54'E 1572.92 ft. to Cor. to Secs. 31, 32 and N 86°54' W 911.3 ft. to 1/4 Cor.
692	To Cor. No. 5. Identical with the loc ^{ation} and with Cor. No. 4 Robin lode of this survey A schist stone 4X6X24 ins. set 12 ins. in the ground with mound of stones chiseled 5-I.4-R-2959. No bearings available. Loc. 6or. mound of stones 3X3 ft.
	Thence N 80°00'E va. 14°E
300	S.C.E. Identical with the loc ^{ation} and with the N.C.E. of Robin lode of this survey a mound of stones 3X3 ft.
600	To Cor. No. 1 the place of beginning.
	ROBIN LODE.
	Beginning at Cor. No. 1.
	Identical with the loc ^{ation} and with Cor. No. 1 Iowa lode of this survey hereinbefore described. whence:-
	Cor. to Secs. 31-32 on 3rd. Standard N.R. 2 E brs. N 87°42'E 664.56 ft.
	Thence S 4°00'E va. 14°E
1500	To Cor. No. 2.
	Identical with the loc ^{ation} .
	A schist stone 6X6X30 ins. set 15 ins. in the ground with mound of stones chiseled 2-R-2959. No bearings available.
	Loc. 6or. mound of stones 3X3 ft.
	Thence S 80°00'W va. 14°E
114.56	N.C.E. Toughnut lode of this survey
300	S.C.E. identical with the loc ^{ation} a mound of stones 3X3 ft.
414.56	Cor. No. 4 Toughnut lode of this survey at intersection of line 3-4 Copperopolis lode Sur. No. 1854 at S 19°20'E 697.44 ft. from Cor. No. 4
600	To Cor. No. 3.
	Identical with the loc ^{ation}
	A schist stone 4X8X24 ins. set 12 ins. in the ground with

Feet. with mound of stones chiseled 3-R-2959 No bearings available. Loc. 6or. mound of stones 3X3 ft.
 Thence N 4°00'W
 va. 14°E

692 Cor. No. 4 Copper opolis and Cor. No. 3 Copper Queen lodes
 Sur. No. 1854

1500 To Cor. No. 4.
 Identical with the loc. and with Cor. No. 5 Iowa lode of this survey hereinbefore described.
 Thence N 80°00'E
 va. 14°E

300 N.C.E. identical with the loc. and with the S.C.E. of Iowa lode of this survey hereinbefore described.

600 To Cor. No. 1 the place of beginning.
 TOUGHNUT
 Beginning at Cor. No. 1.
 Identical with the location.
 A schist 3X6X26 ins. set 14 ins. in the ground with mound of stones chiseled 1-T.2959 whence :-
 Cor. to Secs. 31, 32 on 3rd. Standard N.R. 2.E. brs. N 24°14'E
 1648.06 ft. No bearings available. Loc. 6or. mound of stones 3X3 ft.
 Thence S 19°20'E
 va. 14°E

750 E.C.S. identical with the loc. a mound of stones 3X3 ft.
 1500 To Cor. No. 2.
 Identical with the loc. and with Cor. No. 1 Surprise lode of this survey
 A schist stone 4X6X24 ins. set 12 ins. in the ground with mound of stones chiseled 2-T.1-S-2959, whence:-
 1/4 Cor. bet. Secs. 5-6 T. 12. N.R. 2.E. brs. N 27°17'E 405.5 ft.
 No other bearings available. Loc. 6or. mound of stones 3X3 ft.
 Thence S 80°00'W
 va. 14°E

300 S.C.E. identical with the loc. and with the N.C.E. of Surprise lode of this survey a mound of stones 3X3 ft.

600 To Cor. No. 3.
 Identical with the loc. and with Cor. No. 4 Surprise, 1 of Copper Bucket and 2 of Missing Link lodes of this survey

A schist stone 6X6X30 ins. set 15 ins. in the ground with mound of stones chiseled 3-T.4-S.1-C-B.2-M-L-2959.
 No bearings available. Loc. 6or. mound of stones 3X3 ft.

Thence N 19°20'W
 va. 14°E

697.44 Cor. No. 1 of Missing Link lode of this sur^{vey} identical with
 1500 Cor. No. 3 Copperopolis lode Sur. No. 1854 N.C.S. identical with
 loc. a mound of stones 3X3 ft.
 To Cor. No. 4.

Identical with the loc^{ation}
 A schist stone 4X4X24 ins. set 12 ins. in the ground with mound of stones chiseled 4-T-2959. No bearings available.
 Loc. 6or. mound of stones 3X3 ft.

Thence N 80°00'E
 va. 14°E

114.56 S.C.E. of Robin lode of this survey
 300 N.C.E. identical with the loc^{ation} a mound of stones 3X3 ft.

414.56 Cor. No. 2 Robin lode of this survey
 600 To Cor. No. 1 the place of beginning.

SUPPRISE

Beginning at Cor. No. 1.

Identical with the loc^{ation} and with Cor. No. 2 Toughnut lode of this sur^{vey} hereinbefore described. whence:-

Cor. to Secs. 31, 32 on 3rd. Standard N.R. 2. E. brs. N 3°31'E
 Cor. bet. Secs. 5 & 6, T. 12 N., R. 2 E., brs. N. 27°17'E., 405.5 ft.
 2923.74 ft. No bearings available.

Thence S 4°11'W
 va. 14°E

1500 To Cor. No. 2.
 Identical with the loc^{ation} and with Cor. No. 1 Copper Iron lode of this survey.

A schist stone 6X6X24 ins. set 12 ins. in the ground with mound of stones chiseled 2-S.1-C-I-2959 No bearings available.
 Loc. 6or. mound of stones 3X3 ft.

Thence S 80°00'W
 va. 14°E

300 S.C.E. Identical with the loc^{ation} and with the N.C.E. Copper Iron lode of this sur^{vey} a mound of stones 3X3 ft.

600

To Cor.No.3.

Identical with the ^{ation}location and with Cor.No.4 Copper Iron lode of this survey

A schist stone 6X6X26 ins, set 14 ins. in the ground with mound of stones chiseled 5-S. 4-C-I-2959. No bearings available.

Loc. 6or. mound of stones 3X3 ft.

Thence N 4°11'E
va. 14°E

486.5

Cor.No.2 Copper Bucket lode of this survey

1500

To Cor.No.4

Identical with the ^{ation}loc_{ation} and with Cor.1 Copper Bucket, 2 Missing Link and 3 of Tough Nut lodes of this ^{vey}survey hereinbefore described.

Thence N 80°00'E
va. 14°E

300.

N.C.E. identical with the ^{ation}loc_{ation} and with the S.C.E. of Tough Nut lode of this ^{vey}survey hereinbefore described.

600

To cor.No.1 the place of beginning

COPPER IRON

Beginning at Cor.No.1

Identical with the ^{ation}loc_{ation} and with Cor.No.2 Surprise lode of this ^{vey}survey hereinbefore described. whence:-

Cor. to Secs. 31, 32 on 3rd. Standard N.R. 2. E. brs. N 3°45'E
4423.72 ft.

Thence S 4°21'W
va. 14°E

860 Center Agua Fria 100 ft. wide course S 68°30'E

1500

To Cor.No.2

Identical with the ^{ation}location

A schist stone 3X8X24 ins, set 12 ins. in the ground with mound of stones chiseled 2-G-I-2959. No bearings available.

Loc. 6or. mound of stones 3X3 ft.

Thence S 80°00'W
va. 14°E

300

S.C.E. identical with the ^{ation}loc_{ation} a mound of stones 3X3 ft.

600

To Cor.No.3.

Identical with the ^{ation}location

A schist stone 6X6X26 ins, set 14 ins. in the ground with mound of stones chiseled 3-C-I-2959 No bearings available
Loc. 6or. mound of stones 3X3 ft.

Thence N 4°31' E.
va. 14° E

760 Center of Agua Fria 100 ft. wide course N 84° E
1500 To Cor. No. 4

Identical with the loc^{ation} and with Cor. No. 3 Surprise lode
of this sur^{vey} hereinbefore described.

Thence N 80° 00' E.
va. 14° E

300 N.C.E. identical with the loc^{ation} and with the S.C.E. of Surprise
lode of this sur^{vey} hereinbefore described.

600 To Cor. No. 1 the place of beginning.

MISSING LINK

Beginning at Cor. No. 1.

Identical with the loc^{ation} and with Cor. 3 Copperopolis lode
Sur. No. 1854

A Quartz stone 12X14X12 ins. with mound of stones chiseled
C-3-1854 I chiseled L-M-L-2959 on the side facing this
lode. Thence:-

Cor. to Secs. 31, 32, on the 3rd. Standard N.R. 2.E. brs.
N 22° 56' E 2567.24 ft. No bearings available. Loc. 6or
mound of stones 3X3 ft.

Thence S 19° 20' E
va. 14° E

697.44 To Cor. No. 2.

Identical with the loc^{ation} and with Cor. No. 3 ToughNut 4 Surprise
lodes of this survey,
1 Copper Bucket, hereinbefore described.

Thence S 70° 00' W
va. 14° E

300 S.C.E. identical with the loc^{ation} a mound of stones 3X3 ft.
600 To Cor. No. 3.

Identical with the loc^{ation}

A schist stone 6X8X24 ins. set 12 ins. in the ground with
mound of stones chiseled 3-M-L-2959. No bearings available.
Loc. 6or. mound of stones 3X3 ft.

Thence N 19° 20' W
va 14° E

- 120.44 Cor.No.1 Rubidoux, 4 of Copper Bucket lodes of this survey
and Cor.No.3 Highland Chief lode Sur.No.1854.
- 697.44 To Cor.No.4
Identical with the loc^{ation} and with Cor.No.2 Copperopolis
lode Sur.No.1854
A schist ^{stone} 3 X12X12 ins.with mound of stones chiseled C-2-
1854.I chiseled 4-M-L-2959 on the side facing this lode.
No bearings available.Loc.6or.mound of stones 3X3 ft.
Thence N 70°00'E
va.14°E
- 300 N.C.E. identical with the loc^{ation} a mound of stones 3X3 ft.
- 600 To Cor.No.1 the place of beginning.
COPPER BUCKET
Beginning at Cor.No.1:
Identical with the loc^{ation} and with Cor.No.3 Missing Link,
3 ToughNut and 4 of Surprise lodes of this sur^{vey} hereinbefore
described.Whence:-
Cor.to Secs.31,32 on the 3rd.Standard N.R.2.E.brs.
N 14°18'E 3119.06 ft.
Thence S 4°11'W
va:14°E
- 1013.5 To Cor.No.2.
Identical with the loc^{ation}
A schist stone 4X8X24 ins.set 12 ins.in the ground with mound
of stones chiseled
2-C-B-2959.No bearings available.Loc.6or.mound of stones
3X3 ft.
Thence S 81°22'W
va.14°E
- 305.3 S.C.E. identical with the loc^{ation} a mound of stones 3X3 ft.
- 610.6 To Cor.No.3.
Identical with the loc^{ation}
A schist stone 4X6X26 ins.set 14 ins.in the ground with
mound of stones chiseled 3-C-B-2959.No bearings available.
Loc.6or.mound of stones 3X3 ft.
Thence N 4°11'E
va.14°E

326.5 Cor. No. 3 Rubidoux lode of this survey

1013.5 To Cor. No. 4

Identical with the loc^{ation} and with Cor. 3 Rubidoux lode of this survey and Cor. No. 3 Highland Chief lode, sur. No. 1854, on line 3-4 Missing Link lode of this survey 120.44 ft. from Cor. No. 3. A schist stone 4X12X12 ins. with mound of stones chiseled H-C-3-1854 I chiseled 4-C-B-2959 on the side facing this lode. No bearings available. Loc. Cor. mound of stones 3X3 ft.

Thence N 81°22'E
va. 14°E

305.3 N.C.E. identical with the loc^{ation} a mound of stones 3X3 ft.

610.6 To Cor. No. 1 the place of beginning.

RUBIDOUX

Beginning at Cor. No. 1:

Identical with the loc^{ation} and with Cor. No. 4 Copper Bucket lode of this survey and with Cor. No. 3 Highland Chief lode, sur. No. 1854, hereinbefore described. whence.

Cor. to Secs. 31, 32 on the 3rd Standard N.R. 2.E. brs.
N 23°49'E 3405.96 ft

Thence S 4°11'W
va. 14°E

687 To Cor. No. 2.

Identical with the loc^{ation}.

A schist stone 4X6X26 ins. set 14 ins. in the ground with mound of stones chiseled 2-R-2959. No bearings available. Loc. Cor. mound of stones 3X3 ft.

Thence S 70°00'W
va. 14°E

300 S.C.E. identical with the loc^{ation} a mound of stones 3X3 ft.

339 Cor. No. 4 Genegantsett lode sur. No. 1694

600 To Cor. No. 3.

Identical with the loc^{ation} a schist stone 6X6X30 ins. set 20 ins. in the ground with mound of stones chiseled 3-R-2959. No bearings available. Loc. Cor. mound of stones 3X3 ft.

Thence N 4°11'E
va. 14°E

9.83 Intersect line 1-4 Genegantsett lode sur. 1694 at S 72°W 257.12 ft. from Cor. No. 4.

LEDGES

As near as can be determined from present developments, the veins of the several locations embraced in this claim extend as follows from their respective end centers,

IOWA lode	1496.77 ft.	N 12°26'W	from S.C.E. to the N.C.E.
ROBIN "	1500	" N 4°00'W	" S.C.E. " " N.C.E.
TOUGHNUT "	1500	" N 19°20'W	" S.C.E. " " N.C.E.
SUPPRISE "	1500	" N 4°11'E	" S.C.E. " " N.C.E.
COPPER IRON	1500	" N 4°21'E	" S.C.E. " " N.C.E.
MISSING LINK	897.44 "	N 19°20'W	" S.C.E. " " N.C.E.
COPPER BUCKET	1013.5 "	N 4°11'E	" S.C.E. " " N.C.E.
RUBIDOUX lode	687 ft.	N 4°11'E	" S.C.E. " " N.C.E.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claimant or his grantors is not less than five hundred dollars for each lode, and that said improvements consist of:-

IOWA Lode:

No. 1 dis. shaft which is on the lode line 80 ft. from S.C.E.
 4x6x10 ft. value\$100.00
 No. 2 shaft which brs. from Cor. No. 4 S 85°E 110 ft.
 4x6x10 ft. value\$100.00

Note: 1/7 the work in No. 1 tunnel Rubidoux lode \$170.00
 and 1/7 of the work in No. 2 shaft Rubidoux lode
 \$350.00 is credited to this lode.

ROBIN Lode

shaft
 No. 1 dis. shaft which is on the lode line 600 ft. from the S.C.E.
 4x6x10 ft. value \$100.00
 shaft
 No. 2 brs. from Cor. No. 4 S 14°30'E 1175 ft. 4x6x10 ft. value
 brs \$100.00
 No. 3 shaft " / " No. 4 S 18°E 950 ft. 4x6x10 ft. value \$100.00
 No. 4 shaft which brs. from Cor. No. 4 S 33°30'E 880 ft
 4x6x10 ft. value \$100.00

Note: 1/7 the work in No. 1 tunnel \$170.00 and 1/7 the work in
 No. 2 shaft \$350.00 Rubidoux lode is credited to this lode.

TOUGH NUT.

No.1 dis. shaft which is on the lode line 750 ft. from
S.C.E. 4X6X10 ft. value....\$100.00

Note 1/7 the work in No.1 tunnel \$170.00 and in No.2 shaft
\$350.00 Rubidoux lode is credited to this lode.

SUPPRISE Lode.

No.1 dis. shaft which is on the lode line 6 ft. from the
S.C.E. 4X6X10 ft.... value 100.00

No.2 out which brs from Cor.No.3 N 15°30'E 300 ft.
4X15X12 ft. value. ...\$50.00

Note 1/7 of the work in No.1 tunnel \$170.00 and 1/7 the work
in No.2 shaft \$350.00 Rubidoux lode is credited to
this lode.

COPPER IRON Lode.

No1 dis. shaft which is on the lode line 100 ft. from
the S.C.E. 4X6X10 ft. value \$100.00

The following works all bear from Cor.No.4

No.2 shaft S 43°E 390 ft. 4X6X15 ft. value \$150.00

No.3 Tunnel S 49°00'E 540 ft. 5X7X40 ft. course N 4°E
value \$320.00

No.4 out. S 65°E 370 ft. 4X15X10 ft. value \$50.00

MISSING Link

No.1 dis. shaft which is on the lode line 200 ft. from the
N.C.E. 4X25X12 ft. value....\$75.00

Note 1/7 the work in No.1 tunnel \$170.00 and 1/7 the work in
No.2 shaft \$350.00 Rubidoux lode is credited to this lode

COPPER Bucket

No1 dis. shaft which is on the lode line 30 ft. from the
S.C.E. 4X6X10 ft. value \$100.00

No.2 shaft which brs. from the S.C.E. N 43°W 200 ft.
5X7X12 ft. value \$120.00

Note 1/7 the work in No.1 tunnel \$170.00 and 1/7 the work
in No.2. shaft \$350.00 Rubidoux lode is credited to this
lode.

RUBIDOUX Lode.

No.1 dis. tunnel which is on the lode line 500 ft. from

N.C.E. 5X7X150 ft. Course N 79°E value \$1190.00

No. 2 shaft which brs. from Cor. No. 3 N 5°W 130 ft. 4X6X90

timbered value.....\$2450.00 ^{Note} These works are common improvements 1/7 of each \$170.00, \$350.00 \$520.00 are credited to Iowa, Robin, Surprise, Tough Nut, Missing Link and Copper Bucket.

INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were deflected from the true meridian as determined from direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes

J. A. Martin had no interest, directly or indirectly in this claim at the time of making this survey, having sold all interest June 13 th. 1911

The Cor. to Secs 31, 32 on the 3rd. Standard N.R. 2.E. is a malapal stone 5X6X6 ins. in mound properly chiseled.

The 1/4 Cor. on S. line of sec 31 is a granite stone 4X8X20 ins. chiseled 1/4 in mound of stones.

From the common improvements No. 1 & 2 on Rubidoux lode the surface ascends to the North and East, and from Cor. No. 3 Copper Bucket lode descends to the South.

These works are so located that by drifting and cross cuts all the lodes in the claim can be economically

developed, except Copper Iron lode which is so much lower that it can not be developed by these works.

Cor. No. 4 Copperopolis and Cor. No. 3 Copper Queen lodes, Sur. No. 1854, is a schist stone 4 x 6 x 12 ins. in mound of stones chiseled C-4.C-Q-3-1854.

Cor. No. 2 Highland Chief lode, Sur. No. 1854, is a schist stone 3 x 8 x 14 ins. in mound of stones chiseled H-C-3-1854.

Cor. No. 4 Genegantsett lode, Sur. No. 1694, is a schist stone 3x16 x 14 ins. in mound of stones, chiseled G-4-1694.

William H. Merritt
U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____

known as the Louis Goldman
Dover Robin's Dough Nut's Sulphur's Copper Iron's Copper Buckets Missing Bank Rubed out
 and showing the respective capacities in which they acted.

John A. Martin, Chainman.
Eloy Hill, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, John A. Martin
 and Eloy Hill, do solemnly swear that we assisted William H. Merritt
 _____, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____

known as the Louis Goldman
Dover Robin's Dough Nut's Sulphur's Copper Iron's Copper Buckets Missing Bank Rubed out
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

John A. Martin, Chainman.
Eloy Hill, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this twenty first
 day of November, 1911

J. C. Bradbury
 Notary Public.
 My Commission Expires Dec. 2, 1914

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, William H. Merritt, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Nov 7 - 1911, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Louis Goldman Donna, Robin, Doughnut, Surprise, Copper Iron, Copper Buckets, missing, Burdoux, known as the Agua Fria Mining District, situate in Yavapai County, Arizona, in Section 31 Under 687 (unapp'd run) Township No. 13 N., 12 N., Range No. 2 E and designated as Survey No. 2959, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Merritt
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt

U. S. ~~Deputy~~ Mineral Surveyor, before me J. C. Bradbury
Notary Public this twenty first
day of November, 1911,

J. C. Bradbury
Notary Public.

o 4-164

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Iowa Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Olive M. Nellis

1161-210N

a citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

~~the undersigned~~, on the 28 day of February 1900

The length of this claim is 1500 feet, and 1 claim 100 feet, in a Southerly direction and 1400 feet in a Northerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Agua Fria Mining District, in Yavapai County, in the Territory of Arizona, about 1700 feet in an Easterly direction from U.S.L.M. No 1694, and is bounded on the south by Robin Mng clai

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument

at a point in a Southerly direction 100 feet from the discovery shaft (at which this notice is posted,) being in the center of the South end line of said claim; thence Easterly 300 feet to a Monument, being the S.E. corner of said claim; thence Northerly 1500 feet to a Monument, being at the N.E. corner of said claim; thence Westerly 300 feet to a Monument at the center of the North end of said claim; thence Westerly 300 feet to a Monument, being at the N.W. corner of said claim; thence Southerly 1500 feet to a Monument at the S.W. corner of said claim; thence Easterly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Iowa Mining Claim, located by Olive M Nellis on the 28 day of February 1900 and recorded in Book 56 of Records of Mines, at page 77, in the office of the County Recorder of the aforesaid County of Yavapai, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 3 day of November 1911

Louis Goldman
by John A Martin

County of } ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M, on this day of 191..., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED Notice of Location. LODE CLAIM.

Dated, 191.....

Filed and Recorded at request of

Norris & Smith,

November 6, A. D. 1911,

at 9:50 o'clock A.M.,

Book 86 of Mines,


RECORDS OF YAVAPAI COUNTY, ARIZONA

Page 253.

(SEAL) J.C. Bradbury, County Recorder.

By Deputy Recorder.

The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Robin
Mining Claim, situate on lands belonging to the United States of America, and in which there are val-
uable mineral deposits, was entered upon and located for the purposes of exploration and purchase by
Olive M Nellis

a Citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 10 day of November 1899 ~~19~~

The length of this claim is fifteen Hundred feet feet,
and I claim 600 feet,
in a Southerly direction and 900
feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South

The claim is situated and located in the Agua Fria Mining District, in
Yavapai County, in the Territory of Arizona, about 2100 feet
in a South Easterly direction from U S L M No 1694 and is
bounded on the South by Tough Nut mng clm

The surface boundaries of the claim are marked upon the ground as follows: Begining at
a Monument

at a point in a Southerly direction 600 feet from
the discovery shaft (at which this notice is posted,) being in the center of the South
end line of said claim; thence Easterly 300 feet to a Monument
, being the S.E. corner of said claim; thence
Northerly 1500 feet to a monument, being at the
N.E. corner of said claim; thence Westerly 300 feet
to a Monument at the center of the North end of said claim;
thence Westerly 300 feet to a Monument, being at the
N.W. corner of said claim; thence Southerly 1500
feet to a Monument at the S.W. corner of said claim;
thence Easterly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Robin
Mining Claim, located by Olive M. Nellis

on the 10 day of
November 1899 ~~19~~, and recorded in Book 52 of Records of Mines, at
page 638, in the office of the County Recorder of the aforesaid County of Yavapai
to which reference is hereby made, and this amended Location Notice is made and posted to correct
errors in the description in the said original Location Notice.

Dated and posted on the ground this 3 day of November 1911

Louis Goldman
by John A. Martin

TERRITORY OF ARIZONA }
County of } ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M, on this day of 191..., and duly recorded in Book No. of Records of County, Arizona, at pages


WITNESS my hand and official seal the day and year first above written.

.....
County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Dated 191.....
Filed and Recorded at request of
.....
Norris & Smith,
November 6, A. D. 191...,
at 9:50 o'clock A. M.,
Book 86 of Mines,
Page 252,
Records of YAVAPAI COUNTY, ARIZONA
(SEAL) J. C. Bradbury,
County Recorder.
By Deputy Recorder.

The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

"Tough Nut"NOTICE OF MINING LOCATION.
Lode Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the TOUGH NUT Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Olive M. Nellis the undersigned, on the 28 day of February, 1900.

The length of this claim is 1500 feet, and I claim 750 feet, in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Agua Fria Mining District, in Yavapai County, in the Territory of Arizona, about 2 $\frac{1}{4}$ miles in a Northerly direction from Copper Mountain

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the S.E. Corner and runs 750 against the Copper Bucket and the same with the Copperopolis at a point in a Northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence West 300 feet to a monument being the North West corner of said claim; thence South 750 feet to a monument at the center of the west side line of said claim; thence South 750 feet to a monument at the South West corner of said claim; thence East 300 feet to a monument at the center of the South end of said claim; thence East 300 feet to a monument, being at the South East corner of said claim; thence North 750 feet to a monument being at the center of the East side line of said claim; thence North 750 feet to a monument at the North East corner of said claim; thence West 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 28 day of February 1900.

Witness

Jas. L. Culon
Wm. Nellis

Olive M. Nellis

Filed and recorded at request of Joe Mayer May 28th A.D. 1900, at 9 o'clock A.M., Book 56 of Mines, Page 75, Records of Yavapai County, Arizona.

By P. J. Farley Deputy Recorder. (SEAL) W. I. Johnson County Recorder

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Supprise
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Olive M Nellis

citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 28 day of February 1900

The length of this claim is 1500 feet,
and I claim 1495 feet,
in a northerly direction and 5
feet in a south direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
northerly to the southerly

The claim is situated and located in the Agua Fria Mining District, in
Yavapai County, in the Territory of Arizona, about 1/2 mile
in a easterly direction from the Copper Queen mining camp,
this claim is bounded on the south by the Copper Iron on the north
by the tough Nut

The surface boundaries of the claim are marked upon the ground as follows: Begining at
a monument
at a point in a south direction 5 feet from
the discovery shaft (at which this notice is posted,) being in the center of the south
end line of said claim; thence easterly 300 feet to a monument
, being the south east corner of said claim; thence
Northerly 1500 feet to a monument, being at the
north east corner of said claim; thence Westerly 300 feet
to a monument at the center of the north end of said claim;
thence Westerly 300 feet to a monument, being at the
North West corner of said claim; thence Southerly 1500
feet to a monument at the South West corner of said claim;
thence easterly 300 feet to the place of the begining.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Supprise
Mining Claim, located by Olive M Nellis
on the 28 day of
February 1900, and recorded in Book 56 of Records of Mines, at
page 74, in the office of the County Recorder of the aforesaid County of Yavapai
to which reference is hereby made, and this amended Location Notice is made and posted to correct
errors in the description in the said original Location Notice.

Dated and posted on the ground this 3 day of November 1911

Louis Goldman
by John A Martin

County of } ss.

I, , County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M, on this day of 191 .., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

..... County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Dated , 191 ..

Filed and Recorded at request of

Norris & Smith,

November 6, A. D. 191 ..

at 9:50 o'clock A.M.,

Book 86 of Mines,

Page 254,


RECORDS OF YAVAPAI COUNTY, ARIZONA

(SEAL) J. C. Bradbury,

County Recorder.

By Deputy Recorder.

The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Copper Iron Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by John A. Martin

a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

~~the undersigned~~, on the 1st day of May 1905

The length of this claim is 1500 feet, and I claim 1400 feet, in a Northerly direction and 100 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northerly to the Southerly

The claim is situated and located in the Agua Fria Mining District, in Yavapai County, in the Territory of Arizona, about 1/4 of a mile in an Easterly direction from Copper Queen Gold Mining Cos. camp & is bounded on the North by Surprise mining claim

The surface boundaries of the claim are marked upon the ground as follows: Begining at a monument

at a point in a Southerly direction 100 feet from the discovery shaft (at which this notice is posted,) being in the center of the South end line of said claim; thence Easterly 300 feet to a Monument, being the S.E. corner of said claim; thence Northerly 1500 feet to a Monument, being at the N.E corner of said claim; thence Westerly 300 feet to a Monument at the center of the North end of said claim; thence Westerly 300 feet to a Monument, being at the N.W corner of said claim; thence Southerly 1500 feet to a Monument at the S.W corner of said claim; thence Easterly 300 feet to the place of the begining.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Iron Mining Claim, located by John A. Martin

on the 1st day of May 1905, and recorded in Book 73 of Records of Mines, at page 519, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 3 day of November 1911

Louis Goldman

By John A. Martin

County of _____ } ss.

I, _____, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at _____ o'clock, _____ M, on this _____ day of _____ 191____, and duly recorded in Book No. _____ of _____ Records of _____ County, Arizona, at pages _____

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Dated _____, 191____

Filed and Recorded at request of

Norris & Smith,

November 6, A. D. 191____,

at 9:50 o'clock A.M.,

Book 86 of Mines,


Page 254
RECORDS OF YAVAPAI COUNTY, ARIZONA

(SEAL) J. C. Bradbury,

County Recorder.

By _____
Deputy Recorder.

The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED
Notice of Mining Location
 LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Copper Bucket
 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by
Olive M Nellis

a citizen of the United States
 (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
 the undersigned, on the 7 day of November 1899 ~~xx~~

The length of this claim is 1010 feet,
 and I claim 25 feet,
 in a Southerly direction and 985
 feet in a Northerly direction from
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each
 side of the center of said claim. The general course of the lode deposit and premises is from the

North to the South
 The claim is situated and located in the Agua Fria Mining District, in
Yavapai County, in the Territory of Arizona, about 4500 feet
 in a South Easterly direction from U S L M. No 1694

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a Monument
 at a point in a Southerly direction 25 feet from
 the discovery shaft (at which this notice is posted,) being in the center of the South
 end line of said claim; thence Westerly 300 feet to a Monument
 being the S.W. corner of said claim; thence
Northerly 1010 feet to a Monument, being at the
N.W. corner of said claim; thence Easterly 300 feet
 to a Monument at the center of the North end of said claim;
 thence Easterly 300 feet to a Monument, being at the
N.E. corner of said claim; thence Southerly 1010
 feet to a Monument at the S.E. corner of said claim;
 thence Westerly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Bucket
 Mining Claim, located by Olive M. Nellis
 on the 7th day of
November 1899 ~~xx~~, and recorded in Book 52 of Records of Mines, at
 page 63, in the office of the County Recorder of the aforesaid County of Yavapai
 to which reference is hereby made, and this amended Location Notice is made and posted to correct
 errors in the description in the said original Location Notice.

Dated and posted on the ground this 3 day of November 19 11

Louis Goldman
 by John A. Martin

TERRITORY OF ARIZONA }
County of } ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M, on this day of 191..., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

.....
County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Dated, 191.....

Filed and Recorded at request of

.....
Norris & Smith,

.....
November 6, A. D. 191.....,

at 9:50 o'clock A.M.,

Book 86 of Mines,


Page# 255,

RECORDS OF YAVAPAI COUNTY, ARIZONA
(SEAL) J. C. Bradbury,

County Recorder.

By
Deputy Recorder.

.....
The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Missing Link
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Olive M Nellis & J B Jones
citizens of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

~~the undersigned~~, on the 5th day of March 1901

The length of this claim is 700 feet,
and I claim 210 feet,
in a Northerly direction and 490
feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Agua Fria Mining District, in Yavapai County, in the Territory of Arizona, about 3400 feet in a South Easterly direction from U.S.L.M. No 1694

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument

at a point in a Northerly direction 210 feet from the discovery shaft (at which this notice is posted,) being in the center of the North end line of said claim; thence Easterly 300 feet to a Monument, being the N.E. corner of said claim; thence Southerly 700 feet to a Monument, being at the S.E. corner of said claim; thence Westerly 300 feet to a Monument at the center of the South end of said claim; thence Westerly 300 feet to a Monument, being at the S.W. corner of said claim; thence Northerly 700 feet to a Monument at the N.W. corner of said claim; thence Easterly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Missing Link Mining Claim, located by Olive M. Nellis & J B Jones on the 5th day of March 1901, and recorded in Book 59 of Records of Mines, at page 29, in the office of the County Recorder of the aforesaid County of Yavapai, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 3 day of November 1911.

Louis Goldman
by John A Martin

TERRITORY OF ARIZONA }
County of } ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M, on this day of 191..., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

.....
County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Dated , 191.....

Filed and Recorded at request of
Norris & Smith

November 6, A. D. 1914.

at 9:50 o'clock A. M.,


Book 86 of Mines.

Page 250.

RECORDS OF YAVAPAI COUNTY, ARIZONA
(SEAL) J. C. Bradbury,
County Recorder.

By
Deputy Recorder.

The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

BLANK

AMENDED
Notice of Mining Location
LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Rubidoux
Mining Claim, situate on lands belonging to the United States of America, and in which there are val-
uable mineral deposits, was entered upon and located for the purposes of exploration and purchase by
Olive M. Nellis

a Citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

~~the undersigned~~, on the 28 day of February 1900

The length of this claim is 685 feet,
and I claim 500 feet,
in a Northerly direction and 185
feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South

The claim is situated and located in the Agau Fria Mining District, in
Yavapai County, in the Territory of Arizona, about 4300 feet
in a South Easterly direction from U.S.L.M. No. 1694

The surface boundaries of the claim are marked upon the ground as follows: Begining at
a Monument

at a point in a Northerly direction 500 feet from
the discovery shaft (at which this notice is posted,) being in the center of the North
end line of said claim; thence Easterly 300 feet to a Monument
, being the N.E. corner of said claim; thence
Southerly 685 feet to a Monument, being at the
S.E. corner of said claim; thence Westerly 300 feet
to a Monument at the center of the South end of said claim;
thence Westerly 300 feet to a Monument, being at the
S.W. corner of said claim; thence Northerly 685
feet to a Monument at the N.W. corner of said claim;
thence Easterly 300 feet to the place of the begining.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Rubidoux
Mining Claim, located by Olive M. Nellis
on the 28 day of
February 1900 and recorded in Book 56 of Records of Mines, at
page 72, in the office of the County Recorder of the aforesaid County of Yavapai
to which reference is hereby made, and this amended Location Notice is made and posted to correct
errors in the description in the said original Location Notice.

Dated and posted on the ground this 3 day of November 1911.

Louis Goldman
by John A. Martin

TERRITORY OF ARIZONA }
County of } ss.

I,, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M, on this day of 191..., and duly recorded in Book No. of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

.....
County Recorder.

AMENDED
Notice of Location.
LODE CLAIM.

Dated, 191.....

Filed and Recorded at request of
Norris & Smith,

November 6, A. D. 1911,

at 9:50 o'clock A.M.,


Book 86 of Mines,

Page 256,
RECORDS OF YAVAPAI COUNTY, ARIZONA.

(SEAL) J. C. Bradbury,
County Recorder.

By
Deputy Recorder.

The McNeil Co., Phoenix, Arizona



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

LEAD GEAR

TERRITORY OF ARIZONA,)
County of Yavapai.) ss.

I, J.C. Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the Records of such office, do hereby certify that I have compared the foregoing with, and that the same are true and correct copies of the location notices of the following named Lode Mining Claims, as the same appear of record in in my said office; said mining claims being situate in the Agua Fria Mining District, Yavapai County, Arizona, to-wit:-

The "IOWA", the amended notice of location whereof is of record in Book 86 of Mines, page 253, Records of Yavapai County, Arizona.

The "ROBIN", the amended notice of location whereof is of record in Book 86 of Mines, at page 252, said records;

The "TOUGH NUT", the original notice of location whereof is of record in Book 56 of Mines, at page 75, said records;

The "SURPRISE", the amended notice of location whereof is of record in Book 86 of Mines, at page 251, said records;

The "COPPER IRON", the amended notice of location whereof is of record in Book 86 of Mines, at page 254, said records;

The "COPPER BUCKET", the amended notice of location whereof is of record in Book 86 of Mines, at page 255, said records;

The "MISSING LINK", the amended notice of location whereof is of record in Book 86 of Mines, at page 250, said records;

The "RUBIDOUX", the amended notice of location whereof is of record in Book 86 of Mines, at page 256, said records.

IN WITNESS WHEREOF, I have hereto set my hand and affixed my official seal, this 6th day of November, A.D. 1911



J. C. Bradbury
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

January 13, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Louis Goldman,

known as the IOWA, ROBIN, TOUGH NUT, SUPPRISE, COPPER IRON, COPPER BUCKET,
MISSING LINK, RUBIDOUX,
situate in Agua Fria

Mining District, Yavapai County, Arizona

in Section 31 Unsur., Township No. 13 N., Range No. 2 E., and
app'd Sur. 2959, designated as Survey No. 2959, has been correctly copied from the originals on file inthis office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or his grantors, and that said improvements consist of 3 cuts, 13 shafts and 2 tunnels, total value \$5355.00.

Tunnel No. 1 and shaft No. 2 on the Rubidoux lode are common improvements for the benefit and development of this entire group of claims, with the exception of the Copper Iron lode, which is too low to be developed thereby, and an undivided 1/7 interest in the value of each of said improvements, \$170 and \$350, respectively, is therefore properly credited to each the Iowa, Robin, Tough Nut, Surprise, Copper Bucket, Missing Link and Rubidoux lodes,

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

January 13, 1912

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Louis Goldman,

known as the

IOWA, ROBIN, TOUGH NUT, SUPPRISE, COPPER IRON, COPPER BUCKET, MISSING LINK, RUBIDOUX, Agua Fria

situate in mining district,

Yavapai County, Arizona,

31 unshr., 13 N.,

in Section 6 & 7 (unapproved sur.,) Township No. 12 N., Range No. 2 E.,

designated as Survey No. 2959,

executed by William H. Merritt, U. S. Deputy Mineral

Surveyor, November 9 - 14, 1911, under my instructions dated

November 7, 1911, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. [Signature]

U. S. Surveyor-General for Arizona.