

(4-683.)

Mineral Survey No. 2970

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mascot Copper Company

KNOWN AS THE

Wright and Monarch Lode

Los Cabizac Mining District,

Cochise County, Arizona

Section 21 Qms., Township 14S, Range 27E

Surveyed under instructions dated Feb 6, 1912

by John A. Rockefeller
U. S. Deputy Mineral Surveyor

Claim located ^{location} See notes, 1

Survey commenced Feb 23, 1912

Survey completed Mar. 19, 1912

6-103

Address of claimant
E. A. Ely, Supt.
Los Cabizac
Ariz

Feet

SURVEY No. 2970.

MIDNIGHT LODGE.

Beginning at Cor. No. 1, the S. E. Corner of location, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed S.E.C. - MN. add 1-2970; also scribed N.E.C. - M. for N. E. Cor. Midget lode, unsurveyed,

Whence:

The 1/4 corner between Secs. 21-28, Tp. 14 S. R. 27 E., bears S. 42° 33' W. 3017.0 ft.

A cross (X) B R 1-2970, chiseled on a sandstone reef, on a horizontal surface, 14 X 12 ins., bears S. 87° 50' E., 4.4 ft.

A cross (X) B R 1-2970, chiseled on a quartz rock, 24 X 24 ins., 12 ins. above ground, bears N. 9° 54' W. 11.4 ft.

Thence N. 46° 22' W. Va. 13° 20' E.

553 Center of wash of Casey Canyon, 10 ft. wide; Course W. S. W.

1078.5 Point whence a stone monument bears N. 60° 20' E. 157 ft.

1198.6 Intersect line 3-4 Steamboat lode, Survey No. 2972, at S. 1° 00' W. 691.55 ft. from Cor. No. 3. This point is also the N. W. Cor. of the Midget lode, unsurveyed.

1465.1 To Cor. No. 2, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone scribed N W C - M N, add 2-2970

Whence

A cross (X) B R 2-2970, chiseled on a porphyry face, 30 X 14 ins., bears S. 36° 22' W. 5.1 ft.

A cross (X) B R 2-2970, chiseled on a porphyry face, 18 X 4 ins., bears N. 81° 15' E. 36.0 ft.

Thence N. 36° 45' E. Va. 13° 45' E.

Feet	
152.7	Barbed wire fence bears W. N. W & E. S. E. <i>Sur. No. 2753</i>
199.1	Cor. No. 1 Spring Mine lode, a post scribed S Cor. S 1-2753
300	W. center end, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed W C E - M N, add 2970 Whence
335.57	<i>Intersect line 3-4 Steamboat lode, Sur No. 2972 at 81' 00" West from Cor. No. 3</i>
500.5	Post scribed S E C E-S 2753 (238.74)
600.3	To Cor. No. 3, a pine post 4 ins. sq., 3 ft. above ground, in a mound of stone, scribed N W C - M N, add 3-2970 Whence
292	U. S. location monument No. 1542 bears N. 43° 27' W. 4867.9 ft. A cross (X) B R 3-2970, chiseled on a porphyry face, 30 X 12 ins., bears N. 54° 20' E., 11.65 ft. A cross (X) B R 3-2970 chiseled on a porphyry rock, 28 X 16 X 8 ins. bears S. 47° 25' W. 20.6 ft. Cor. No. 4 Spring Mine lode, Sur. No. 2753, bears N. 36° 45' E. 157.1 ft. Thence S. 46° 23' E. Va. 13° 30' E.
159.5	Barbed wire fence bears northeasterly and southwesterly.
1095	Gulch 5 ft. wide, course S. S. W.
1253	Center of wash of Casey Canyon 8 ft. wide; course W. S. W.
1369.2	Cor. No. 1 Monarch lode of this survey
1465.1	To Cor. No. 4, a pine post 4 ins. sq., 3 ft. above ground, in a mound of stone, scribed N E C - M N, add 4-2970 Whence A cross (X) B R 4-2970, chiseled on porphyry rock, 18 X 12 ins., 12 ins. above ground, bears S. 26° 32' E, 17.9 ft.

Feet

A cross (X) B T 4-2970, scribed on a juniper stump 14 ins. diam, 5.5 ft. high, bears S. 25° 23' W. 26.6 ft.

Thence S. 36° 45' W. Va. 13° 35' E.

300.3

E. center end, a pine post 4 ins. sq., 3 ft. above ground, in a mound of stone, scribed E C E - M. N, add 2970

600.6

To Cor. No. 1, the place of beginning.

MONARCK

Beginning at Cor. No. 1, the S. E. corner of location, a pine post 4 ins. sq., 3 ft. above ground, in a mound of stone ^{scribed} S E C - M, add 1-2970

Whence:

Cor. No. 4 Midnight lode of this survey bears S. 46° 23' E. 95.9 ft.

The 1/4 Cor. between Secs. 21-28, Tp. 14 S., R. 27 E., bears S. 40° 04' W. 3619.65 ft.

A cross (X) B R 1-2970 chiseled on a porphyry rock, 36 X 18 ins., 8 ins. above ground, bears N. 85° 27' W. 22.5 ft.

A cross (X) B T 1-2970, scribed on a blaze on an oak tree, 9 ins. diam. (one of a cluster) bears S. 26° 22' W. 25.0 ft.

Thence N. 46° 23' W. Va. 13° 30' E.

116.2

Center wash Casey Canyon 8 ft. wide; course W. S. W.

274.2

Center of gulch 5 ft. wide; course S. S. W.

1209.7

Intersect barbed wire fence bears northeasterly and southwesterly.

1369.2

Cor. No. 3 Midnight lode of this survey, previously described, intersect line 4-1 Spring Mine lode, Sur. No. 2753 at S. 36° 45' E., 157.1 ft. *from Cor No 4*

1500

To Cor. No. 2, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed S W C - M, add 2-2970

Feet

Whence:

U. S. location monument No. 1542 bears N. 43°
22' W. 4737.2 ft.

A cross (X) B R 2-2970, chiseled on porphyry
outcrop, 60 X 36 X 36 ins., bears S. 8° 15' W. 51.4 ft.

A cross (X) B R 2-2970, chiseled on a porphyry
rock, 24 X 12 ins., 10 ins. above ground, bears N. 89°
54' E. 29.8 ft.

Thence N. 41° 18' E. Va. 13° 55' E.

154 Point whence an unmarked post bears S. 48° 42' E.
9.3 ft..

157.6 Post scribed S.W C - Q for S. W. Cor. Queen lode,
identical with point for Cor. No. 3 Camp Bird lode
unsurveyed, The Queen lode was formerly the Camp Bird
lode, and known as Survey No. 2354. Intersect line 3-4 Spring
Mine lode, Sur. No. 2753, at N: 45° 40' W. 118.3 ft. from Cor. No. 4.

300.25 W. center end, a pine post 4 ins. sq., 3 1/2 ft.
above ground, in a mound of stone, scribed W C E - M,
add 2970; also scribed E C E - Q, for E. center end
Queen lode, unsurveyed.

329.0 Barbed wire fence bears N. W. and S. E.

369.9 Point whence an unmarked post bears S. 48° 42'
E. 9.3 ft.

462.1 Mound of stone, post down, old Cor. No. 2 Camp
Bird lode, Sur. No. 2354

528.1 To Cor. No. 3, a pine post, 4 ins. sq., 3 1/2 ft.
above ground, in a mound of stone, scribed N W C - M,
add 3-2970; also scribed S E C - Q, for S. E. Cor.
Queen lode, unsurveyed.

Whence:

A cross (X) B R 3-2970, chiseled on porphyry
outcrop, triangular, 18 X 12 ins., 3 ins. high, bears
N. 32° 40' W. 13.1 ft.

A cross (X) B R 3-2970, chiseled on a por-
phyry rock, 24 X 15 ins., 8 ins. above ground, bears

Feet

- N. 80° 37' E. 62.5 ft.
- Thence S. 46° 23' E. Va. 13° 40'
- 1121.2 Post scribed S Cor. C L, for S. Cor. Copper Lily lode, unsurveyed.
- 1218 Gulch 6 ft. wide; course S. W.
- 1500 To Cor. No. 4, a pine post 4 ins. sq!, 3 1/2 ft. above ground, in a mound of stone, scribed N E C - M, add 4-2970
- Whence:
- A cross (X) B T 4-2970 scribed on an oak stump, 24 ins. diam., bears N. 19° 15' E. 4.7 ft.
- A cross (X) B R 4-2970, chiseled on porphyry bedrock, exposing 24" X 18 ins., bears N. 0° 25' W. 40.5 ft.
- Thence S 41° 18' W. Va. 13° 45' E.
- 228.25 E. center end, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone scribed E C E - M, add 2970.
- 453 Center wash in Casey Canyon, 10 ft. wide; course W. N. W.
- 528.5 To Cor. No. 1, the place of beginning.

This survey is identical with location.

A R E A	Acres
MIDNIGHT Lode	20.031
MONARCK Lode	18.178

AREAS IN CONFLICT:

- Midnight - Steamboat lode, Sur. No. 2972, 1.019
- Monarck - Spring Mine lode, Sur. No. 2753, 0.448

LOCATION.

This claim is located in Dos Cabezas Mining District, Cochise County, Arizona, in unsurveyed Sec. 21, of Tp. 14 S., R. 27 E.

VEINS

The presumed course of the vein or lode is $N46^{\circ}23'W$ from E. Center end ~~1465.1 ft.~~ to W Center end - on *Midnight lode* and $N46^{\circ}23'W$ from E. center end 1500 ft. to W. center end on *Monarch lode*.

ADJOINING CLAIMS:

On the North:

Spring Mine lode, Sur. No. 2753

Queen lode, unsurveyed, formerly the Camp

Bird lode, Sur. No. 2354.

Copper Lily lode, unsurveyed.

All claimed by the Mascot Copper Company,

On the East:

Jerry lode, unsurveyed; Jane A. Eaton, claimant.

On the South:

Midget lode, unsurveyed.

Mascot Copper Company claimant.

On the West:

Steamboat lode, Sur. No. 2972.

Mascot Copper Company claimant.

Expenditure of Five Hundred Dollars.

I certify that the value of labor and improvements made upon each of the above claims by the claimant, or its grantors, is not less than five hundred dollars, and the said improvements consist of:

On the MIDNIGHT Lode

From W. center end:

No. 1. Discovery cut and tunnel. The easterly edge of cut bears S. 46° 23' E. 206 ft.. Cut irregular; 5 ft. wide Southeasterly 9 ft. to face of 9 1/2 ft. The survey of tunnel is as follows: From W. C. E. S. 45° 26' E. 205 ft. to station zero at mouth of cut; thence S. 54° 19' E. ^{13.5 ft. portal of tunnel,} 723 ft. to station 1 in tunnel; thence S. 64° 53' E. 26.8 ft. to station 2; thence S. 83° 55' E. 94 ft. to face of tunnel 6 1/2 X 4 1/2 ft.

Value of cut	\$80
Value of 100 ft. tunnel at \$10	1000

No. 2. A cut, the center of which bears S. 54° 00' E. 210 ft. Cut 4 1/2 ft. wide, 15 ft. southeasterly to a 10 ft. face.

Value	100
-------	-----

From a point on line 3-4 at 495.4 ft. from Cor. No. 3

No. 3. A cut, the center of mouth of which bears S. 52° 17' W. 328.5 ft.

Cut 16 ft. wide, 14 ft. S. E. to face 6 ft., and then shaft 6 X 4 ft., 9 ft. deep.

Value of cut and shaft	\$125
------------------------	-------

On the MONARCK Lode,

From the W. center end:

No. 1. Discovery cut, the easterly edge of which bears S. 46° 23' E. 321 ft. Course of cut 6 ft. to face 8 ft.; mouth of cut 7 ft.

Value	50
-------	----

No. 2. A cut, the center of mouth of which bears S. 42° 15' E. 323 ft.; cut 4 1/2 ft. wide 13 ft. south-

easterly to face 11 ft.

Value \$100

From point on line 1-2 at N. 46° 23' W.
653.5 ft.

No. 3. A cut and shaft. The center of mouth of cut bears N. 35° 05' E. 106 ft. Cut 6 ft. wide Northwest-
terly 12 ft. to face 6 ft., then a shaft 7 X 5 ft., 8 ft.
deep.

Value of cut and shaft \$100

No. 4. A shaft, the center of which bears N. 35° 36'
E., 398 ft. Shaft 6 X 4 ft., 30.5 ft. deep

Value at \$10 per foot \$305

From Corner No. 4:

No. 5. A cut, the mouth of which bears N. 65° 34' W.
441 ft.; cut 5 ft. wide N. W. 15 ft. to face 7 ft.

Value \$50

Other Improvements.

On the MIDNIGHT Lode,

From Cor. No. 4:

1. A cut, the center of mouth of which bears N.
89° 20' W., 123.5 ft. Cut 5 ft. wide. Course southerly
10 ft. to face 6 ft.

2. A cut, the center of mouth of which bears N.
87° 30' W. 172.5 ft. Cut 3 1/2 ft. wide, southerly 14
ft. 8 ft. caved somewhat. At mouth of cut is monument
which contains notice: "The work is done on the Jerry
claim for the year of 1909 by Andrew Atkinson and A. J.
Eaton."

On the MONARCK Lode,

From Cor. No. 4:

A cut and tunnel, the mouth of which bears N. 74° 54' W. 315.5 ft. Cut 4 ft. wide W. N. W. $\frac{20}{1}$ ft. to face 7 ft. Tunnel same course, 3 ft. wide, 5 ft. high, 7 ft. to face. *Claimant unknown*


INSTRUMENT.

This survey was made with a Young & Sons Mountain transit No. 6855, provided with Smith solar attachment. The courses were deflected from true meridian as obtained by direct solar observations. The measurements were made with 50 ft. and 500 ft. steel tapes.

Any discrepancies between these notes, and the notices of location are due to errors in the latter.

Tombstone, Arizona,

April 9, 1912.


U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Mascat Copper Company
 known as the Midnight and Monarch
 and showing the respective capacities in which they acted.

C. C. Tillotson, Chairman.
 _____, Chairman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We C. C. Tillotson

and _____, do solemnly swear that we assisted John A. Rockefeller

United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Mascat Copper Company
 known as the Midnight and Monarch

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

C. C. Tillotson, Chairman.
 _____, Chairman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 7th
 day of May, 1912

John A. Rockefeller

No Notary Public is known to be within
 10 miles and owing to expense, delay and in-
 convenience, ^{in reaching office} this affidavit is made before me
John A. Rockefeller
 U.S. Mineral Surveyor

MAY 9-1912

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockjellow, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Feb. 6 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mascat Copper Com -
Pany, known as the Monarch and Midnight Lodes, situate in Dos Cabezas Mining District, Cochise County, Arizona, in Section 21 Uns., Township No. 14S, Range No. 27E unimproved, and designated as Survey No. 2970, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockjellow
 U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockjellow
 U. S. Deputy Mineral Surveyor, before me Henry Henrich
Notary Public this 7th
 day of May 1912

Henry Henrich
Notary Public

My Commission expires Feb. 14 1918.



OCT. 30. 1911

Amended Location Certificate

Of The

Midnight Lode Mining Claim

To all whom it may concern:-

This Amended Location Certificate of the Midnight Lode Mining Claim, situate in the Dos Cabezas Mining District, Cochise County, Arizona, which mining claim was originally located on the 1st day of Jan. 1909 by T. F. Merrill as the original locator thereof, and the original certificate of which was filed for record in the office of the County Recorder of said Cochise County, on the 4th day of Jan. 1909 and recorded in the Records of said County in Book 42 at page 577 records of mines, hereby certifies and declares that in order to make the said original notice more definite and certain and to more fully comply with all provisions of law respecting the location of mining claims Mascot Copper Company, the present owner of said claim, hereby makes this amended location notice and states the following facts respecting the said location, to-wit:

1. The length of this claim is 1500 feet and the said Mascot Copper Company claims 206 feet in a N. 46° 20' W direction and 1294 feet in a S 46° 20' E. direction from the center of the discovery tunnel at which this notice is posted together with 300 feet in width on each side of the center of the vein.. The general course of the vein or lode is N. 46° 20' W and the description of the location of said claim with reference to some natural object or permanent monument such as will identify the claim is as follows:

Description: The North West Corner of the Midnight Lode claim is formed by the intersection of the East end of the Spring Lode Claim and the South side of the Monarch Lode claim.

From the S. E. Cor. Midnight, the North East Cor. (Cor No 2) Ewell Springs Sur. No. 1554 bears S 45° 34' W. 240.4 feet.

2. The boundary of the claim is marked upon the ground as follows: Beginning at a 4" X 4" post in m'd stones at a point in a N.46°20' W. direction 206 feet from the discovery tunnel (at which tis notice is posted) being at the center of the West end line of said claim. thence N.36°45'E.300.3 feet to a 4" X 4" post in m'd stones being at the North West corner of said claim; thence S 46°20'E.1500 feet to a 4" X 4" post in m'd stones being at the North East corner os said claim; thence S.36°45'W.300.3 feet to a 4" X 4" post in m'd stones being at the center of the East end line os said claim; thence same course 300.3 feet to a 4"X 4" post in m'd stones being at the South East corner of said claim; thence N. 46°20'W 1500 feet to a 4"X4" post in m'd stones being at the South West corner of said claim thence N.36°45' E. 300.3 ft to the place of beginning

Dated June 15-1910

Name of present owner making this amended certificate

Mascot Copper Company

By E. A. Ely, Superintendent

Filed and recorded at request of Mascot Copper Company, Jun.17, 1910 at 9: A. M. in Book 40 Records of Mines, at pages 508 and 509.

TERRITORY OF ARIZONA,)
 :SS.
 County of Cochise.)

I, C. A. McDonald, County Recorder in and for the County and Territory aforesaid, D O H E R E B Y C E R T I F Y that I have compared the annexed and foregoing copy with the original Amended Location Certificate of the M I D N I G H T Lode Mining Claim, filed for record in my office on the 17th day of June, A. D. 1910, at 9: A.M., and recorded in Book 40 Records of Mines, at pages 508 and 509, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this 23rd day of October, A. D. 1911.

C. A. McDonald,
 COUNTY RECORDER
 BY J. A. Ely
 DEPUTY.

Amended Location Certificate
of the
Monarck Lode Mining Claim.

OCT. 30. 1911

To all whom it may concern:-

This amended location certificate of the Monarck Lode Mining Claim, situate in the Dos Cabezas Mining District, Cochise County, Arizona which minig claim was originally located on the 1 day of Jan 1909 by T.F. Merrill as the original locator thereof, and the original certificate of which was filed for record in the office of the County Recorder of said Cochise County, on the 4 day of Jan 1909 and recorded in the records of said County in Book 42 at page 579 records of mines, hereby certifies and declares that in order to make the said original notice more definite and certain and to more fully comply with all provisions of law respecting the location of mining claims, Mascot Copper Company the present owner of said claim, hereby makes this amended location notice and states the following facts respecting the said location, to-wit:

1. The length of this claim is 1500 feet and the said Mascot Copper Company claims 220 feet in a N 46° 20' W direction and 1280 feet in a S 46° 20' E. direction from the center of the discovery cut at which this notice is posted together with 300 feet in width on each side of the center of the vein. The general course of the vein or lode is N 46° 20' W and the description of the location of said claim with reference to some natural object or permanent monument such as will identify the claim is as follows:

Description: The North West corner of the Monarck is identical with the South East corner of the Camp Bird lode claim.

From the S.E. cor. Monarck, The North East cor. Ewell Springs Sur. No 1554 bears S 29° 36' W. 850.9 feet.

2. The boundary of the claim is marked upon the ground as follows: Beginning at a 4" x 4" post in a mound of stones to a point in a N 46° 20' W. direction 220 feet from the discovery cut (at which this notice is posted) being at the center of the West end line of said claim, thence N 41° 18' E. 227.9 feet to a 4" x 4" post

in a m'd stones being at the North West corner of said claim; thence S. 46° 20' E 1500 feet to a 4" x 4" post in a m'd stones being at the North East corner os said claim; thence S. 41° 18' W 227.9 feet to a 4" x 4" post in a m'd stones being at the center of the East end line os said claim; thence same course 300.3 feet to a 4" x 4" post in m'd stones being at the South East corner of said claim thence N 46° 20' W. 1500 feet to a 4" x 4" post in m'd stones being at the ~~Sat~~ South West corner of said claim; thence N 41° 18' E 300.3 ft to the place of beginning.

Dated June 15-1910

Name of present owner making this amended certificate

Mascot Copper Company

By E.A.Ely

Superintendent

Filed and Recorded at request of Mascot Copper Co., Jun. 17-1910 at 9 A.M. in Book 40 at Pages 506 and 507.

TERRITORY OF ARIZONA, |
County of Cochise. | SS.

I, C.A.McDonald, County Recorder in and for the County and Territory aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original ~~Amended~~ Location Certificate of the "Monarck" Mining Claim filed for record in my office on the 17th day of June, A.D. 1910 and recorded in Book 40 Record of Mines at Pages 506 and 507; and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the 23rd day of October, A.D. 1911.

C. A. McDonald
County Recorder.
By Joseph
Deputy.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

July 11, 1912.

I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Mascot Copper Company

, known as the MIDNIGHT, MONARCK.

, situate in Dos Cabezas

Mining District, Cochise County,

Arizona, in Section 21 Unsur., Township No. 14 S.,

Range No. 27 E., and designated as Survey
No. 2970,

has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon ^{each of} said mining claims by claimant or its grantors, and
that said improvements consist of 7 cuts, 1 tunnel and 3 shafts, total
value \$1910.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

July 11, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Mascott Copper Company

, known as the

Midnight, Monarck

situate in Dos Cabezas mining district,

Cochise County, Arizona.

in Section 21 Unsur., Township No. 14 S., Range No. 27 E.,

designated as Survey No. 2970

executed by John A. Rockfellow, U. S. ~~Deputy~~ Mineral

Surveyor, Feb. 23,- Mar. 19, 1912., 190., under my instructions dated

Feb. 6, 1912, 190., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

16