

JUL 24 1912

(4-683.)

Mineral Survey No. 2989

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. D. Pruitt

KNOWN AS THE

Alvina No. 1.
Apache Pass Mining District,
Cochise County, Ariz.

Section 35, Township 14S, Range 28E

Surveyed under instructions dated Apr 27, 1912

by John A. Rockwell
U. S. Deputy Mineral Surveyor

Claim located See notes, 1

Survey commenced May 13, 1912

Survey completed May 15, 1912

o 6-1911

Address of claimant
Bowie
Ariz

Beginning at Cor. No 1 the N.E. Cor. Set a porphyry rock 8x6x26 ins., 13 ins. in the ground, chisel a cross (X) at exact point and 1-2989 H.I. Raise a monument of stone, 4 ft. base, 3 ft. high alongside.

Whence:

Corner of location a 2x4 post in a mound of stone bears $N83^{\circ} 53'E - 249.8$ ft.

The corner of sections 25-26-35-36 Tpl4S, R28E bears $N21^{\circ} 14'E - 1141.7$ ft.

X B R 1-2989 chiseled on a basaltic rock 30x24x18 ins. bears $S72^{\circ} 22'W - 40.35$ ft.

X B R 1-2989 chiseled on a basaltic outcrop 48x48 ins. bears $N64^{\circ} 46'W - 28.9$ ft.

Thence $S19^{\circ} 29'W$ Va $12^{\circ} 30'E$.

303.5 East Center End, Set a pine post 4 ins. square, 4 ft. long on a cross (X) chiseled on bedrock, in a mound of stone, scribed E.C.E. H.I. 2989.

Whence:

E.C.E. of location a monument of stone bears $S79^{\circ} 34'E - 315.3$ ft.

328.0 Center of road leading from mine bears N.W. and S.E.

607.0 To Cor. No. 2 Set a porphyry rock 6x6x24 ins. 12 ins. in the ground, chisel a cross (X) at exact point and 2-2989 H.I.: raise a monument of stone 4 ft. base, 3 ft. high alongside.

Whence:

U.S. Location Monument No. 2368 bears $S18^{\circ} 41'E - 3702.9$ ft.

Cor. of location a 2x4 post in a mound of stone, bears $S58^{\circ} 19'E - 319.1$ ft.

X B R 2-2989 chiseled on a porphyry bedrock in a small gulch bears $N21^{\circ} 44'W - 58.5$ ft.

No other nearby bearings available.

Thence $N78^{\circ} 51'W$ Va. $13^{\circ} 15'E$.

1497.1 To Cor. No. 3, identical with location, a stone monument. In its place set a porphyry rock 20x4x24 ins. 12 ins. in the ground, chisel a cross (X) at exact point and 3-2989 H.I. raise a monument of stone alongside, 4 ft. base, 3 ft. high.

Whence:

X B R 3-2989 chiseled on porphyry ^{reef} a horizontal surface bears S62° 57'E - 34.95 ft.

X B R 3-2989 chiseled on a porphyry face in reef of 30x14 ins. bears N59° 01'E - 29.70 ft.

Thence N19° 29'E Va. 13° 15'E

284.5 West center end, Raise a monument of stone 3 ft. base, 3 ft. high.

Whence:

West Center End of location, a stone monument bears N79° 34'W - 8.5 ft.

559.8 To Cor. No. 4, identical with location a monument of stone built upon a porphyry rock in place 48x14 ins., 24 ins. high. Remove monument, chisel a cross (X) at exact point on rock and 4-2989 H.I. and raise a monument of stones alongside, 4 ft. base, 3 ft. high.

Thence S80° 37' 30" E. Va. 12° 45'E.

1504.7 To Cor. No. 1, the place of beginning.

A R E A .

Area 19.839 acres.

L O C A T I O N .

This claim is located in Cochise County, Arizona, in Sec. 35, Tpl4S, R28E in what is sometimes called Apache Pass Mining District.

The presumed course of the ^{vein} vein or lode is N79° 34'W-1500 ft. from E.C.E. to W.C.E.

There are no adjacent ^{adjoining claims} claims so far as known.

EXPENDITURE OF \$ 500 .

I certify that the value of labor and improvements made upon this claim by the claimant or his grantors, exceeds Five hundred dollars and said improvements consist of:

No. 1) Discovery shaft the N. corner of which bears from E.C.E. N79° 34'W - 312.7 ft. Shaft 6x4 ft. ~~long~~ 38 ft. deep.

Value at \$10. per foot

\$380.00

No. 2) A cut and tunnel the mouth of which bears from a point on lode line at N79° 34'W - 205.4 ft. N52° 18'E - 65.0 ft.

Course of cut and tunnel Westerly. Cut 5 ft. wide: from mouth 109.5 ft. to a point shown by claimant as old work done by previous locator.

Thence 15 ft. cut to face of 22 ft. high, thence tunnel 61 ft. with a side drift ^{N.W.} net 6 ft. *43 feet from portal*

Value of last 15 ft. of ~~cut~~ cut \$200.00

Value of 67 ft. of tunnel 6½x4 ft. at \$10. per ft 670.00 870.00

Total value

\$1250.00

OTHER IMPROVEMENTS .

A. From Cor. No. 2 a cut and the portal of tunnel bears N37° 11'W - 245 ft. Course of Cut and Tunnel N.N.W. Tunnel badly caved not safe to explore.

From point lode line at N79° 34'W - 205.4 ft. from E.C.E.

B. Cut mentioned above as improvement No. 2. First 109.5 ft.

C. A tunnel the mouth of which bears N83°W - 30 ft. Tunnel 6x4 ft., 10 ft. to face Course Northwesterly

From point on lode line at N79° 34'W - 303.7 ft. from E.C.E.

D. A shaft the center of which bears N30°W - 40 ft.

Shaft 6x4 ft., 8 ft. deep.

From point on lode line at N79° 34' W 589.8 ft. from E.C.E.

E. A shaft the center of which bears N51° 56' E. - 59.0 ft.

Shaft 10x5 ft., 4 ft. deep.

F. A shaft the center of which bears S80° 26' W - 29. ft.

Shaft 10x4 ft. 4 ft. deep.

In all these claimants unknown.

I N S T R U M E N T .

This survey was made with a Young & Sons Mountain Transit No. 6855 provided with a Smith Solar Attachment.

The courses were deflected from true meridian as determined by direct solar observations.

The distances were measured with 50 ft. and 500 ft. steel tapes.

Tombstone, Arizona.

July 11, 1912.

U.S. Mineral Surveyor.

John A. Rockwell

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockwell
United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of.....

J. D. Pruitt
known as the Hiesside No 1

and showing the respective capacities in which they acted.

Manuel Alarcon, Chainman.

C. C. Tillotson, Chainman.

John Chandler, ~~Chainman~~ Arman
....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, Manuel Alarcon C. C. Tillotson
and John Chandler, do solemnly swear that we assisted John A. Rockwell
Rockwell, United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of J. D. Pruitt

known as the Hiesside No 1

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona

Manuel Alarcon, Chainman.

C. C. Tillotson, Chainman.

John Chandler, ~~Chainman~~ Arman
....., Flagman.

Subscribed and sworn to by the above-named persons before me this 16

day of May, 1907

John A. Rockwell
U.S. Mineral Surveyor

There being no notary public known to be near
than 10 miles, owing to delay expense and
inconvenience I administered said oath as a
Mineral Surveyor John A. Rockwell

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockefeller, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 27, 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. D. Crewitt, known as the Hillside No. 1, situate in Apache Mining District, Cochise County, Ariz, in Section 35, Township No. 14S, Range No. 28E and designated as Survey No. 2989, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller
U. S. Deputy Mineral Surveyor before me Flora A. Rockefeller
this 11 day of July 1912

My Commission Flora A. Rockefeller
Expires Apr 25 1915 Notary Public

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Hillside No 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. S. Sullivan, Savile Dickson and R. C. Smith citizens of United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 7 day of October 1907

The length of this claim is 1500 feet, and We claim 300 feet, in a eastern direction and 1200 feet in a western direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west

The claim is situated and located in the Apache Mining District, in Cochise County, in the Territory of Arizona, about 14 miles in a southern direction from Bowie Station

The surface boundaries of the claim are marked upon the ground as follows: Beginning at rock monument at west end

at a point in a western direction 1200 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a rock monument, being the north west corner of said claim; thence 1500 feet to a rock monument, being at the north east corner of said claim; thence 300 feet to a rock monument at the center of the east end of said claim; thence 300 feet to a rock monument, being at the south east corner of said claim; thence 1500 feet to a rock monument at the south west corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 7 day of October 1907

J. S. Sullivan
Savile Dickson
R. C. Smith

Please return this J. P. 10

TERRITORY OF ARIZONA,
County of COCHISE } ss

I, Wm. Donald, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at 10:30 o'clock, AM, on this OCT 26 1907 day of OCT 26 1907 1907, and duly recorded in Book No. H1 of MINING Records of COCHISE County, Arizona, at pages 90

WITNESS my hand and official seal the day and year first above written.

Wm. Donald
County Recorder.

APR 27 1912

303744

Notice of Location

LODE CLAIM

Dated 26 1907

Filed and Recorded at request of

R. C. Smith

A. D. 1907


at 10:30 AM

Book No. H1-Records of Mining

Pages 90

Wm. Donald
County Recorder.

By ad
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

September 19, 1912

I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of
J. D. Prewitt
, known as the Hillside No. 1
, situate in Apache Pass
Mining District, Cochise County,
Arizona, in Section 35, Township No. 14 S.,
Range No. 28 E., and designated as Survey
No. 2989, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or his grantors, and
that said improvements consist of 1 shaft, and 1 cut and tunnel with
drift, total value \$1250.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 19, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

J. D. Prewitt

, known as the

Hillside No. 1

situate in Apache Pass Mining District,

Cochise County, Arizona.

in Section 35, Township No. 14 S., Range No. 28 E.,

designated as Survey No. 2989

executed by John A. Rockfellow, U. S. ~~Deputy~~-Mineral

Surveyor, May 13-15, 1912, 190., under my instructions dated

April 27, 1912, 190., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

Frank S. Lyall

U. S. Surveyor-General for Arizona.