

AUG 7-1912

4-683.

MINERAL SURVEY No. 3006 A B

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Frist National Bank of San Diego

KNOWN AS THE

Gladys Mine, Cottonwood Springs mill-site,
Massback, Massback Extension, Alice B., Ida,

San Francisco Mining District,

Mohave County, Arizona

Sections approx ^{{14} 7, Township 20N, Range 19W ^{20W} } Unsur.

Surveyed under instructions dated June 14, 1912

by H G Schader
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced July 20, 1912

Survey completed July 26, 1912

6-822

Address
Ross. H. Blakely H H y.
Kingman Arizona.

SURVEY NO. 3006 A&B.

~~Mossback lode~~

Beginning at Cor. No. 1., identical with location, Cor.No. Mine

1. Mossback Extension lode, Cor.No.2. Gladys lode, Cor.

No.4. Ida lode this survey, a porphyry stone 6x8x24 ins.

set 12 ins. in the ground, chiseled M.1.M.E.1.G.2.I.4.X

3006 A. U.S.M.M.No.3006B. bears N58° 57'E

9663.6 feet.

A Cut No.2. Ida lode this survey bears S.77°13'E. 519 feet.

Feet Thence S55°40'W

300. N.W.E.C., identical with location and S.E.E.C. Mossback Extension lode this survey, a stone mt.

600. Cor. No. 2., identical with location and Cor.No.2.Mossback Extension lode this survey, a quartz stone 6x6x24 ins. set 12 ins. in the ground, chiseled M.2.M.E.2.X 3006A.

Tunnel No. 3. Mossback Extension lode this survey bears N53° 06'E 73.6 feet.

Thence S39°50'E.

1401. Cor. No.3. identical with location, a basalt stone 6x6x24 ins. set 12 ins. in the ground, chiseled M.3.X.3006A.

Bearing rock bears S.49°42'W 28 feet

Bearing rock is 3 feet wide and 5 feet high, chiseled B.R.M.3.X 3006A.

Column of rock on horizon bears N49°16'E.

Thence N55°40'E

300. S.E.E.C., identical with location a stone mt.

397. Center of shaft 4x6x50 feet deep.

600. Cor.No. 4., identical with location a basalt stone 6x6x24 ins. set 12 ins. in the ground, chiseled M.4.X 3006 A.

Bearing rock bears N76°04'E 35.9 feet.

Bearing rock is 2x2x2 feet high, chiseled M.4-X-3006 A-B.R

Column of rock on horizon bears N48°58'E.

Thence N39°50'W

912.7 Cor.No.3. Ida lode, this survey.

1212.7 S.W.E.C. Ida lode this survey.

1401. Cor.No. 1. place of beginning.

~~Ida lode~~

- Beginning at Cor.No.1., identical with location, a porphyry stone 10x10x24 ins. set 12 ins. in the ground chiseled I.1.X.3006 A. No bearings available. U.S.M.M.No.3006 B. bears N55°26'E 8542.8 feet.
- Feet. Thence S39°50'E
300. N.E.E.C. identical with location a stone mt.
600. Cor. No. 2. identical with location, a quartz stone 6x10x24 ins. set 12 ins. in the ground, chiseled I. 2.X.3006A Headframe on Neglected lode uns. bears S25°29'W Witness mt. for U.S.M.M.No.2670. bears S31°11'W
- Thence S83°41'W
1490. Cor. No. 3., identical with location, a quartz stone 6x3x24 ins. set 12 ins. in the ground, chiseled I.3.X.3006 A.
- Cut No. 3. Mossback lode this survey bears N87°35'W 162.5 feet.
- On line 4-1 Mossback lode this survey.
- Thence N39°50'W
300. S.W.E.C., identical with location a stone mt.
- 488.3 Cor. No.4. previously described, identical with location and Cor.No.1 Mossback lode of this survey. Thence N79°57'10"E
- 1431.35 Cor.No. 1. place of beginning. Mossback Extension lode and Cor.No.1 Mossback lode of this survey. Beginning at Cor. No.1., identical with location, previously described. U.S.M.M.No.3006 B. bears N58°51'E. 9663.6 ft.
- Thence S.55°40'W and N.W.E.C. Mossback lode of this survey
300. S.E.E.C., identical with location, previously described. and Cor.No.2 Mossback lode of this survey.
600. Cor.No.2. identical with location, previously described.
- Thence N36°47'W
- 1427.64 Inter sect line 1-2 Alice B. lode this survey, Cor.No.1 said lode bears N55°40'E 377.93 feet.
1500. Cor.No.3., identical with location a quartz stone 8x6x24 in set 12 ins. in the ground, chiseled M.E.3.3006 A.X

Survey No. 3006 A.

Feet

Face of disc. Alice B. lode this survey bears N19°53'E 129.7 ? feet.

Thence N 55°40'E

300. N.W.E.C. identical with location a stone mt.

393.1 Intersect line 5-1 Alice B. lode this survey, Cor.No.1.

said lode bears S24°53'E 73.32 feet

600. Cor.No.4. identical with location, and Cor.No.3. Gladys

Mine lode this survey, a porphyry stone 10x8x24 ins. set 12 ins. in the ground, chiseled M.E.4.G.3.X.3006 A.

Face of disc. Alice B. lode this survey bears S64°23'W501 ft. ?

Thence S 36°47'E

1500. Cor.No.1. place of beginning.

Gladys Mine ~~Lode~~

Beginning at cor.No. 1. identical with location, a porphyry stone 6x6x24ins. set 12 ins. in the ground, chiseled

G.1.X. 3006 A. U.S.M.M.No. 3006 B. bears

N59°45'E 9077.7 feet.

Cut No. 2. bears S 68°52'W 248 feet.

Thence S46°49'W

300. S.E.E.C.. identical with location, a stone mt.

600. Cor.No.2. identical with location, ^{and Cor. No. 1 Mossback lode of this survey,} previously described.

Thence N 36°47'W

1500. Cor.No.3. identical with location, ^{and Cor. No. A Mossback Extension lode of this survey} previously described.

Thence N 46°49'E

300. N.W.E.C. identical with location, a stone mt.

600. Cor, No. 4. identical with location, a basalt stone 6x12x24

ins. set 12 ins. in the ground, chiseled G.4.X. 3006 A.

No bearings available.

Thence S36°47'E

1500. Cor.No.1. place of beginning.

Alice B. ~~Lode~~

Beginning at Cor.No. 1. a porphyry stone 12x6x24 ins. set 12 ins in the ground, chiseled A.B.1.X.3006 A.

S.E.Cor. of location bears N 57°30'E 139 feet, a stone monument.

U.S.M.M.NO.3006 B. bears N66°57'E 10126. feet
Shaft No.4. bears N62°48'W 450 feet.

Feet

Thence S 55°40'W

300. S.E.E.C. a stone mt.

S.E.E.C. location bears S77°15'E 51 feet, a stone monument.

377.93 Intersect line 2-3 Mossback Extension lode this survey

Cor.No.3. said lode bears N36°47'W 72.36 feet.

600. Cor.No.2. identical with location, a quartz stone

12x8x24 ins. set 12 ins. in the ground, chiseled

A.B.2.X.3006A.

Face of discovery bears N25°26'E 294.2 feet.

Thence N28°07'W

1301.6 Cor.No.3. a quartz stone 6x6x24 ins. set 12 ins. in the
ground, chiseled A.B.3.X.3006 A .

N.W.Cor. location bears N 51°20'W 68 feet, a stone monument.

Black peak bears S 36°40'W

White peak bears S 25°24'E

Thence N 55°40'E

300. Cor.No.4. identical with location, ^{for n.w.e.c.} rock in place

5x2x1 ft. high, chiseled A.B.4.X.3006 A

Face of discovery bears S 25°04'E 1160. feet.

Thence N 65°42'E

300. Cor.No.5. a porphyry stone 6x6x24 ins. set 12 ins. in the
ground, chiseled A.B.5.X. 3006 A

N.E.Cor.location bears N 65°42'E 9.5 feet, a stone monument.

No bearings available.

Thence S 24°53'E

1185.38 Intersect line 3-4 Mossback Extension lode this sur-

vey. Cor.No.3. said lode bears S 55°40'W 393.1 feet

1258.7 Cor. No.1. place of beginning.

Variation

Variation at all corners this survey is 15°E

should be
530
see prev. page

Survey No. 3006 A.

Lode Lines

The vein on Mossback lode extends from S.E.E.C. N $39^{\circ}50'W$ 1401 feet to N.W.E.C.

The vein on Mossback Extension lode extends from S.E.E.C. N $36^{\circ}47'W$ 1500 feet to N.W.E.C.

The vein on Alice B. lode extends from S.E.E.C. N $25^{\circ}04'W$ 1311 feet to N.W.E.C.

The vein on Gladys Mine lode extends from S.E.E.C. N $36^{\circ}47'W$ 1500 feet to N.W.E.C.

The vein on Ida lode extends from S.W.E.C. N $83^{\circ}41'E$ to N.E.E.C. 1490 feet.

Cottonwood Springs Mill Site Sur. No. 3006B.

Beginning at Cor.No. 1. a porphyry stone 8x8x24 ins. set 12 ins. in the ground chiseled C.S.M.S. 1.3006 B.X

U.S.M.M.NO.3006 B bears S $61^{\circ}12'W$ 835 feet

Cottonwood tree 10 ins. dia. bears S $16^{\circ}11'W$ 173.4 feet

Scribed B.T. C.S.M.S. 1.4. 3006 B X

Cor.No.1. Mossback lode Sur.No. 3006 A bears S $59^{\circ}08'W$ 10497.8 ft.

Peak bears N $89^{\circ}12'E$

N.W.Cor. location bears S $62^{\circ}43'W$ 289 feet, a stone monument.
Thence N $62^{\circ}43'E$

491. Ridge

600. Cor.No. 2. identical with location a porphyry stone

8x8x24 ins. set 12 ins. in the ground, chiseled C.S.M.S. 2.X 3006 B

Cottonwood tree 8 ins. dia. bears S $16^{\circ}54'E$ 197.5 feet

scribed C.S.M.S. 2.B.T.X.3006 B.

Cottonwood tree 6 ins. dia. bears S $29^{\circ}56'E$ 193.2 feet

scribed B.T.C.S.M.S.2. 3006 B X

Thence S $20^{\circ}12'E$

195. Center of cañon. course S.Wly.

366.2 Cor.No.3. identical with location, a porphyry stone

6x8x24 ins. set 12 ins. in the ground, chiseled C.S.M.S.

3. 3006 B X

No bearings available.

Thence, S 64°21'W

80. Cross gulch course N.Wly.
 598.12 Cor.No.4. a porphyry stone 6x8x24 ins. set 12 ins. in
 the ground, chiseled C.S.M.S.4,3006 B X
 S.W.Cor.location bears S 34°43'W 92 feet, a stone monument.
 Cottonwood tree 10 ins. dia. bears N 46°21'W 233.3 ft.
 previously described for Cor. No.1.

Thence N 20°12'W

220. Center canon course S.Wly.

349. Cor.No.1. place of beginning.

Variation at all corners 15°E.

AREA

acres

Total area Mossback lode	19.208
" " "Alice B. "	16.661
" " " Gladys Mine lode "	20.532
" " " Ida lode "	15.518
" " " Mossback Extension lode "	20.642
Conflict with Alice B. lode this survey	0.639
Area Cottonwood Springs Mill Site	4.887

LOCATION

Survey No.3006 A is located in approximately ^{Sec.14,} T.20N.R.20.W, ^{9line.}
 Survey No.3006 B. is " " " " ^{Sec.7,} T.20.N.R.19.W, ^{9line.}
 San Francisco Mining District Mohave Co. Arizona

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

On Mossback lode

No.1.	Disc. shaft on lode line 89 feet from N.W.E.C. 4x6x10ft.	value	100.00
No.2.	Shaft 4x7x330 feet deep, which bears from disc. N.81°23'E 138 feet.	Value	10000.00

7 Sur. No. 3006 A & B

	<p>This is a common improvement for the entire group, ^{with the exception of the Gladys Mine which was located subsequent to the sinking of the Alice B, Mossback Extension and Mossback lodes} ss ^{the sinking of said shaft.} three of the locations, are on the same vein, Gladys Mine lode is on parallel vein and Ida lode is on a vein that ^{all of said lodes being on higher ground,} intersects the Mossback vein near this shaft, and it can readily be seen that drifts from the bottom of this shaft will develop said veins without the added expenditure of sinking another main working shaft. One-fourth of common improvement 2500.00 an excavation into the vein</p>	
No.3.	Room in rock, 28x14x10 feet high, door of which bears, N 87°35'W 162.5 feet from point 912.7 ft. on line 4-1.	900.00
No.4.	Shaft 8x5x70 feet deep on lode line 577 feet from S.E.E.C. Value	700.00
No.5.	Crosscut N.E ly 30 ft. Shaft 20 ft. from portal 36 ft. deep. Drift S.Ely from shaft 52 ft. long Entrance to crosscut bears N 15°48'W 277 ft. from ^{Cross section dimensions 4x6 ft.} S.E.E.C. Value	1000.00
No.6.	Shaft 4x6x50 ft. deep. Bears from S.E.E.C. N 55°40'E 97 ft. Value	500.00
	On Mossback Extension	
No.1.	Disc. cut 4x18x10 ft. face which bears from S.E.E.C. N 36°47'W 434 ft. Value	100.00
No.2.	Shaft 7x6x13 ft. on lode line 394 ft. from S.E.E.C. Value 130.00	
No.3	Tunnel 4x6x148 ft., bears N. 53°06'E. 73.6 ft. from Cor. No. 2. Course N. Easterly, Value 1400.00	
	One-fourth of common improvement 2500.00 On Alice B.	
No.1.	Disc. cut 6x17x12 ft. face which bears N 25°04'W 151 ft. from S.E.E.C. Value	100.00
No.2.	Cut 5x20x6 ft. which bears from S.E.E.C. N 31°36'E 82 ft. Value	100.00
No.3.	Cut 4x5x14 ft. which bears from Cor.No.1. N 66°05'W 400 ft. Value	100.00
No.4.	Shaft 5x7x12 ft. which bears from Cor.No.1. N 62°48'W 450 ft. Value	100.00
	One-fourth of common improvement 2500.00 On Gladys Mine	
No.1.	Disc. shaft 4x6x10 ft. which bears from S.E.E.C. N 36°47'W 154 ft. Value	100.00

No.2.	Cut 4x15x8 ft. which bears from Cor.No.1.		
	S 68°52'W 248 ft.	Value	100.00
	On Ida		
No.1.	Disc. ^{cut} 4x20x12 ft face which bears from S.W.E.C.		
	N 83°41'E 471 ft.	Value	100.00
No. 2.	Cut 4x10x28ft. long tunnel 4x6x6 ft. course N. Ely. . .		
	Entrance bears from Cor.No.4. S 77°13'E 519 ft.		
	Value		150.00
	One-fourth of common improvement		2500.00

INSTRUMENT

This survey was made with a Lietz mining transit. . . .
 The distances were measured with 100&600^{ft} steel tapes.
 The courses were deflected from the true meridian as
 determined by direct solar observation.

REPORT

U.S.M.M.No.1. bears N 87°08'40"W 11057.4 ft. from
 Cor.No.1. Mossback lode. and is a pine post 3x4x42 ins.
 set in stone mt. Cor. No.1. Ruth lode.
 560 ft.
 Sur.No. 2213 bears S 36°50'W from U.S.M.M. No.1.

and is a pine post properly set, and scribed.

Adjoining Claims.
 Mossgold No.4 lode uns. C.H.Burlock claimant, joins on
 S.E. End of Mossback lode this survey,

Mossgold No.2 lode uns. joins on south side line Ida lode
 and east side line Mossback lode, C.H.Burlock is claimant

Note! The discrepancies between this survey and courses and dist-
 ances in the location notices are due to errors in the
 latter. There were no side center mts., for Mossback

Mossback Extension and Alice B. lodes see affidavit sub-
 mitted herewith.

Shaft No.2. Mossback lode is shown by the
 company records to be 330 ft. deep and 1000 ft. of dev-
 elopment has been done here. This shaft is now filled with
 water so I could not measure it, but I measured the dump
 and from the amount of broken rock there has been more than
 1000 ft. of work done here.

U.S.M.M. No. 3006 B.

Established U.S.M.M. No. 3006 B. on rim rock Lat.

35°07'N approx. Long. 114°20'40" W

A porphyry stone 12x16x33 ins. set 16 ins. in the ground,
chiseled U.S.M.M.X.3006 B. Built witness monument 6 ft. base, 5 ft. high,
S. 7°05'E. 14.7 ft. dist.

Witness mt. for U.S.M.M. No. 2670 bears S 39°09'W over two miles.
peak bears N 49°36'E

Bearing rock, porphyry, 5 ft. high 3 ft. wide bears

S 69°17'W 24.2 ft. scribed B R USMM X 3006 B

Rock 2½x2½x3 ft. high bears S 17°01'W 22.3 ft.

scribed B R USMM X 3006 B

H. G. Schader
U. S. Min. Surveyor.

TERRITORY OF ARIZONA }
COUNTY OF Mohave } ss.

HB Morse

being first duly sworn, deposes and says that he is familiar with the Mossback Mossback Extension Alice B. lode mining claim, situate in the San Francisco Mining District, Mohave County, Arizona, for which First Natl Bank of San Diego has made application to the Surveyor-General for the District of Arizona for an official survey, as a basis for an application for patent to said claim; that he has actually been on this mining claim and has seen all of the monuments of location defining the boundaries thereof, as are described in the location notice of said lode claim on which this survey is based; that the original ~~end or~~ side center monuments of location were actually established on the ground by the locators at the approximate centers of the ~~end or~~ side lines of this claim; that said end or side center monuments of location were not situate within the boundaries of said lode claim, as defined by straight lines connecting the respective corner monuments; and furthermore that he is not interested in said claim in any manner whatsoever.

J. H. [Signature]
Affiant.

Subscribed and sworn to before me this 30 day of Oct, 1912

(SEAL)

My Com Exp. 2-23-1916

[Signature]
Notary Public

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by H. G. Schader

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

First National Bank of San Diego

known as the Massback, Massback Extension, Alice B, Ida, Gladys mine, Cottonwood Springs mill site and showing the respective capacities in which they acted.

Frank Irwin, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, Frank Irwin

and, do solemnly swear that ~~we~~ ^I assisted

H. G. Schader, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of First National Bank of San Diego

known as the Massback, Massback Extension, Alice B, Ida, Gladys mine, Cottonwood Springs mill site.

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

Frank Irwin, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 2nd

day of August, 1912

My Comm. Ex. Nov. 22, 1913.

Ross H. Blatchly
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, H. G. Schader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 14 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of First National Bank of San Diego, known as the Massbach, Massbach Extension, Alice B. Ida, Gladys Mine, situate in Cottonwood Springs Mine site San Francisco Mining District, Mohave County, Arizona, in Section 5 approx 14 Township No. 20 N, Range No. 19 W } Unsur. and designated as Survey No. 3006 ARB, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

H. G. Schader
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said H. G. Schader
U. S. Deputy Mineral Surveyor, before me A Notary Public in and for Mohave County Arizona this 3rd day of August, 1912.

my com. Ex Nov. 22. 1913 Ross H. Blotely
Notary Public

NOTICE OF
MINING LOCATION.
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining Claim, the name of which is the Gladys Mine mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Charles H. Burlock, citizen of the United States the undersigned, on the 1st day of January, 1911.

The length of this claim is 1500 feet, and I claim 150 feet in a South Easterly direction and 1350 feet in a North Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 2 1/2 miles in a North Easterly direction from the Mardy Mine, ~~and~~ about 2 miles East of the Moss Mine and is located parallel with the Mossback Extention Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning ^{a monument of stone at} at a point in a South Easterly direction 150 feet from the discovery shaft (at which this notice is posted) being in the center of the South East end line of said claim; thence 300 feet to a monument of stone, being the south West corner of said claim; thence 1500 feet to a monument of stone, being at the North west corner of said claim; thence 300 feet to a monument of stone at the center of the North West end of said claim; thence 300 feet to a Monument of Stone, being at the North east corner of said claim; thence 1500 feet to a Monument of stone at the South East corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1 day of January, 1911.

Chas. H. Burlock.

Filed and recorded at the request of Chas H. Burlock march 29th, A.D. 1911, at 3⁴⁰ O'clock P.M. Book G.G. of Mines pages 297.

J.W.Morgan
County Recorder.

L O C A T I O N N O T I C E

of the
COTTON WOODS SPRINGS MILL-SITE CLAIM.

#####

KNOW ALL MEN BY THESE PRESENTS:- That we the undersigned have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the MOSSBACK Mining Claim, situated in San Francisco Mining District Mohave County, Arizona Territory, the exterior boundaries of said COTTONWOOD SPRINGS Mill-Site claim are as follows:- viz:-

Commencing at a monument of stone at S. E. corner of claim and running thence in a westerly direction 466 1/2 feet to a monument of stone at N. W. corner of claim thence in a Southerly direction 466 1/2 feet to a monument of stone at S. W. corner of claim, thence in an easterly direction 466 1/2 feet to a monument of stone at S. E. corner of claim, thence in a Northerly direction 466 1/2 feet to a monument of stone at N. E. Corner of claim and place of beginning.

This location may be more generally described as being situated ^{about} 1 miles in an easterly direction from the old moss mine and about ~~one~~ half way between Grape Vine Springs and Secret Pass.

Dated on the ground this 3rd day of January 1901.

L. A. Burlock

C. H. Burlock.

Filed and recorded at request of C. H. Burlock Feb. 28th A. D. 1901, at ----- minutes past 4 o'clock P. M. in Book No. 1, page 331 Records of Mohave County, Arizona Territory.

Jno. P. Feeny,
County Recorder.

NOTICE OF MINING LOCATION
QUARTZ CLAIM

JUN 14 1912

1 TO ALL WHOM IT MAY CONCERN:

2 This mining claim, the name of which is the MOSSBACK Mining
3 Claim, situate on lands belonging to the United States of America,
4 and in which there are valuable mineral deposits, was entered upon
5 and located for the purposes of exploration and purchase by L.A.
6 Burlock and C.H. Burlock, Citizens of the United States of America.
7 the undersigned on the 2nd day of January 1901.

8 The length of this claim is Fifteen hundred (1500) feet and
9 we claim One hundred (100) feet in a Northwesterly direction and
10 four hundred (400) feet in a Southeasterly direction from the
11 center of the discovery shaft, at which this notice is posted,
12 lengthwise of the claim, together with three hundred (300) feet in
13 width of the surface grounds, on each side of the center of said
14 claim. The general course of the lode deposit and ~~the~~ premises is
15 from the South east to the North west.

16 The claim is situated and located in the San Francisco Mining
17 District in Mohave County, in the Territory of Arizona, about 2
18 miles in a Easterly direction from the old Moss Mine about 2 miles
19 in a westerly direction from the Grape Vine Springs & about 2
20 miles South west from Cotton wood Springs.

21 The surface boundaries of the claim are marked upon the ground
22 as follows: Beginning at a Monument of Stone at a point in a North
23 westerly direction one hundred (100) feet from the discovery shaft
24 (at which this notice is posted), being in the center of the
25 North West end line of said claim; thence three hundred (300) feet
26 to a monument of stone being the North corner of said claim; thence
27 Seven hundred & fifty (750) feet to a monument of stone at the center
28 of the North east side line of said claim; thence Seven hundred
29 & fifty (750) feet to a monument of stone being at the East
30 corner of said claim; thence Three hundred (300) feet to a monu-
31 ment of stone at the center of the South east end said claim;
32 thence three hundred (300) feet to a monument of stone being at the
33 South corner of said claim; thence Seven hundred & fifty (750)
feet to a monument of stone being at the center of the South west
side line of said claim; thence Seven hundred & fifty (750) feet to
a monument of stone at the West corner of said claim; thence Three
hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII,
of the Revised Statutes of the United States and of an Act of the
General Assembly of Arizona, entitled "An Act Concerning Mines",
approved March 20, 1895.

Dated and posted on the ground, this 2nd day of January 1901.

L.A. Burlock

C.H. Burlock

Locators

Filed and recorded at request of C.H. Burlock this 28th day of
February A.D. 1901, at 4 o'clock P.M. In Book "O" Mining Records
page 663. Jno. P. Feeny

County Recorder.

NOTICE OF MINING LOCATION.

QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the MOSSBACK EXTENSION Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by L. A. Burlock and C. H. Burlock, Citizens of the United States of America, the undersigned, on the 2nd day of January, 1901.

The length of this claim is 1500 feet, and we claim Eleven Hundred (1100) feet in a North westerly direction and four hundred feet in a South easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southeast to the North west.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 2 miles in a Easterly direction from the old Moss Mine and about 2 miles from Grape Vine Springs in a North westerly direction. It is also between Silver Creek & Secret Pass.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A Monument of stone at a point in a Southeasterly direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the South East end line of said claim; thence 300 feet to a Monument of stone being the East corner of said claim; thence 750 feet to a monument of stone at the center of the Northeast side line of said claim; thence 750 feet to a monument of stone being at the North corner of said claim; thence 300 feet to a Monument of stone at the center of the Northwest end of said claim; thence 300 feet to a monument of stone, being at the West corner of said claim; thence 750 feet to a monument of stone being at the center of the South west side line of said claim; thence 750 feet to a monument of stone at the South corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895.

Dated and posted on the ground, this 2nd day of January, 1901.

L. A. Burlock
C. H. Burlock.

Filed and recorded at request of C. H. Burlock this 28th day of February A. D. 1901, at 4 o'clock P. M. Book "O", page 864, Mining Records of Mohave County?

Jno. P. Teeny.
County Recorder.

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:}

This mining claim the name of which is the "ALICE B" Mining Claim situate on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by C. H. Burlock and L. A. Burlock, Citizens of the United States, the undersigned on the 22nd day of April 1902.

The length of this claim is 1500 feet, and we claim 200 feet in a South easterly direction, and 1300 feet in a North Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds on each side of the center of said claim, the general course of the lode deposit and premises is from the South East to the North West.

The claim is situated and located in the San Francisco Mining District in Mohave County in the Territory of Arizona, about 10 miles in an Easterly direction from the Colorado River and about 2 miles in a westerly direction from Cotton Wood Springs and joins the Mossback Extention on the Northwest.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone and running to a monument of stone at a point in a South Easterly direction 200 feet from the discovery shaft (at which this notice is posted) being in the center of the South East end line of said claim; thence 300 feet to a monument of stone being the south west corner of said claim; thence 750 feet to a monument of stone at the center of the west side line of said claim; thence 750 feet to a monument of stone being at the Northwest corner of said claim; thence 300 feet to a monument of stone at the center of the North West end of said claim; thence 300 feet to a monument of stone being at the North east corner of said claim; thence 750 feet to a monument of stone being at the center of the east side line of said claim; thence 750 feet to a monument of stone at the South East corner of said claim; thence 300 feet to the place of beginning:

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act concerning Mines," approved March 20, 1895, and Amended March 2d, 1899, and March 16, 1901.

Dated and posted on the ground this 22nd day of April, 1902.

Witness

Joe Maulhardt

C. H. Burlock: Locators
L. A. Burlock.

Filed and recorded at request of C. H. Burlock, June 21st, A. D. 1902, at 9 o'clock A. M. Book "P" pages 395 and 396.

Jno. P. Teeny,
County Recorder.

NOTICE OF MINING LOCATION
MINERAL CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Ida, Mining Claim, situate on the lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Lillian A. Burlock, the undersigned citizen, on the 1st day of January, 1906.

The length of this claim is Fifteen Hundred (1500) feet, and I claim 250 feet in a Westerly direction and 1250 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is Easterly and Westerly.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 3 1/2 miles in a Northwesterly direction from Gold Roads and the East side line of the Mossback is the West end line of the Ida and joins that way.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Westerly direction 250 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence running Three Hundred (300) feet to a monument of stone, being the Northwest corner of said claim; thence running Fifteen Hundred (1500) feet to a monument of stone, being at the Northeast corner of said claim; thence running Three Hundred (300) feet to a monument of stone at the center of the East end of said claim; thence running Three Hundred (300) feet to a monument of stone, being at the Southeast corner of said claim; thence Running Fifteen Hundred (1500) feet to a monument of stone at the Southwest corner of said claim; thence Running Three Hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 2, 1899, and March 16, 1901, and all acts and parts of acts enacted up to and including the date of this location.

Dated and posted on the ground, this 1st day of January, 1906.
J. J. Watterson)
G. W. Boyl) Witness.

Lillian A. Burlock,
 Locator.

Filed and Recorded at request of Chas. H. Burlock this 5th day of January, A. D. 1906, at 2 o'clock 15 minutes P. M., Book "W" Page 273.

Thos. McNeely,
 County Recorder.

RECORDER'S CERTIFICATE

STATE OF ARIZONA,)
) :-ss.
County of Mohave.)

I, J. W. MORGAN, County Recorder of the County of Mohave, State of Arizona, do hereby certify that I have compared the foregoing and attached copies of LOCATION NOTICES of the

"MOSSBACK", "MOSSBACK EXTENSION", "ALICE B"

"IDA", and "GLADYS MINE" Mining Claims and the

"COTTON WOODS SPRINGS MILL-SITE CLAIM",

All situated and located in the SAN FRANCISCO Mining District, Mohave County, Arizona, and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESSES my hand and the seal of said office, this 12th., day of June, A.D. 1912.



J. W. Morgan
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 9, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

FIRST NATIONAL BANK OF SAN DIEGO

known as the GLADYS MINE, COTTONWOOD SPRINGS MILL SITE, MOSSBACK, MOSSBACK EXTENSION, ALICE B, IDA. SAN FRANCISCO

situate in Mining District, MOHAVE County, ARIZONA

Approx { 14 20 W Uns.
in Section 8 { 7 Township No. 20 N., Range No. 19 W "designated as Survey No. 3006 A & B, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

less than
And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ~~said mining claim by claimant or its grantors, and that said improvements consist of the Gladys Mine, at time of survey, and that five hundred~~ ~~dollars' worth of labor has been expended or improvements made upon~~ or for each the Mossback, Mossback Extension, Alice B. and Ida lodes, by claimant or its grantors, and that said improvements consist of 8 shafts, 7 cuts, 1 room in rock, 2 tunnels, 1 crosscut and 1 drift, total value \$15,680.00. Shaft No. 2 on the Mossback lode is a common

improvement for the benefit of the Mossback, Mossback Extension, Alice B. and Ida lodes of this survey, (the Gladys Mine was located subsequent to the sinking of said shaft and therefore cannot participate in the apportionment of values therefrom,) and an undivided 1/4 interest, value \$2500, in said shaft, is properly credited to each of said

upon any other claim.

four lodes.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 9, 1912.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

FIRST NATIONAL BANK OF SAN DIEGO

known as the

GLADYS MINE, COTTONWOOD SPRINGS MILL SITE, MOSSBACK, MOSSBACK EXTENSION, ALICE B, IDA.

situate in SAN FRANCISCO Mining District,

MOHAVE

County,

ARIZONA

in Section s. Approx. { 14 7, Township No. 20 N., Range No. 19 W. 20 W Ups.

designated as Survey No. 3006 A&B

executed by H. G. Schader, U. S. Deputy Mineral

Surveyor, July 20-26, 1912, 190, under my instructions dated

June 24, 1912, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank J. Lyall

U. S. Surveyor-General for Arizona.

JUL 23 1913 23

State of Arizona }
County of Mohave } S.S.

I hereby certify that I examined the work on Gladys lode Sur No. 3006 A. on Jan 23-1913 and found that the claimant had made additional improvements, since said survey, amounting to three hundred dollars.

Said improvements consist of a cut and tunnel 41 ft long, 3 ft wide and 6 ft high, course southeasterly

The entrance to said cut bears N 83° E 153 ft from discovery shaft of said claim.

H. G. Schader

Subscribed and sworn to before me this
19th day of July, 1913.
My Commission expires Nov. 22-1913.

Ross H. Blakely,
Notary Public.

CERTIFICATE OF U.S.SURVEYOR GENERAL

as to

Expenditures Reported after Return of Survey of Mining Claim.

I, U. S. Surveyor General for District of Arizona, do hereby certify that Five Hundred Dollars' worth of labor has been expended or improvements made by claimant or its grantors, upon the mining claim of First National Bank of San Diego, known as the Gladys Mine, embraced in Mineral Survey No. 3006 A & B, situated in San Francisco Mining District, Mohave County, Arizona, in approximate Sec. 14, T. 20 N., R. 20 W., Unsur., that said improvements consist of, in addition to those reported at time of survey, 1 cut and tunnel, value \$300.00 , and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

A copy of the report of H. G. Schader, dated July 19, 1913, pursuant to his examination of January 23, 1913, is hereto attached.

Frank S. Ingalls
Surveyor-General for Arizona.

Office of U. S. Surveyor General,

Phoenix, Arizona,

July 24, 1913.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)
M.S. 3006 B

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Cottonwood Springs Mill Site, Mineral Survey No. 3006 B, located in section 23, Township 20 North, Range 20 West, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record. The Mill Site lies within the Mount Nutt Wilderness Area and is no longer a valid in-holding.

The Mineral Survey Plat should be noted as follows:

"Cottonwood Springs Mill Site, M.S. 3006 B was canceled November 18, 1991, by memo 9605 (942) M.S. 3006 B, which is now a part of the original field notes."

November 18, 1991
Date



Chief Cadastral Surveyor of Arizona
Acting