

DEC 10 1912

4-683.

MINERAL SURVEY No. 3027

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. F. Luthy

KNOWN AS THE

Golconda, Golden Harvest, Imperial

Salt Spring Mining District,

Mohave County, Arizona, approximately in

Section Sec. 9, Township 30 N., Range 19 W., unsurveyed

Surveyed under instructions dated November 21 st, 19 12

by Peter McCardell U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced November 29 th., 19 12

Survey completed December 2 nd., 19 12

6-822

Address of claimants attorney,
H. H. Watkins, Kingman, Arizona.

SURVEY No.3027.

GOLCONDA LODE.

Beginning at Cor. No.1.

A cross (X) and 1-3027 G. chiseled on a schist cliff 4 ft. above the general surface, mound of stone, whence A cross (X) and B. R. 1-3027, chiseled on a schist rock 4 ft. above the ground, bears S. 64° 13' E. 21.7 ft. and a cross (X) and B. R. 1-3027, chiseled on schist rock 4 ft. above the ground, bears N. 28° 43' E. 29.6 ft. U. S. M. M. No.3027, Salt Spring Mining District, bears S. 74° 44' E. 288.0 ft.

Thence S. 7° 51' E.

Va. 15° 31' E.

Feet.

853.14 Intersect line 1-4 Imperial lode, of this survey, at S. 58° 11' W. 305.42 ft. from Cor. No.1, and N. 58° 11' E. 294.58 ft. from Cor. No.4.

1500 To Cor. No.2.

Identical with Cor. No.1, Golden Harvest lode, of this survey,

A schist stone, 8 X 8 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 1-3027 G. H., and 2-3027 G, on their respective faces, cross (X) at corner point, whence

A cross (X) and B. R. 1-2-3027, chiseled on a schist rock 2 ft. above the ground, bears S. 11° 19' E. 65.5 ft. No other bearing objects available.

Thence S. 79° 47' W.

Va. 15° 43' E.

Along line 1-4, Golden Harvest lode, of this survey.

34.35 Intersect line 3-4 Imperial lode, of this survey, at N. 31° 49' W. 921.38 ft. from Cor. No.3, and S. 31° 49' E. 578.62 ft. from Cor. No.4.

SURVEY No.3027 - Continued.

GOLCONDA LODE - Continued.

300 To S. E. end center.

Identical with the N. W. end center Golden Harvest lode, of this survey,

A schist stone, 6 X 8 X 20 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. E. C. 3027 G., and N. W. E. C., 3027 G. H. on the respective faces.

600 To Cor. No.3.

Identical with Cor. No.4, Golden Harvest lode, of this survey,

A schist stone, 5 X 8 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 3-3027 G., and 4-3027 G. H., cross (X) at corner point, whence

A cross (X) and B. R. 3-4-3027, chiseled on a schist rock 2 ft. above the ground, bears S. 11° 28' E. 13 ft., no other bearing objects available.

Thence N. 7° 51' W.

Va. 15° 40' E.

1500 To Cor. No.4.

A schist stone, 6 X 12 X 27 ins., set 12 ins. in the ground, mound of stone, chiseled 4-3027 G., cross (X) at corner point, whence

A cross (X) and B. R. 4-3027, chiseled on a Schist rock 1 ft. above the ground, bears N. 55° 33' E. 42.35 ft., no other bearing objects available.

Thence N. 79° 47' E.

Va. 15° 45' E.

300 To N. W. end center.

A schist stone, 6 X 6 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled N. W. E. C. 3027 G.

600 To Cor. No.1, the place of beginning.

The survey of this location is identical with the location.

SURVEY No.3027 - Continued.

- GOLDEN HARVEST ~~LODE~~.

Beginning at Cor. No.1.

Identical with Cor. No.2, Golconda lode, of this survey, and heretofore described, whence

A corner of the location bears N. 79° 47' E. 15.3 ft.

U. S. M. M. No.3027, Salt Spring Mining District, bears N. 2° 57' E. 1412.2 ft.

Thence S. 12° 35' E.

Feet.

Va. 15° 43' E.

96.95 Intersect line 3-4 Imperial lode of this survey, at N. 31° 49' W. 817.19 ft. from Cor. No.3, and S. 31° 49' E. 682.81 ft. from Cor. No.4.

1500 To Cor. No.2.

A quartz stone, 4 X 12 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 2-3027 G. H., cross (X) at corner point, whence

Squaw peak bears S. 19° 46' W., Mt. Wilson bears N. 85° 13' W., corner of the location bears S. 85° 17' E. 92 ft. no other bearing objects available.

Thence S. 79° 47' W.

Va. 15° 38' E.

300 To S. E. end center.

A schist stone, 6 X 7 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. E. C. 3027 G. H. whence

Corner of the location bears S. 12° 35' E. 86 ft.

600 To Cor. No.3.

A schist stone, 8 X 8 X 22 ins., set 12 ins. in the ground, mound of stone, chiseled 3-3027 G. H., cross (X) at corner point, whence

A cross (X) and B. R. 3-3027, chiseled on a schist rock

SURVEY No.3027 - Continued.

GOLDEN HARVEST LODE - Continued.

1 ft. above the ground, bears N. 32° 17' E. 13.35 ft.,
Squaw peak bears S. 19° 10' W., corner of the location
bears S. 2° 13' W. 52 ft., no other bearing objects available.

Thence N. 12° 35' W.

Va. 15° 36' E.

1500 To Cor. No.4.

Identical with Cor. No.3, Golconda lode, of this survey,
and heretofore described, whence

Corner of the location bears S. 79° 47' W. 3.5 ft.

Thence N. 79° 47' E.

Va. 15° 40' E.

Along line 3-2, Golconda lode, of this survey.

300 To N. W. end center.

Identical with the S. E. end center Golconda lode, of
this survey, and heretofore described, and identical with
the end center location monument.

565.65 Intersect line 3-4 Imperial lode, of this survey, at
N. 31° 49' W. 921.38 ft. from Cor. No.3, and S. 31° 49'
E. 578.62 ft. from Cor. No.4.

600 To Cor. No.1, the place of beginning.

IMPERIAL LODE.

Beginning at Cor. No.1,

A schist stone, 6 X 12 X 24 ins., set 12 ins. in the
ground, mound of stone, chiseled 1-3027 I. cross (X) at
corner point, whence

A cross (X) and B. R. 1-3027, chiseled on a schist rock
1 ft. above the ground, bears S. 72° 34' E. 16 ft.,
corner of the location bears N. 50° 11' E. 19 ft.,

U. S. M. M. No.3027, Salt Spring Mining District, bears
N. 9° 05' W. 618.10 ft., no other bearing objects available.

SURVEY No.3027 - Continued.

IMPERIAL LODE - Continued.

Thence S. 31° 49' E.

Feet. Va. 15° 38' E.

1500 To Cor. No.2.

A schist stone, 6 X 14 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 2-3027 I., cross (X) at corner point, whence

A cross (X) and B. R. 2-3027, chiseled on a schist rock 5 ft. above the ground, bears S. 16° 57' E. 59 ft., and a cross (X) and B. R. 2-3027, chiseled on a schist rock 4 ft. above the ground, bears N. 27° 54' E. 58.5 ft., corner of the location bears S. 48° 19' E. 38.4 ft.

Thence S. 58° 11' W.

Va. 15° 47' E.

300 To S. E. end center.

A schist stone, 7 X 10 X 28 ins., set 12 ins. in the ground, mound of stone, chiseled S. E. E. C. 3027 I., cross (X) at line point, whence

A corner of the location bears S. 31° 49' E. 12 ft.

600 To Cor. No.3.

A schist stone, 6 X 12 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 3-3027 I., cross (X) at corner point, whence

A cross (X) and B. R. 3-3027 I, chiseled on a schist rock 2 ft. above the ground, bears S. 39° 29' W. 31.1 ft. corner of the location bears S. 30° E. 24.1 ft., no other bearing objects available.

Thence N. 31° 49' W.

Va. 15° 41' E.

817.19 Intersect line 1-2, Golden Harvest lode, of this survey, at S. 12° 35' E. 96.95 ft. from Cor. No.1, and N. 12° 35'

SURVEY No.3027 - Continued.

IMPERIAL LODE - Continued.

Feet. W. 1403.05 ft. from Cor. No.2.

921.38 Intersect line 1-4, Golden Harvest lode, and lines 2-3, Golconda lode both of this survey, at S. 79° 47' W. 34.35 ft. from Cors Nos 1-2 and N. 79° 47' E. 565.65 ft. from Cors Nos 3-4 respectively.

1500 To Cor. No.4.

A schist stone, 6 X 14 X 24 ins., set 12 ins. in the ground, mound of stone, chiseled 4-3027 I., cross (X) at corner point, whence

A cross (X) and B. R. 4-3027, chiseled on a schist rock 2 ft. above the ground, bears N. 25° 18' E. 20.7 ft., corner of the location bears N. 77° 31' W. 23.6 ft., no other bearing objects available.

Thence N. 58° 11' E.

Va. 15° 35' E.

294.58 Intersect line 1-2, Golconda lode, of this survey, at S. 7° 51' E. 853.14 ft. from Cor. No.1, and N. 7° 51' W. 646.86 ft. from Cor. No.2.

300 To N. W. end center.

A schist stone, 8 X 10 X 22 ins., set 12 ins. in the ground, mound of stone, chiseled N. W. E. C. 3027 I., cross (X) at line point, whence

The N. W. end center of the location bears N. 32° W. 12 ft.

600 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from present developments the veins of the locations embraced in this claim extend as follows from their respective discovery points:

GOLCONDA LODE, 389 ft. S. 7° 51' E., and 1111 ft. N. 7° 51' W.

SURVEY No.3027 - Continued.

GOLDEN HARVEST LODE, 1151 ft. S. 12° 35' E., and 349 ft. N. 12° 35' W.

IMPERIAL LODE, 705 ft. S. 31° 49' E., and 795 ft. N. 31° 49' W.

 AREAS.

Area Golconda lode	20.643 Acres.
" Golden Harvest lode.....	20.643 ✓ "
Total area Imperial lode.....	20.661 ✓ "
Area in conflict with-	
Golconda lode, of this survey....	2.211 Acres
Golden Harvest lode of this sur.	.038 " ✓

 LOCATION.

This survey is located approximately in ^{Sec.9,} T. 30 N., R. 19 W., Uns., G. & S.R.B. & M. Salt Spring Mining District, Mohave County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

GOLCONDA LODE.

No.1. The discovery shaft, on the center line 389 ft. from the center of line 2-3, 4 X 6 ft., 110 ft. deep.

Value, \$1100

No.2. A cut, the face of which bears from Cor. No.3, N. 18° 08' E. 604 ft., 4 ft. wide, 5 ft. face, running S. 8° E. 12 ft.

Value, \$20

No.3. The last 25 ft. of shaft, which bears from Cor. No.1, S. 71° 18' W. 197 ft., 4 X 6 ft., 65 ft. deep.

Value of the last 25 ft., \$300

SURVEY No.3027 - Continued.

No.4. A tunnel, the mouth of which bears from Cor. No. 4, S. 89° 05' E. 260 ft., 4 X 6 ft., running S. 89° E. 142 ft.

Value, \$1420

GOLDEN HARVEST LODE.

No.1. The discovery shaft, on the center line 349 ft. from the center of line 1-4, 4 X 6 ft., 33 ft. deep.

Value, \$330

No.2. The last 45 ft. of a shaft, which bears from Cor. No.1, S. 38° 15' W. 346 ft., 4 X 6 ft., 85 ft. deep.

Value, of the last 45 ft., \$600

IMPERIAL LODE.

No.1. The discovery shaft, on the center line 705 ft. from the center of line 2-3, 4 X 6 ft. 10 ft. deep.

Value, \$90

No.2. The last 25 ft. of a tunnel, the mouth of which is on the center line 680 ft. from the center of line 2-3, 4 X 6 ft., running S. 60° W. 26 ft., thence N. 80° W. 15 ft.

Value, of the last 25 ft., \$250

No.3. A tunnel, the mouth of which bears from Cor. 4, S. 56° 12' E. 616 ft., 4 X 6 ft., running S. 44° W. 27 ft.

Value, \$243

ADJOINING CLAIMS.

There are no adjoining claims to this survey.

 INSTRUMENT.

This survey was made with a Buff and Berger Transit. The courses were deflected from the true meridian as determined from observation on Polaris. The distances were measured with a 100-ft. and 500-ft. steel tapes.

 REPORT.

The lode line of each location of this claim was run directly upon the ground and the several corners establi-

SURVEY No.3027 - Continued.

shed by means of offsets from the lode lines. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

The location corners are all stone monuments 3 ft. high.

OTHER IMPROVEMENTS.

The first 40 ft. of shaft No.3, Golconda lode, done by former locators.

The first 40 ft. of shaft No.2, Golden Harvest lode, done by former locators.

The first 16 ft. of tunnel No.2, Imperial lode, done by former locators.

DESCRIPTION OF U. S. M. M. No.3027.

SALT SPRING MINING DISTRICT. MOHAVE COUNTY. ARIZONA.

This monument is a schist stone, 8 X 20 X 30 ins., set 8 ins. to bedrock, surrounded by mound of stone, with monument of stone, 6 ft. base, 6 ft. high alongside, located on top of a mountain about 1000 ft. above the Salt Spring wash, in Latitude $35^{\circ} 58' 46''$ N., chiseled U. S. M. M. No.3027, cross on top, whence

A cross (X) and B. R., U. S. M. M. No.3027, chiseled on a schist rock 1 ft. above the ground, bears S. $61^{\circ} 23'$ E. 7.65 ft. Squaw Peak bears S. $18^{\circ} 32'$ W. Hawkins Peak bears N. $2^{\circ} 33'$ E. no other bearing objects available.

Peter McCordell

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter McCardell
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
J. F. Luthy
 known as the Golconda, Golden Harvest, Imperial
 and showing the respective capacities in which they acted.

L. M. Van Marter, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~ I, L. M. Van Marter
~~and~~ _____, do solemnly swear that ~~we~~ ^I assisted
Peter McCardell, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of J. F. Luthy
 known as the Golconda, Golden Harvest, Imperial
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

L. M. Van Marter, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman

Subscribed and sworn to by the above-named persons before me this 9th
 day of December, 19 12

My Commission Expires
February 21st 1916.
Charles McCalister
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter McCardell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated November 21 st. 1912, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. F. Luthy, known as the Golconda, Golden Harvest, Imperial, situate in Salt Spring Mining District, Mohave County, Arizona, approximately in ~~Section~~ Sec. 7, Township No. 30 N., Range No. 19 W., G. & S. R. B. & M. Unsurveyed and designated as Survey No. 3027, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Peter McCardell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter McCardell
U. S. Mineral Surveyor, before me a Notary Public
this 9th
day of December, 1912
my Commission Expires
February 21st 1914

Darius Micalfe
Notary Public

Amended Location Certificate

NOV 20 1912

KNOW ALL MEN BY THESE PRESENTS, That I, J. F. Luthy,

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the Territory of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Salt Spring Mining District, hereby make and file this my amended location of the Golconda Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles, the same being 389 feet along the ledge in a S. 7° 51' E. direction from the discovery stake and 1111 feet along the ledge in a N. 7° 51' W. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Salt Spring Mining District, County of Mohave, State Territory of Arizona, and more particularly described as follows, to-wit:


Beginning at the discovery of the claim, where a location monument is established and this notice posted, thence S. 7° 51' E. 389 ft. to the S. E. end center monument; thence S. 79° 47' W. 300 ft. to the S. W. corner monument; thence N. 7° 51' W. 1500 ft. to the N. W. corner monument; thence N. 79° 47' E. 300 ft. to the N. W. end center monument, 600 ft. to the N. E. corner monument, whence U. S. M. M. No. 3027, Salt Spring Mining District, bears S. 74° 47' E. 288.42 ft., thence S. 7° 51' E. 1500 ft. to the S. E. corner monument; thence S. 79° 47' W. 300 ft. to the S. E. end center monument, the place of beginning exterior boundary of the claim.

THIS AMENDED LOCATION is made in conformity with the original location, made March 17 th. 1887, recorded April 1 st. 1887, in Book I, Page 646, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery March 17 th. A. D. 1887
 Date of Amended Location November 18 th. A. D. 1912

Attest:
 J.F.Luthy
 by H.H.Watkins his attorney in fact
 Recorded at the request of H.H.Watkins, at 9 o'clock A.M., Nov. 18th. 1912, in Book DD of Mining Claims, page 666-667 Records of Mohave County, Arizona.
 J.W.Morgan, County Recorder
 By I.J.Whitney, Deputy.

See 3025 for certificate



Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Golden Harvest
 Mining Claim, situate on lands belonging to the United States of America, and in which there
 are valuable mineral deposits, was entered upon and located for the purposes of exploration and
 purchase by J.F.Luthy

a citizen of the United States
 (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1st day of January 1907

The length of this claim is 1500 feet,
 and 1 claim 1500 feet,

~~in a~~ Southerly direction and
300 feet in a Southerly direction from
 the center of the location monument
~~discovery shaft~~, at which this notice is posted, lengthwise of the claim, together
 with 300 feet in width of the surface grounds, on each
 side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South

The claim is situated and located in the Salt Spring Mining District, in
Mohave County, in the Territory of Arizona, about 3 miles
 in a Southerly direction from the Colorado river and
 $\frac{3}{4}$ miles southerly from Salt Spring and adjoins and extends southerly
 from the Golconda mining claim. This is a relocation of the
Golden Harvest mining claim, located Jan 1st 1888 and covers same
 ground.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a stone monument

~~at a point in a~~ north ~~direction~~ 300 ~~feet~~ feet from
 the location monument
~~discovery shaft~~ (at which this notice is posted), being in the center of the north
 end line of said claim; thence easterly 300 feet to a monument of stone
being the northeast corner of said claim; thence
southerly 1500 feet to a monument of stone, being at the
southeast corner of said claim; thence westerly 300 feet
 to a monument of stone at the center of the south end of said claim;
 thence westerly 300 feet to a monument of stone, being at the
Southwest corner of said claim; thence Northerly 1500
 feet to a monument of stone at the northwest corner of said claim;
 thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
 the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
 Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1st day of January 1907

Witness


J.F.Luthy

Jno. L. Riggs

J.E.M Donald

Filed and recorded at request of J.F.Luthy January 15th, A.D. 1907, at
 9 o'clock A.M. Book V. Page 639.

Thos. McNeely,
 County Recorder.



Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Imperial Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. F. Luthy a citizen of the United States

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 7th day of January 1907

The length of this claim is 1500 feet, and 1 claim 750 feet, in a Northwesterly direction and 750 feet in a Southeasterly direction from the center of the ~~discovery shaft~~ location monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwest to the Southeast

The claim is situated and located in the Salt Springs Mining District, in Mohave County, in the Territory of Arizona, about 2 1/2 miles in a southerly direction from the Colorado river and runs parallel with the Golden Harvest and Golconda mining claims and lies about 200 feet easterly from said claims. This is a relocation of the same ground covered by the Imperial location of Jan 1st, 1906 and Oct. 8th 1906.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone

at a point in a Northwesterly direction 750 feet from the ~~discovery shaft~~ location monument (at which this notice is posted), being in the center of the Northwest end line of said claim; thence Northeasterly 300 feet to a Monument of stone, being the North corner of said claim; thence southeasterly 1500 feet to a monument of stone, being at the east corner of said claim; thence southwesterly 300 feet to a monument of stone at the center of the south east end of said claim; thence southwesterly 300 feet to a monument of stone, being at the south corner of said claim; thence northwesterly 1500 feet to a monument of stone at the west corner of said claim; thence Northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 7th day of January 1907

Witness
Jno. L. Riggs.

J. F. Luthy

Filed and recorded at request of J. F. Luthy January 15th A.D. 1907, at 9 o'clock A.M. Book V, Page 644.

Thos McNeely

County Recorder.

See 3025 for Recorder's certificate

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

February 25, 1913.

I, U. S. Surveyor General for Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the Survey of the mining claim of

J. F. Luthy

, known as the GOLCONDA, GOLDEN HARVEST, IMPERIAL.

, situate in SALT SPRING

Mining District, MOHAVE County,

, in Section Approx. 9, Township No. 30 N.,

Range No. 19 W., Uns., and designated as Survey

No. 3027, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 5 shafts, 1 cut and 3 tunnels, total value \$4353.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

February 25, 1913.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of.....

J. F. LUTHY

....., known as the

GOLCONDA, GOLDEN HARVEST, IMPERIAL.

situate in SALT SPRING Mining District,

MOHAVE County, ARIZONA.

in Section Approx. 9, Township No. 30 N., Range No. 19 W., Uns.

....., designated as Survey No. 3027

executed by Peter McCardell, U. S. ~~Deputy~~ Mineral

Surveyor, November 29-December 2, 1912, 190..., under my instructions dated

November 21, 1912, 190..., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.