

Copied
Nov. 7, 1914,
A.L.H.

1
SEP. 15 1914

(4-683.)

Mineral Survey No. 3039

Lot No. _____

Arizona. _____ Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Chas. H. Hooker and Chas R. Ewing.

KNOWN AS THE

---- LOOKOUT, SUPRISE, 96 ----

VERDE _____ Mining District,

YAVAPAI _____ County, Arizona.

Approx. in Sections ³⁵ 1, 2, ³⁶ 11 & 12, Township ¹⁶ 15 North _____, Range 2 East (unsur.)

Surveyed under instructions dated May 2 nd. _____, 1914.

by HERBERT C. SHOTWELL _____,
U. S. ~~Deputy~~ Mineral Surveyor

Claim located see location notices _____, 1

Survey commenced Sept. 2 nd. _____, 1914.

Survey completed Sept. 5 th. _____, 1914.

Address;

o 6-191

ANDERSON & LAMSON ATTYS.
PRESCOTT, ARIZONA.

Mineral Survey No. 3039.

Feet.

LOOKOUT

Beginning at Cor. No. 1 a pine post 4 X 4 inches square and 4 ft. long set $1\frac{1}{2}$ ft. in ground surrounded by a substantial mound of stone, painted white and carved L-1-3039 in South Westerly face, from which a rock in place $2\frac{1}{2}$ X 2 X $1\frac{1}{2}$ ft. exposed, and chiseled B+R, L-1, 3039 brs. S. 35° E. 23.3 ft. U. S. L. M. No. 1365 V. D. brs. N. 30° - $37'$ W. 843.01 ft. No more bearings available.

Thence S. 39° 48' W.

260.00 Cross United Verde pipe line. Course north westerly and south easterly.

301.37 North center end, point where presumed ledge passes through north westerly end line, a mound of stone.

601.37 Cor. No. 2., a pine post 4 X 4 inches square and 4 ft. long, set $1\frac{1}{2}$ ft. in the ground, painted white and carved L-2-3039 on north east face, from which a + on a small limestone bluff, or rim rock chiseled B+R, L-2, 3039 brs. S. 84° W. 45.6 ft. No more available bearings.

Thence S. 40° 34' E.

1321.64 Cor. No. 3, on line 1-2 of Surprise lode of this survey. N. 39° 48' E. 34.40 ft. from Cor. No. 2. A pine post 4 X 4 inches square and 4 ft. long, set $1\frac{1}{2}$ ft. in the ground, surrounded by a substantial mound of stone, painted white and carved L-3-3039 on north east face, with nail in top for exact corner point. No bearings available.

Thence N. 39° 48' E.

265.60 South center end identical with north center end of Surprise lode of this survey, a point where the presumed ledge intersects the end line, a mound of stone.

Feet.	<u>LOOKOUT lode continued:</u>
452.25	Intersect line 1-2 of 96 lode of this survey. N. 33° 19' W. 392.27 ft. from Cor. No. 2, and S. 33° 19' E. 1061.34 ft from Cor No. 1.
541.00	Cor. No. 4 identical with Cor. No. 1 of the Surprise lode of this survey, a pine post 4 X 4 inches square and 4 ft. long set 1½ ft. in the ground, surrounded by a substantial mound of stone, painted white and chiseled L-4-3039 on west face and S. 1 -3039 on south face with nail in top for exact corner point, from which a rock in place 4 X 2 X ½ ft. exposed and chiseled B+R, L-4, S.-1, 3039 brs. S. 61° 15' W. 28.8 ft. Another rock in place 2 X 3 X 1½ ft. exposed and chiseled B+R, L-4, S -1, 3039 brs. S. 38° E. 8.2 ft.
	Thence N. 38° 00' W.
260.00	Cross United Verde pipe line. Course easterly and westerly.
1039.80	Cor. No. 1 of 96 lode of this survey.
1333.10	Cor. No. 1 the place of beginning.
	All corners are identical with their respective locations. Magnetic declination at each Cor. 14° 30' to E.
	<u>SUPRISE lode:</u>
	Beginning at Cor. No. 1 identical with Cor. No. 4 of Lookout lode of this survey. Corner described above, from which U. S. L. M. No. 1365 V. D. brs. N. 35° 08' W. 2171.70 ft.
	Thence S. 39° 48' W.
88.75	Intersect line 1-2 of 96 lode of this survey. N. 33° 19' W. 392.27 ft. from Cor No. 2.
275.40	North center end identical with South center end of Lookout lode of this survey, point where presumed ledge intersects northwesterly end line, a mound of stone.
541.00	Cor. No. 3 of Lookout lode of this survey.
575.40	Cor. No. 2. A pine post 4 X 4 inches square and 4 ft. long set 1½ ft in the ground, painted white and chiseled

Feet.	<u>SUPRISE lode continued:</u>
	S-2, 3039 on Northeasterly face, with nail in top for exact corner point, from which a rock in place 1 x 1 x 2 ft. exposed, and chiseled B+R. S-2, 3039 brs. S.5° E. 6.3 ft. No more bearings available.
	Thence S. 48° 55' E.
870.00	Cross United Verde Pipe Line, course Northeasterly and Southwesterly.
1000.91	Intersect line 3-4 of Union Jack lode Sur. No. 1468, S. 2° 30' E. 401.42 ft. from Cor. No. 3.
1324.49	Intersect line 4-1 of Union Jack lode Sur. No. 1468, S. 86° 32' E., 235.67 ft. from Cor, No. 4.
1338.01	Intersect line 3-4 of Green Monster lode, Sur. No. 1414, S. 85° 09' E., 246.67 ft. from Cor, No. 3.
1433.40	Cor. No. 3. A schist stone 14 X 18 X 24 inches long set $\frac{1}{2}$ in ground, chiseled S-3, 3039 on north east face with a + on top for exact corner point and a white post in substantial mound of stone alongside, from corner a rock in place 3 X $1\frac{1}{2}$ X $\frac{1}{2}$ ft. exposed and chiseled B+R, S-3, 3039, brs. S.4° E. 11.8 ft. No more bearings available.
	Thence N.39° 48' E.
68.79	Intersect line 3-4 of Green Monster lode, Sur No. 1414, S. 85° 09' E. 363.02 ft. from Cor, No. 3.
82.52	Intersect line 4-1 of Union Jack lode Sur. No. 1468, S. 86° 32' E. 370.83 ft. from Cor. No. 4.
300.00	South center end, point at which presumed course of ledge intersects the southerly end line, a mound of stone.
590.00	Cor. No. 4, pine post 4 X 4 inches square, 4 ft. long, set $1\frac{1}{2}$ ft. in ground, surrounded by a substantial mound of stone, painted white and carved S-4, 3039 on south west face, with nail in top for exact corner point, from which a rock in place $2\frac{1}{2}$ X 2 X 1 ft. exposed and chiseled B+R, S-4, 3039, brs. S. 62° 30' W. 14.2 ft. another rock in place, $1\frac{1}{2}$ X $1\frac{1}{2}$ X 1 ft. exposed and chiseled B+R, S-4,

Feet.	<u>SUPRISE lode continued:</u>
	3039, brs. S. 46° 00' E. 5.8 ft.
	Thence N. 49° 30' W.
227.91	Intersect line 1-2 of the Exchange lode, Sur. No. 1544 N. 86° 30' E. 400.97 ft. from Cor. No. 1.
312.09	Intersect line 3-2 of Union Jack lode, Sur. No. 1468, S. 86° 32' E. 484.72 ft. from cor. No. 3, and 355.67 ft. from its intersection with line 4-1 Exchange lode, Sur. No. 1544.
841.24	Intersect line 3-4 of Porrus Iron lode, Sur. No. 1378, N. 61° 00' E. 50.93 ft. from Cor. No. 3, and 13.29 ft. from its intersec- tion with line 4-1 Exchange lode, Sur. No. 1544.
861.32	Intersect line 1-4 of Exchange lode, Sur. No. 1544, N. 10° 35' W., 443.40 ft. from Cor. No. 1, 19.82 ft. from its intersection with line 3-4 Porrus Iron lode, Sur. No. 1378, and 341 ft. from its intersection with line 2-3 Union Jack lode, Sur. No. 1468.
1027.66	Intersect line 2-3 of Porrus Iron lode, Sur. No. 1378, at cor. No. 3 of 96 lode of this survey, N. 33° 41' W. 175.20 ft. from Cor. No. 3 of said Porrus Iron lode, and N. 48° 27' E. 200 ft. from Cor. No. 2 said 96 lode.
1312.00	Cross United Verde Pipe Line, course northeasterly and southwesterly.
1433.15	Cor No. 1, the place of beginning. All corners are identical with their respective locations. Magnetic declination at each corner is 14° 30' to E. <u>96</u> : Beginning at cor. No. 1 on line 1-4 of the Lookout lode of this survey, S. 38° 00' E., 293.30 ft. and N. 38° W. 1039.8 ft. from Cor. No. 4, from Cor. No. 1, of the Lookout , a pine post 4X4 in. sq. 4 ft. long, set 1½ ft. in ground, painted white and carved 96-1, 3039 on north east face and surrounded by a sub- stantial mound of stone, from which a rock in place 8 X 10 X 10 ft. exposed and chiseled B+R, 96-1, 3039, brs. S. 71° E. 6.8 ft., U.S.L.M. No. 1365 V.D. brs. N. 32° 31' W. 1134.40 ft. Thence S. 33° 19' E.
725.00	Cross United Verde Pipe Line, course easterly and westerly.
1061.34	Intersect line 4-3 of Lookout lode and line 1-2 of Suprise lode, both of this survey, S. 39° 48' W. 88.75 ft. from Cor. No 4 of Lookout and Cor No. 1 of the Suprise lode.

- Feet. 96 lode continued :
- 1220.00 Cross United Verde Pipe Line, course northeasterly and southwesterly.
- 1453.61 Cor. No 2, a slate stone 3 X 6 X 24 in. long, set $\frac{1}{2}$ in ground and chiseled 96-2, 3039 on north east face with + on top for exact corner point, with a substantial mound of stone alongside, from corner a rock in place 5 X 5 X 3 ft. exposed and chiseled B+R, 96-2, 3039, brs. S.17° E. 35.0 ft. Another rock in place 2 X 5 X 1 ft. exposed and chiseled B+R, 96-2, 3039 brs. S.46° E. 25.3 ft.
- Thence N. 48° 27' E.
- 49.00 South center end a mound of stone.
- 200.00 Cor. No. 3 on line 1-4 of Surprise lode of this survey, S. 49° 30' E. 405.49 ft from Cor. No. 1, and on line 3-2 of Porrus Iron lode, Sur. No. 1378, N. 33° 41' W. 175.20 ft. from Cor. No. 3., a porphyry stone 8 X 8 X 25 inches long, set $\frac{1}{2}$ in ground and chiseled 96-3, 3039 on southwest face, with + on top for exact corner point, with post and substantial mound of stone alongside, from corner, a rock in place 3 X 3 X 2 ft. exposed and chiseled B+R, 96-3, 3039 brs. S. 81° 15' W. 7.1 ft. Another rock in place 3 X 3 X 4 ft. exposed and chiseled B+R, 96-3, 3039 brs. S.63° W. 9.9 ft.
- Thence N.33° 41' W..
- 295.00 Cross United Verde Pipe Line, course northeasterly and southwesterly.
- 567.14 Cor. No. 4, identical with Cor. No. 2 of the said Porrus Iron lode. I set a pine post 4 X 4 inches square and 4 ft. long $1\frac{1}{2}$ ft in the ground, surrounded by a substantial mound of stone, painted white and carved 96-4, 3039 on west face, with nail in top for exact corner point, from which a rock in place 3 X 2 X 1 ft. exposed and chiseled B+R, 96-4, 3039 brs. S.65° 20' E. 14.0 ft. No more bearings available.

Feet. 96 lode continued :

Thence N. 15° 28' W.

Along line 2-1 of said Porrus Iron lode.

- 5.00 Cross United Verde Pipe Line, course easterly and westerly.
- 727.84 Cor. No. 1 of said Porrus Iron lode.
- 976.31 Cor. No. 5, a limestone ~~stone~~ 4 X 12 X 26 In^s. long set $\frac{1}{2}$ in ground and chiseled 96-5, 3039 on south west face with + on top for exact corner point, with post and substantial mound of stone alongside. From corner a Walnut tree, 14 in. in diam., blazed and scribed B T, 96-5, 3039 brs. S. 68° 30' E. 49.2 ft. Another Walnut tree 9 in. in diam. blazed and scribed B T, 96-5, 3039 brs. N. 38° W. 43.0 ft.
- Thence S. 48° 27' W.
- 260.00 North center end, a mound of stone.
- 498.53 Cor. No. 1 the place of beginning.
- All corners are identical with their respective locations. Magnetic declination at each corner is 14° 30' to E.

L E D G E S

The presumed courses of the ledges of this survey, as near as can be traced upon the ground are as follows;

LOOKOUT:

Course of ledge is from a point on line 1-2, S. 39° 48' W. 301.37 ft. from Cor. No. 1. thence S. 39° 06' E. 1327.8 ft to intersection of line 3-4.

SUPRISE:

Course of ledge is from a point on line 1-2, S. 39° 48' W. 275.4 ft. from Cor. No. 1, thence S. 48° 55' E. 1433.4 ft. to intersection of line 3-4.

96 :

Course of ledge is from a point on line 5-1, S. 48° 27' W. 260.0 ft. from cor. No. 5, thence S. 26° 06' E. 1492.24ft. to intersection of line 2-3.

I M P R O V E M E N T S .

I certify that the value of the labor and improvements upon the claims embraced in this survey, placed thereon by the claimants and their grantors, is not less than \$500.00 for each claim, and that said improvements consist of;

LOOKOUT:

No. 1. Discovery cut, 4 X 12 X 10 ft face, from face of which Cor. No. 3 brs. S. 00° 31' E. 417.0 ft.
Value, \$ 40.00

No. 2. Tunnel, 4 X 6 X 70 ft long, course S. 25° 30' W. 20 ft is open cut and 50 ft. is under cover. From beginning of tunnel, Cor. No. 4 brs. S. 50° 40' E. 330. ft.
Value, \$510.00

No. 3 Shaft, 4 X 6 X 96 ft. deep. Shaft is inclined, course N. 7° 30' E., dip 64° to north. From collar of shaft cor. No. 4 brs. N. 61° 15' E. 163.0 ft.
Value, \$1440.00

SUPRISE:

No. 1. Discovery Monument, a mound of stone 3 ft base and three feet high, located on presumed course of ledge, from which Cor. No. 2 brs. N. 72° 01' W. 764.6 ft.

No. 2. Shaft, 4 X 6 X 33 ft deep, from which Cor. No. 2 brs. N. 70° 07' W. 829.4 ft.
Value, \$495.00

No. 3. Tunnel, 4 X 6 X 57 ft long, course S. 25° 30' W. Open cut of tunnel is 10 ft. tunnel under cover 47 ft. At 52 ft. a drift is run in this tunnel, N. 84° 30' W. 29 ft. to face. From beginning of tunnel Cor. No. 2 brs. N. 73° 40' W. 830 ft.
Total value of improvement, \$770.00

96 :

No. 1. Discovery shaft, 4 X 6 X 10 ft deep, from which Cor. No. 4 brs. N. 1° 08' E. 154.7 ft.
Value, \$ 50.00

No. 2. Tunnel, 4 X 6 X 60 ft. long, course S. 19° 30' E. 14 ft. of open cut and 46 ft. under cover. From beginning of tunnel, Cor. No. 1 brs. S. 50° 15' W. 139.0 ft.
Value, \$ 525.0

O T H E R I M P R O V E M E N T S .

There are no other improvements on this property placed thereon by the claimants and their grantors.

A R E A S.

	Acres	Acres
Total area of Lookout lode.....	17.085	✓
Area of conflict with 96 lode of this survey.....	1.035	✓
Total area of Surprise lode,.....	19.170	✓
Area in conflict with 96 lode of this survey,.....	1.304	✓
Area in conflict with Porrus Iron lode, Sur. No. 1378,.....	0.102	✓
Area in conflict with Union		

<u>Area continued;</u>	Acres	Acres	Acres
Jack lode Sur. No 1468,.....	7.143	✓	
Area in conflict with Green Monster Sur. No.1414,.....	0.075	✓	
Area in conflict with Exchange lode Sur. No. 1544,.....	2.025	✓	
Common Conflict with said Porrus Iron & Exchange,....	0.003	✓	
Common Conflict with said Union Jack & Exchange,....	0.675	✓	
Total area of 96 lode;.....	9.547		

A D J O I N I N G C L A I M S .

The 96 lode is adjoined by the Porrus Iron lode Sur. No: 1378 on the northeasterly side:

The Surprise lode conflicts with the Porrus Iron lode Sur No.1378 ^{and the Exchange lode, Sur. No. 1544} on the northeasterly side, with the Union Jack lode Sur. No. 1468 on the southeasterly end, and the Green Monster Sur. No. 1414 on the southerly corner. There are no more known claims adjoining this group and so far as known the balance of the ground surrounding these claims in public Domain and subject to entry.

L O C A T I O N .

These claims are located upon unsurveyed land, approximately in secs. 1,2,11 & 12, Twp. 15 N., R.2 E of the G. & S. R. B. & M., in the Verde Mining District, Yavapai County, Arizona. Within the Prescott National Forest.

I N S T R U M E N T .

This survey was made with a Berger No. 1 C. transit. The distances were measured with a 100 and a 600 ft steel tape. All courses were deflected from true meridian as determined by direct solar observation.

R E P O R T .

The discrepancies between the claims of this survey as marked upon the ground by the location monuments and as described by their respective location notices are due to error in the location notices.

It will be observed that shaft No 2 and a portion of Tunnel No. 3 of the Surprise lode are on the Union Jack claim, Sur. No. 1468, but the Surprise is the oldest location and the work was done on the Surprise by the owner of the Surprise and rightfully belongs to this claim and in recognition of this fact the owners of the Union Jack claim deeded to the owners of the Surprise that portion of the Union Jack which was in conflict and a deed to this ground is on record.

I do not agree with the courses and distances reported for lines 1-2 and 2-3 of the Porrus Iron claim Sur. No. 1378 and these discrepancies are due to error in the older survey. I found Cor. No. 1. of said Porrus Iron claim but was unable to find Cors. 3 & 2, but I found the bearing rocks, and the positions shown for these corners, on my preliminary plat and in the field notes are calculated from ties to these bearing rocks as given in the original field notes.

Report continued:

The courses and distances as reported by me are the result of careful field work and represent actual conditions on the ground.

I thoroughly satisfied myself while on the ground making the survey that the improvements accredited to these claims were placed thereon by the claimants and their grantors.

I found the U.S.L.M. No.1635 V.D. to be a rock in place properly marked and monumented.

Herbert C. Shotwell
U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Herbert C. Shotwell
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
 _____ C.H. Hooker and Chas Ewing.
 known as the _____ Lookout, Surprise, 96.
 and showing the respective capacities in which they acted.

F.R. Cunningham _____, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

I, F.R. Cunningham
 do solemnly swear that ^I ~~we~~ assisted Herbert
C. Shotwell, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim, of C.H. Hooker and Chas Ewing
 known as the Lookout, Surprise, 96
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

F.R. Cunningham Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 6th

day of Sept, 1914

Richard Lawson
Notary Public

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, HERBERT C. SHOTWELL, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated May 2 nd. 1914, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Chas. H. Hooker and Chas. R. Ewing., known as the ----- Lookout, Surprise, 96 -----, situate in Verde Mining District, Yavapai County, Arizona, Approx in Sections 1, 2, 11 & 12, Township No. 15 N., Range No. 2 E., unsurveyed., and designated as Survey No. 3039, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants, or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Herbert C. Shotwell
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Herbert C. Shotwell,
 U. S. ~~Deputy~~ Mineral Surveyor, before me a Notary Public
 this 14 the
 day of Sept 1914,

Richard Lanson
 Notary Public

• 44

My commission expires March 3-1917

Amended
Notice Of Mining Location
Lode Claim

MAR 1 - 1914

To All Whom It May Concern:

This Mining Claim, the name of which is the Surprise Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Charles H. Hooker and Chas R. Ewing both citizens of the United States the undersigned, on the 18 day of March 1914.

The length of this claim is 1433.4 feet, and we claim 700 feet, in a northwesterly direction and 733.4 feet in a southeasterly direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the northwesterly to the southeasterly direction.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the State of Arizona, about four miles in an easterly direction from the town of Jerome and about a mile from the Copper Chief Mine in a westerly direction.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a northwesterly direction 700 feet from the discovery monument (at which this notice is posted), being in the center of the northwesterly end line of said claim; thence S. 39° 48' W. 300 feet to a post in mound of stone, being the No. 2 corner of said claim; thence S. 48° 55' E. 1433.4 feet to a post in mound of stone, being at the No. 3 corner of said claim; thence N. 39° 48' E. 300 feet to a mound of stone at the center of the southeasterly end of said claim; thence N. 39° 48' E. 290 feet to a post in mound of stone, being at the No. 4 corner of said claim; thence N. 49° 30' W. 1433.15 feet to a post in mound of stone at the No. 1 corner of said claim; thence S. 39° 48' W. 275.4 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Surprise Mining Claim, located by Mr. Derrick on the 30th day of July 1894, and recorded in Book 39 of Records of Mines, at page 286, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18 day of March 1914.

Chas. R. Ewing

In the presence of

Charles H. Hooker

Chas. E. Hughes.

Filed and recorded at request of Anderson & Lamson April 13, A.D. 1914 at 9:00 O'Clock A.M., Book 86 of Mines, page 430, Records of Yavapai County, Arizona.

(Seal)

L.S. Colwell

By W.T. King,

County Recorder

Deputy Recorder.

Amended
Notice Of Mining Location
Lode Claim

To All Whom It May Concern:

This Mining Claim, the name of which is the Lookout Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Charles H. Hooker and Chas. R. Ewing both citizens of the United States, the undersigned, on the 18 day of March, 1914.

The length of this claim is 1326 feet, and we claim 276 feet, in a southerly direction and 1050 feet in a northerly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim;

The general course of the lode deposit and premises is from the north-westerly to the southeasterly.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the State of Arizona, about four miles in an easterly direction from the Town of Jerome and about a mile from the Copper Chief Mine in a westerly direction.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a northerly direction 1050 feet from the discovery cut (at which this notice is posted), being in the center of the northerly end line of said claim; thence south $39^{\circ} 48'$ West 300 feet to a post in mound of stone, being the No. 2 corner of said claim; thence $S. 40^{\circ} 34'$ east 1321.64 feet to a post in mound of stone, being at the No. 3 corner of said claim; thence $N. 39^{\circ} 48'$ East 265.6 feet to a mound of stone at the center of the Southerly end of said claim; thence $N. 39^{\circ} 48'$ E. 275.4 feet to a post in mound of stone, being at the No. 4 corner of said claim; thence $N. 38^{\circ} 00'$ W. 1333.10 feet to a post in mound of stone at the No. 1 corner of said claim; thence south $39^{\circ} 48'$ W. 301.37 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Lookout Mining Claim, located by Mr. R. C. Houston on the second day of February, 1895, and recorded in Book 41 of Records of Mines, at page 456, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18 day of March 1914.

In the presence of
Chas. E. Hughes.

Chas. R. Ewing
Charles H. Hooker

Filed and recorded at request of Anderson & Lamson April 13, A.D. 1914, at 9:00 O'Clock A.M., Book 86 of Mines, page 432, Records of Yavapai County, Arizona.

(Seal)

L. S. Colwell,

By W. T. King,

County Recorder.

Deputy Recorder.

Amended
Notice Of Mining Location
Lode Claim

To All Whom It May Concern:

This Mining Claim, the name of which is the "96" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Charles H. Hooker and Chas P. Ewing both citizens of the United States the undersigned, on the 18 day of March 1914.

The length of this claim is 1493 feet, and we claim 1033 feet, in a northwesterly direction and 460 feet in a southeasterly direction from the center of the discovery shaft, at which this notice is posted, length wise of the claim, together with not more than 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the northwesterly to the southeasterly direction.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the State of Arizona, about four miles in an easterly direction from the Town of Jerome and about one mile from the Copper Chief Mine, in a westerly direction.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stone at a point in a northwesterly direction 1035 feet from the discovery shaft (at which this notice is posted), being in the center of the northwesterly end line of said claim; thence S. 48° 27' W. 238.53 feet to a post in mound of stone, being the No.1 corner of said claim; thence S. 33° 19' E. 1453.61 feet to a post in mound of stone, being at the No.2 corner of said claim; thence N. 48° 27' E. 49 feet to a mound of stone at the center of the S.easterly end of said claim; thence N. 48° 27' E. 151 feet to a post in mound of stone, being at the No.3 corner of said claim; thence N. 33° 41' W. 567.14 feet to a post in mound of stone at the No.4 corner of said claim; thence N. 15° 28' W. 976.31 ft. to post in stone mound being cor. # 5, thence S. 48° 27' W. 260 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the "96" Mining Claim, located by Mr. C. Ewing et al on the 16th day of May, 1896, and recorded in Book 44 of Records of Mines, at page 544, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 18 day of March. 1914.

Chas. R. Ewing

In the presence of

Charles H. Hooker

Chas. E. Hughes.

Filed and recorded at request of Anderson & Lamson, April 13, A.D. 1914, at 9:00 O'Clock A.M., Book 86 of Mines, page 431, Records of Yavapai County, Arizona.

(Seal)

L.S. Colwell,

By W.T. King,

County Recorder.

Deputy Recorder.

Filed and recorded at request of _____

A. D. 1914, at _____ o'clock

M., Book _____

pages _____

Records of Yavapai County, Arizona

{ SEAL }

L. S. COLWELL,

County Recorder,

By _____

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Notices of Location of Surprise, "96" and Lookout Lode Mining Claims,

filed for record on April 13, 1914, at 9:00 O'Clock, A.M. and as the same appears of record in my office in Book 86 of Mines, at pages 430, 431, & 432, respectively at ~~pages xxxxxxxxxxxx~~ and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 23rd day of April, A. D. 1914

L. S. Colwell
County Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

November 16, 1914.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Chas. H. Hooker and Chs. R. Ewing.

, known as the Lookout, Surprise, 96.

, situate in Verde

Mining District, Yavapai County,

Arizona, Approx., in Sections 1, 2, 11 & 12, Township No. 15 N,

Range No. 2 E., unsur., and designated as Survey

No. 3039, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
each of or improvements made upon said mining claims by claimants or their grantors, and
that said improvements consist of 4 cuts, 3 tunnels, 3 shafts and 1
drift, total value \$3830.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

November 16, 1914.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Chas. H. Hooker and Chas. R. Ewing.

, known as the

Lookout, Surprise, 96.

situate in Verde mining district,

Yavapai County, Arizona, Approx.

in Section 1, 2, 11 & 12, Township No. 15 N., Range No. 2 E unsur.

, designated as Survey No. 3039

executed by Herbert C. Shotwell, United States Mineral

Surveyor, Sept. 2-5, 1914, 190, under my instructions dated

May 2, 1914, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.