

SEP. 29. 1913

(4-683.)

Mineral Survey No. 3045

Lot No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

L.C.Pearse, S.G.Jones, E.G.Dentzer, T.K.Scott, W.C.Browning

E.W.Rice, H.W.Heritage and E.G.Deane.

KNOWN AS THE

GOLD BUG PLACER

Globe

Mining District,

Gila

County, Arizona, ~~in the unsurveyed~~

Section 17 Uns., Township 1 N., Range 15 E., Crook National Forest.

Surveyed under instructions dated January 31, 1913.

by Edwin T. Stewart

U. S. Deputy Mineral Surveyor.

Claim located See location notice, 1

Survey commenced March 18, 1913.

Survey completed March 23, 1913.

Edward W. Rice, Globe, Arizona, Attorney for Claimants.

Feet.	Survey No. 3045
	Gold Bug Placer
	Beginning at Cor. No. 1, identical with S. E. Cor. of the location and the section corner common to sections 16, 17, 20 and 21, T. 1 N., R. 15 E., G. & S.R.B. & M.
	A dacite stone showing .7 x .9 x 1 ft. out of the ground with mound of stone alongside, chiseled cross at the exact corner, three grooves on the north face, four grooves and 15 E on the east face and three grooves on the south face, to which I add 1-G B P-3045, for this survey.
	This stone not being a good substantial monument, I set a witness corner for it on line 1-2, N.89°-33' W. 7.35 ft.
	There are no other bearings available.
	Thence N.89°-33' W.
	Along the section line between sections 17 and 20.
7.35	To witness corner for Cor. No. 1.
	An iron pipe, 4 ft. long, 3 ins. in diameter, with iron cap divided in quadrants and stamped W C 1-G B P-3045, set 24 ins. in the ground, in concrete base. True Cor. brs. S.89°33'E. 7.35 ft.
1587.4	Water pipe line, course northeasterly.
2303.0	Bed of gulch, draining southeasterly.
2640.0	To Cor. No.2, identical with S.W. Cor. of the location. On section line between sections 17 and 20, S.89°-33' E. 16.0 ft. from the quarter corner.
	An iron pipe, 4 ft. long, 3 ins. in diameter, with iron cap divided in quadrants and stamped 2-G B P-3045, set 24 ins. in the ground, in concrete base.
	No other bearings available.
	Thence N. 00°-09' W.
214.0	Bed of Gulch, draining southeasterly.
1043.0	Bed of Gulch, draining southeasterly.
2306.0	Bed of Gulch, draining southeasterly.
2640.0	To Cor. No. 3, identical with N.W. Cor. of the location.

An iron pipe, 4 ft. long, 3 ins. in diameter, with iron cap divided in quadrants and stamped 3-G B P-3045, set 24 ins. in the ground, in concrete base.

No bearings available.

Thence S. 89°-33' E.

2640.0 To Cor. No.4, identical with N.E. Cor. of the location.

On section line between sections 16 and 17, S.00°-09' E. 12.8 ft. from quarter corner.

An iron pipe, 4 ft. long, 3 ins. in diameter, with iron cap divided in quadrants, and stamped 4-G B P-3045, set 24 ins. in the ground, in concrete base.

No other bearings available.

Thence S.00°-09' E.

Along said section line between sections 16 and 17.

- 728.0 Bed of gulch, draining easterly.
- 790.30 14 inch pipe line, S. W. 'ly.
- 1437.0 Bed of gulch, draining northeasterly.
- 1459.0 Wagon road, course northeasterly and southwesterly.
- 2640.0 To Cor. No. 1, the place of beginning.

Magnetic variation at all corners 14°-10' E.

oooooooooooooooooooooooooooo

Area.

Total area Gold Bug Placer 159.991 Acres.

oooooooooooooooooooooooooooo

Location.

This survey is located in the S.E. quarter of the un-surveyed section 17, T. 1 N., R. 15 E., G.& S.R.B. & M., Globe Mining District, Gila County, Arizona, in the Crook National Forest.

oooooooooooooooooooooooooooo

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon this claim, by the claimants or their grantors, is not less than five hundred dollars, and that said improvements consist of.

No.1, the discovery, a pit, 2.5 x 6 x 8 ft., course N. 05° E., the center of the south end of which bears

N. $09^{\circ}-40'$ W. 212.9 ft. from a point on line 4-1 (hereinafter referred to as Pt. No.1) 938.4 ft. from Cor. No. 4. Value, \$12.00.

No.2, a pit, 2 x 8 x 2 ft., course south, the center of the north end of which bears N. $81^{\circ}-51'$ W. 459.6 ft. from Pt. No. 1. Value, \$3.00.

No. 3, a pit, 2.5 x 2 x 10 ft., course S. 10° E., the center of the north end of which bears N. $78^{\circ}-57'$ W. 1086.2 ft. from Pt. No. 1. Value, \$5.00.

No. 4, a pit, 3 x 8 x 1 ft., course S. 10° W., the center of the north end of which bears N. $82^{\circ}-46'$ W. 1262.1 ft. from Pt. No. 1. Value, \$2.00.

No.5, a pit, 2 x 6 x 4 ft., course S. 15° E., the center of the north end of which bears S. $78^{\circ}-35'$ E. 877.8 ft. from a point on line 2-3 (hereinafter referred to as Pt. No.2) 2104.2 ft. from Cor. No.2. Value, \$5.00.

No. 6, a pit, 2.5 x 5 x 1.5 ft., course N. 40° E., the center of the southwest end of which bears S. $77^{\circ}-49'$ E. 627.6 ft. from Pt. No. 2. Value \$2.00.

No. 7, a pit, 2 x 7 x 2 ft., course N. 35° E., the center of the southwest end of which bears N. $52^{\circ}-09'$ E. 197.8 ft. from Pt. No.2. Value, \$3.00.

No. 8, a pit, 2 x 4.5 x 3.5 ft., course N. 20° E., the center of the southwest end of which bears S. $02^{\circ}-10'$ W. 160.0 ft. from a point on line 4-1 (hereinafter referred to as Pt. No.3) 1238.7 ft. from Cor. No. 4. Value, \$3.00.

No.9, a drilled well, 11 inches diameter, 445 feet deep, the center of which bears S. $44^{\circ}-32'$ W. 437.1 ft. from Pt. No. 3. Value, \$1500.00.

No. 10, a pit, 8 x 12 x 4 ft., course S. 55° W. the N.W. corner of which bears S. $63^{\circ}-01'$ W. 600.8 ft. from Pt. No. 3. Value, \$35.00.

No.11, a pit, 2 x 2 x 7 ft., course S. 50° E., the center of the northwest end of which bears S. $71^{\circ}-49'$ W. 695.8 ft. from Pt. No. 3. Value, \$3.00.

No.12, a pit, 2 x 5 x 3.5 ft., course south, the center of the north end of which bears S.74°-29' W. 872.4 ft. from Pt. No.3. Value, \$3.50.

No.13, a pit, 1.5 x 2 x 15 ft., course south, the center of the north end of which bears S.80°-52' W. 1028.0 ft. from Pt. No.3. Value, \$4.50.

No.14, a pit, 1 x 2 x 16 ft., course N.40°E., the center of the southwest end of which bears S.84°-11' W. 1117.4 ft. from Pt. No.3. Value, \$3.00.

No.15, a pit, 1.5 x 1.5 x 18 ft., course N.29° E. 9 ft.; thence N.75° E. 9 ft., the center of the southwest end of which bears S.85°-03' W. 1217.8 ft. from Pt. No.3. Value, \$4.00.

No.16, a pit, 1 x 1.5 x 7 ft., course S.07° E., the center of the north end of which bears S.87°-38' E. 1099.8 ft. from a point on line 2-3 (hereinafter referred to as Pt. No.4) 1277.8 ft. from Cor.No.3. Value, \$1.00.

No.17, a pit, 1.5 x 16 x 2 ft., course N.45°W. 8 ft.; thence N.62°W. 8 ft., the center of the southeast end of which bears N.88°-30' E. 993.8 ft. from Pt. No.4. Value, \$5.00.

No.18, a pit, 4 x 5 x 1.5 ft., course S.85° W., the center of the east end of which bears S.76°-40' E. 747.8 ft. from Pt. No.4. Value \$3.00.

No.19, a pit, 4.5 x 7 x 1 ft., course east, the center of the west end of which bears S.69°-02' E. 605.7 ft. from Pt. No. 4. Value, \$3.00.

No.20, a pit, 1.5 x 8 x 5 ft., course S. 22° E., the center of the west end of which bears S. 65°-48' E. 463.9 ft. from Pt. No.4. Value \$6.00.

oooooooooooooooooooooooooooo

Other Improvements.

A 14 inch water pipe line, owned by the Miami Copper Company, which intersects the east side of the claim 790.3 ft. from Cor. No.4, and which extends southwesterly across the claim, intersecting the south side 1587.4 ft.

from Cor. No.1.

oooooooooooooooooooooooooooooooooooo

Instrument and Determination of Meridian.

This survey was made with a 6 1/4 inch Berger Transit. The distances were measured with a 650 ft. steel tape. The courses were deflected from the true meridian as determined by direct Solar observation.

oooooooooooooooooooooooooooooooooooo

Adjoining Claims.

Unknown placer locations, owners unknown, on the north and east, Scrip Entry, 017806, Inspiration Consolidated Copper Company, owner, on the south, and, the Severus placer, owned by E. G. Dentzer, et al., and unknown placer owner unknown, on the west.

oooooooooooooooooooooooooooooooooooo

Report.

The lines of this claim and all tie lines were run direct on the ground.

The corner common to sections 16, 17, 20 and 21, which is identical with Cor. No. 1 of the survey, is a dacite stone, as described for Cor. No.1.

The quarter corner between sections 17 and 20, to which tie is given, is a quartzite stone, showing .2 x .5 x .5 ft. out of the ground, with mound of stone alongside, and chiseled cross on top, 20 on south face and 1/4 S 17 on north face.

The quarter corner between sections 16 and 17, to which tie is given, is a dacite stone, showing .8 x .8 x .5 ft. out of the ground, with mound of stone alongside, and chiseled cross on top, 16 on east face and 1/4 S 17 on west face.

The disagreement between these notes and the notice of location is due to error in the latter.

Edwin D. Stewart

U.S. Mineral Surveyor.

Globe, Arizona, September 23, 1913.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of L.C. Pearse,

S.G. Jones, E.G. Dentzer, T.K. Scott, W.C. Browning, E.W. Rice, H.W. Heritage and E.G. Deane

known as the GOLD BUG PLACER

and showing the respective capacities in which they acted.

A.R. Merritt, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~we~~, I, A.R. Merritt

and _____, do solemnly swear that ~~we~~ ^I assisted _____

Edwin T. Stewart, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of L.C. Pearse, S.G. Jones, E.G. Dentzer, T.K. Scott,

W.C. Browning, E.W. Rice, H.W. Heritage and E.G. Deane

known as the GOLD BUG PLACER

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for ARIZONA.

A.R. Merritt, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 10th

day of April, 1913

John B. Strutton

Notary Public
for Gila County
Arizona

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edwin T. Stewart, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated January 31, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of L.C.Pearse, S.G.Jones, E.G.Dentzer, T.K.Scott, W.C. Browning, E.W.Rice, H.W.Heritage and E.G.Deane, known as the GOLD BUG PLACER, situate in Globe Mining District, Gila County, Ariz., the unsurveyed in Section 17 Uns., Township No. 1 N., Range No. 15 E., Crook Nat'l Forest and designated as Survey No. 3045, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Deputy Mineral Surveyor, before me Katherine S. Pollak
this 23rd
day of September, 1913.

My commission expires August 11, 1917.
Katherine S. Pollak
Notary Public, Gila County,
Arizona.



001131913

4-694.

Title Page to Report under Paragraph 62, Mining Circular, Approved June 24, 1899.

REPORT

Under paragraph 62, General Mining Circular, approved June 24, 1899, upon the Placer Mining Claim known as the GOLD BUG PLACER

....., claimed by
L.C.Pearse, S.G.Jones, E.G.Dentzer, T.K.Scott, W.C.Browning,
E.W.Rice, H.W.Heritage, and E.G.Deane.

situate in Globe Mining District,
Gila County, Arizona, embracing
159.991 acres in the unsurveyed section 17, Uns.

~~in~~ Sec., Township 1 N., Range 15 E.

Examination made March 18-23, 1913.

By Edwin T. Stewart
U. S. Deputy Mineral Surveyor.

- (a) The surface of this claim consists of a bedding of Gila Conglomerate, composed of boulders and smaller particles, cemented into a firm but not hard conglomerate. There is practically no vegetation on the claim, except a scant growth of grass, weeds and brush.
- (b) Pinal Creek, in which there is running water during the greater portion of the year, is about $1\frac{3}{4}$ miles in a northeasterly direction. Bloody Tanks Wash, which is dry, except in flood times, is $\frac{1}{2}$ mile to the east.
- (c) The work on the claim consists of 19 pits, of various sizes, in the beds of the gulches shown on the plat as crossing the claim from the west to the east and a churn drill well near the easterly side of the claim, all of which are described in detail under Improvements in the notes of survey.
- (d) Miami, a city of about 3500 population, is the nearest center of trade, being $2\frac{1}{4}$ miles in a southwesterly direction. Globe, the County seat of Gila County, a city of about 10000 population, is 4 miles in a southeasterly direction. (e) Two miles in a westerly direction are the mines of the Warrior Copper Company, these being the nearest extensively worked lode mines to the claim.
- (f) The values are found in the beds of the gulches crossing the claim and in the smaller drains tributary to them. Along these gulches there is evidence of this ground having been worked in the past, though the pits and trenches have been obliterated by flood waters.

Water is available in a quantity sufficient for working the claim in the drilled well near the east side line. In this well the water rises to within about 125 ft. of the surface. Mining the claim is feasible by pumping and piping the water from the well to such places on the claim as may be desired, or by transporting

the gravel mined to the vicinity of the well for washing.

- (g) See Report "Expenditure of \$500" in field notes.
(h) There are neither mines, salt licks, salt springs nor mill seats on the claim.

Edwin P. Steward
U.S. Mineral Surveyor.

Subscribed and sworn to before me, Katherine S. Pollak,
a Notary Public in and for the County of Gila, Arizona,
this 26th day of September, 1913.

My commission expires August 11th, 1917.

Katherine S. Pollak
Notary Public, Gila
County, Arizona.

4-696.

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED JULY 26, 1901.

State of Arizona
COUNTY OF Gila } ss:

John Rabston and _____

being first duly sworn, severally depose and say that he is personally and well acquainted with the

placer-mining claim of L. C. Pearce, J. G. Jones, E. J. Dentzer, P. H. Scott, H. C. Browning, E. H. Rice, H. H. Heritage and G. G. Deary.
known as the Gold Bug Placer

situate in Globe Mining District,

Gila County, Arizona, embracing part of the southeast quarter of Section 17,
159.991 acres.

in Township No. 1 N.

Range No. 15 E. G. S. R. B. M.; and also with the character of all the land included

in said claim, and has been so acquainted for one year last

past; that his knowledge of said claim and land is derived from personally

prospecting and sampling the same

and is such as to enable

him to testify understandingly with regard thereto; that he has carefully read the foregoing report

of Edward T. Stewart, U. S. ~~Deputy~~ Mineral Surveyor, and

that to his own personal knowledge said report is in all respects true and accurate.


John Rabston

Subscribed and sworn to by the above-named persons before me

this 1st day of October, 1903

John Rabston
Charles F. Whitaker

Notary Public
In and for Gila County, Arizona



4116b3m6-02 My Commission Expires February 22nd 1916

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 60, General Mining Circular, approved May 21, 1907.

I, Edwin T. Stewart, U. S. Mineral Surveyor,
do solemnly swear that in pursuance of an order received from the U S. Surveyor
General for Arizona, dated January 31,, 1913.

I have made, under the provisions of paragraph 60, General Mining Circular, approved
May 21, 1907, a personal and thorough examination, upon the premises, of the placer
mining claim of L.C.Pearse, S.G.Jones, E.G.Dentzer, T.K.Scott,
W.C.Browning, E.W.Rise, H.W.Heritage and E.G.Deane.

known as the GOLD BUG PLACER
situate in Globe Mining District,
Gila County, Arizona., embracing
159.991 acres in the ~~unsurveyed~~ section 17 Uns.

in Township No. 1 N., Range No. 15 E, and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.

Edwin T. Stewart
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart
U. S. Mineral Surveyor,
before me Katherine S. Pollak, a Notary Public
this 23rd day of September, 1913

My commission expires August 11, 1917. Katherine S. Pollak

Notary Public, Gila
County, Arizona



JAN 31 1913

NOTICE OF MINING LOCATION
PLACER CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Placer Mining Claim, the name of which is GOLD BUG Mining Claim, situate on lands belonging to the United States of America, and being a form of valuable mineral deposit, other than in veins or lodes of quartz or other rock in place, was entered upon and located for the purposes of exploration and purchase by L.C.Pearse, S.G.Jones, E.G.Dentzer, T.K.Scott, W.C.Browning, E.W.Rice, H.W.Heritage and E.G.Deane, the undersigned, on the 3rd day of July, 1912.

We claim 160 acres thereof, and have marked the same on the ground as follows:- Beginning at the S.E. Corner which is identical with the S.E. Corner of Sec. 17, T.1 N., R.15 E., G. & S.R.B. & M., thence West 2640 feet to the S.W. Corner of the S.E. $\frac{1}{4}$ of Section 17; thence North 2640 feet, to the N.W. corner of the S.E. $\frac{1}{4}$ of Section 17; thence East 2640 feet to the N.E. corner of the S.E. $\frac{1}{4}$ of Section 17; and thence south 2640 feet to the place of beginning, at which point this notice is posted, containing 160 acres, all in Globe Mining District, in the County of Gila, in the State of Arizona, about one and one-half miles in a northerly direction from the town of Miami.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 3rd day of July, 1912.

- L.C.Pearse
- S.G.Jones
- E.G.Dentzer
- T.K.Scott
- W.C.Browning
- E.W.Rice
- H.W.Heritage
- E.G.Deane per S.G.Jones, Agt.

NOV 16 1912

Filed and recorded at the request of E.W.Rice on the 11 day of July, A.D. 1912, at 5 minutes past 9 o'clock A.M.
E.T.Stewart, County Recorder.

STATE OF ARIZONA,)
) SS
County of GILA.)

I, E.T.Stewart, County Recorder in and for the County of Gila, State of Arizona, do hereby certify that the above and foregoing is a full, true and correct copy of the Location Notice of the GOLD BUG Placer Mining Claim, as the same appears of record in my office in Book 16, Records of Mines, at page 131; that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this 29th day of January, A.D. 1913.

E. T. Stewart
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

January 14, 1914.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of L. C. Pearse, S. G. Jones, E. G. Dentzer,
T. K. Scott, W. C. Browning, E. W. Rice, H. W. Heritage, and E. G. Deane,
known as the GOLD BUG PLACER.

, situate in GLOBE
Mining District, GILA County,
ARIZONA, in Section 17 Unsur., Township No. 1 N.,
Range No. 15 E., and designated as Survey
No. 3045,

has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimants or their grantors, and
that said improvements consist of 19 pits and 1 well, total value
\$1606.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

January 14, 1914.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of L. C. Pearse, S. G. Jones, E. G. Dentzer, T. K. Scott, W. C. Browning, E. W. Rice, H. W. Heritage and E. G. Deane.

known as the

GOLD BUG PLACER

situate in GLOBE mining district,

GILA County, ARIZONA

in Section 17 Unsur, Township No. 1 N., Range No. 15 E.

designated as Survey No. 3045

executed by Edwin T. Stewart, U. S. Deputy Mineral

Surveyor, March 18-23, 1913, 190, under my instructions dated

January 31, 1913, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)
BUREAU OF LAND MANAGEMENT M.S. 3045
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Gold Bug Placer, Mineral Survey No. 3045, located in section 17, Township 1 North, Range 15 East, Gila and Salt River Meridian, Arizona, is hereby canceled.


This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Gold Bug Placer, M.S. 3045 was canceled March 30, 1999, by memo 9605 (952) M.S. 3045, which is now a part of the original field notes."

March 30, 1999
Date


Chief Cadastral Surveyor of Arizona