

(4-683.)

Mineral Survey No. 3046 (recurvey of 2391.)

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Arizona Marble Co.

KNOWN AS THE

Lorraine Placer

Dos Cabezas Mining District,

Cochise County, Arizona

Sections 29 + 32 Uncl., Township 14 S, Range 28 E

Surveyed under instructions dated Feb 4, 1913

by John A. Rockfellow
U. S. Deputy Mineral Surveyor

Claim located See Notice, 1

Survey commenced February 21, 1913

Survey completed February 28, 1913

o 6-179

Address of claimant
John G. Her Vice President
Bowie Ariz.

Claimants' Attorneys
Morrison & De Soto
Denver Colo.

LORRAINE PLACER.

Feet Beginning at Cor. No. 1, identical with Cor. No. 10,
and Cor. No. 1 Lorraine Placer, Sur. No. 2991,
 Lamartine Placer Claim Sur. No. 2988, a marble stone 12 X
 12 ins., 15 ins. above ground, chiseled a cross (X) at ex-
 act point and L. R. 1-2991 also chiseled 10-2988 L, add
 1-3046LR Witnessed by a monument of stone alongside.

Whence:

The closing corner between Secs. 28-33, Tp. 14 S., R.
 28 E. on the west boundary of the abandoned Camp Bowie
 Military Reservation, bears S. $86^{\circ} 51'$ E., 3988.5 ft.

X B R 1-3046 chiseled on limestone bedrock exposing 50 X
 24 ins. bears S. $14^{\circ} 04'$ W.; 23.65 ft.

X B R 1-3046 chiseled on limestone bedrock exposing 36
 X 36 ins. bears S. $86^{\circ} 23'$ W. 15.1 ft.

Thence south Va. $13^{\circ} 35'$ E.

615.00 Center of gulch, 5 ft. wide. Course S. E.

879.20 To Cor. No. 2, identical with Cor. No. 9, Lamartine placer
and Cor. No. 2 Lorraine Placer, Sur. No. 2991,
 Sur. No. 2988, a porphyry rock 10 X 5 ins., 12 ins. above
 ground, chiseled a cross (X) at exact point, and 2-2991
 LR, also chiseled 9-2988L, add 2-3046LR. Witnessed by a mon-
 ument of stone alongside.

Whence:

X B R 2-3046 chiseled on a porphyry rock 12 X 12 X 6
 ins. above ground, bears N. $71^{\circ} 30'$ W., 22.8 ft.

X B R (not smooth space for more) chiseled on a lime-
 stone rock 20 X 12 X 10 ins., bears S. $28^{\circ} 40'$ E., 8.75 ft.

Thence west Va. $14^{\circ} 00'$ E.

1320.00 To Cor. No. 3, identical with Cor. No. 3 Lorraine Placer, Sur. No. 2991,
 a quartzite rock 8 X 6 ins., 12 ins. above
 ground, chiseled a cross (X) at exact point and 3-2991
 L R, add 3-3046 L R. Witnessed by a monument of stone
 alongside.

Whence:

X B R 3-3046 chiseled on porphyry outcrop 24 X 24 X
 16 ins., bears N. $69^{\circ} 15'$ W., 4.65 ft.

X B R 3-3046 chiseled on porphyry outcrop 30 X 24 X
 12 ins. bears N. $38^{\circ} 06'$ E., 17.7 ft.

Thence North

Va. $13^{\circ} 30' E.$

identical with Cor. No. 4 Lorraine Placer, Sur. No. 2991.

1320.00 To Cor. No. 4, a porphyry rock 12 X 10 ins., 13 ins.

above ground, chiseled a cross (X) at exact point, and
4-2991 L R, add 4-3046 L R. Witnessed by a monument of
stone alongside.

Whence:

X BR 4-3046 chiseled on a porphyry face 24 X 18
ins., bears N. $54^{\circ} 02' W.$ 7.85 ft.

X B R, 4-3046 chiseled on limestone bedrock, ex-
posing 36 X 10 ins., bears S. $14^{\circ} 20' E.$, 8.8 ft.

Thence west Va. $13^{\circ} 35' E.$

identical with Cor. No. 5 Lorraine Placer, Sur. No. 2991.

594.5 To Cor. No. 5, a cross (X) chiseled on a sloping sur-
face, 30 X 24 ins. of a porphyry reef and 5-2991 L R
add 5-3046 L R. Witnessed by a monument of stone along-
side.

Thence N. $36^{\circ} 46' W.$ Va. $13^{\circ} 35' E.$

identical with Cor. No. 6 Lorraine Placer, Sur. No. 2991.

1123.50 To Cor. No. 6, a cross (X) chiseled on limestone bedrock,
and L R 6/2991, add 6-3046 L R. Witnessed by a monument of
stone alongside.

Thence north Va. $13^{\circ} 45' E.$

850.00 Center of gulch 6 ft. wide course S. W.

identical with Cor. No. 7 Lorraine Placer, Sur. No. 2991.

1060.00 To Cor. No. 7, a porphyry rock 8 X 6 ins., 14 ins. above
ground, chiseled a cross (X) at exact point, and 7/2991
L R, add 7-3046 L R. Witnessed by a monument of stone along-
side.

Whence:

X B R 7-3046, chiseled on a porphyry face, 18 X 12
ins., bears N. $62^{\circ} 40' E.$, 15.0 ft.

X B R 7-3046, chiseled on a porphyry outcrop 60 X 30
X 30 ins. bears N. $78^{\circ} 00' W.$ 28.4 ft.

An old shaft caved, but apparently once of consider-
able depth, bears S. $88^{\circ} 10' W.$ 439.00ft. Near shaft is
monument containing two notices of lode locations, one dated
January 1, 1905, by F. Thompson, J. W. Gardner, Al James,
under name "Enterprise No. 2"; the other dated March 1,
1911, by T. J. Quillen, under name "Silver Bell" No. 3".

No work of late date apparent.

The center of cut and tunnel (old work) bears
S. 50° 28' W. - 226 ft. Course northerly.

2398.7 Thence S. 45° 00' E. Va. 13° 55' E.
identical with Cor. No. 8, Lorraine Placer, Sur. No. 2991,
To Cor. No. 8, a marble stone, 12 X 6 ins., 12 ins.
above ground, chiseled a cross (X) at exact point, and
8-2991 L R, add 8-3046 L R. Witnessed by a monument
of stone alongside.

Whence:

X B R 8-3046 chiseled on limestone outcrop bears N.
47° 23' E. - 10.65 ft.

X B R 8-3046, chiseled on limestone bedrock, 16 X
14 ins., bears S. 45° 02' W. - 15.65 ft.

A stone monument bears S. 50° 50' E. - 143.8 ft.

937.3 Thence S. 55° 38' E. Va. 13° 35' E.
identical with Cor. No. 9 Lorraine Placer, Sur. No. 2991,
To Cor. No. 9, a cross (X) chiseled on limestone out-
crop 6 X 3 X 2 ft., and 9-2991 L R, add 9-3046 L R. Witnessed
by a monument alongside.

211.0 Thence S. 33° 41' E. Va. 13° 35' E.
To Cor. No. 1, the place of beginning.

This survey is identical with location and with
Survey No. 2991.

A R E A

75.389 acres.

L O C A T I O N.

This claim is located in Secs. 29 & 32, unsurveyed,
Tp. 14 S., R. 28 E., in Cochise County, Arizona.

The greater portion lies on the east slope of the
Chiricahua Mountains, north of Apache Pass, sometimes
called Dos Cabezas Mountains. The west end of claim is
on west slope of main divide.

Dos Cabezas Mining District. *Probably John Lewis and*

A D J O I N I N G C L A I M S .

On the North:

HardLuck lode claim, unsurveyed, J. H. Lawhon and W. H. Smith claimants.

Other lode claims, unsurveyed, names unknown, claimants unknown.

On the East:

Lamartine placer, Sur. No. 2988. The Arizona Marble Co. claimant.

On the West:

Lode claims unsurveyed, names unknown, claimants unknown.

Covers the ground included in Mineral Survey No. 2991, Lorraine Placer.

E X P E N D I T U R E O F \$ 5 0 0 . 0 0 .

Note: In calculating the value of work the basis is this:

1st. Clearing away surface, trees, brush, earth and rock; estimate for each particular case.

2nd. Marble removed by blasting, without great care being exercised as to size of pieces, 20 cents per cu. ft.

3rd. Marble removed "in form" by plugging and feathering, 50 cts. to \$1.00 per cu. ft.

I certify that the value of labor and improvements made upon this claim by the claimant, or his grantors, is not less than five hundred dollars, and the said improvements consist of marble quarries as follows:

Probably John Lewis and

From Cor. No. 8:

No. 1) Dis Marble quarry, the S. W. corner of which bears S. 27° 53' E. - 209.5 ft. Width of quarry 65 ft. E. N. E., irregular work.

Value scalping and clearing	\$20.00
400 cu. ft. marble removed	80.00
387 cu. ft. marble removed by plugging and feathering	<u>193.50</u>

Total \$293.50

No. 2) Marble quarry, the N. E. cor. of which bears N. 75° 10' W. 152. ft. Width of quarry 90 ft. N. W.

Value, scalping and clearing	20.00
1120 cu. ft. of marble removed	<u>224.00</u>

Total 244.00

From a point on line 7-8 at S. 45° 00' E. - 1112.7 ft. from Cor. No. 7:

No. 3) Marble quarry, the easterly corners of which bear S. 38° 42' W. - 126. ft. Width of quarry N. W. 23 ft.

Value	<u>25.00</u>
	\$562.50

Total value of work

O T H E R I M P R O V E M E N T S.

From Cor. No. 6:

A) Quarry A, the N. W. Cor. of which bears N. 17° 10' E., 281.00 ft. Quarry 25 ft. wide S. E., 3 ft. floor to an 8 ft. face on 45° angle.

B) Quarry B, the S. end of which bears S. 80° 15' E., 258 ft. Quarry 10 ft. wide north. 3 ft. floor to face 6 ft on 45° angle.

C) Quarry C, the north end of which bears S. 82° 20' E., 383 ft. Quarry on course S. E. 94 ft. wide, average 5 ft. floor to face, 8 ft. on 45° angle.

Claimants of above work unknown. This work is said to have been done by one Bassett, 15 or 20 years ago.

INSTRUMENT.

This survey was made with a Young & Sons Mountain Transit, No. 6855, provided with a Smith Solar Attachment. The courses were deflected from true meridian as obtained by direct solar observations. The measurements were made with 50 ft. and 500 ft. steel tapes.

Tombstone, Arizona,

March 5, 1913.

John A. Rockwell
U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Arizona Marble Co.

known as the Lorraine Placer

and showing the respective capacities in which they acted.

M. H. O'Connor, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We I M. H. O'Connor

and John A. Rockfellow, do solemnly swear that we assisted

John A. Rockfellow, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of The Arizona Marble Co.

known as the Lorraine Placer

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

M. H. O'Connor, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 28

day of February, 1903

John A. Rockfellow

U.S. Mineral Surveyor

There being no known Notary public within eight miles by nearest wagon road; to avoid loss of time expense and inconvenience in above oath proceedings administered by me at Schafers Ranch, John A. Rockfellow U.S. M.S.

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, John A. Rockfellow, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Feb 4, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Arizona Marble Co, known as the Lorraine placer, situate in Las Alamos Mining District, Cochise County, Arizona, in Section 29 & 32 Township No. 14 S, Range No. 28 E and designated as Survey No. 3076, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockfellow
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow
U. S. Deputy Mineral Surveyor, before me Flora A. Rockfellow
this 5th
day of March 1913.

My Commission expires Flora A. Rockfellow
Apr 20, 1915
Notary Public

Supplemental Report.

Survey No. 3046 Lorraine Placer.

Surveys 507 and 508 Eller and Lucky lodes were made many years ago in the vicinity of Survey 3046. Inquiry among the old settlers of Dos Cabezas develops the fact that the shaft referred to by tie from Cor. No. 7 Lorraine placer is probably the old Eller shaft.

The records of the U. S. Land Office show that application for patent was canceled Nov. 19, 1888. The claim has been relocated several times. It is possible that were the old Eller lode claim alive there might be a slight conflict with Survey 3046. There are no evidences now on the ground, no monuments that have the appearance of having been erected by surveyors.

Tombstone, Ariz.

April 28, 1913.

John A. Rockefeller
U.S. Min. Surveyor

Sworn and subscribed to before me this 29 day of April
1913.

Flora A. Rockefeller

Notary Public

My commission expires

April 25, 1915.

4-694.

Title Page to Report under Paragraph 62, Mining Circular, Approved June 24, 1899.

REPORT

Under paragraph 62, General Mining Circular, approved June 24, 1899, upon the Placer Mining Claim known as the Lorraine Placer

claimed by The Arizona Marble Co.

situate in Los Cabezas Mining District,
Cochise County, Arizona, embracing
75,389 acres

in Sec. S. 29 & 32 Twp. 14 S Range 28 E

Examination made Feb 21-28, 1903

By John A. Rockwell
U. S. Deputy Mineral Surveyor.

L O R R A I N E R E P O R T .

a) This claim occupies the westerly end of a marble zone which extends, with well defined boundaries, from 100 to 300 feet apart, for a distance of four miles or more. The region is very steep and mountainous. There is little soil, the bedrock being exposed. There is some cedar and considerable piñon or scrub pine.

b) There are no living streams.

c) The quarry workings are described under the head of Improvements.

d) The nearest railroad town is Bowie, about 13 miles distant. A wagon road from this point ends about 3 miles from this claim. There are no engineering difficulties in the way of continuing to the claim.

On the west a road to Dos Cabezas and Willcox, on the S. P. R. R., passes within a mile, and a spur could be built to within a short distance of the claim.

Willcox is distant by wagon road about 20 miles on a down grade.

e) At one time considerable mining activity existed north and west of the marble zone embraced in this claim; many locations were made and much prospecting done. The boundaries mentioned follow approximately the change in formation between the marble bearing limestone and the mineral bearing porphyry. There are many stone monuments north and west of the boundaries, and some within.

There are no claimants on the ground, and it is impossible to identify these monuments. Residents of the district state that practically all these adjoining claims have been allowed to lapse.

The town of Dos Cabezas, on the southerly edge of a large group of well known mines, lies about 5 miles west.

The gold mines of old Camp Bowie are about 3 1/2 miles in a S. S. easterly direction.

f) The marble appears on the surface and is easily quarried and removed, owing to the steep slopes.

g) See "Expenditure of \$500."

h) So far as known there are no mines, salt licks, salt springs or mill seats within the boundaries of the claim.

Tombstone, Arizona,

March 5, 1913.

John A. Rockfellow,

U. S. Mineral Surveyor.

4-696.

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED JULY 26, 1901.

State of Arizona }
COUNTY OF Cochise } ss:

John H. Ferguson and M. H. O'Connor
being first duly sworn, severally depose and say that he is personally and well acquainted with the
placer-mining claim of The Arizona Marble Co.
known as the Lorraine place
situate in

Des Moines Mining District
Cochise County, Arizona, embracing
75.389 acres

Sec. 29432 Ume., in Township No. 14S
Range No. 28E ~~and~~; and also with the character of all the land included
in said claim, and has been so acquainted for ^{respectively} three years and eight days year last
past; that his knowledge of said claim and land is derived from passing back
and forth over the ground
and is such as to enable
him to testify understandingly with regard thereto; that he has carefully read the foregoing report
of John A. Rockfellow, U. S. Deputy Mineral Surveyor, and
that to his own personal knowledge said report is in all respects true and accurate.

John H. Ferguson
M. H. O'Connor

Subscribed and sworn to by the above-named persons before me
this 28 day of February, 1903

John A. Rockfellow
U.S. Mineral Surveyor

4116b3m6-02

There being no known Notary Public
within eight miles by the nearest
wagon road; to avoid loss of time
expense and inconvenience the
above oaths were administered
by me, at Schafers Ranch
John A. Rockfellow
U.S. Mineral Surveyor

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 60, General Mining Circular, approved May 21, 1907.

I, John A. Rockefeller, U. S. Mineral Surveyor,
do solemnly swear that in pursuance of an order received from the U. S. Surveyor
General for Arizona, dated Feb 4, 1913,
I have made, under the provisions of paragraph 60, General Mining Circular, approved
May 21, 1907, a personal and thorough examination, upon the premises, of the placer
mining claim of The Arizona Marble Co.

known as the Lorraine
situate in Das Cabezas Mining District,
Cochise County, Arizona, embracing
75.389 acres
75.389

Secs. 29 & 32 Una.
in Township No. 14 S, Range No. 28 E ~~unswamped~~, and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.

John A. Rockefeller
U. S. Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller
U. S. Mineral Surveyor,

before me Flora A. Rockefeller
this 5th day of March, 1913

*My commission expires
Apr 25 1915*

Flora A. Rockefeller
Notary Public

FEB. 4 - 1913

AMENDED LOCATION NOTICE OF THE
L O R R A I N E
PLACER MINING CLAIM

TO ALL WHOM IT MAY CONCERN: This is an amended notice of location of the LORRAINE placer Mining Claim located on the 23rd day of May, 1907 by Walter Thomson, John G. Kerr, J. H. Mouat, M. Thomson, William McPherson, Harry Higgins, Thomas Shepard and H. A. Rohe, all citizens of the United States of America, being a form of valuable mineral deposit other than lodes or veins of quartz or other rock in place, and was entered upon for the purpose of exploration and purchase, the original notice being recorded in Book 40, Record of Mines, page 71, on June 19, 1907,

The undersigned, without waiver of any rights accruing under said original location notice, claims 160 acres for said Placer claim, and has marked the same as follows:-

Beginning at Cor. No. 1, a stone marked with a cross (x) witnessed by a monument of stone alongside, whence the closing corner between Sections 28 and 33 on the West boundary line of the abandoned Fort Bowie Military Reservation bears S. 86° 51' E. 3988.5 feet; thence South 879.2 ft. to Cor. No. 2; thence West 1320 ft. to Cor. No. 3; thence North 1320 ft. to Cor. No. 4; thence West 594.5 ft. to Cor. No. 5; thence N. 36° 46' W. 1123.5 ft. to Cor. No. 6; thence North 1060 ft. to Cor. No. 7; thence S. 45° E. 2398.7 ft. to Cor. No. 8; thence S. 55° 38' E. 937.3 ft. to Cor. No. 9; thence S. 33° 41' E. 211 ft. to Cor. No. 1 the place of beginning, and situate in the unsurveyed portion of Townsite 14 South, Range 28 E.

A copy of this notice is placed in a mound of stones at Corner No. 1. All in the County of Cochise, State of Arizona, Mining District unknown.

All done under the provisions of Chapter Six of Title
XXXIII of the Revised Statutes of the United States, and of an
Act of the General Assembly of Arizona entitled "An Act to Revise
and codify the laws of the Territory of Arizona," approved
March 16, 1901.

Date of Amended Location Notice,

November , A.D. 1912.

THE ARIZONA MARBLE COMPANY

BY Jno. G. Kerr

Vice-President

Present Owner

Filed and recorded at request of Arizona Marble Co., Nov.
16, 1912, at 1:P.M. in Book 47 Record of Mines at pages 478,479.

Filed and recorded at request of Arizona Marble Co., Nov.16,
A. D. 1912 at 1:00 P.M., in Book 47 Records of Mines at pages 478 & 479.

STATE OF ARIZONA,)
) SS.
County of Cochise.)

I, Owen E. Murphy, County Recorder in and for
the County and State aforesaid, D O H E R E B Y C E R T I F Y that
I have compared the annexed and foregoing copy with the original Amended
Location Notice of the L O R R A I N E Placer Mining Claim, filed for
record in my office on the 16th day of November, A. D. 1912 at 1:00 P.M.
and recorded in Book 47 Records of Mines at pages 478 & 479, and that the
same is a full, true and correct copy of said original and of the whole
thereof.

Given under my hand and seal of office, this the 19th day of
November, A. D. 1912.

Owen E. Murphy,
County Recorder

By Joseph A. Murphy Deputy.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 12, 1913.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

THE ARIZONA MARBLE CO.

known as the LORRAINE PLACER

situate in DOS CABEZAS

Mining District, COCHISE County, ARIZONA.

in Section s. 29&32 Un, Township No. 14 S., Range No. 28 E., and

designated as Survey No. 3046, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 3 quarries, total value \$562.50

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

June 12, 1913.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

THE ARIZONA MARBLE CO.

, known as the

LORRAINE PLACER

situate in DOS CABEZAS Mining District,

COCHISE County, ARIZONA.

in Sections 29&32 Uns., Township No. 14 S., Range No. 28 E.

, designated as Survey No. 3046

executed by John A. Rockefeller, U. S. Deputy Mineral

Surveyor, Feb. 21-28, 1913, 190., under my instructions dated

Feb. 4, 1913, 190., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank A. Ingalls

U. S. Surveyor-General for Arizona.