

JUL 31. 1913

(4-683.)

Mineral Survey No. 3071

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Wessex Water Company

KNOWN AS THE

Buckeye Placer

unnamed Buckeye placer Mining District,

Maricopa County, Arizona

Section 33 unsurveyed Township 1 N, Range 1 W

Surveyed under instructions dated April 26, 1913

by Oliver C. Thompson,
U. S. Deputy Mineral Surveyor

Claim located January 17th, 1903

Survey commenced June 23, 1913

Survey completed June 25, 1913

6-100

Attorney for claimant.
J. L. Gust
Phoenix, Ariz

FEET.

SURVEY NO. 3071.

BUCKEYE PLACER

Beginning at corner No. 1, identical with location which was a monument of stone on top of rock in place and from which the standard quarter corner on the south side of section 33, T. 1N., R. 1W., G. & S.R.B. & Meridian, bears S. $3^{\circ}41'W$. 1861.42 feet. I remove the location monument and at the center thereof, cut an X on rock in place 3x4x3 feet above ground for exact corner point and build a monument of stone alongside. I also chisel B-1-3071 on said rock in place. The south quarter corner of Section 33 aforesaid is a stone 6x7x7 inches above ground, chiseled $\frac{1}{4}$ on N. face. A very old stake marked $\frac{1}{2}$ S. is lying on a mound of earth and stone alongside. No. brs. available.

Thence North.

985.00 To corner No. 2. Rock in place, face of cliff, 8 feet above ground, chiseled B-2-3071, X at exact corner point. Mound of stone on ground at foot of cliff. Loc. corner a mound of stone bears West 95 feet. No brs. available.

Thence East.

194.00 Left bank of Gila R. flows W NW.

665.00 To point for corner No. 3, identical with location, which is a post 3x4 inches, 3 feet above the ground. This corner being on low sandy ground in the bed of the Gila river, not more than 4 inches above low water mark, I set south 536.95 ft. distant. Witness corner as hereinafter noted. No brs. available.

Thence South.

536.95 crossing the Gila River and low sandy ground subject to overflow, W.C. to cor. No. 3, which is a X at exact corner point chiseled on face of rock cliff 10 feet high, 3 feet above low water mark, being the left bank of the Gila river, which here flows N. by W. I further mark the point by

FEET. chiseling B-3-3071-W.C.
 985.00 To Cor. No. 4, a porphyry stone 8x12x28 inches, set 12 inches in the ground, chiseled B-4-3071, X at exact corner point, mound of stone alongside. A blazed mesquite tree 12 inches in diameter, scribed B.T., B-4-3071, bears N. 1°56'E., 13.70 feet, a nail being driven at exact point of reference.

Location corner, a mound of stone, bears south 34 ft. Thence West.

655.00 To cor. No. 1, place of beginning.

AREA.

Area of Buckeye placer claim, 14.811 acres.

(This claim being a rectangle, all of whose courses bear toward cardinal points, I do not submit traverse sheet.)

IMPROVEMENTS.

No. 1 - Discovery. An open quarry, the westerly end of which bears S. 75°E., 55 feet from corner No. 2. This improvement is an irregular excavation on the top and face of a cliff. Its dimensions are approximately 300 feet in length by 40 feet in width, by 6 feet in depth. Its longest dimension bears S. 60°E.

Value, \$ 1300.00

LOCATION.

This claim is located in section 33, T. 1N., R. 1W., G. & S.R.B. & Meridian, unsurveyed, in an unnamed mining district, Maricopa County, Arizona.

INSTRUMENT.

This survey was made with a Buff & Buff transit No. 3283 with horizontal and vertical circles, reading by verniers and the courses were to single minutes, measured with 500 and 100 feet steel tapes.

MERIDIAN.

At about 1.35 A.M. mountain time on June 24, 1913, I

FEET. observed Polaris at its eastern elongation, from which I determined the true meridian by using azimuth $1^{\circ} 22' 30''$ my latitude being approximately $33^{\circ} 23'$ North.

MAGNETIC VARIATION.

The magnetic variation at all corners is $14^{\circ} 20'$ E.

ADJOINING CLAIMS.

This claim is bounded on all sides by public lands of the U.S. on which there is no evidence of appropriation or possessory rights.

Oliver C. Thompson
U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Oliver C Thompson
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of.....
Wessex Water Company
 known as the Buckeye placer & mining claim
 and showing the respective capacities in which they acted.

Chas E Mincks, Chainman.
Arthur Goodwin, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Chas E Mincks
 and Arthur Goodwin, do solemnly swear that we assisted Oliver C
Thompson, United States Deputy Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of.....
Wessex Water Company
 known as the Buckeye placer mining claim
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

Chas E. Mincks, Chainman.
Arthur Goodwin, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 25th
 day of June, 1913.

R. M. Turkey
Notary Public

my com expires July 15-1916.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Olin C Thompson, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 26, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Wessex Water Company, known as the Buckeye Place, situate in unnamed Mining District, Maricopa County, Arizona, in Section 33, Township No. 1 N, Range No. 1 W, and designated as Survey No. 3071, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Olin C Thompson
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Olin C Thompson
U. S. Deputy Mineral Surveyor, before me R. M. Tuckey
Notary Public this 27th
day of June 1913,

R. M. Tuckey
Notary Public
My commission expires
Feb 15, 1916

4-694.

Title Page to Report under Paragraph 62, Mining Circular, Approved June 24, 1899.

REPORT

Under paragraph 62, General Mining Circular, approved June 24, 1899, upon the Placer Mining Claim known as the

Buckeye Placer

, claimed by

Messers Water Company

situate in *unnamed* Mining District,

Mancopa

County,

Arizona, embracing

14.811 Acres

in Sec. *33 unsurveyed* Town. *1 N*

Range *1 W*

Examination made *June 25*, 19*13*

By

Oliver C. Thompson

U. S. ~~Deputy~~ Mineral Surveyor.

REPORT ON THE BUCKEYE PLACER CLAIM.

SURVEY NO. 3071.

(a) The surface of this claim consists of a rocky mountain side, excepting approximately three acres of flat sandy land in the north east corner, which lies in the bed of the Gila river, but little above low water mark.

This claim is valuable chiefly for building stone, and does not disclose any evidence of metallic deposits of any kind. The owners use the stone obtained from the quarry thereon, for the purpose of constructing a diversion dam in the Gila river, adjacent, for irrigation purposes.

(b) Part of this claim lies in the Gila river, the bed of which at this point, is approximately one half mile wide.

(c) The workings on this claim consist of an open quarry near its north west corner, which is an irregular excavation on the top and face of a rock cliff. This quarry is about 40x300 feet, and apparently about 6 feet in depth.

(d) Avondale, a station on the Arizona Eastern Railroad, lies about 3 miles north east.

(e) There are no lode or placer mines elsewhere in the adjacent territory.

(f) The claim is well located and entirely practicable for its present and intended use; i.e. the furnishing of stone for the construction of the diversion dam aforesaid.

(g) See paragraph (c) above.

(h) No mines, salt licks, salt springs, or mill seats exist on this claim.

Oliver C. Thompson
U.S. Mineral Surveyor

OATH OF UNITED STATES MINERAL SURVEYOR

Under paragraph 60, General Mining Circular, approved May 21, 1907.

I, Oliver C. Thompson, U. S. Mineral Surveyor,
do solemnly swear that in pursuance of an order received from the U. S. Surveyor
General for Arizona, dated April 26, 1913,
I have made, under the provisions of paragraph 60, General Mining Circular, approved
May 21, 1907, a personal and thorough examination, upon the premises, of the placer
mining claim of The Wessex Water Company
known as the Buckeye Placer
situate in unnamed Mining District,
Maricopa County, Arizona, embracing
14.811 acres
in Sec 33 unsurveyed
in Township No. 1 N, Range No. 1 W, and that my report
of such examination, hereto attached, is specific and in detail, and is a full and true
statement of the facts upon all the points specified in the paragraph referred to.

Oliver C. Thompson
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Oliver C. Thompson
, U. S. Mineral Surveyor,

before me R. M. Turkey, Notary Public
this 30th day of July, 1913

R. M. Turkey
Notary Public

0-2 My Commission Expires

My commission expires Feb. 15, 1916.

4-696.

CORROBORATIVE AFFIDAVIT UNDER PARAGRAPH 60, GENERAL MINING CIRCULAR.

APPROVED JULY 26, 1901.

State OF Arizona }
COUNTY OF Maricopa } ss:

John Bonner and _____

being first duly sworn, severally depose and say that he is personally and well acquainted with the placer-mining claim of the Wessex Water Company

_____ , known as the _____

Buckeye Placer _____ , situate in

unnamed _____ Mining District, _____

Maricopa County, Arizona _____ , embracing

14.811 acres _____

in Section 33, unsurveyed _____ , in Township No. 1 N

Range No. 1 W _____ ; and also with the character of all the land included

in said claim, and has been so acquainted for ten _____ years last

past; that his knowledge of said claim and land is derived from _____

personal inspection _____

_____ and is such as to enable

him to testify understandingly with regard thereto; that he has carefully read the foregoing report

of Oliver C. Thompson _____ , U. S. ~~Deputy~~ Mineral Surveyor, and

that to his own personal knowledge said report is in all respects true and accurate.

John Bonner

Subscribed and sworn to by the above-named persons before me

this 30 day of July _____ , 1902

R. M. [Signature]
Notary Public

My commission expires

My commission expires Feb. 15, 1916.

APR 24 1913

NOTICE OF LOCATION
(Placer Claim)

Notice is hereby given that in compliance with an Act of Congress, approved May 10th 1872, and the Act amendatory thereto and supplementary thereto and the Act of Congress approved August 4th 1892, the undersigned has this day located and claim Twenty (20) acres of surface, placer ground chiefly valuable for building stone. Said claim commencing at a monument of stone at the South West corner of claim, being at a point on North and South centre line of Section thirty-three (33), Township one (1) North, Range one (1) West of the Gila and Salt River Base and Meridian in Maricopa County, Arizona, and twenty (20) rods South of the centre of said section running thence North on the said center line forty (40) rods to a monument of stone at the North West corner of claim; thence in an Easterly direction eighty (80) rods to a monument of stone at North East corner of claim; thence in a Southerly direction forty (40) rods to a monument of stone at the South East corner of claim; thence in a Westerly direction eighty (80) rods to the place of beginning and being the monument of stone at the Southwest corner of claim; there being also a monument of stone at the centre of said Section thirty three (33) marking the centre of the west end line of this claim. This claim may be more generally described as situated on the South bank of the Gila River at a point known as the "Wall" or "Point of Rocks" about 3 & 1/2 miles West and 1/2 mile North of the Gila and Salt River Initial Monument.

In an unknown Mining District in Maricopa County, Territory of Arizona, and shall be known as the "Buckeye" claim. Dated on the ground this 17th day of January 1903.

Witnesses:

J. C. Ulrich
James S. Day

James R. Thorpe

Filed and recorded at request of Thos. Armstrong, Mar. 24, 1903 at 2:50 P.M.

By B. F. McFall, County Recorder
A. S. Arthur, Deputy.

#1472.

State of Arizona,)
) ss.
County of Maricopa.)

I, Vernon L. Vaughn, County Recorder in and for the County and State aforesaid, hereby certify that I have compared the foregoing copy with the Record of the Notice of Location (Placer Claim) of James R. Thorpe, filed and recorded in my office on the 24th day of March, 1903, at 2:50 P.M. in Book No. 13 of Mining Claims, at Page 48, and that the same is a full, true and correct copy of such Record and of the whole thereof.

Witness my hand and seal of office, this 21st day of April, 1913.

Vernon L. Vaughn
County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 13, 1913.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Wessex Water Company
known as the BUCKEYE PLACER
situate in unnamed

Mining District, Maricopa County,
Arizona, in Section 33, Unsur., Township No. 1 N,

Range No. 1 W., and designated as Survey
No. 3071, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claim by claimant or its grantors, and
that said improvements consist of 1 quarry, total value \$1300.00

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

October 13, 1913.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Wessex Water Company

, known as the

BUCKEYE PLACER

situate in unnamed mining district,

Maricopa County, Arizona

in Section 33 Unsur., Township No. 1 N, Range No. 1 W.

designated as Survey No. 3071

executed by Oliver C. Thompson, U. S. Deputy Mineral

Surveyor, June 23-25, 1913, under my instructions dated

April 26, 1913, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.