

SEP. 12 1913

(4-683.)

SEP 22 1913

Mineral Survey No. 3090A KB

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

C. J. McNulty and Michael McBride,

Red Bank, Mountain Com, Combination, Parrot, Green Mountain, Coffee Plate, KNOWN AS THE Parallel, East Day, Anaconda, Ontario, Highlow, Owl, Green Mountain Mill Site

Harshaw Mining District,

Yavapai County, Arizona

Sections 24 & 25, Township 12 1/2 N, Range 3 W unassigned
Prescott Nat'l Forest

Surveyed under instructions dated Aug 14, 1913

by William H. Merrill,
U. S. Deputy Mineral Surveyor

Claim located See location notices, 1

Survey commenced Sept 1, 1913.

Survey completed Sept 6, 1913.

Address of Claimant
P. W. O'Sullivan, Atty
Prescott Arizona

MINERAL SURVEY NO. 3090 A & B

Lode Claims	M & B Desc.	Improvements	Loc. Notices
Anaconda	10	16	9 (Red)
Combination	1	15	3
Copper Plate	8	16	6
Queen Mountain	5	15	5
High Ore	11	16	11
Last Day	3	15	8
Mountain Con	9	16	2
Ontario	12	17	10
Owl	2	15	12
Parallel	4	15	7
Parrot	4	15	4
Red Bank	6	16	1
Millsite			
Green Mountain	13		14

	<p>Feet Beginning at Cor.No.1. Identical with the loc. A Granite stone 5X6X24 ins.set 12 ins.in the ground with mound of stones chiseled 1-C-3090 A.Whence :- U.S.L.M.No.2827 brs.: S 19°14'W 4398.2 ft. An Oak Tree 6 ins.diam. scribed X-B-T-1-C-3090 A.brs. N 26°E 9.1 ft. An Oak Tree 5 ins.diam.Scribed X-B-T-1-C-3090 A.brs. S 59°E 12.6 ft. Loc.oak post 4X4 ins.X 5 ft.in mound of stones. Thence N 15 °E Va. 14°E</p>	
900	<p>Cor.No.4 Parallel lode of this sur.</p>	
1500	<p>To Cor.No.2 Identical with the loc.and with cors Nos 3 Parallel, 4 Green Mountain and 1 of Red Bank lodes of this sur. A Porphyry stone 6X10X24 ins set 12 ins.in the ground, with mound of stones chiseled 2-C.3-P.4.G.M.1-R B 3090 A.No bearings available.Loc.an Oak post 4X4 ins.X 5 ft. in mound of stones. Thence N 71°09'E va.14°E</p>	
300	<p>N.C.E. Identical with the loc.a mound of stones 3X3 ft.</p>	
600	<p>To Cor.No.3. Identical with the loc.and with cor.No.2 Owl lode of this sur A Porphyry stone 4X8X24 ins.set 12 ins.in the ground with mound chiseled 3-C.2-0.3090 A.No bearings available. Loc.a mound of stones 3X3 ft. Thence S 15°W va.14°E</p>	
1500	<p>To Cor.No.4. Identical with the loc.and with cor.No 1 Owl lode of this Sur. A Porphyry stone 6X6X24 ins.set 12 ins.in the ground with mound of stones chiseled 4-C.1-0-3090 A.No bearings available. Loc.an Oak post 4X4 ins.X 5 ft.in mound of stones Thence S 71°09'W va.14°E</p>	
300	<p>S.C.E. Identical with the loc.a mound of stones 3X3 ft.</p>	
600	<p>To Cor.No.1 the place of beginning.</p>	

4

Feet Beginning at Cor.No.1
 Identical with the loc. and with cor.No.4 Combination lode
 of this sur. hereinbefore described. Whence:-
 U.S.L.M.No.2827 brs. S 89°17'W 4639.63 ft.
 Thence N 15°E va. 14°E

1500 To Cor.No.2.
 Identical with the loc. and with cor.No.3 combination lode
 of this sur. hereinbefore described.
 Thence N 71°09'E va. 14°E

300 N.C.E. Identical with the loc. a mound of stones 3X3 ft.
 600 To Cor. No.3.
 Identical with the loc. and with cor.No.2 Last Day lode
 of this sur.
 A Porphyry stone 3X10X24 ins. set 12 ins. in the ground with
 mound of stones, chiseled, 3-0.2-L-D-3090 A. No bearings ava-
 ilable. Loc. a mound of stones 3X3 ft.
 Thence S 15°W va. 14°E

1500 To Cor.No.4.
 Identical with the loc. and with Cor.No.1 Last Day lode
 of this sur.
 A Porphyry stone 6X6X24 ins. set 12 ins. in the ground with
 mound of stones chiseled 4-0.1-L-D-3090 A. Whence:-
 An Oak tree 10 ins. diam. scribed X-B-T-4-0-1-L-D-3090 A
 brs. N 77°W 6.5 ft.
 tree
 An Oak 6 in. diam scribed X-B-T-4-0.1-L-D-3090 A. brs.
 N 2°30'W 4.7 ft.
 Loc. an oak post 4X4 in. X 5 ft. in mound of stones.
 Thence S 71°09W va. 14°E

300 S.C.E. identical with the loc. a mound of stones 3X3 ft.
 600 To Cor.No.1 the place of the beginning.

Feet	Beginning at Cor.No.1. Identical with the loc.and with cor.No.4. Owl lode of this sur.hereinbefore described ,Whence:- U.S.L.M.No.2827 brs.S 14°25'W 4940.44 ft. Thence N 15°E va.14°E
1500	To Cor.No.2. Identical with the loc.and with cor.No 3 Owl lode of this survey hereinbefore described. Thence N 71°09E va. 14°E
300	N.CE. identical with the loc.a mound of stones 3 X3 ft.
600	To Cor.No.3. Identical with the loc. A Porphyry stone 4X6X24 ins.set 12 ins.in the ground with mound of stones chiseled 3-L-D-3090 A.No bearings available. Loc.a Juniper post 4X4 ins.X 5 ft.in mound of stones Thence S 15°W va. 14°E
1500	To Cor.No.4. Identical with the loc. A Porphyry stone 3X10X24 ins.set 12 ins.in the ground with mound of stones chiseled 4-L-D-3090 A.No bearings available. Loc.a Juniper post 4X4 ins.X 5 ft.in mound of stone Thence S 71°09'W va.14°E
300	S.C.E. Identical with the loc. a mound of stones 3X3 ft.
600	To Cor.No.1 the place of beginning. PARALLEL 1 st ... Beginning at Cor.No.1. Identical with the loc.and with cor.No.1 Parrot lode of this sur. A Porphyry stone 6X10X24' ins.set 12 ins.in the ground with mound of stones chiseled 1-P.1-P-3090 A.Whence:- U.S.L.M.No.2827 brs.S 12°52'E ^{4905.03} 4905.03 ft. Thence N 15° E.va.14°E
300	W.C.E. identical with the loc.and with the E.C.E.of Parrot lode of this sur.a mound of stones 3X3 ft.
600	To Cor.No.2.

Feet.	<p>Identical with the loc. and with cor. No. 4 Parrot and 1 of Green Mountain lodes of this sur.</p> <p>A Granite stone 4X8X24 ins. set 12 ins. in the ground with mound of stones chiseled 2-P.4-P.1-G-M-3090 A.</p> <p>No bearings available. Loc. an oak post 4X4 ins. X.5 ft. in mound of stones.</p> <p style="text-align: center;">Thence N 71°09'E va. 14°E</p>
100	cross Big Copper Creek 20 ft. wide Course S. 49°E
820	Cross wash 10 ft. wide course S 7°E
1400	Cross wash 10 ft. wide course S 12°W
1500	To Cor. No. 3.
	<p>Identical with the loc. and with cor. No. 4 Green Mountain, 1 Red Bank, and 2 of Combination lodes of this sur. hereinbefore described.</p> <p style="text-align: center;">Thence S 15°W va. 14°E</p>
300	E.C.E. identical with the loc. a mound of stones 3X3 ft.
600	To Cor. No. 4.
	<p>Identical with the loc. on line 1-2 Combination lode of this survey.</p> <p>X-4-P-3090 A. chiseled on porphy stone in place 2X3 ft. with mound of stones whence:-</p> <p>An oak tree 8 diam scribed X-B-T-4-P-3090 A brs. N 64°E 4.3 ft.</p> <p>An " " 10 ins. diam scribed X-B-T-4-P-3090 A. brs. S 22° W 11. ft.</p> <p style="text-align: center;">Thence S 71°09'W va. 14°E</p>
50	Cross wash 10 ft. wide course S 15°W
450	Cross wash 10 ft. wide course S 7°E
850	Cross Big Copper Creek 20 ft. wide course S 37°E
1500	To Cor. No. 1 the place of beginning.
	PARROT,
	Beginning at Cor. No. 1.
	<p>Identical with the loc. and with cor. No. 1 Parallel lode of this sur. hereinbefore described. Whence:-</p> <p>U.S.L.M. No. 2827 brs. S 12°52'E 1005.03 ft.</p> <p style="text-align: center;">S 71°09'W va. 14°E</p>

Survey No. 3090 A. continued.

Feet.	
1210	Cross road course S 55°E & N 55°W
1500	To Cor.No.2.
	Identical with the loc.
	A Granite stone 3X10X26 ins.set 13 ins.in the ground with mound of stones chiseled 2-P-3090 A.No bearings available.
	Loc.a Juniper post 4X4 ins.X 5 ft.in mound of stones.
	Thence N 15°E va.14°E
225	Cross road course S 55°E & N 55°W
300	W.C.E. Identical with the loc. amount of stones 3X3 ft.
600	To cor.No.3.
	Identical with the loc.
	A Quartz stone 6X10X 30,ins.set 15 ins.in the ground with mound of stones chiseled 3-P-3090 A.No bearings available.
	Loc. oak post 4X4 ins.X.5 ft.in mound.of stones.
	Thence N 71°09'E va.14 °E
1500	To Cor.No.4.
	Identical with the loc.and with Cor.No.1 Green Mountain and cor.No.2 Parallel lodes of this sur.hereinbefore described.
	Thence S 15°W va.14°E
300	E.C.E. Identical with the loc.and with the w.C.E.of Parallel lode of this sur.hereinbefore described.
600	To Cor.No.1 the place of beginning.
	GREEN MOUNTAIN FORM.
	Beginning at Cor.No.1
	Identical with the loc.and with cors.No.2 Parallel and 4 of Parrot lodes of this sur.hereinbefore described.Whence:-
	U.S.L.M.No.2827 brs. S 9°55'E . 5442.78 ft.
	Thence N 18°51'W va.14°E
170	Cross Big Copper Creek 20 ft.wide course S 52°E
300	W.C.E. Identical with the loc.a mound of stones 3X3 ft.
600	To Cor.No.2.
	Identical with the loc.
	A Porphyry stone 8X10X24 ins.set 12 ins.in the ground

Feet.

with mound of stones chiseled 2-G-M 3090 A. Whence:-

A Juniper tree 24 ins. diam. brs. S 25°W 19. ft scribed X-B-T
2-G-M-3090 A.

An oak tree 6 ins. diam. scribed X-B-T-2-G-M-3090 A. brs.
N 25°30'E. 13.6 ft.

Thence N 71°09'E va. 14°E

900 Cor. No. 4 Mountain Con. and 1 Copper Plate lodes of this
Sur.

1000 cross wash 10 ft. wide course S 15°W

1500 To Cor. No. 3.

Identical with the loc. and with cor. No. 2 Red Bank lode
of this sur.

A Quartz stone 6X6X24 ins. set 12 ins. in the ground with
mound of stones chiseled 3-G-M-2-R-B-3090 A. No bearings
available. Loc. an oak post 4X4 ins. X5 ft. in mound of stones.

Thence S 18°51'E va. 14°E

300 E.C.E. identical with the loc. and with the W.C.E. of Red

Bank lode of this sur. a mound of stones 3X3 ft.

450 cross wash 10 ft. wide course S 12°W

600 To Cor. No. 4.

Identical with the loc. and with ^{Cor. No.} 1 of Red Bank, 2 of Com-
bination and 3 of Parallel lodes of this sur. hereinbefore
described.

Thence S 71°09'W va. 14°E

100 Cross wash 10 ft. wide course S 12°W

680 Cross wash 10 ft. wide course S 7°E

1400 Cross Big Copper creek 20 ft. wide course S 49°E

1500 To Cor. No. 1 the place of beginning.

RED BANK lode.

Beginning at Cor. No. 1.

Identical with the loc. and with Cor. No. 2 Combination, 3
Parallel, and 4 Green Mountain lodes of this sur. hereinbefore
described. Whence: U.S.L.M. No. 2827 brs. S 49°44'W 5866.05 ft.

Feet	Thence N 18°51'W va.14°E
150	Cross wash 10 ft.wide course S 12°W
300	W.C.E. identical with the loc.and with the E.C.E. of Green Mountain lode of this sur.hereinbefore described.
600	To Cor.No.2. Identical with the loc.and with Cor.No.3 Green Mountain lode of this sur.hereinbefore described.
	Thence N 71°09'E va.14°E
220	Cross wash 5 ft.wide course S 6°W
900	Cor.No.4 Copper Plate lode of this sur.
1500	To Cor.No.3. Identical with the loc. A Porphyry stone 5X6X24 ins.set 12 ins.in the ground with mound of stones chiseled 3-R-B-3090 A.Whence:- An oak tree 7 ins.diam Scribed X-B-T-3-R-B-3090 A.brs. N 77°30'W 3.6 ft. An oak tree 5 in.diam Scribed X-B-T-3-R-B-3090 A. brs. North 7.1 ft.Loc.oak post 4X4 ins.by 5 ft. in mound of stones.
	Thence S 18°51'E va.14°E
300	E.C.E. identical with the loc.a mound of stones 3X3 ft.
600	To Cor.No.4. Identical with the loc.and with the N.C.E.of Last Day lode of this sur. A Porphyry stone 6X6X24 ins.set 12 ins.in the ground with mound of stones,chiseled 4-R-B-3090 A.No bearings available. Loc.a Juniper post 4X4 ins.X 5 ft.in mound of stones.
	Thence S 71°09'W va.14°E
300	Cor.No.2 Last Day and Cor.No.3 Owl lodes of this sur.
900	Cor.No.2 Owl,and Cor.No.3 Combination lodes of this sur.
1500	To Cor.No.1 the place of beginning.

Feet

Beginning at Cor. No. 1.

Identical with the loc. and with Cor. No. 4 Mountain Con
lode of this sur.

A Porphyry stone 4X6X24 ins. set 12 ins. in the ground with
mound of stones chiseled 1-C-P.4-M-C-3090 A. Whence:-

U.S.L.M. No. 2827 brs. S 29°33'E 6226.18 ft.

An oak tree 6 ins. diam. Scribed X-B-T-1-C-P.4-M-C-3090 A.

brs. N 45°E 2.3 ft. No other bearings available. Loc.

an oak tree 6 ins. diam. blazed and surrounded with a
mound of stones.

Thence N 18°51'W va. 14.0°E

300 W.C.E. identical with the loc. and with the E.C.E. of
Mountain Con lode of this sur. a mound of stones 3X3 ft.

600 To Cor. No. 2.

Identical with the loc. and with Cor. No. 3 Mountain Con
and 1 of Anaconda lodes of this sur.

A Porphyry stone 6X10X24 ins. set 12 ins. in the ground
with mound of stones chiseled 2-C-P.3 M-C.1-A-3090 A.

Whence:- an oak tree 5 ins. diam. scribed X-B-T-2-C-P.3-M-C.
1-A-3090 A. brs. N 39°E 20.3 ft. No other bearings available.

Loc. cor. oak post 4X4 ins. X 5 ft. in mound of stones.

Thence N 71°09'E va. 14.0°E

1500 To Cor. No. 3.

Identical with the loc. and with Cor. No. 4 Anaconda lode
of this sur.

A Porphyry stone 5X6X24 ins. set 12 ins. in the ground with
mound of stones chiseled 3-C-P.4-A-3090 A.

No bearings available. Loc. a Juniper post 5X5 ins. X 5 ft.
in mound of stones.

Thence: S 18°51'E va. 14.0°E

300 E.C.E. identical with the loc. a mound of stones 3X3 ft.

600 To Cor. No. 4.

Identical with the loc.

A porphyry stone 6X6X24 ins. set 12 ins. in the ground, with
mound of stones chiseled 4-C-P-3090 A.

Feet.	No bearings available. Loc. cor. juniper post 4X4 ins. X 5 ft. in mound of stones.
	Thence S 71°09'W va. 14°E.
680	Cross wash 5 ft. wide course S 6° W
900	Cor. No. 2 Red Bank and Cor. No. 3 Green Mountain lodes of this survey.
1400	Cross wash 10 ft. wide course S 15° W
1500	To Cor. No. 1 the place of beginning.
	MOUNTAIN CON. ISSUED
	Beginning at Cor. No. 1 .
	Identical with the loc.
	A Porphyry stone 4X8X24 ins. set 12 ins. in the ground with mound of stones, chiseled 1-M-C-3090 A. Whence:-
	U. S. L. M. No. 2827 brs. S 16°30'E 5981.61 ft.
	No bearings available. Loc. cor. Juniper post 4X4 ins. X 5 ft. in mound of stones.
	Thence N 18°51'W va. 14°E
300	W. C. E. identical with the loc. an oak post 4X4 ins. X 5 ft. in mound of stones.
600	To Cor. No. 2.
	Identical with the loc.
	A porphyry stone 4X8X24 ins. set 12 ins. in the ground with mound of stones chiseled 2-M-C-3090 A. No bearings available.
	Loc. an oak post 4X4 ins. X 5 ft. in mound of stones.
	Thence N 71°09'E va. 14°E
300	Cross Big Copper creek 20 ft. wide course S 16°E
1500	To Cor. No. 3 Identical with the loc. and with cor. No. 1 Anaconda and 2 Copper Plate lodes of this sur. hereinbefore described.
	Thence S 18°51'E va. 14°E
300	E. C. E. identical with the loc. and with the W. C. E. of Copper Plate lode of this sur. hereinbefore described.
600	To Cor. No. 4.
	Identical with the loc. and with cor. No. 1 Copper Plate lode of this sur. hereinbefore described

Survey No. 3090 A. Mountain Con. Lode continued.

	Thence S 71°09'W va. 14°E
900	Cor. No. 2 Green Mountain lode of this sur.
1190	Cross Big Copper creek 20 ft. wide course S 36°E
1500	To Cor. No. 1 the place of the beginning .
	ANACONDA
	Beginning at Cor. No. 1.
	Identical with the loc. and with cor. Nos. 2 Copper Plate and 3 Mountain Con Lodes of this sur. hereinbefore described.
	Whence: -U.S.L.M. No. 2827 brs. S 3°58'E 6804.13 ft.
	Thence N 18°51'W va. 14°E
300	W.C.E. identical with the loc. an oak post 4X4 ins X 5 ft. in mound of stones.
600	To Cor. No. 2.
	Identical with the loc. and with cor. No. 1 High Ore lode of this sur.
	A porphyry stone 6X6X24 ins. set 12 ins. in the ground chiseled 2-A.1-H-0-3090 A. with an oak post 4X4 ins. X 5 ft. set 1 ft. in the ground and surrounded with dirt. No bearings available. Loc. cor. an oak post 4X4 ins. X 5 ft. in mound of dirt.
	Thence N 71°09'E va. 14°E
1500	To Cor. No. 3.
	Identical with the loc. and with cor. No. 4 High Ore lode of this sur.
	A Porphyry stone 5X5X24 ins. set 12 ins. in the ground with mound of stones chiseled 3-A.4-H-0-3090 A. No bearings available. Loc. cor. oak post 5X5 ins. X 5 ft. in mound of stone
	Thence S 18°51'E va. 14°E
300	E.C.E. identical with the loc. an oak post 4X4 ins. X 5 ft. in mound of stones.
600	To Cor. No. 4.
	Identical with the loc. and with cor. No. 3 Copper Plate lode of this sur. hereinbefore described.
	Thence S 71°09'W va. 14°E
1500	To Cor. No. 1 the place of the beginning.

Feet	
	Beginning at Cor.No.1. Identical with the loc and with cor.No.2 Anaconda lode of this sur.hereinbefore described.Whence:- U.S.L.M.No.2827 brs.S 5:10'E 7385.66 ft. Thence N 18:51'W va. 14:0E
300.	W.C.E. identical with the loc.an oak post 4X4 ins.X 5 ft.in mound of stones.
600	To Cor.No.2. Identical with the loc.and with cor.1 Ontario lode of this sur. A porphyry stone 4X8X24 ins.set 12 ins.in the ground with mound of stones chiseled 2-H-0-1-0-3090 A.No bearings available. Loc.cor.a juniper post 5X5 ins.X 5 ft.in mound of stones. Thence N 71:09'E va.14:0E
1500.	To Cor.No.3. Identical with the loc.and with cor.No.4 Ontario lode of this sur. A porphyry stone 4X8X24 ins.set 12 ins.in the ground with mound of stones chiseled 3-H-0.4-0-3090 A.Whence:- An oak tree 5 ins.diam.Scribed X-B-T-3-H-0.4-0-3090 A . brs. S 73:30'E 10.7 ft.No other bearings available.Loc.cor.oak post 4X4 ins.X 5 ft.in mound of stones. Thence S 18:51'E va.14:0E
300	E.C.E. identical with the loc. an oak post 4X4 ins.X 5 ft. in mound of stones.
576.92	Intersect line 3-4 sur.No.2914 Little Copper No.2.lode at N 23:14'E 2.56 ft.from cor.No.3
580.37	Intersect line 2-3 sur.No.2914 Little Copper No.2 lode at S 66:46'E 2.31 ft.from cor.No.3.
600.	To Cor.No.4. Identical with the loc.and with cor.No.3 Anaconda lode of this sur.hereinbefore described. Thence S 71:09'W va.14.0E
1500	To Cor.No.1 the place of the beginning.

Survey No. 3090 A Ontario Lode.

Feet Beginning at Cor.No.1
 Identical with the loc.and with cor.No.2 High Ore lode of this sur.hereinbefore described.Whence:
 U.S.L.M.No.2827 brs. S 69°11'E 7969.84 ft.
 Thence N 18°51'W va.14°E

300 W.C.E. identical with the loc. an oak post 4X4 ins.X5ft.in mound of stones

600 To Cor.No.2.
 Identical with the loc.
 A porphyry stone 12X14X26ins.set 13 ins.in the ground with mound of stones chiseled 2-0-3090 A.
 Thence N 71°09'E va.14 °E

1500 To Cor.No.3.
 Identical with the loc.A porphyry stone 5X6X24 ins.set 12 ins.in the ground with mound of stones chiseled 3-0-3090 A.
 No bearings available.Loc.an oak post 4X4 ins.X 5 ft.in mound of stones.
 Thence S 18°51'E va.14°E

300 E.C.E. identical with the loc. an oak post 4X4 ins.X 5 ft. in mound of stones.

600 To Cor,No.4.
 Identical with the loc.and with cor.No.3 High Ore lode of this sur.hereinbefore described.
 Thence S 71°09'W Va.14°E

1500 To Cor.No.1 the place of the beginning.

LODE LINES,

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective end centers.

Combination lode	1500 ft.	N 15° E	from S.C.E. to the N.C.E.
Owl	" 1500	" N 15° E	" " S.C.E. " " N.C.E.
Last Day	" 1500	" N 15° E	" " S.C.E. " " N.C.E.
Parallel	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.
Parrot,	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.
Green Mountain	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.
Red Bank	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.
Copper Plate	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.
Mountain Con.	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.
Anaconda	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.
High Ore	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.
Ontario	" 1500	" S 71°09'W	" " E.C.E. " " W.C.E.

	<p>Feet Beginning at Cor.No.1</p> <p>A porphyry stone 6X8X36 ins.set 18 ins.in the ground with mound of stones chiseled 1-G-M-M-S-3090 B.Whence:-</p> <p>U.S.L.M.No.2827 brs. S 3°07'W 3714.4 ft.</p> <p>Cor.No.1 Green Mountain lode brs.N 34°26'W, 2003.62 ft.</p> <p>Loc.cor.a mound of stones 2X3 ft.brs.S 29°30'W 153 ft.</p> <p>No bearings available.</p>
70	<p style="text-align: right;">Thence N 53°10'W va. 14°E</p> <p>Cross Big Copper creek 20 ft.wide course S 25.°E</p>
631.3	<p>To Cor.No.2.</p> <p>Identical with the loc.</p> <p>A granite stone 5X6X24 ins.set 12 ins.in the ground with mound of stones chiseled 2-G-M-M-S-3090 B.Whence:-</p> <p>An oak tree 10 ins.diam.Scribed X-B-T-2-G-M-M-S-3090 B.</p> <p>Brs, N 30°W 23.5 ft.</p> <p>An oak tree 6 ins.diam. Scribed X-B-T-²G-M-M-S-3090 B.brs.</p> <p>S 19°30'W 6.7 ft.Loc.cor.mound of stones 3X3 ft.</p> <p style="text-align: right;">Thence N 36°50'E va. 14°E</p>
345	<p>To Cor.No.3.</p> <p>A granite stone 6X8X24 ins.set 12 ins.in the ground with mound of stones chiseled 3-G-M-M-S-3090 B. Whence:-</p> <p>A cherry tree 8 ins.diam.Scribed X-B-T-³G-M-M-S 3090 B.brs.</p> <p>S 46°30'W 21.6 ft.</p> <p>An ash tree 10 ins.diam.Scribed X-B-T-3-G-M-M-S-3090 B.brs.</p> <p>N 87°E 4.9 ft.</p> <p>Loc.cor.a mound of stones 2X2 ft.brs.N 10°15'E 249 ft.</p> <p>Cor.No.1 of Combination lode of this sur.brs.N 80°E 194. ft.</p> <p style="text-align: right;">Thence S 53°10'E va.14.°E</p>
70	<p>Cross Big Copper creek 20 ft.wide course S 17°E</p>
631.3	<p>To Cor.No.4. Identical with the loc.</p> <p>A porphyry stone 8X10X24 ins.set 12 ins.in the ground with mound of stones chiseled 4-G-M-M-S-3090 B.No bearings available.Loc.cor. a mound of stones 2X2 ft.</p> <p style="text-align: right;">Thence: S 36.50'W va.14°E</p>
345	<p>To Cor.No.1 the place of beginning</p>

AREAS.

Combination lode	total area.	17.159	acres
Owl	" "	17.159	"
Last Day	" "	17.159	"
Farallel	" "	17.159	"
Parrot	" "	17.159	"
Green Mountain	" "	20.661	"
Red Bank	" "	20.661	"
Copper Plate	" "	20.661	"
Mountain Con.	" "	20.661	"
Anaconda	" "	20.661	"
High Ore	" "	20.661	"
" " conflict with sur.No.2914 Little Copper No.2 lode	0.000+	acres
Ontario lode	total area	20.661	"
Green Mountain Mill-site	total area.....	5.000	"

LOCATION,

This claim is located in secs. ^{8 & 5} 24, T. 12 $\frac{1}{2}$ N. R. 3. W. unsurveyed, Hassayampa Mining District Yavapai Co. Arizona, in the Prescott, National Forest

ADJOINING CLAIMS,

This claim is bounded on the North by Sid No.1 and Birch Wood lodes unsurveyed owned by claimants hereof, and U.S. Land, on the East by Poplar Wood and Cotton Wood lodes unsurveyed owned by claimants hereof, and Sur.No.2914 Little Copper No.2 lode and U.S.Land, on the South by U.S.Land and on the West by White Oak, Black Oak, Sid No.1, Sid No.2 and Rattler lodes unsurveyed and owned by claimants hereof, and U.S.Land.

Green Mountain Mill-Site is bounded on all sides by U. S. Land.

EXPENDITURE OF FIVE HUNDRED DOLLARS,

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the ^{lode} locations embraced in this mining claim by the claimants or their grantors is not less than five hundred dollars, and that said improvements consist of:-

Combination lode,

No.1 dis.cut which is on the lode line 10 ft.from the S.C.E. 4X15X 10 ft..... value \$40.00

Note:

1/12 the value of Shaft No.2 Green Mountain lode,(a common improvement,)\$525.00 is credited to this lode

Total value of improvements credited to this lode \$565.00

Owl lode.

No.1 dis.cut which is on the lode line 15 ft.from the S.C.E. 4X15X 10 ft. value \$40.00

Note:

1/12 the value of shaft No.2 Green Mountain lode,(a common improvement,)\$525.00 is credited to this lode,

Total value of improvements credited to this lode \$565.00

Last Day lode,

No.1 dis.cut which is on the lode line 500 ft.from the N.C.E. 4X15X12 ft. value \$40.00

No.2 tunnel which brs.from cor.No.1 N 19°E 75 ft. 4X6X 30 ft. Course N75°00'Evalue\$210.00

Note:

1/12 of the work in Shaft No.2 Green Mountain lode (a common improvement,)\$525.00 is credited to this lode.

Total value of improvements credited to this lode \$775.00

Parallel lode.

No.1 dis.cut which is on the lode line 170 ft.from the E.C.E. 4X 12X10 ft. value \$40.00

Note:

1/12 the value of shaft No.2 Green Mountain lode,(a common improvement,)\$525.00 is credited to this lode.

Total value of improvements credited to this lode \$565.00

Parrot lode,

No.1 dis.cut which is on the lode line 50 ft.from the E.C.E. 4X14X10 ft. value \$40.00

Note:

1/12 of the value of shaft No.2 Green Mountain lode,(a common improvement)\$525.00 is credited to this lode.

Total value of imorvements credited to this lode \$565.00

Green Mountain lode.

No.1 dis.cut which is on the lode line 670 ft.from the E.C. E. 4X12 X10 ft. value.....\$40.00

The following improvements all bear from cor.No.3

No.2. Shaft S 45°30'W 395 ft.4X6ft.in the clear X 210 ft. timbered value \$6300.00,(a common omprovement,1/12 of its value is credited to this lode,\$525.00

No.3 Tunnel S 53°15 W 515 ft.4X6X 300 ft.course S 79°E at 110 ft.in the tunnel there is a cross cut N33°E 50 ft.to the shaft Xcut is 4X6 ft value of tunnel& Xcut \$2800.00

No.4 tunnel S 40°W 720 ft.4X6X20 ft.value 120.00

No.5 tunnel S 31:45'W 820 ft.4X6X 45 ft.course N 15:0E
 value \$315.00
 No.6 tunnel S 20:30'W 442 ft.4X6X30 ft. course N 40:0W
 value \$210.00
 Total value of improvements credited to this lode \$4010.00

Red Bank lode,

No.1 dis.cut which is on the lode line 40 ft.from the
 W.C.E. 4X12X10 ft. value.....\$40.00

No.2 tunnel which brs.from cor.No.1 N 71:0E 190 ft.4X6 X
 80 ft.course N 6:0W value\$560.00

No.3 shaft which brs.from cor.No.1 ^{N57:0E 240ft} 4X6X 10 ft.value \$80.00

Note:

1/12 the value of shaft No.2 Green Mountain lode,(a com-
 mon improvement,)\$525.00 is credited to this lode.

Total value of improvements credited to this lode,\$1205.00

Copper Plate lode.

No.1 dis.tunnel which is on the lode line 370 ft.from the
 W.C.E.4X6X115 course S 74:0E value\$805.00

Note:

1/12 the value of shaft No.2 Green Mountain lode,(a com-
 mon improvement,)\$525.00 is credited to this lode.

Total value of improvements credited to this lode \$1330.00

Mountain Con lode ,

No.1 dis.tunnel which is on the lode line 300 ft.from the
 E.C.E.4X6X15.ft.course N 70:0E value\$105.00

No.2 tunnel which brs.from Cor.No.2.S 83:0E 390 ft.4X6X40 ft
 course N 75:0E value..... \$280.00

Note:

1/12 the value of shaft No.2 Green Mountain lode,(a com-
 mon improvement,)\$525.00 is credited to this lode.

Total value of improvements credited to this lode \$910.00

Anaconda lode.

No.1 dis.cut which is on the lode line 200 ft.from the
 E.C.E.4X14X10 ft.value \$40.00

Note:

1/12 the value of shaft No.2 Green Mountain lode,(a com-
 mon improvement,)\$525.00 is credited to this lode.

Total value of improvements credited to his lode,\$565.00

High Ore lode.

No.1 dis.cut which is on the lode line 200 ft.from the
 E.C.E. 4X13X10 ft. value \$40.00

Tunnel (No.2) which brs.from Cor.No.1 N 65:45'E 395 ft.course
 N 19:0W 4X6X130 ft. value\$910.00

Note:

1/12 the value of shaft No.2 Green Mountain lode,(a com-
 mon improvement,)\$525.00 is credited to this lode.

Total value of improvements credited to this lode,\$1475.00

Survey No.3090 A & B.

Ontario lode.

No.1 dis.cut which is on the lode line 800 ft.from the E.C.
E. 4X15X10 ft. value.....\$40.00

Note:

1/12 the value of the work in No.2 Shaft Green Mountain lode,
(a common improvement)\$525.00 is credited to this lode.

Total value of improvements credited to this lode,\$565.00

Other improvements.

A spring about 3 ft.deep curbed with oak staves bears from
cor.No.3 Green Mountain Mill-Site s 19°E. 183 ft.

From Cor.No.1 Green Mountain Mill-Site the S.E.Cor.of a
frame house brs.N 27°E 107 ft. 16 X 24 ft.course of long side
S 83°W value \$75.00

Cor.No.3.Little Copper No.2 lode sur.No.2914 is a quartz stone
6X8X12 ins.in mound of stones chiseled 3-L-C-2914.

From common improvement Shaft No.2.Green Mountain lode,
the surface rises to the north and east and descends slightly
to the south,the S.C.E. of Combination lode is nearly as
high as the collar of said shaft,From the shaft the surface
descends about 75 ft.to the wash then ascends,
This shaft is conveniently located to develop each lode in
the claim by drifting and crosscutting.

The house on Green Mountain Mill-Site is used for a
boarding house and to store mining tools in,and the
spring furnishes water for the mine and camp.

INSTRUMENT

This survey was made with a Gurley Solar Transit.The courses
were deflected from the meridian as determined by direct
Solar observations.The distances were measured with a 100-
ft.and 500-ft.steel tapes.

REPORT.

U.S L.M.No.2024 is about 5910 ft. distant from the Last
Day lode, the claim of this survey nearest to said
monument. The Sunny Side and South Extension of the
Sunny Side lodes,Sur.No.1720, were pointed out to meas
we passed by men who are well acquainted with the local-
*

William H. Merritt

U.S.Mineral Surveyor.

*ity and have been for many years, and are about 2 or
2 1/4 miles north of Survey No. 3090 A&B.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of C. J. McNulty

and Michael McBrade

known as the

Red Bank, Mountain Corn, Conchination, Parrot, Green Mountain, Copper Mountain, Parallels, East Day, Anacanda, Orizaba, High One, Green Mountain, Mill Site

and showing the respective capacities in which they acted.

....., Chainman.
W. H. Merritt....., Chainman.
....., Axman.
....., Flagman.

FINAL OATHS OF ASSISTANTS.

W. H. Merritt

and....., do solemnly swear that we assisted William

H. Merritt

....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of

C. J. McNulty and Michael McBrade

Red Bank, Mountain Corn, Conchination, Parrot, Green Mountain, Copper Mountain, Parallels, East Day, Anacanda, Orizaba, High One, Green Mountain, Mill Site

known as the

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

....., Chainman.
W. H. Merritt....., Chainman.
....., Axman.
....., Flagman.

Subscribed and sworn to by the above-named persons before me this 10th

day of September, 1913

my commission Expires Feb 22-1916.

Ziba O. Brown
Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, William H. Merritt, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 27 Aug. 14, 1913, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Ed McNulty and Michael McBride, known as the Reed Branch, Co., Combination, Parrot, Green Mountain, Copper Plate, Day, Anaconda, Ontario, High Ore, Green Mountain, mill site, situate in Maricopa Mining District, Yavapai County, Arizona, in Sections 24 & 25, Township No. 12 1/2 N., Range No. 3 W. Prescott Nat Grass, Unsurveyed and designated as Survey No. 3090 A & B, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

William H. Merritt
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said William H. Merritt
U. S. ~~Deputy~~ Mineral Surveyor, before me a Notary Public in and for Yavapai County, Arizona this 10th day of September, A. D. 1913.

Ziba O. Brown
Notary Public

My Commission Expires Feb. 22 - 1916.

Amended
Notice Of Mining Location
Lode Claim.

22

To All Whom It May Concern:

This Mining Claim, the name of which is the Red Bank Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Michael McBride & C.J. McNulty citizens of the United States the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and we claim 40 feet, in a Westerly direction and 1460 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to the East.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 6000 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the West by Green Mountain and on the South by Combination, Owl & Last Day Mng cls

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a Westerly direction 40 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence Northerly 300 feet to a Monmt, being the N.W. corner of said claim; thence Easterly 1500 feet to a Monmt, being at the N.E. corner of said claim; thence Southerly 300 feet to a Monmt at the center of the East end of said claim; thence Southerly 300 feet to a Monmt, being at the S.E. corner of said claim; thence Westerly 1500 feet to a Monmt at the S.W. corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Red Bank Mining Claim, located by Geo.C.Waddell & C.J.McNulty on the 18 day of Novy. 1895, and recorded in Book 37 of Records of Mines, at page 477, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Locat ion Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J.McNulty
Michael McBride

Filed and recorded at request of C.J.McNulty, Aug. 9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 363, Records of Yavapai County, Arizona.

(Seal)
By W.T.King,
Deputy Recorder.

L.S.Colwell,
County Recorder.

Amended
Notice of Mining Location
Lode Claim

23

To All Whom It May Concern:

This Mining Claim, the name of which is the Mountain Con Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.J.McNulty citizen of the United States the undersigned, on the 8 day of August, 1913.

The length of this claim is 1500 feet, and we claim 300 feet, in an Easterly direction and 1200 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 6400 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the by Copper Plate

Mng Cla

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monumt at a point in a Easterly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Southerly 300 feet to a Monmt, being the S.E. corner of said claim; thence Westerly 1500 feet to a Monmt, being the S.W. corner of said claim; thence Northerly 300 feet to a Monmt at the center of the West end of said claim; thence Northerly 300 feet to a Monument, being at the N.W. corner of said claim; thence Easterly 1500 feet to a Monument at the N.E. corner of said claim; thence Southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act To Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Mountain Con Mining Claim, located By Charles Bagley, C.J.McNulty, and John Bagley on the 7 day of August 1895, and recorded in Book 38 of Records of Mines, at page 450, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J.McNulty

Filed and recorded at request of C.J.McNulty, Aug 9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 364, Records of Yavapai County, Arizona

(Seal)

L.S.Colwell,
County Recorder.

By W.T.King,
Deputy Recorder.

Amended
Notice Of Mining Location
Lode Claim.

24

To All Whom It May Concern:

This Mining Claim, the name of which is the Combination Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.J. McNulty & Michael McBride citizens of the United States, the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and we claim 10 feet, in a Southerly direction and 1490 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is ~~is~~ from the North to the South.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 4500 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the North by Red Bank and on the East by Owl Mng Clam.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monmt at a point in a Southerly direction 10 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monmt, being the S.W. corner of said claim; thence Northerly 1500 feet to a Monmt, being at the N.W. corner of said claim; thence Easterly 300 feet to a Monmt at the center of the North end of said claim; thence Easterly 300 feet to a Monmt being at the N.E. corner of said claim; thence Southerly 1500 feet to a Monmt at the S.E. corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Combination Mining Claim, located by C.J. McNulty, Chas Bagley & John Bagley on the 28 day of August 1895, and recorded in Book 42 of Records of Mines, at page 333-4, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J. McNulty 3/4 interest

Michael McBride 1/4 interest

Filed and recorded at request of C.J. McNulty, Aug. 9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 368, Records of Yavapai County, Arizona.

(Seal)

L.S. Colwell,

By W.T. King,
Deputy Recorder.

County Recorder.

Amended
Notice Of Mining Location
Lode Claim.

25

To All Whom It May Concern:

This Mining Claim, the name of which is the Parrot Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.J.McNulty citizen of the United States the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and I claim 50 feet, in a Easterly direction and 1450 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 5000 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the East by Parallel Ming claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a Easterly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Southerly 300 feet to a Mount being the S.E.corner of said claim; thence Westerly 1500 feet to a Monumt, being at the S.W. corner of said claim; thence Northerly 300 feet to a Monument at the center of the West end of said claim; thence Northerly 300 feet to a Monument, being at the N.W. corner of said claim; thence Easterly 1500 feet to a Monument, being at the N.E. corner of said claim; thence Southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Parrot Mining Claim, located by Charles Bagley, John Bagley & C.J.McNulty on the 13 day of August 1895, and recorded in Book 42 of Records of Mines, at page 341-2 in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8th day of August 1913.

C.J.McNulty

Filed and recorded at request of C.J.McNulty, Aug.9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 370, Records of Yavapai County, Arizona.

(Seal)

By W.T.King,
Deputy Recorder.

L.S.Colwell,
County Recorder.

5

Amended
Notice of Mining Location
Lode Claim.

26

To All Whom It May Concern:

AUG. 14. 1913

This Mining Claim, the name of which is the Green Mountain Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Michael McBride, C.J. McNulty citizens of the United States, on the 8 day of August 1913

The length of this claim is 1500 feet, and we claim 670 feet, in an Easterly direction and 830 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 6000 feet in a Northerly direction from U.S.L.M. No. 2827 and is bounded on the East by Red Bank Mng cl.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monmt at a point in a Easterly direction 670 feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence Southerly 300 feet to a Monmt, being the S.E. corner of said claim; thence West terly 1500 feet to a Monmt, being at the S.W. corner of said claim; thence Northerly 300 feet to a Monmt at the center of the West end of said claim; thence Northerly 300 feet to a Monmt, being at the N.W. corner of said claim; thence Easterly 1500 feet to a Monument at the N.E. corner of said claim; thence Southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Green Mountain Mining Claim, located by Geo. C. Waddell & C.J. McNulty on the 20 day of May 1895, and recorded in Book 43 of records of Mines, at page 24, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J. McNulty
Michael McBride

Filed and recorded at request of C.J. McNulty, Aug. 9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 359, Records of Yavapai County, Arizona.

(Seal)

By W.T. King,
Deputy Recorder.

L.S. Colwell,
County Recorder.

Amended
Notice Of Mining Location
Lode Claim.

27

To All Whom It May Concern:

This Mining Claim, the name of which is the Copper Plate Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Michael McBride & C.J. McNulty citizens of the United States the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and we claim 1100 feet, in an Easterly direction and 400 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 6400 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the North by Anaconda and on the West by Mountain Con Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monmt at a point in a Westerly direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the West end line of said claim; thence Northerly 300 feet to a Monmt, being the N.W. corner of said claim; thence Easterly 1500 feet to a Monument, being at the N.E. corner of said claim; thence Southerly 300 feet to a Monmt at the center of the East end of said claim; thence Southerly 300 feet to a Monmt, being at the S.E. corner of said claim; thence Westerly 1500 feet to a Monument at the S.W. corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Copper Plate Mining Claim, located by Geo.C.Waddell & C.J.McNulty on the 29 day of June, 1895, and recorded in Book 43 of Records of Mines, at page 44, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J.McNulty
Michael McBride

Filed and recorded at request of C.J.McNulty, Aug.9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 360, Records of Yavapai County, Arizona.

By W.T.King,

(Seal)
Deputy Recorder.

L.S.Colwell,
County Recorder.

7

28

Amended
Notice of Mining Location
Lode Claim.

To All Whom It May Concern:

This Mining Claim, the name of which is the Parallel Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Michael McBride, C.J.McNulty citizens of the United States the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and we claim 170 feet, in an Easterly direction and 1330 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim; The general course of the lode deposit^{and premises} is from the East to the West..

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 5400 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the North by Green Mountain and on the West by Parrot Mining Clas.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monmt at a point in an Easterly direction 170 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Southerly 300 feet to a Monmt, being the S.E. corner of said claim; thence Westerly 1500 feet to a Monument, being at the S.W. corner of said claim; thence Northerly 300 feet to a Monument at the center of the West end of said claim; thence Northerly 300 feet to a Monmt, being at the N.W. corner of said claim; thence Easterly 1500 feet to a Monmt, at the N.E. corner of said claim; thence Southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Parallel Mining Claim, located by Geo. C.Waddell & C.J.McNulty, on the 25 day of June 1895, and recorded in Book 43 of Records of Mines, at page 45, in the office of the County Recorder of the aforesaid County of Yavapai, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August, 1913.

C.J.McNulty
Michael McBride

Filed and recorded at request of C.J.McNulty Aug.9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 361, Records of Yavapai County, Arizona.

(Seal)

L.S.Colwell

County Recorder.

By W.T.King

Deputy Recorder.

Amended
Notice Of Mining Location
Lode Claim.

29

To All Whom It May Concern:

This Mining Claim, the name of which is the Last Day Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Michael McBride & C.J. McNulty citizens of the United States the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and we claim 500 feet, in a Northerly direction and 1000 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 5800 feet in a Northerly direction from U.S.L.M.No.2827 and is bounded on the West by the Owl mng cl

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monmnt, at a point in a Northerly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly 300 feet to a Monmnt, being the N.E. corner of said claim; thence Southerly 1500 feet to a Monmnt, being at the S.E. corner of said claim; thence Westerly 300 feet to a Monument at the center of the South end of said claim; thence Westerly 300 feet to a Monument being at the S.W. corner of said claim; thence Northerly 1500 feet to a Monumnt at the N.E. corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Last Day Mining Claim, located by Geo.C.Waddell & C.J.McNulty on the 29 day of June 1895, and recorded in Book 43 of Records of Mines, at page 53, in the office of the Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8th day of August 1913.

C.J.McNulty
Michael McBride

Filed and recorded at request of C.J.McNulty, Aug. 9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 362, Records of Yavapai County, Arizona.

(Seal)

L.S.Colwell,
County Recorder.

By W.T.King,
Deputy Recorder.

9

30

Amended
Notice of Mining Location
Lode Claim

To All Whom It May Concern:

- This Mining Claim, the name of which is the Anaconda Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.J. McNulty citizen of the United States the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and I claim 200 feet in an Easterly direction and 1300 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 6300 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the North by High Ore & on the South by Copper Plate Ming clms

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a Easterly direction 200 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Southerly 300 feet to a Monmt, being the S.E. corner of said claim; thence Westerly 1500 feet to a Monument, being at the S.W. corner of said claim; thence Northerly 300 feet to a Monument at the center of the West end of said claim; thence Northerly 300 feet to a Monument being at the N.W. corner of said claim; thence Easterly 1500 feet to a Monument at the N.E. corner of said claim; thence Southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Anaconda Mining Claim, located by Charles Bagley, C.J. McNulty & John Bagley on the 3 day of August 1895, and recorded in Book 43 of Records of Mines at page 70, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J. McNulty

Filed and recorded at request of C.J. McNulty, Aug. 9, A.D. 1913 at 9:40 o'clock, A.M., Book 86 of Mines, page 365, Records of Yavapai County, Arizona.

(Seal)

L.S. Colwell,
County Recorder.

By W.T. King,
Deputy Recorder.

10

Amended
Notice Of Mining Location.
Lode Claim.

31

To All Whom It May Concern:

- This Mining Claim, the name of which is the Ontario Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.J.McNulty Citizen of the United States, the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and I claim 700 feet, in a Westerly direction and 800 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 7200 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the South by High Ore Mining Cla.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a Westerly direction 700 feet from the discovery shaft (at which this notice is posted) being in the center of the West end line of said claim; thence Northerly 300 feet to a monument, being the N.W. corner of said claim; thence Easterly 1500 feet to a Monument, being at the N.E. corner of said claim; thence Southerly 300 feet to Monument at the center of the East end of said claim; thence Southerly 300 feet to a Monument, being ^{at} the S.E. corner of said claim; thence Westerly 1500 feet to a Monument at the S.W. corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Ontario Mining Claim, located by Charles Bagley, C.J.McNulty & John Bagley on the 3 day of August 1895, and recorded in Book 43 of Records of Mines, at page 71, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J.McNulty

- Filed and recorded at request of C.J.McNulty, Aug. 9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 367, Records of Yavapai County, Arizona.

(Seal)

L.S.Colwell,

By W.T.King,

County Recorder.

Deputy Recorder.

11

Amended
Notice Of Mining Location
Lode Claim

32

To All Whom It May Concern:

This Mining Claim, the name of which is the High Ore Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.J.McNulty citizen of the United States the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and I claim 200 feet, in an Easterly direction and 1300 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 6600 feet in a Northerly direction from U.S.L.M.No. 2827 and is Bounded on the North by Ontario & on the South by Anaconda Mng cl

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a Easterly direction 200 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Southerly 300 feet to a Monmt, being the S.E. corner of said claim; thence Westerly 1500 feet to a Monument, being at the S.W. corner of said claim; thence Northerly 300 feet to a Monument at the center of the West end of said claim; thence Northerly 300 feet to a Monument, being at the N.W. corner of said claim; thence Easterly 1500 feet to a Monument at the N.E. corner of said claim; thence Southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the High Ore Mining Claim, located by Charles Bagley, C.J.McNulty & John Bagley on the 3 day of August 1895, and recorded in Book 43 of Records of Mines, at page 72, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J.McNulty

Filed and recorded at request of C.J.McNulty, Aug. 9, A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 366, Records of Yavapai County, Arizona.

(Seal)

L.S.Colwell,

County Recorder.

By W.T.King,

Deputy Recorder.

12

Amended
Notice of Mining Location
Lode Claim

33

To All Whom It May Concern:

This Mining Claim, the name of which is the Owl Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by C.J.McNulty citizen of the United States the undersigned, on the 8 day of August 1913.

The length of this claim is 1500 feet, and I claim 15 feet, in an Easterly direction and 1485 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 5000 feet in a Northerly direction from U.S.L.M.No. 2827 and is bounded on the East by Last Day & on the West by Combination Ming Clm

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a Monument at a point in a Easterly direction 15 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monmt, being the S.W. corner of said claim; thence Northerly 1500 feet to a Monument, being at the N.W. corner of said claim; thence Easterly 300 feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monmt, being at the N.E. corner of said claim; thence Southerly 1500 feet to a Monument at the S.E. corner of said claim; thence Westerly 300 feet to x the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Owl Mining Claim, located by Charles Bagley, John Burgreene, John Bagley & C.J.McNulty on the 29 day of August 1895, and recorded in Book 43 of Records of Mines, at page 80, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 8 day of August 1913.

C.J.McNulty.

Filed and recorded at request of C.J.McNulty Aug.9,A.D. 1913, at 9:40 o'clock A.M., Book 86 of Mines, page 369, Records of Yavapai County, Arizona

(Seal)

L.S.Colwell,

By W.T.King,

County Recorder.

Deputy Recorder.

Green Mountain.

Location Notice of the Green Mountain
Mill-Site Claim.

JUL 22 1913

Know all Men by these Presents:

That the undersigned has this day located five (5) acres of this non Mineral land as a Mill site claim, taken in connection with and for the benefit of the Green Mountain Mining Claim, under and according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows, to-wit: Commencing at this notice which is posted in a monument of stone at the Southwest corner of the claim running thence Northerly four hundred (400) feet to a stone monument; thence Easterly five hundred and forty-five (545) feet to a stone monument; thence Southerly four hundred (400) feet to a stone monument; thence Westerly five hundred and forty-five (545) feet to a stone monument the place of beginning.

Situated on Big Copper Creek at the mouth of Bitter Creek about three fourths ($\frac{3}{4}$) Mile from the Hasayampa River, in Hasayampa Mining District, Yavapai County, Arizona.

Dated on the ground August 9" 1895.

Geo.C.Waddell

Locator.

Recorded at request of G.C.Waddell, Aug. 16" A.D. 1895, at 2:35 o'clock P.M., in Book 3 Mill Sites and Water Rights, pages 39-40, Records of Yavapai County, Arizona.

(Seal)

F.A.Tritle

County Recorder.

By M.O.Archibald

Deputy.

Filed and recorded at request of _____

_____ A. D. 191 _____, at _____ o'clock

_____ M., Book _____ pages _____

Records of Yavapai County, Arizona.

{ SEAL }

L. S. COLWELL,
County Recorder,

By _____

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Notice of location of
Green Mountain Mill-Site Claim,

filed for record on Aug. 16 A. D. 1895, at 2:35 o'clock, P. M. and as the same appears of record in my office in Book 3 of Mill-Sites and Water Rights, at pages 39-40 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 19th day of July, A. D. 1913

L. S. Colwell
County Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

April 1, 1914.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of C. J. McNulty and Michael McBride
known as the
RED BANK, MOUNTAIN CON, COMBINATION, PARROT, GREEN MOUNTAIN,
COPPER PLATE, PARALLEL, LAST DAY, ANACONDA, ONTARIO, HIGH ORE,
OWL, GREEN MOUNTAIN MILL SITE.
situate in Hassayampa
Mining District, Yavapai County,
Arizona, in Section s24 & 25, Township No. 12½ N
Range No. 3 W., Unsur, and designated as Survey
No. 3090 A & B, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements ^{or for each of} made upon said mining claims by claimant or their grantors, and
that said improvements consist of 10 cuts, 10 tunnels, 2 shafts and 1
crosscut, total value \$13095. Shaft No. 2 on the Green Mountain
lode being a common improvement for the benefit and development
of each of the twelve lode claims in this survey, an undivided
one-twelfth interest therein, \$525, is credited to each of said
lodes.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona,

April 1, 1914.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

C. J. McNulty and Michael McBride

, known as the
RED BANK, MOUNTAIN CON, COMBINATION, PARROT, GREEN MOUNTAIN, COPPER
PLATE, PARALLEL, LAST DAY, ANACONDA, ONTARIO, HIGH ORE, OWL,
GREEN MOUNTAIN MILL SITE.

situate in HASSAYAMPA mining district,

YAVAPAI

County,

ARIZONA.

in Section s. 24 & 25, Township No. 12 $\frac{1}{2}$ N., Range No. 3 W., Unsur.

, designated as Survey No. 3090 A&B

executed by William H. Merritt, U. S. Deputy Mineral

Surveyor, Sept. 2-6, 1913, 190, under my instructions dated

Aug. 14, 1913, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Lyall

U. S. Surveyor-General for Arizona.