

Copied
August 25, 1914,
A L H

Re-copied
Sept. 4, 1914,
A L H

JUN 22 1914

1

(4-683.)

Mineral Survey No. 3120

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Josephus R. Barnette

KNOWN AS THE

Will O' The Wisp, Wil O' The Wisp NO. 2

Globe Mining District,

Gila County, Arizona

Section 36, Township 1 N., Range 14 E. Unsurveyed.

Surveyed under instructions dated April 18, 1914.

by *Reed Thomas*
U. S. Deputy Mineral Surveyor

Claim located See location notices, 1

Survey commenced May 16, 1914

Survey completed May 30, 1914

6-107

Address of attorneys for claimant.

Rawlins & Little,

Globe, Arizona.

Dates of Amended Locations

Will O' The Wisp Lode, April 9, 1914

Wil O' The Wisp NO. 2 Lode, April 9, 1914

Feet

Mineral Survey No. 3120

Will O' The Wisp

Beginning at Cor. No. 1, identical with the N.E. Cor. of the location.

A pine post, 5 ft. long, 4 x 4 ins. with nail at the exact corner, set 36 ins. in the ground, with mound of stone, scribed 1-W.W.-3120., whence

The corner common to sections 30 and 31, on the west boundary of T.1N., R.15E., G. & S.R.B. & M., bears N.48° - 12' - 30"E. 1607.75 ft.

No other bearing objects available.

Thence S.13° - 42' W.

identical with East End Center monument

a pine post 4 ft. long, 4 x 4 ins. with nail at the exact center, set 24 ins. in the ground with mound of stone scribed E.E.C. 3120

300.00 To East End Center monument, from which the discovery bears N.76° - 18' W. 500 ft.

320.00 Bed of gulch, draining north.

370.00 Bed of gulch, draining north.

471.50 Intersect line 2-3, Gray Copper lode, Sur. 3038, at S.44° - 40' E. 577.85 ft. from Cor. No. 3.

600.00 To Cor. No. 2, identical with S.E. Corner of the location.

A pine post, 4 ft. long, 4 x 4 ins. with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 2-W.W.-3120.

No bearing objects available.

Thence N.76° - 18' W.

410.00 Bed of gulch, draining northeast.

480.00 Road, course northeast and southwest, also bed of gulch draining southeast.

600.00 Road, course northwest and southeast.

890.00 Road, course northeast and southwest

1050.00 Bed of gulch, draining northeast.

1500.00 To Cor. No. 3, identical with southwest corner of the location.

A pine post, 4 ft. long, 4 x 4 ins., with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 3-W.W.-3120.

No bearing objects available.

- Thence N.13°-42'E.
identical with West End Center
- 300.00 To West End Center monument of the location, a pine post, 4 ft. long, 4x4 ins. with nail at the exact center, set 24 ins. in the ground with mound of stone, scribed W.E.C. 3120.
- 309.68 Intersect line 2-3, Wil O' The Wisp NO. 2 lode, this survey, at N.76°-18'W. 964.61 ft. from Cor. No. 2.
- 341.58 Intersect east end line, Mikado lode, unsurveyed, at N.36°-37'W. 376.96 ft. from the S.E. Cor. and S.36°-37'E. 213.12 ft. from the N.E. Cor.
- 600.00 To Cor. No. 4, identical with the N.W. Corner of the location.
- A pine post, 4 ft. long, 4 x 4 ins. with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 4-W.W.-3120.
- No bearing objects available.
- Thence S.76°-18'E.
- 1068.18 Intersect line 1-2, Wil O' The Wisp NO. 2 lode, this survey, at N.33°-21'E. 308.33 ft. from Cor. No. 2, and line 3-4, Gray Copper lode, Sur. 3038, at N.33°-21'E. 179.02 ft. from Cor. No. 3
- 1080.27 Intersect line 2-3, Vesper Mine lode, Sur. 3069, at N.36°-18'W. 212.84 ft. from Cor. No. 2.
- 1309.39 Intersect line 1-2, Vesper Mine lode, Sur. 3069, at N.39°-29'E. 151.92 ft. from Cor. No. 2.
- 1320.00 Bed of gulch, draining northeast.
- 1420.00 Road, course northeast and southwest.
- 1500.00 To Cor. No. 1, the place of beginning.
- Wil O' The Wisp NO. 2
- Beginning at Cor. No. 1, identical with the N.E. Corner of the location. On line 3-4, Gray Copper lode, Sur. 3038, at N.33°-21'E. 507.71 ft. from Cor. No. 3.
- A pine post, 4 ft. long, 4 x 4 ins. with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 1-W.W.2-3120, whence
- The corner common to Sections 30 and 31, on the west boundary of T.1N., R.15E., G. & S.R.B. & M., bears N.64°-12'-50"E. 1596.33 ft.
- No other bearing objects available.

Thence S.33°-21'W.

318.51 Along line 4-3, ~~said Gray Copper lode~~, ^{Sur. 3038} identical with East End Center ^{a pine post 4ft. long, 4x4 ins. with nail at the exact center, set 24 ins. in the ground with mound of stone scribed E.E.C. 3120.} of the location, from which the discovery bears N.76°-18'W. 750 ft.

320.46 Intersect line 2-3, Vesper Mine lode, Sur. 3069, at S.36°-18'E. 374.90 ft. from Cor. No. 3, and at N.36°-18'W. 224.9 ft. from Cor. No. 2.

328.69 Intersect line 1-4, Will O' The Wisp lode, this survey, at S.76°-18'E. 1068.18 ft. from Cor. No. 4.

507.71 To Cor. No. 3, ~~said Gray Copper lode~~, ^{Sur. 3038.}

637.02 To Cor. No. 2, identical with S.E. Corner of the location. A pine post, 4 ft. long, 4 x 4 ins. with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 2-W.W.2-3120. No bearing objects available.

Thence N.76°-18'W.

926.14 Intersect the east end line, Mikado lode, unsurveyed, at S.36°-37'E. 263.12 ft. from N.E. Cor.

964.61 Intersect line 3-4, Will O' The Wisp lode, this survey, at S.13°-42'W. 290.32 ft. from Cor. No. 4.

1240.88 Intersect northwest and southeast side lines, respectively, of the Mikado and Valley Forge lodes, unsurveyed, at S.47°-28'W. 202.08 ft. from the N.E. and S.E. Cors., respectively, of the said Mikado and Valley Forge lodes.

1500.00 To Cor. No. 3, identical with the S.W. Corner of the location.

A pine post, 4 ft. long, 4 x 4 ins. with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 3-W.W.2-3120. No bearing objects available.

Thence N.33°-21'E.

314.87 Intersect line 1-2, Snail lode, Sur. 3069, at S.56°-04'W. 478.68 ft. from Cor. No. 1, also said intersection bears S.56°-04'W. 78.37 ft. from the intersection of said line 1-2, Snail lode, with the northeast end line of the ~~said~~ Valley Forge lode, unsurveyed.

- 318.51 To West End Center ^{identical with West End Center} monument ^{a pine post 4ft. long, 4x4 ins. with nail at the exact center, set 24 ins. in the ground with mound of stone, scribed W.E.C. 3120.} of the location
- 399.14 Intersect northeast end line, Valley Forge lode, unsurveyed, at N. 35°-05' W. 315.51 ft. from the S.E. Cor., also said intersection bears N. 35°-05' W. 32.54 ft. from the intersection of the said northeast end line of the Valley Forge lode with line 1-2, said Snail lode, Sur. 3069.
- 485.37 Intersect line 2-3, Orphan lode, Sur. 3069, at N. 64°-29' W. 411.9 ft. from Cor. No. 2, also said intersection bears N. 64°-29' W. 76.42 ft. from the intersection of said line 2-3, Orphan lode, with line 1-2, said Snail lode, Sur. 3069.
- 637.02 To Cor. No. 4, identical with N.W. Corner of the location. A pine post, 4 ft. long, 4 x 4 ins. with nail at the exact corner, set 24 ins. in the ground, with mound of stone, scribed 4-W.W.2-3120. No bearing objects available. -Thence S. 76°-18' E.
- 168.26 Intersect line 1-2, Snail lode, Sur. 3069, at S. 56°-04' W. 68.17 ft. from Cor. No. 1, also said intersection bears N. 56°-04' E. 214.4 ft. from the intersection of the said line 1-2, Snail lode, with line 2-3, of said Orphan lode.
- 569.65 Intersect lines 1-2 and 4-5, respectively, of the Orphan and White Captive lodes, Sur. 3069, at N. 57°-28' E. 314.5 ft. from Cors. Nos. 2 and 4, respectively, of the said Orphan and White Captive lodes.
- 1162.30 Intersect lines 2-3 and 3-4, respectively, of the White Captive and Vesper Mine lodes, Sur. 3069, at N. 57°-00' E. 83.5 ft. from Cors. 3 and 3, respectively, of the said White Captive and Vesper Mine lodes, ~~also Cors. 2 and 4, respectively, of the Orphan and White Captive lodes, Sur. 3069, bears N. 88°-45' W. 771.02 ft. from the said~~ ^{thereof} ~~Cors. 3 and 3, respectively, of the said White Captive and Vesper Mine lodes.~~
- 1500.00 To Cor. No. 1, the place of beginning. Variations at all corners 14°-15' E.

As near as can be determined from present developments, the veins of the two locations embraced in this survey extend as follows from their respective discovery points:

Will O' The Wisp lode, S.76°-18'E. 500 ft. and N.76°-18'W. 1000 ft.

Wil O' The Wisp NO. 2 lode, S.76°-18'E. 750 ft. and N.76°-18'W. 750 ft.

Areas

Total Area Will O' The Wisp lode,	Acres	Acres
		20.661 ✓

Area in conflict with:

Gray Copper lode, Sur. 3038,	3.498
------------------------------	-------

Vesper Mine lode, Sur. 3069,	.359
------------------------------	------

Will O' The Wisp NO. 2 lode, this survey,	6.774
---	-------

Common conflict with :

Gray Copper lode, Sur. 3038 and	
---------------------------------	--

Vesper Mine lode, Sur. 3069,	.359
------------------------------	------

Will O' The Wisp NO. 2 lode, this survey and Mikado lode, unsurveyed,	.014
---	------

Total Area Wil O' The Wisp NO. 2 lode,	Acres	Acres
		20.658

Area in conflict with:

Will O' The Wisp lode, this survey,	6.774
--	------------------

Mikado lode, unsurveyed,	.606
--------------------------	------

Valley Forge lode, unsurveyed,	1.843
--------------------------------	-------

Snail lode, Sur. 3069,	.585
------------------------	------

Orphan lode, Sur. 3069,	2.195
-------------------------	-------

White Captive lode, Sur. 3069,	1.960
--------------------------------	-------

Vesper Mine lode, Sur. 3069,	1.528
------------------------------	-------

Common conflict with:

Will O' The Wisp lode, this survey and Mikado lode, unsurveyed,	.014
--	-----------------

Snail lode, Sur. 3069 and Valley Forge lode, unsurveyed,	.029
--	------

Snail lode, Sur. 3069 and Orphan lode, Sur. 3069,	.437
---	------

Location

This survey is located on unsurveyed land, in what will probably be, when surveyed, Section 36, T.1N., R.14E., G. & S.R.B. & M., Globe Mining District, Gila County, Arizona, in the Crook National Forest.

Adjoining and Conflicting Claims.

The Gray Copper lode, Sur. 3038, owned by Ida A. Van Dyke, on the northeast; The Vesper Mine, White Captive, Orphan and Snail lodes, Sur. 3069, owned by Charles M.

Clark, on the north; the Mikado and Valley Forge lodes, unsurveyed, owned by the Miami Copper Co (incorporated under the laws of Arizona), on the west; the Sulphide group, ^{unsurveyed} owned by Ida A. Van Dyke, on the south

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in this survey, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist:

Will O' The Wisp.

No. 1, the discovery, a shaft, 4.5 x 5 x 10 ft., which is intersected by the lode line 500 ft. from the E.E.C.
Value \$ 40.00

No. 2, a timbered shaft, 4.5 x 6.5 x 15 ft., which bears N.13° -42'E. 283.9 ft. from a point on line 2-3, 499.3 ft. from Cor. No. 2. Value \$ 105.00

Note: An undivided ^{1/2} ~~2/3~~ interest in improvement No. 2, Wil O' The Wisp NO. 2 lode, hereafter described, Value \$ 292.50
~~\$ 390.00~~

Wil, O' The Wisp, NO. 2.

No. 1, the discovery, a cut 5 x 10 x 13 ft., which is intersected by the lode line 750 ft. from the E.E.C.
Value \$ 33.00

No. 2, 121 ft. of cut and tunnel, 4 x 6 ft., the mouth of the cut bears N.73° -51'W. 228 ft. from Cor. No. 2, and which then extends S.80° -40'W. 30 ft. to the portal of the tunnel; thence S.79° -30'W. 91 ft. to the face; total value \$ 585.00. An undivided ^{1/2} ~~1/3~~ interest is assigned to this claim. Value \$ 292.50
~~\$ 195.00~~

No. 3, a cut 4.5 x 10 x 10 ft., the center of the mouth of which bears S.29° -39'W. 27 ft. from a point on the lode line 755.7 ft. from E.E.C. and which then extends N.13° -42'E. 10 ft. Value \$ 25.00

No. 4, 53 ft. of cut and tunnel, 4 x 6 ft., the center

*Note:

This tunnel is a practical exploration tunnel for the two claims of this group. The topography is such that development by a tunnel at this point is decidedly advantageous as a vertical depth of about 400 ft. can be attained by additional drifting. Through the medium of crosscutting both claims can be explored and in the event of the discovery of commercial ore bodies the tunnel can be utilized as an extraction drift. This improvement is, therefore, a common improvement for the benefit of each claim, and an undivided one-half interest in its value is distributed to each claim in this survey.

of the mouth of which bears S.36°-42'W. 86 ft. from a point on the lode line, 755.7 ft. from E.E.C., and which then extends N.15°-48'E. 5 ft. to portal of tunnel; thence N.15°-48'E. 48 ft. to face. Value \$ 260.00

Other Improvements.

Will O' The Wisp

A well, 3 x 3 x 21 ft., the center of which bears N.89°-32'W. 22.9 ft. from a point on the lode line, 579.7 ft. from the E.E.C.

Will O' The Wisp No. 2

A frame house, 10 x 12 ft., course of long sides N.55°-12'W., the S.E. Cor. of which bears N.09°-48'W. 62.5 ft. from Cor. No. 2.

A dobe house, 29 x 13 ft., course of long sides N.57°-34'W., the S.E. Cor. of which bears N.15°-34'W. 77.7 ft. from Cor. No. 2.

A frame house, 10 x 30 ft., course of long sides N.32°-11'E., the S.E. Cor. of which bears N.57°-49'W. 85.4 ft. from Cor. No. 2.

Instrument and Determination of Meridian.

This survey was made with a Berger Engineer's Transit, No. 7468. The courses were deflected from the true meridian as determined by a solar observation with a Burt Solar Attachment. The distances were measured with a 300 ft. steel tape.

Report

The side and end lines of the claims in this survey, and all tie lines were run direct upon the ground.

The corner common to sections 30 and 31, on the west boundary of T.1N., R.15E., G.&S.R.B. & M., to which tie is given is a schist stone .4 x .7 x .4¹/₂ set in concrete, marked with one groove on the south face, five grooves on the north face and 15 E. on the east face.

Sur. No. 3038, Gray Copper lode; Corners 1, 2, 3, and 4 of this claim are 4 x 4 ins. posts, properly set and scribed. I find the bearing of line 2-3 correct as approved, and line 3-4 and the section tie from Cor. No. 1, correct within the limit of error. Sur. No. 3069, Vesper Mine, White Captive, Orphan and Snail lodes;

Corners 1, 2, 3, and 4, Vesper Mine lode; corners 1, 2, 3, 4 and 5, White Captive lode; corners 1, 2 and 3, Orphan lode; and corners 1 and 2, Snail lode, are 4 x 4 ins. posts properly set and scribed. I find the bearings of lines 1-2 and 3-4, Vesper Mine lode; the bearings of line 1-2, Orphan lode; the bearings of lines 2-3 and 4-5, White Captive lode, correct as approved. I find line 2-3, Vesper Mine lode, line 3-4 White Captive lode, line 2-3, Orphan lode, line 1-2, Snail lode, and the Section corner ties from Cor. No. 1 of the said Vesper Mine lode, Cor. No. 1 of said White Captive lode, Cor. No. 1 of said Orphan lode and Cor. No. 1 of said Snail lode correct within the limit of error.

Mikado lode, unsurveyed;

The S.E. Cor. is a pine post, 3.5 ft. long, 4 x 4 ins., set in mound of stone. The N.E. Cor. is a pine post 4 ft. long, 4 x 4 ins., set in a mound of stone. The N.W. Cor. is a mound of stone 3 ft. high.

Valley Forge lode, unsurveyed;

The S.E. Cor. and the S.W. Cor. are identical, respectively with the N.E. and N.W. Cors. of the said Mikado lode. The N.E. Cor. is a pine post, 4.5 ft. long, 4 x 4 ins., set in mound of stone.

U.S.G.S. Bench Mark, an iron pipe with brass cap, elevation stamped 3468 ft., bears N. 62° - 13' E. 129.1 ft., from a point on line 2-3, Will O' The Wisp lode, this survey, 886.7 ft. from Cor. No. 2.

The disagreement between these notes and the notices of location is due to errors in said location notices.

June 15, 1914

R. G. Thomas
U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

R. G. Thomas

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Josephus R. Barnette
known as the *Mill & The Mill, Mill & The Mill No. 2*

and showing the respective capacities in which they acted.

Alonzo Speuche, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

I *Alonzo Speuche*

and *I*, do solemnly swear that ~~we~~ ^I assisted

R. G. Thomas, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of *Josephus R. Barnette*

known as the *Mill & The Mill, Mill & The Mill No. 2*

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

Alonzo Speuche, Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this *15th*

day of *June*, 19*14*

[Signature]
Notary Public

My commission expires January 31, 1917

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, R. G. Thomas, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 18, 1914, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Josephus R. Barnette, known as the Mell i' The Deep Mell i' The Deep No. 2, situate in Globe Mining District, Siila County, Arizona, in Section 36 ~~unsurveyed~~, Township No. 1 N., Range No. 14 E ~~Unsurveyed~~, and designated as Survey No. 3120, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R. G. Thomas
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said R. G. Thomas,
U. S. ~~Deputy~~ Mineral Surveyor, before me [Signature]
Notary Public this 15th
day of June, 1914,

[Signature]
Notary Public

My commission expires
January 31, 1917

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM

APR 18 1914

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Will O'The Wisp Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Josephus R. Barnette, a citizen of the United States, the undersigned, on the 9th day of April, 1914.

The length of this claim is Fifteen Hundred feet, and I claim Five Hundred feet, in a S. 76-17'-30" E. direction and One Thousand feet in a N. 76-17'-30" W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S. 76-17'-30" E. to the N. 76-17'-30" W.

The claim is situated and located in the Globe Mining District, in Gila County, in the State of Arizona, about seven miles in a westerly direction from Globe and about 3/4 mile in a northeasterly direction from Bloody Tanks.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at pine post at a point in a S. 76-17'-30" E. direction Five Hundred feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence

S. 13-42'-30" W. 300 feet to a pine post, being the Southeast corner of said claim; thence N. 76-17'-30" W. 1500 feet to a pine post, being at the Southwest corner of said claim; thence N. 13-42'-30" E. 300 feet to a pine post at the center of the west end of said claim; thence N. 13-42'-30" E. 300 feet to a pine post, being at the Northwest corner of said claim; thence S. 76-17'-30" E. 1500 feet to a pine post at the Northeast corner of said claim; thence S. 13-42'-30" W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Will O'The Wisp Mining claim, located by Josephus R. Barnette and Minnie Barnette on the 1st day of April, 1898, and recorded in Book 6 of Records of Mines, at page 308, in the office of the County Recorder of the aforesaid County of Gila, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 9th day of April, 1914.

Josephus R. Barnette

Witness:

Minnie Barnette
Sam Rose

Filed and recorded at the request of Rawlins & Little at 55 minutes past 3 o'clock P.M. on the 13 day of April, A. D. 1914.

E. T. Stewart,

County Recorder.

State of Arizona,)
 : ss.
County of Gila.)

I, E. T. Stewart, County Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Amended Notice of Mining Location of the Will O'The Wisp lode claim, as the same appears of record in my office in Book 15, Records of Mines at page 639; that I have compared same with the original record, and that same is a true transcript and of the whole thereof.

Given under my hand and seal of office, this 15th day of April, A.D.1914.

E. T. Stewart
County Recorder, Gila
County, Arizona.



AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM

APR 18 1914

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Wil O' The Wisp No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Josephus R. Barnette, a citizen of the United States, the undersigned, on the 9th day of April, 1914.

The length of this claim is Fifteen Hundred feet, and I claim Seven Hundred and Fifty feet, in a S. 76-17'-30"E. direction and Seven Hundred and Fifty feet in a N. 76-17'-30"W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. 76-17'-30" W. to the S 76-17'-30" E.

The claim is situated and located in the Globe Mining District, in Gila County, in the State of Arizona, about Seven miles in a westerly direction from Globe and about 3/4 mile in a northeasterly direction from Bloody Tanks.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at pine post at a point in a S. 76-17'-30" E. direction 750 feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence S. 33-20'-30"W. 318.51 feet to a pine post, being the Southeast corner of said claim; thence N. 76-17'-30" W. 1500 feet to a pine post being at the Southwest corner of said claim; thence

N. 33-20'-30" E. 318.51 feet to a pine post at the center of the West end of said claim; thence N. 33-20'-30" E. 318.51 feet to a pine post, being at the Northwest corner of said claim; thence S. 76-17'-30" E. 1500 feet to a pine post at the Northeast corner of said claim; thence S. 33-20'-30" W. 318.51 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statues of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Wil O'the Wisp No. 2 Mining Claim, located by Minnie Barnette on the 1st day of January, 1911, and recorded in Book 21 of Records of Mines, at page 578, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 9th day of April, 1914.

Josephus R. Barnette

Witness:
Minnie Barnette.
Sam Rose

Filed and recorded at the request of Rawlins & Little at 55 minutes past 3 o'clock P.M. on the 13 day of April, A.D. 1914.

E.T. Stewart,
County Recorder.

State of Arizona,)
 : ss.
County of Gila.)

I, E. T. Stewart, County Recorder in and for the County of Gila, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the Amended Notice of Mining Location of the Wil O' The Wisp No. 2 lode claim, as the same appears of record in my office in Book 15, Records of Mines at page 640; that I have compared same with the original record, and that same is a true transcript and of the whole thereof.

Given under my hand and seal of office, this 15th day of April, A.D. 1914.

E. T. Stewart
County Recorder, Gila
County, Arizona.



(4-688.)

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

September 15, 1914.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Josephus R. Barnette

, known as the Will O' The Wisp. Wil O' The Wisp No. 2.

, situate in Globe

Mining District, Gila County,

Arizona, in Section 36, Township No. 1 N.,

Range No. 14 E., and designated as Survey

No. 3120, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said Wil O' The Wisp No. 2 mining claim by claimant or his grantors, and
that ~~said improvements consist of less than five hundred dollars' worth~~
~~of labor has been expended or improvements made upon or for~~
~~the Will O' The Wisp lode, at time of survey, and that said im-~~
~~provements consist of 2 shafts, 4 cuts and 2 tunnels, total value~~
~~\$1048. Cut and tunnel No. 2 on the Wil O' The Wisp No. 2 lode~~
~~being a common improvement for the benefit and development of~~
~~both of the claims in this survey, an undivided one-half interest~~
~~therein, value \$292.50, is properly credited to each of said claims.~~
and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

September 15, 1914.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

JOSEPHUS R. BARNETTE,

, known as the

WILL O' THE WISP, WIL O' THE WISP NO. 2

situate in GLOBE mining district,

GILA County, ARIZONA,

in Section 36, Township No. 1 N., Range No. 14 E., Unsur.

, designated as Survey No. 3120

executed by R. G. Thomas U. S. Deputy Mineral

Surveyor, May 16-30, 1914, 19, under my instructions dated

April 18, 1914, 19, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or his grantors, upon the mining claim of
Josephus R. Barnette

known as the Will O'The Wisp,
situate in Globe mining district,
Gila County, Arizona
in Section 36, Township No. 1 N., Range No. 14 E., Unsurveyed
that said improvements consist of, in addition to those reported at
time of survey, sinking shaft No. 1 an additional 6 ft., and
timbering said shaft for the total depth, value, \$100.00

, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
R. C. Thomas, U. S. ~~Deputy~~ Mineral Surveyor, dated
January 4, 1915, ~~18~~, is hereto attached.



U. S. Surveyor General for Arizona.

Office of U. S. Surveyor General,

Phoenix, Arizona,

January 12, 1915.

CONFLICT SUR.NO.3120 WILL'O THE WISP
WITH MIKADO LODE UNSURVEYED.

Beginning at a point on line 2-3 Sur.No.3120 Will
'O The Wisp lode at N 76° 18' W 1277.32 ft. from Cor.No.2,
also on Southeast side line Mikado lode unsurveyed at
S 47° 27 ' W 121.30 ft. from the Southeast corner;
thence N 76° 18' W 222.68 ft. to Cor.No.3 Sur.No.3120
Will'O The Wisp ; thence N 13° 42' E 341.58 ft. to
intersection line 3-4 Will'O The Wisp and Northeast
end line Mikado lode unsurveyed.thence S 36° 37' E
along the Northeast end line Mikado lode 376.96 ft.
to the Southeast corner, containing 1.395 acres.


U.S.Mineral Surveyor.

Subscribed and sworn to by the said R. G. Thomas
U.S.Mineral Surveyor, before me Joseph Francis Chicholski
Notary Public in and for the County of Gila, Arizona this 2d
day of December 1915.

Joseph Francis Chicholski
Notary Public

my commission expires April 22, 1918

DEPARTMENT OF THE INTERIOR,
Office of U.S. Surveyor General,
Phoenix, Arizona,
December 18, 1915.

I, Frank S. Ingalls, U. S. Surveyor General for Arizona, do hereby certify that the foregoing is a true and correct copy of the report of R. G. Thomas, U. S. Mineral Surveyor, dated December 2, 1915, describing the conflict between the Will O'The Wisp lode, Sur. No. 3120, and the Mikado lode, unsurveyed, and that the plat of said Survey No. 3120 has been amended in green ink, in accordance with such description, pursuant to General Land Office letter "N" dated August 26, 1915.


Surveyor-General for Arizona.