

(4-683.)

Mineral Survey No. 3143

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Eureka Gold and Copper Mining Company

KNOWN AS THE

WOODS, ADAMS

Verde Mining District,

Yavapai County, Arizona

Section Approx. 31, Township 15 N, Range 3 E Unsur.

Surveyed under instructions dated August 6, 1914,

by Lloyd G. Gage,
U. S. Deputy Mineral Surveyor.

Claims located Sec location notices, 1901

Survey commenced August 8, 1914., 1

Survey completed August 14, 1914., 1

o 6-160

Address;
H.M. Gibbes, Attorney for claimant,
Jerome, Arizona.

WOODS ETC.

Beginning at Cor. No. 1.

A porphyry stone 6x10x24 ins. set 12 ins. in the ground with mound of stone, chiseled 1-W-3143.

The location corner bears S.34°30'W. 153 ft.

U.S.M.M. No. 3143 bears N.0°04'W. 451.03 ft.

FEEET.

Thence S. 81° 40' E.

300. To South Center End, a porphyry stone 6x6x20 ins. set 10 ins. in the ground, with mound of stone, chiseled W-3145 S.C.E.

The location monument bears S.32°W. 115 ft.

600. To Cor. No. 2.

A porphyry stone 8x8x24 ins. set 12 ins. in the ground with mound of stone, chiseled 2-W-3143.

The location corner bears S.20°40'W° 80 ft.

Thence N. 24° 10' E.

443.90 Intersect line 4-1, Adams lode of this survey at N.80°20'W° 680.51 ft from Cor. No. 4.

605. Creek, 1 ft. wide, flows East.

1500. To Cor. No. 3.

A porphyry stone 6x8x24 ins. set 12 ins. in the ground with mound of stone, chiseled 3-W-3143.

The location corner bears S.83°30'E. 149 ft.

Thence N. 81° 40' W.

300. To North Center End, a porphyry stone 5x6x20 ins. set 10 ins. in the ground with mound of stone, chiseled W-3143 N.C.E.

The location monument bears N.43°30'E. 42 ft.

600. To Cor. No. 4.

A porphyry stone 6x10x24 ins. set 12 ins. in the ground with mound of earth and stone, chiseled 4-W-3143.

The location corner bears N.1°E. 58 ft.

WOODS LODGE- continued.

FEET. Thence S. 24° 10' W.
 1000. Creek, 1 ft. wide, flows East.
 1041.68 Intersect line 4-1, Adams lode of this survey at
 N. 80° 20' W. 1276.71 ft. from Cor. No. 4, and S 80° 20' E 145.29 ft.
 from Cor. No. 1.
 1500. To Cor. No. 1, the place of beginning.

ADAMS

Beginning at Cor. No. 1.
 A porphyry rock in place 2x2 ft., 2 ft. above ground,
 chiseled 1-A-3143.(+) cross.
 A porphyry rock in place 5x6 ft., 4 ft. above ground,
 chiseled with a cross (+) 1-A-3143 B.R., bears S. 8° 20' W.
 29.6 ft.
 A porphyry rock in place 6x50 ft., 6 ft. above ground,
 chiseled with a cross (+) 1-A-3143 B.R., bears N. 8° 20' E.
 27.1 ft.
 The location corner bears N. 2° 30' E. 124 ft.
 U.S.M.M. No. 3143 bears N. 79° 20' W. 45.8 ft.

Thence S. 8° 20' W.

300. To West Center End, a porphyry stone 6x6x20 ins. set
 10 ins. in the ground with mound of stone, chiseled
 A-3143 W.C.E.
 Loc. Mon. brs. N. 26° W. 50 ft.
 600. To Cor. No. 2.

A porphyry stone 6x10x24 ins. set 12 ins. in the ground
 with mound of stone, chiseled 2-A-3143.
 The location corner bears S. 82° 30' W. 45 ft.

Thence S. 81° 40' E.

1421.7 To Cor. No. 3.
 A porphyry stone 6x13x24 ins. set 12 ins. in the ground
 with mound of stone, chiseled 3-A-3143.
 A porphyry rock in place 5x8 ft., 6 ft. above ground
 chiseled with a cross (+) 3-A-3143 B.R., bears N. 8° 20' E.
 1.5 ft.

SURVEY No. 3143.

	Acres.
Area in conflict with Adams lode - - - -	5.997
Total area Adams lode - - - - -	19.044

All location corners and monuments are mounds of rock 3 ft. high, as described in location certificates. The monuments marking the centers of the side lines on both claims are missing.

LOCATION.

This survey is located in approximate Sec. 31, T.15 N.R.3 E., unsurveyed, Verde Mining District, Prescott National Forest, Yavapai County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

No. 1. ^{On the Woods lode} The discovery shaft of the Woods lode with, tunnel with cut and drift, the discovery shaft being on the lode line 506 ft. from South Center End, Woods lode, 5x6 ft., 10 ft. deep. The cut commences on the lode line ~~547~~⁵³¹ ft. from South Center End, Woods lode, 5 ft. wide, 12 ft. deep at face, running S.24°10'W. 28 ft., thence tunnel, 4x6 ft. runs S.24°10'W. 130 ft., thence S.20°50'W. 243 ft., thence S.24°50'W. 130 ft. At 373 ft. from mouth of tunnel is drift 4x6 ft., running S.84°E. 70 ft.

Value \$5730.

No. 2. Tunnel with cut. The mouth of cut bears from a point on the lode line 547 ft. from South Center End Woods lode, N.6°04'W. 64 ft., 5 ft. wide, 10 ft. deep at face, running N.25°E. 15 ft., thence tunnel, 4x6 ft. runs N.25°E. 57 ft.

Value \$570.

On the Adams lode

No. 1. The discovery shaft of the Adams lode with, tunnel with cut, winze and drifts, the discovery shaft being on the lode line 651 ft. from East Center End Adams lode, 4x6 ft., 10 ft. deep. The cut commences on the lode line 636 ft. from East Center End Adams lode, 5 ft. wide, 15 ft. deep at face, running N.81°40'W. 18 ft., thence tunnel, 4x6 ft. runs N.82°15'W. 100 ft. At 80 ft. from mouth of tunnel is a winze 4x5 ft., vertical, 84 ft. deep. At 40 ft. below collar of winze is drift 4x6 ft. running N.83°W. 85 ft., and drift 4x6 ft. running S.82°E. 10 ft. At 84 ft. below collar of winze is drift 4x6 ft. running S.82°E. 10 ft.

Value \$2890.

~~No. 2.~~ A shaft, on the lode line 730 ft. from East Center End, Adams lode, 3x4 ft., 5 ft. deep, not claimed.

~~No. 3.~~ A shaft, on the lode line 830 ft. from East Center End, Adams lode, 3x4 ft., 8 ft. deep, not claimed.

 OTHER IMPROVEMENTS.

A house, the N. E. Corner of which bears from a point on the lode line 547 ft. from South Center End Woods lode, N.79°W. 110 ft., 10x12 ft. Course of long sides N.80°E.

A blacksmith shop, the S.W. corner of which bears from the same point on the lode line, S.65°50'E. 7 ft., 10x12 ft. Course of long sides N.24°10'E. Both belong to claimant herein.

 INSTRUMENT.

This survey was made with Buff & Berger transit No. 2500. The courses were deflected from the true meridian as determined by stellar observations. The distances were measured with 100-ft. and 300-ft. steel tapes.

 REPORT.

The lode line of each location of this claim was run

directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run either directly upon the ground or by traverses, run upon the ground and submitted in a separate report herewith.

U. S. M. M. No. 3143 is on a porphyry rock in place, 30x50 ft., 10 ft. above ground, chiseled with a cross (+) U.S.M.M. No. 3143, with bearing rocks.

. ADJOINING CLAIMS. .

There are no known adjoining claims. .

Lloyd S. Page
U. S. Mineral Surveyor.

FIELD NOTES

of

8

U. S. Mineral Monument No. 3143.

Approx. Sec. 31, T. 15 N., R. 3 E., unsurveyed.

Established Aug. 13, 1914.

By Lloyd G. Gage

U. S. Mineral Surveyor.

U. S. Mineral Monument No. 3143.

For U. S. Mineral Monument No. 3143, established for surveys in Approx. T. 15 N., R. 3 E., I chiseled U. S. M. M. No. 3143 with a cross (+) on top of porphyry rock in place, 30x50 ft., 10 ft. above ground, on North or left side of Black Canyon.

A cross(+) on South vertical face of porphyry rock in place, 10x50 ft., 8 ft. above ground, chiseled, U. S. M. M. No. 3143 B. R. bears N. 22°35'E. 9.6 ft.

A cross (+) on top of porphyry rock in place, 30x50 ft., 10 ft. above ground, chiseled U. S. M. M. No. 3143 B. R. bears S. 88°30'W. 10.9 ft.

A cross (+) on East vertical face near top of porphyry boulder in place 8x9 ft., 6 ft. above ground, chiseled U. S. M. M. No. 3143 B. R. bears S. 10° W. 27.1 ft.

Creek in Black Canyon bears South 25 ft., 1 ft. wide, flows East.

Mouth of main Eureka tunnel bears S. 89°14'E. 363 ft.

Two Republics mine bears N. 53° 30' W. 3300 ft.

U.S.L.M. No. 1453 bears approximately N. 10°W. 11,600 ft.

Lloyd G. Gage

U. S. Mineral Surveyor

60
~~State of Arizona,)~~
: SS.
County of Yavapai.)

Lloyd G. Gage, U. S. Mineral Surveyor, being first duly sworn according to law deposes and says that on the 13th day of August, 1914, he established U. S. Mineral Monument No. 3143 for mineral surveys in T. 15 N., R. 2 E., Yavapai County, Arizona. That the foregoing are the true and original field notes of such survey, establishing said U. S. Mineral Monument No. 3143, and that said monument was established as therein stated.

Lloyd G. Gage,

U. S. Mineral Surveyor,

Subscribed and sworn to before me by the said Lloyd G. Gage, U. S. Mineral Surveyor, on the 19th day of August, A. D. 1914.

N. F. Wykoff,

(SEAL)

Notary Public.

~~My commission expires April 8th, 1916.~~

State of Arizona,)
County of Yavapai,) SS.

Lloyd G. Gage, U. S. Mineral Surveyor,
being first duly sworn according to law deposes and says that on the
13th day of August, 1914, he established U. S. Mineral Monument
No. 3143 for mineral surveys in T. 15 N. R. 3 E., Yavapai County,
Arizona. That the foregoing are the true and original field notes
of such survey, establishing said U. S. Mineral Monument No. 3143,
and that said monument was established as therein stated.

Lloyd G. Gage
U. S. Mineral Surveyor.

Subscribed and sworn to before me by the said
Lloyd G. Gage, U. S. Mineral Surveyor, on this 19th day of
August, A. D. 1914.

N. F. Wykoff
Notary Public.

My Commission Expires April 8th, 1916

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Lloyd G. Gage

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Eureka Gold and Copper Mining Company

known as the WOODS, ADAMS

and showing the respective capacities in which they acted.

G. A. Pecharich, Chainman.

G. W. McCaskell, Chainman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, G. A. Pecharich and G. W. McCaskell

and....., do solemnly swear that we assisted

Lloyd G. Gage, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Eureka Gold and Copper Mining Company

known as the WOODS, ADAMS

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

G. A. Pecharich, Chainman.

G. W. McCaskell, Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 20th

day of August, 1914

H. W. Wykoff
Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Lloyd G. Gage, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated August 6, 1914, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Eureka Gold and Copper Mining Company, known as the Woods, Adams lode claims, situate in Verde Mining District, Yavapai County, Arizona, in Section Approx. 31 Township No. 15 N., Range No. 3 E., Unsur. and designated as Survey No. 3143, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Lloyd G. Gage
U.S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Lloyd G. Gage
U. S. ~~Deputy~~ Mineral Surveyor, before me N. F. Wykoff, Notary Public
in and for Yavapai County, Arizona this 19th
day of August, A.D. 1914,

My commission expires April 8th, 1916.

N. F. Wykoff
Notary Public.

"Woods"

Notice of Mining Location.
Lode Claim.

AUG 6-1911

To All Whom It May Concern:

This Mining Claim, the name of which is the Woods Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by H.C.Gilmore Chas Kenyon W.S.Adams and C.W.Woods the undersigned, on the 8 day of April 1901.

The length of this claim is 1500 feet, and we claim 1500 feet, in a South-erly direction and _____ feet in a _____ direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about $1\frac{1}{2}$ Miles in a Easterly direction from Brindle Pup Mine ^{Sub No 1577} 1 Mile West of the Bartholdi Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at _____ at a point in a _____ direction _____ feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly 300 feet to a Monument being the North East corner of said claim; thence Southerly 750 feet to a Monument at the center of the East side line of said claim; thence Southerly 750 feet to a Monument being at the Southeast corner of said claim; thence Westerly 300 feet to a Monument at the center of the South end of said claim; thence Westerly 300 feet to a Monument, being at the Southwest corner of said claim; thence Northerly 750 feet to a Monument being at the center of the West side line of said claim; thence Northerly 750 feet to a Monument at the Northwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 8 day of April 1901.

H.C.Gilmore
Chas Kenyon
W.S.Adams
C.W.Woods

Filed and recorded at request of W.S.Adams May 23" A.D. 1901.

~~XXXXXX~~, at 2:30 o'clock

P.M., Book 59 of Mines pages 38

Records of Yavapai County, Arizona.

{ SEAL }

~~XXXXXXXXXXXX~~

P.J.Farley
County Recorder,

By D.J.Sullivan
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Notice of Mining Location, Woods Lode Claim,

filed for record on May 23" A.D.1901, at 2:30 o'clock P.M. and as the same appears of record in my office in Book 59 of Mines at pages 38 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 4th day of August, A. D. 1914.

L. S. Colwell
County Recorder.

AUG 6 - 1914

To All Whom It May Concern:

This Mining Claim, the name of which is the Adams Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by H.C.Gilmore Chas Kenyon W.S.Adams and C.W. Woods the undersigned, on the 8 day of April 1901.

The length of this claim is 1500 feet, and we claim 1500 feet, in a North easterly direction and ___ feet in a ___ direction from the center of the discovery shaft, at which this notice is posted, lengthwise if the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 1½ Miles in a Easterly direction from the Brindle Pup Mine and one Mile West of the Bartholdi Mine.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at ___ at a point in a ___ direction ___ feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Westerly 300 feet to a Monument being the Southwest corner of said claim; thence Northerly 750 feet to a Monument at the center of the West side line of said claim; thence Northerly 750 feet to a Monument being at the Northwest corner of said claim; thence Easterly 300 feet to a Monument at the center of the North end of said claim; thence Easterly 300 feet to a Monument, being at the Northeast corner of said claim; thence Southerly 750 feet to a Monument being in the center of the East side line of said claim; thence Southerly 750 feet to a Monument at the Southeast corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXI, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 8 day of April 1901.

H.C.Gilmore
Chas. Kenyon
W.S.Adams
C.W.Woods

Filed and recorded at request of W.S. Adams, May 23" A.D.1901.

~~XXXXXX~~, at 2:30 o'clock

P.M., Book 59 of Mines, pages 39

Records of Yavapai County, Arizona.

{ SEAL }

~~XXXXXXXXXXXX~~
P.J. Farley
County Recorder,

By D.J. Sullivan
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Notice of Mining Location "Adams" Lode Claim,

filed for record on May 23" A.D.1901, at 2:30 o'clock P.M. and as the same appears of record in my office in Book 59 of Mines at pages 39, and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 4th day of August, A. D. 1914.

L. S. Colwell
County Recorder.



U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

October 8, 1914.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

EUREKA GOLD AND COPPER MINING COMPANY

, known as the WOODS, ADAMS.

, situate in VERDE

Mining District, YAVAPAI County,

ARIZONA, Approx., in Section 31, Township No. 15 N,

Range No. 3 E., unsur., and designated as Survey

No. 3143, has been correctly copied from the originals on

file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon ^{each of} said mining claims by claimant or its grantors, and
that said improvements consist of 2 shafts, 3 tunnels, 3 cuts, 4 drifts
and 1 winze, total value \$9190.00.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

October 8, 1914

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

EUREKA GOLD AND COPPER MINING COMPANY

known as the

WOODS, ADAMS.

situate in VERDE Mining District,

YAVAPAI County, ARIZONA, Approx.

in Section 31, Township No. 15 N., Range No. 3 E., unsur.

designated as Survey No. 3143

executed by Lloyd G. Gage, U. S. Deputy Mineral

Surveyor, August 8-14, 1914, 190, under my instructions dated

August 6, 1914, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Paul S. Ingalls

U. S. Surveyor-General for Arizona