

4-683.

Mineral Survey No. 3213

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Bunker Hill Mines Company

KNOWN AS THE

Head Center-Yellow Jacket

Tombstone Mining District,

Cochise County, Arizona

Sections 11 & 12, Township 20 South., Range 22 E. G & S R B & M.

Surveyed under instructions dated July 12th, 1915.

by Ralph L. Motz, U. S. Deputy Mineral Surveyor

Claim located see location notice. , 1

Survey commenced August 20th, 1915.

Survey completed August 21st, 1915.

o 6-160

Postoffice address of claimants attorneys,

Ellinwood & Ross,

Bisbee, Arizona.

MINERAL SURVEY NO. 3213.

HEAD CENTER - YELLOW JACKET.

Beginning at Cor No 1, the S E Cor, identical with location and with Cors No 2 and 8 of Gen No 125 Head Centre lode and Gen No 258 Flora Morrison lode, respectively, and also situated on line 3-4 Gen No 120 Contention lode at S 24° 20' W 771.86 ft from Cor No 3 and N 24° 20' E 732.93 ft from Cor No 4,

It was impossible to establish a corner at exact location point for corner No 1, as it falls inside the power house of the Bunker Hill Mines Company, so two witness corners were set, one a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed W.C. for 1-3213 H C Y J brs N 24° 20' E 39.66 ft., and a like post with same scribing brs S 87° 37' W 86.20 ft.

From the exact location point for Cor No 1, the Cor for Secs 11, 12, 13, 14, Tp 20 S., R 22 E., G & S R B & M. brs S 36° 34' E 732.8 ft.,

thence S 87° 37' W

- 6.93 being the point for the location of Cors No 3 and 7 of Gen No 125 Head Centre lode and Gen No 258 Flora Morrison lode, respectively, from this point Cor No 6 Gen No 258 Flora Morrison lode brs N 20° 12' W 238.26 ft., and Cor No 2 Gen No 156 Sulphuret lode brs N 20° 12' W 286.62 ft., and Cor No 1 Sulphuret lode Gen No 156 brs N 20° 12' W 592.2 ft., (identical with Cor. No. 4, Gen No. 125 Head Centre lode,
- 83.9 intersect the west side of power house at 36.9 ft from the northwest corner and 76.6 ft from the angle corner,
- 86.2 to witness corner for Cor No 1, being a pine post 4 ft long 4 ins sq set 18 ins in the ground and scribed W.C. for 1-3213 H C Y J,
- 156.3 intersect the east side of blacksmith shop, at 29.4 ft from the northeast corner and 10.6 ft from the southeast corner,
- 186.7 intersect the west side of blacksmith shop, at 36.8 ft from the northwest corner, and 3.2 ft from the southwest corner,
- 271.9 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECT H C Y J-3213,
- 471.9 to Cor No 2, the S W Cor, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3213 H C Y J, no bearings available,

thence N 24° 20' E

- 94.56 intersect line 4-5 Gen No 258 Flora Morrison lode at S 58° 15' W 338.7 ft from Cor No 5, and N 58° 15' E 152.5 ft from Cor No 4, also intersect line 2-3 Gen No 156 Sulphuret lode at S 58° 15' W 384.1 ft from Cor No 2, and N 58° 15' E 152.5 ft from Cor No 3, ( Cor No 6 Gen No 258 Flora Morrison lode brs from Cor No 5 of said lode S 68° 44' E 59.3 ft.)
- 556.1 cross railroad track, Tombstone to mill of Bunker Hill Mines Co.,
- 601.0 cross road, from Tombstone to warehouse of Bunker Hill Mines Co.,

- 631.16 to Cors No 4, 1 and 4 of Gen No 125 Head Centre lode, Gen No 156 Sulphuret lode and Gen No 155 Tranquillity lode, respectively. From this point Cor No 5 Gen No 125 Head Centre lode and Cor No 5 Gen No 126 Yellow Jacket lode brs N  $53^{\circ} 34'$  E 18.5 ft. Cor No 4 Gen No 126 Yellow Jacket brs N  $50^{\circ} E$  650.3 ft from Cor No 5 of same survey.
- 1172.16 to Cor No 3, the N W Cor, identical with location,  
a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3213 H C Y J,  
whence an 8 x 8 in post 7.5 ft high and scribed BP x 3-3213 brs N  $7^{\circ} 51'$  E 36.5 ft., and a second post of like size and scribing brs N  $24^{\circ} 43'$  E. 52.1 ft.  
thence N  $87^{\circ} 37'$  E
- 200.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECT H C Y J-3213,
- 414.2 intersect line 3-4 Gen No 126 Yellow Jacket lode at N  $56^{\circ} 44'$  E 148.0 ft from Cor No 4, and S  $56^{\circ} 44'$  W 79.7 ft from Cor No 3,
- 423.5 intersect the line between Secs 11 and 12, T 20 S., R 22 E., at N  $0^{\circ} 04'$  W 1654.6 ft from the Cor for Secs 11,12,13,14, and S  $0^{\circ} 04'$  E 986.6 ft from the 1/4 Cor between Secs 11 and 12,
- 471.9 to Cor No 4, the N E Cor, identical with location and with Cor No 3 Gen No 252 Contentment lode, also situated at the intersection of lines 4-2 Gen No 155 Tranquillity lode and 1-2 Gen No 126 Yellow Jacket lode, at N  $53^{\circ} 34'$  E 863.1 ft from Cor No 4 and S  $53^{\circ} 34'$  W 520.2 ft from Cor No 1 Tranquillity lode, and at N  $24^{\circ} 20'$  E 529.7 ft from Cor No 1 and S  $24^{\circ} 20'$  W 45.8 ft from Cor No 2 Yellow Jacket lode, (Cor No 3 Gen No 126 Yellow Jacket lode brs S  $87^{\circ} 37'$  W 9.9 ft from Cor No 2 of same survey.)  
a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3213 H C Y J, no bearings available,  
thence S  $24^{\circ} 20'$  W
- 117.06 intersect the line between Secs 11 and 12, T 20 S., R 22 E., at N  $0^{\circ} 04'$  W 1550.0 ft from the Cor for Secs 11,12,13,14, and S  $0^{\circ} 04'$  E 1091.2 ft from the 1/4 Cor between Secs 11 and 12,
- 400.3 to Cor No 2 Gen No 252 Contentment lode and Cor No 3 Gen No 120 Contentment lode,
- 529.7 to Cor No 1 Gen No 126 Yellow Jacket lode and Cor No 1 Gen No 125 Head Centre lode, ( From this point Cors No 5 and 5 of Gen No 126 Yellow Jacket lode and Gen No 125 Head Centre lode, respectively, brs S  $87^{\circ} 39'$  W 461.6 ft. )
- 857.5 intersect railroad, Tombstone to mill of Bunker Hill Mines Co.,
- 882.5 intersect railroad spur brg S  $86^{\circ} 45'$  W,
- 1132.5 to witness corner for Cor No 1, heretofore described,
- 1134.4 intersect north line of power house at 16.7 ft from the northwest corner, and 19.3 ft from the northeast corner,
- 1172.16 to point of location for Cor No 1, the place of the beginning.



to a point where drift crosses line 6-7 Flora Morrison lode Gen No 258 at N 20° 12' W 116.7 ft from Cor No 7 of Flora Morrison lode. Total drifting on ground claimed by the applicants 735.5 ft. o.k. Value \$7355.00

No.5. Drift 4 x 6 ft from 300 ft level Tranquillity shaft crosses line 4-1 Gen No 155 Tranquillity lode at S 53° 34' W 426.0 ft from Cor No 4 of Head Center-Yellow Jacket lode,  
 thence S 50° 26' E 78.0 ft.  
 thence S 64° 40' E 67.0 ft.  
 this drift also crosses above line at S 53° 34' W 456.0 ft from Cor No 4 of Head Center-Yellow Jacket lode,  
 thence S 14° 24' W 230.0 ft.  
 thence S 9° 41' E 127.0 ft. to point A,  
 from A, thence N 79° 20' E 92.0 ft to face,  
 from A, thence S 9° 41' E 54.0 ft  
 thence S 25° 40' E 74.0 ft.  
 thence S 39° 35' W 17.0 ft.  
 thence S 30° 50' E 17.0 ft.  
 Total drifting on ground claimed by the applicant 756.0 ft. o.k. Value \$7560.00

No.6. Drift 4 x 6 ft from 400 ft level of Tranquillity shaft crosses line 4-1 Tranquillity lode at S 53° 34' W 528.0 ft from Cor No 4 Head Center-Yellow Jacket lode,  
 thence S 1° 26' E 65.0 ft.  
 thence S 12° 34' W 32.0ft to point A  
 from A, thence N 84° 26' W 54.0 ft.  
 from A, thence S 12° 34' W 95.0 ft.  
 thence S 29° 39' W 43.0 ft.  
 thence S 5° 14' W 19.0 ft.  
 Total drifting on ground claimed by the applicant 308.0 ft. o.k. Value \$3080.00

Total value \$23514.00

ADJOINING CLAIMS.

- North. Gen No 155<sup>Lot No. 49,</sup> Tranquillity lode.
- East. Gen No 252<sup>Lot No. 68,</sup> Contentment lode, and Gen No 120<sup>Lot No. 37,</sup> Contention lode,
- South. Gen No 258<sup>Lot No. 74,</sup> Flora Morrison lode.
- West. Gen No 156<sup>Lot No. 48,</sup> Sulphuret lode, and Gen No 155<sup>Lot No. 49,</sup> Tranquillity lode.

Covers the Head Center lode, Gen. No. 125, Lot No. 38, and a portion of the Yellow Jacket lode, Gen. No. 126, Lot No. 39.

LOCATION.

This survey is located in the Tombstone Mining District, Cochise County, Arizona, in Sections 11 and 12, T 20 S., R 22 E., G & S R B & M.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons No 1 C transit. The courses were deflected from the true meridian as determined by a solar observation. The distances were measured with a 300 ft steel tape. Magnetic variation 12° 15' East at all corners.

OTHER IMPROVEMENTS.

Power house and blacksmith shop mentioned in topography of line 1-2.

Warehouse 30x60 ft., galvanized iron, the southwest corner of which hrs. from a point on line 4-1 S. 24° 20' W. 1112.3 ft. from Cor. No. 4, N. 1° 48' E. 145.2 ft.

## REPORT.

Cor. of Secs 11,12,13,14 is a sandstone rock 12 x 8 x 8 ins above ground chiseled I on east face, IIII on south face. A monument of stones two feet west.

1/4 Cor between Sections 11 and 12 is a limestone rock 13 x 11 x 6 ins above ground chiseled 1/4 on west face. A monument of stones 2 feet west.

## Gen No 125 Head Centre lode.

Cors 1 and 5 are monuments of stones, post missing.  
Cors 2 and 3 are missing.

Cor No 4 is a 4x4" post scribed HMCN 4.

I find line 1-2 to be S 24° 20' W 642.46 ft instead of S 24° 18' W 643.5 ft.

I find line 3-4 to be N 20° 12' W 592.2 ft instead of N 20° 19' W 592.02 ft.

I find line 4-5 to be N 53° 34' E 18.5 ft instead of N 49° 55' E 18.48 ft.

I find line 5-1 to be N 87° 39' E 461.6 ft instead of N 87° 26' E 463.32 ft.

As Cors 2 and 3 are missing, line 2-3 was re-established as reported in survey of Gen No 258 Flora Morrison as S. 87° 37' W 6.93 ft.

## Gen No 120 Contention lode.

Cor No 3 is a 4 x 4" pine post not scribed for this claim.  
Cor No 4 is a monument of rocks, post gone.

I find line 3-4 to be S 24° 20' W 1504.79 ft instead of S 24° 18' W 1499.85 ft.

## Gen. No. 126 Yellow Jacket lode.

All corners are monuments of stones, posts missing.

I find line 1-2 to be N. 24° 20' E 575.5 ft instead of N 24° 18' E 575.52 ft.

I find line 2-3 to be S 87° 37' W 9.9 ft instead of S 87° 26' W 9.9 ft.

I find line 3-4 to be S 56° 44' W 227.7 ft instead of S 56° 42' W 227.7 ft.

I find line 4-5 to be S 50° E 650.3 ft instead of S 49° 55' W 652.08 ft.

I find line 5-1 to be N 87° 39' E 461.6 ft instead of N 87° 26' E 463.32 ft.

## Gen No 155 Tranquillity lode.

Cor No 1 is a monument of stones, part of old post remaining.

Cor No 4 is a 4 x 4" post scribed T M C N IV.

I find line 4-1 to be N 53° 34' E 1383.3 instead of N 53° 34' E 1382.37 ft.

## Gen No 156 Sulphuret lode.

Cor No 1 is a 4 x 4" post scribed S M C N 1.

Cor No 2 is missing. not

Cor No 3 is a 4 x 4" post scribed for this claim.

I set point for Cor No 2 at S 20° 12' E 305.58 ft from Cor No 1, taking bearing of line 1-2 as given in survey for Gen No 258 Flora Morrison lode for line of Head Center, and distance as given in survey of Sulphuret lode.

## Gen No 252 Contentment.

Cor No 2 is a monument of rocks.

Cor No 3 is a 4 x 4" post scribed Con M C No III.

I check line 2-3 in course and distance.

Gen No 258 Flora Morrison lode.

Cors No 5, 6, 7, and 8 are missing.  
Cor No 9 is a monument of stones, post missing.  
Cor No 4 is a 4 x 4" post scribed F M M C No IV,  
As this was the latest survey of the surrounding claims,  
the courses and distances of lines 5-6, 6-7, 7-8 and  
8-9 were taken as being correct and other points set  
in accordance with them.

Ralph R. Motz

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.  
September 17th, 1915.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Bunker Hill Mines Company

known as the Head Center-Yellow Jacket

and showing the respective capacities in which they acted.

- P. H. Halleck., Chainman.
- ....., Chainman.
- ....., Axman.
- ....., Flagman.

## FINAL OATHS OF ASSISTANTS.

WE, I, P. H. Halleck

and <sup>I</sup>....., do solemnly swear that ~~we~~ assisted

Ralph L. Motz, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Bunker Hill Mines Company

known as the Head Center-Yellow Jacket

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of <sup>my</sup>~~our~~ knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- P. H. Halleck., Chainman.
- ....., Chainman.
- ....., Axman.
- ....., Flagman.

Subscribed and sworn to by the above-named persons before me this 24th

day of August, 1915, 190

JW Ross

NOTARY PUBLIC in and for the County of Cochise, State of Arizona.

My commission expires February 21st, 1916.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Ralph L. Motz, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 12th, 1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Bunker Hill Mines Company, known as the Head Center-Yellow Jacket, situate in Tombstone Mining District, Cochise County, Arizona, in Sections 11 & 12, Township No. 20 S., Range No. 22 E. G & S R. E. & M., and designated as Survey No. 3213, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz
U. S. Deputy Mineral Surveyor, before me J.W. Ross, Notary Public
this 17th
day of September, 1915.

JW Ross
Notary Public in and for the County of Cochise, State of Arizona.
My commission expires February 21st, 1916.

JUL 12 1915

## AMENDED NOTICE OF MINING LOCATION

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "HEAD CENTER-YELLOW JACKET" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the 17 day of June 1915.

The length of this claim is 1250 feet, and we claim 550 feet of the lode in a Southwesterly direction and 700 feet of the lode in a Northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Southwest to the Northeast.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the State of Arizona, and the discovery shaft thereof is about 2000 feet in a Northeasterly direction from United States Mineral Monument No. 1 of said mining district, and is bounded on the North by "Tranquillity," Lot No. 49, on the East by "Contentment," Lot No. 68, and "Contention," Lot No. 37, on the South by "Flora Morrison," Lot No. 74, and "Sulphuret," Lot No. 48,

and on the West by "Sulphuret," Lot No. 48, and "Tranquillity," Lot No. 49; and lies in Section 11, Township 20 South, Range 22 East, Gila and Salt River Base and Meridian.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Southwesterly direction 550 feet from the discovery shaft, (at which this notice is posted,) being in the center of the South end line of said claim; thence Westerly 200 feet to a monument of stones and a post, being the Southwest Corner of said claim; thence Northeasterly 1250 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Easterly 200 feet to a monument of stones and a post, being in the center of the North end line of said claim; thence Easterly 275 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southwesterly 1250 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Westerly 275 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "Head Center and the Yellow Jacket" mining claims, known as the "Head Center-Yellow Jacket" mining claim, the "Head Center" being located by J. C. Handy, S. W. Carpenter, John Dawson and Marcus Katz, on the 25th day of May, 1878, and recorded in Book 1, Transcribed Record of Mines, at page 249, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made; the "Yellow Jacket" being located by J. C. Handy, S. W. Carpenter, John Dawson and Marcus Katz, on the 25th day of May, 1878, and recorded in Book 1, Transcribed Record of Mines, at page 248, in the office of the County Recorder in the aforesaid County of Cochise, to which reference is hereby made; the amended location of said "Yellow Jacket" being made by Al

McCann, Superintendent for Head Center & Yellow Jacket Company, on the 15th day of January, 1879, and recorded in Book 1, Miscellaneous Transcribed Records, at page 86, in the office of the County Recorder of the aforesaid County of Cochise, to which reference is hereby made; and this is an amended location notice of the amended location notice of the "Head Center" mining claim, made by the Bunker Hill Mines Company by E. Grebe, Superintendent, dated and posted on the ground on the 12th day of May, 1915, and recorded in the office of the County Recorder in the County of Cochise, on the 13th day of May, 1915, in Book 53, Record of Mines, at page 559, to which reference is hereby made. And this amended location notice is made and posted by the Bunker Hill Mines Company, the present owner of said claim, to correct errors in the description in said above mentioned former location and locations, and without waiving any right, title or interest heretofore acquired by virtue of said former location or locations.

Dated and posted on the ground this 17 day of June 1915.

BUNKER HILL MINES COMPANY,

By E. Grebe  
Superintendent

INDEXED  
RECORDED  
2939  
Recorder's Office  
TOMBSTONE, Cochise Co., A.T.

Filled and recorded at request of  
Lumber Hills M Co

at JUN 19 1915 A. D. 1915 11 A. M.

Book 50 Record of Mines

Pages 213

Owen E. Murphy  
County Recorder

STATE OF ARIZONA,  
County of Cochise.

I, Owen E. Murphy, County Recorder, do hereby certify that the within instrument was filed for record at 4 o'clock, P. M., on this 19 day of JUN 19 1915

and duly recorded  
Book No. 50  
Record of Mines.

Records of Cochise  
County, Arizona, at pages 213  
Witness my hand and official seal the day  
and year first above written.

By Owen E. Murphy County Recorder  
A. L. Hutchison Deputy

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

December 8, 1915.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

BUNKER HILL MINES COMPANY

known as the HEAD CENTER-YELLOW JACKET

situate in TOMBSTONE

Mining District, COCHISE County, ARIZONA.

in Section s 11&12, Township No. 20 S., Range No. 22 E., and

designated as Survey No. 3213, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 3 shafts, and 2202 ft. of drifting, total value \$23514.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

December 8, 1915

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

BUNKER HILL MINES COMPANY

, known as the

HEAD CENTER- YELLOW JACKET

situate in TOMBSTONE Mining District,

COCHISE County, ARIZONA.

in Section 11&12, Township No. 20 S., Range No. 22 E.

, designated as Survey No. 3213

executed by Ralph L. Motz, U. S. Deputy Mineral

Surveyor, August 20-21, 1915, under my instructions dated

July 12, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.