

4-683.

Mineral Survey No. 3216

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Bunker Hill Mines Company

KNOWN AS THE

Hawk Eye - Little Wonder

Tombstone Mining District,

Cochise County, Arizona

Section 11, Township 20 South, Range 22 E. G & S R B & M.

Surveyed under instructions dated July 12th, 1915.

by Ralph L. Motz,
U. S. Deputy Mineral Surveyor

Claim located see location notice attached, 1

Survey commenced July 24th, 1915.

Survey completed July 24th, 1915.

o 6-160

Postoffice address of claimants attorneys,
Ellinwood & Ross, ~~Attorneys~~,
Bisbee, Arizona.

MINERAL SURVEY NO. 3216.

HAWK EYE - LITTLE WONDER.

Beginning at Cor No 1, the N E Cor, identical with location and with Cor No 3 Lot No 53, Way Up lode, and situated on line 5-6 Lot No 46, Empire lode at N 17° 34' E 1009.4 ft from Cor No 6,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3216 H E L W,

whence the C C of Sec 11 T 20 S., R 22 E., G & S R B & M on the south line of the Tombstone Townsite survey brs S 53° 05' E 531.9 ft., and Cor No 5 Sur No 1230 Hawk Eye Little Wonder lode brs S 47° 07' W 6.5 ft, No bearings available, (and intersection of line 4-5 said Hawk Eye Little Wonder lode and line 2-3 Way Up lode, Lot No. 53, with south line of the Tombstone Townsite, brs. S. 47° 07' W. 136.8 ft.

thence S 17° 34' W.

- 8.0 to Cor No 6 Sur No 1230 Hawk Eye Little Wonder lode, Cor. No. 5 said lode brs. N. 35° 40' W. 4 ft. from Cor. No. 6 thereof.
- 28.0 cross creek, course easterly and westerly,
- 125.0 intersect the south line of Tombstone Townsite survey at N 67° 18' W 2378.2 ft from the southeast corner, and S 67° 18' E 2902.8 ft from the southwest corner, also S. 67° 18' E. 67.7 ft. from intersection of said south line Tombstone Townsite with line 2-3 Way Up lode, Lot No. 53, and line 4-5 Hawk Eye Little Wonder lode, Sur. No. 1230.
- 1009.4 along line 5-6 Lot No 46, Empire lode to Cor No 2, the S E Cor, identical with location and with Cors No 3, 1 and 6 of Lot No 72, First South Extension of the Tough Nut lode, Sur No 1230 Hawk Eye Little Wonder lode, and Lot No 46, Empire lode, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3216 H E L W, no bearings available.

thence N 35° 40' W

- 120.0 to original location for south end center, being a mound of stones 3 ft high with a 3 ft base,
- 246.0 cross wagon road,
- 269.1 along line 3-2 Lot NO 72, First South Extension of the Tough Nut lode to Cor No 3, the S W Cor, identical with location and with Cors No 2, 2 and 3 of Sur No 1230 Hawk Eye Little Wonder lode, Lot No 72, First South Extension of the Tough Nut lode, and Lot No 87, Good Enough lode, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3216 H E L W,

whence a limestone ledge with vertical face 16 x 21 ins and chiseled BR x 3-3216 brs S 41° 43' E 57.8 ft., and a second limestone ledge with vertical face 18 x 20 ins and like chiseling brs N 59° 26' E 38.0 ft., and Cor No 5, Lot No. 87, Good Enough lode brs N 41° 14' E 457.7 ft., and Cor No 4 Lot No. 87, Good Enough lode brs N 41° 14' E 162.4 ft.

thence N 19° 19' E

- 105.0 cross wagon road,
- 494.7 to Cors No 2 and 4 of Lot No. 53, Way Up lode, and Sur No 1230 Hawk Eye Little Wonder lode, respectively, and also intersect line 5-6 Lot No 87, Good Enough lode at N 48° 22' W 184.7 ft from Cor No 5, which is identical with Cor No 3 Sur No 1230 Hawk Eye Little Wonder lode, and S 48° 22' E 1310.8 ft from Cor No 6, (from this point Cor No 1 of this survey, brs N 47° 07' E 406.7 ft, and Cor No 5 Sur No 1230 Hawk Eye Little Wonder lode brs N 47° 07' E 400.2 ft.) (identical with Cor. No. 3, Lot No. 53, Way Up lode

740.9 intersect the south line of Tombstone Townsite survey at N 67° 18' W 2572.1 ft from the southeast corner, and S 67° 18' E 2708.9 ft from the southwest corner, (from this point the intersect^o of line 2-3 Lot No 53, Way Up lode and with the south line of Tombstone Townsite brs S 67° 18' E 126.2 ft.)

line 4-5 Hawk Eye Little Wonder lode, Sur. No. 1230

812.5 cross creek, course easterly and westerly,

987.4 to Cor No 4, the N W Cor, identical with location,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3216 HELW, no bearings available.

thence S 35° 40' E

111.7 to original location for north end center, being a mound of stones 3 ft high with a 3 ft base,

231.7 to Cor No 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the south end center N 17° 34' E 1009.4 ft.

AREA .

Total area of Hawk Eye-Little Wonder lode- - - - - 4.648 A.

Conflict with Lot No 53, Way Up lode (Total)- - - - - 1.073 A.

Conflict with Lot No 87, Good Enough lode - - - - - 0.970 A.

Conflict with Tombstone Townsite survey- - - - - 0.814 A.

Conflict with Sur No 1230 Hawk Eye Little Wonder lode (total)- - - - - 2.604 A.

Conflict with Sur No 1230 Hawk Eye Little Wonder lode and Tombstone Townsite survey (common)- - - - - 0.096 A.

Conflict with Lot No 53, Way Up lode and Tombstone Townsite survey (common) - - - - - 0.717 A.

IMPROVEMENTS.

I certify that the value of the labor and improvements made upon this claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:-

No.1. Discovery shaft 5 x 6 x 188 ft deep with winze 4 x 6 x 142 ft deep in bottom to 300 ft level Tough Nut shaft. Discovery shaft on lode line 73 ft from south end center. Value \$5,775.00

No.2. Open cut 4.5 x 6 x 22 ft long brg S 37° 30' W, the mouth of which brs from Cor No 2 Gen No 178 Way Up lode which is a point on line 3-4 of this survey, S 9° 16' E 249.7 ft. Value \$ 60.00
(N. 19° 19' E 494.7 ft. from Cor. No. 2)

No.3. Trench 4 x 6 x 47 ft long brg S 26° 10' W, the center of the north^{end} of which brs from same point S 9° 40' E 251.4 ft. Value \$ 188.00

No.4.	Open cut 5 x 7 x 22 ft long brg S 46° 30' W, the mouth of which brs from same point S 14° 52' E 286.4 ft.	Value	\$ 75.00
No.5.	Trench 4 x 3.5 x 38 ft long brg S 76° 10' E, the center of the west end brs from same point S 12° 11' E 230.4 ft.	Value	\$ 114.00
No.6.	Trench 4 x 4.5 x 49 ft long brg S 77° E, the center of the west end brs from same point S 32° 34' E 200.0 ft.	Value	\$ 150.00
No.7.	Trench 4 x 5 x 78 ft long brg N 88° E, the center of the west end brs from same point S 59° 24' E 104.0 ft.	Value	\$ 273.00
No.8.	Shaft 5 x 9 x 9 ft deep brs from same point S 87° 05' E 154.4 ft.	Value	\$ 100.00
No.9.	Shaft 5 x 6 x 300 ft deep to 300 ft level Tough Nut shaft, brs from same point S 84° 05' E 107.0 ft.	Value	\$5,225.00
No.10.	Shaft 6 x 6 x 13 ft deep brs from same point N 61° 11' E 148.6 ft.	Value	\$ 100.00
No.11.	Shaft 4 x 8 x 11.5 ft deep brs from same point N 68° 19' E 209.0 ft.	Value	\$ 100.00
No.12.	Shaft 5 x 6x20-ft deep brs from same point N 49° 16' E 176.2 ft.	Value	\$ 200.00
No.13.	Shaft 5 x 5 x 36 ft deep brs from same point N 47° 31' E 205.3 ft.	Value	\$ 360.00

No.14. Drift 4 x 7 ft in cross section from 300 ft level of Tough Nut shaft crosses line 3-4 Lot No 87. Good Enough lode at N 41° 14' E 41.0 ft from Cor No 3 ~~Hawk Eye~~ ~~Little Wonder lode~~ of this survey.

thence S 47° 33' E 13.5 ft to Sta. 1.
 From Sta.1. " N 42° 14' E 69.0 ft to face.
 From Sta.1. " S 47° 33' E 174.0 ft to Sta.2.
 From Sta.2. " S 24° 47' W 90.3 ft intersect line 2-3 of this survey at N 35° 40' W ^{50.4 ft} from Cor No 2.
 From Sta.2. " S 62° 43' E 29.4 ft intersect line 1-2 of this survey at S 17° 34' W 894.6 ft from Cor No.1.
 From Sta.2. " N 24° 47' E 61.0 ft to Sta. 3.
 From Sta.3. " N 44° 13' W 45.0 ft. to Sta. 4.
 From Sta.4. " N 10° 47' E 73.0 ft. to face.
 From Sta.3. " N 20° 49' E 46.0 ft. to Sta. 5.
 From Sta.5. " N 4° 03' E 147.5 ft. to Sta. 6.
 From Sta.6. " N 19° 24' E 48.5 ft. to Sta. 7.
 From Sta.7. " N 15° 24' E 73.0 ft. to Sta. 8.
 From Sta.8. " S 40° 16' E 73.8 ft. intersect line 1-2 of this survey at S 17° 34' W 560.3 ft from Cor No.1.
 From Sta.8. " N 17° 14' E 37.3 ft. intersect line 4-5 Lot No 87, Good Enough lode at N 41° 14' E 402.6 ft from Cor No 3 ~~Hawk Eye~~ ~~Little Wonder lode~~ of this said Survey.

Same drift then crosses line 3-4 Sur No 1230 Hawk Eye Little Wonder lode at S 48° 22' E 147.0 ft from Cor No 4 of said survey, which is a point on line 3-4 Hawk Eye Little Wonder lode of this survey, at N 19° 19' E 494.7 ft from Cor No 3 of this survey.
 From this point, thence N 9° 44' E 17.0 ft to Sta. 9.

From Sta. 9. thence N 42° 22' W 50.0 ft. to Sta. 10.
 " Sta.10. " S 19° 27' W 5.0 ft. to Sta. 11.
 " Sta.11. " S 19° 27' W 16.4 ft. to the intersection
 with line 3-4 Sur No 1230
 Hawk Eye Little Wonder lode
 at S 48° 22' E 97.4 ft. from
 Cor No 4 of said survey, being
 a point on line 3-4 of Hawk-
 eye Little Wonder lode.

From Sta.11. thence N 74° 01' W 26.5 ft to Sta. 12.
 " Sta.12. " N 14° 35' E 49.5 ft to Sta. 13.
 " Sta.13. " N 11° 37' W 19.0 ft to face.
 " Sta.10. " N 19° 27' E 35.0 ft to Sta. 14.
 " Sta.14. " S 83° 12' E 7.5 ft to Sta. 15.
 " Sta.15. " S 29° 46' E 69.0 ft to face.
 " Sta.15. " N 48° 03' E 44.0 ft to Sta. 16.
 " Sta.16. " N 25° 25' E 14.8 ft to Sta. 17.
 " Sta.14. " N 19° 27' E 31.0 ft to Sta. 18.
 " Sta.18. " N 70° 49' E 17.0 ft to Sta. 19.
 " Sta.19. " N 70° 49' E 21.3 ft to Sta. 17.
 " Sta.17. " N 70° 49' E 85.0 ft to face.
 " Sta.18. " N 4° 37' W 15.0 ft to Sta. 20.
 " Sta.20. " N 44° 05' W 42.2 ft to intersection
 with line 2-3 Gen No 178
 Way Up lode at N 47° 07'
 E 93.2 ft from Cor No 2
 of said lode, being a
 point on line 3-4 of this
 survey.

" Sta.19. " N 6° 45' E 50.0 ft to Sta. 21.
 " Sta.21. " N 21° 19' E 65.0 ft to intersection
 with line 2-3 Gen No 178
 Way Up lode at N 47° 07' E
 197.0 ft from Cor No 2. of
 said lode, being a point
 on line 3-4 of this survey.

Total drifting on 300 ft level on ground claimed by the
 applicant 1661.5 ft at \$8. per foot \$13,292.00

Total value of improvements \$26,012.00

ADJOINING CLAIMS.

- North. Lot No 53, Gen No 178, Way Up lode, and the Tombstone Townsite.
- East. Lot No 46, Gen NO 152, Empire lode.
- South. Lot No. 72, Gen No 257, First South Extension of the Tough Nut lode.
- West. Lot No 87, Gen No 278 Good Enough lode, and Lot No 53,
 Gen No 178 Way Up lode.

This claim covers Sur. No. 1230 Hawk Eye Little Wonder lode.

LOCATION.

This survey is located in the Tombstone Mining District,
 Cochise County, Arizona, in Section 11, T 20 S., R 22 E.,
 G & S R B & M.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons No 1 C
 transit. The courses were deflected from the true meridian
 as determined by a solar observation. The distances were
 measured with a 300 foot steel tape. Magnetic Variation
 12° 15' East at all corners.

REPORT.

C.C. of line between Secs 11 and 12 T 20 S., R 22 E, G & S R B & M on the south line of the Tombstone Townsite survey is a limestone rock 12 x 6 x 4 ins above ground, and chiseled C C P L on south face, and T on north face. A monument of stones 2 feet south.

Tombstone Townsite, southeast and southwest corners are monuments of rocks, posts missing. I find south line to be N 67° 18' W 5281.0 ft instead of N 67° 10' W 5280.0 ft.

Lot No 46, Gen No 152 Empire lode.

Cor No 5 falls under a house and is missing.
Cor No 6 is a 4 x 4" post, not scribed for this claim

Lot No 53, Gen No 178 Way Up lode.

Cor No 2 is a 4 x 4" post, not scribed for this claim.
Cor No 3 was a monument of stones.
I find line 2-3 to be N 47° 07' E 406.7 ft instead of N 47° E 405.0 ft.

Lot No 72, Gen No 257 First S^{outh} Extension of the Tough Nut lode.

Cor No 2 is a 4 x 4" post scribed T N 1st S E M C No II
Cor No 3 is a 4 x 4" post, no scribing.
I find line 2-3 to be S 35° 40' E 269.1 ft instead of S 35° 49' E 270.27 ft.

Lot No 87, Gen No 278 Good Enough lode.

Cor No 3 is a 4 x 6" post scribed G E M C No 3.
Cor No 4 is a 4 x 6" post scribed G E M C No 4.
Cor No 5 is a monument of rocks, part of old post remaining.
Cor No 6 is an iron pin.
I find line 3-4 to be N 41° 14' E 162.4 ft instead of N 41° 10' E 162.2 ft.
I find line 3-5 to be N 41° 14' E 457.7 ft instead of N 41° 10' E 457.9 ft.
I check line 5-6 in course and distance. N 48° 22' W 184.7 ft

Survey No 1230 Hawk Eye Little Wonder lode.

Cor No 1 is a 4 x 4" post, not scribed.
Cor No 2 is a 4 x 4" post scribed H E L W No 2-1230.
Cor No 3, part of old post in monument.
Cor No 4 is a 4 x 4" post scribed H E L W No 4-1230.
Corsi No 5 and 6 are monuments of rocks, posts missing.
I find line 1-2 to be N 35° 40' W 269.1 ft instead of N 35° 49' W 269.27 ft.
I find line 2-3 to be N 41° 14' E 457.7 ft instead of N 41° 10' E 457.9 ft.
I find line 3-4 to be N 48° 22' W 184.7 ft instead of N 48° 22' W 182.0 ft.
I find line 4-5 to be N 47° 07' E 400.2 ft instead of N 47° 03' E 401.2 ft.
I find line 5-6 to be S 35° 40' W 4.0 ft instead of S 35° 49' E 4.0 ft.
I find line 6-1 to be S 17° 34' W 1001.4 ft instead of S 17° 40' W 1001.4 ft.

Ralph L. Mohr
U.S. Mineral Surveyor.

Dated at Bisbee, Arizona.

September 21st, 1915.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Bunker Hill Mines Company
 known as the HawkEye-Little Wonder
 and showing the respective capacities in which they acted.

P. H. Halleck _____, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, I, P. H. Halleck
 and _____, do solemnly swear that we ^I assisted _____
Ralph L. Motz, United States Deputy Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____
Bunker Hill Mines Company
 known as the Hawk Eye-Little Wonder
 represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ^{my} our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona.

P. H. Halleck _____, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 24th
 day of August, 1915, 190X.

JW Ross
 Notary Public in and for the County of
 Cochise, State of Arizona.
 My commission expires February 21st, 1916.

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Ralph L. Motz, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 12th, 1915., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Bunker Hill Mines Company, known as the Hawk Eye - Little Wonder, situate in Tombstone Mining District, Cochise County, Arizona, in Section 11, Township No. 20 S., Range No. 22 E., G & S R B & M. and designated as Survey No. 3216, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz,
U. S. ~~Deputy~~ Mineral Surveyor, before me J.W. Ross, Notary Public
this 21st,
day of September, 1915.

J.W. Ross
Notary Public in and for the County of
Cochise, State of Arizona.
My commission expires February 21st, 1915.

JUL 12 1915

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "HAWK EYE-LITTLE WONDER" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by the Bunker Hill Mines Company, a corporation, and citizen of the United States, the undersigned, on the 17 day of June 1915.

The length of this claim is 1025 feet, and we claim 80 feet of the lode in a Southerly direction and 945 feet of the lode in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the South to the North.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the State of Arizona, and the discovery shaft thereof is about 3000 feet in a Northerly direction from United States Mineral Monument No. 1 of said mining district, and is bounded on the East by the "Empire", Lot No. 46, on the South by "Toughnut First South Extension," Lot No. 72, on the West by "Goodenough", Lot No. 87, and "Way Up," Lot No. 53, and lies in Section 11, Township 20 South, Range 22 East, Gila and Salt River Base and Meridian.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post 80 feet in a Southerly direction from the discovery shaft, (at which this notice is posted), being in the center of the South end line of said claim; thence Northwesterly 150 feet to a monument of stones and a post, being the Southwest corner of said claim; thence Northerly 1025 feet to a monument of stones and a post, being the Northwest corner of said claim; thence Southeasterly 150 feet to a monument of stones and a post, being the center of the North end line of said claim; thence Southeasterly 150 feet to a monument of stones and a post, being the Northeast corner of said claim; thence Southerly 1025 feet to a monument of stones and a post, being the Southeast corner of said claim; thence Northwesterly 150 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV, of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "Hawk Eye-Little Wonder" mining claim, located by the Tombstone Milling & Mining Company, by its attorney, Henry J. Gray, on the 20th day of July, 1896, and recorded in Book 14, Record of Mines, at page 52, in the office of the County Recorder of the aforesaid County of Cochise, and of the former locations of the "Hawk Eye" mining claim by S. R. Hinkle, on the 28th day of February, 1880, and by C. B. Sliver, on the 28th day of March, 1881, which said former location notices are recorded in Book 3, Transcribed Record of Mines, at page 437, and in Book 1, Record of Mines, at page 428, respectively, in the office of the County Recorder in said County of Cochise, and of the former location of the "Little Wonder" mine by S. R. Hinkle, on the 20th day of February, 1880, which said location is recorded in Book 3, Transcribed Record of Mines, at page 436, in the office of the County Recorder of said Cochise County, to all of which records of former locations reference is hereby made. And this amended

INDEXED

1943

RECORDED
Recorder's Office,
TOMBSTONE, Cochise Co., ARIZ.

Filed and recorded at request of
Amber Hill Mc

JUN 19 1915 A. D. 1915
at 4 P M.

Book 50 Record of Mines

Pages 218
Queen E. Murphy
County Recorder

STATE OF ARIZONA
County of Cochise

I, Owea E. Murphy, County Recorder,
do hereby certify that the within instru-
ment was filed for record at 4 o'clock,
P. M., on this 19 day of

JUN 19 1915 and duly recorded

in Book No. 50 of
Record of Mines records of Cochise
County, Arizona, at pages 218
Witness my hand and seal this day
and year first above written.

Queen E. Murphy
County Recorder
Dr. W. L. Hutchinson
Deputy

location notice is made and posted by the present owner of said claim, the Bunker Hill Mines Company, to correct errors in the description in all of the said former location notices, and without waiving any right, title or interest heretofore acquired by virtue of any former locations.

Dated and posted on the ground this 17 day of June 1915.

BUNKER HILL MINES COMPANY,

By



Superintendent

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

November 22, 1915.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

BUNKER HILL MINES COMPANY

known as the HAWK EYE - LITTLE WONDER

situate in TOMBSTONE

Mining District, COCHISE County, ARIZONA,

in Section 11, Township No. 20 S., Range No. 22 E., and

designated as Survey No. 3216, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if

incorporated into a patent, serve fully to identify the premises, and that such reference is made therein

to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 7 shafts, 1 winze, 2 cuts, 4 trenches and 1661.5 ft. of drifting, total value \$26012.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

November 22, 1915

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

BUNKER HILL MINES COMPANY

, known as the

HAWK EYE - LITTLE WONDER

situate in Tombstone Mining District, Cochise County, Arizona.

in Section 11, Township No. 20 S., Range No. 22 E., designated as Survey No. 3216

executed by Ralph L. Motz, U. S. Deputy Mineral

Surveyor, July 24, 1915, under my instructions dated

July 12, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

Frank Ingalls

U. S. Surveyor-General for Arizona.