



# United States Department of the Interior

BUREAU OF LAND MANAGEMENT

ARIZONA STATE OFFICE  
2400 VALLEY BANK CENTER  
PHOENIX, ARIZONA 85073

IN REPLY REFER TO

9632 (942)  
M.S. # 3273

March 8, 1982

Memorandum

To: Chief, Branch of Lands and Minerals Operations  
From: Chief, Branch of Cadastral Survey  
Subject: Cancellation of Mineral Survey No. 3273

This memorandum cancels the survey of the Yellow Eagle and Yellow Eagle No. 1 lode claims of Mineral Survey No. 3273.

The following notation should be made on the plat of Mineral Survey No. 3273:

"Survey of Yellow Eagle and Yellow Eagle No. 1 lode claims cancelled by Chief, Branch of Cadastral Survey, memorandum dated March 8, 1982, File 9632 (942)."

A notation of this cancellation should also be made on the Mineral Mining District Sheet. This memorandum should be made a part of the original field notes. The plat and field notes should remain in the files.

These claims have not been recorded with the BLM in accordance with Section 314 of the Federal Land Policy and Management Act of 1976, and are considered to be invalid as noted in a memorandum from the Chief, Branch of Lands and Minerals Operations, dated March 5, 1982.

*James P. Kelly*

4-683.

Mineral Survey No. 3 2 7 3

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Boundary Cone Gold Mines Company

KNOWN AS THE

Yellow Eagle, Yellow Eagle No. 1 lodes

San Francisco Mining District,

Mohave County, Arizona

Section 27 ~~unapproved~~ Township 19 N., Range 20 W., G. & S. R. B. & M. Unapproved,

Surveyed under instructions dated February 26-1916

by Alfred B. Colwell, U. S. Deputy Mineral Surveyor

Claim located (See location notices), 1

Survey commenced April 1st., 1916

Survey completed June 1st., 1916

o 6-160

Address of Claimant

I. D. L. Williams, Secy.,

Qatman., Arizona.

Survey No. 3273

| Feet   | Yellow Eagle lode.  |
|--------|---|
|        | Beginning at Cor.No.1   |
|        | On line 2-3 Sur.No.2822 Surprise lode, claimants herein at S.79°28'E.-360.61 ft. from Cor.No.2  |
|        | A redwood post 4 ins.sq. 4 ft.long set 18 ins.in the ground with mound of earth and stone, nail at corner point, scribed Y.E.,1-3273 Whence U.S.L.M.No.1602 bears N.31°24'W.-5362.87 ft.                  |
|        | The N.1/4 Cor.Sec.27 unapproved T.19 N.R.20 W. G.& S.R. B.& M. bears N.41°0'E.-598.79 ft.   |
|        | Thence S.79°28'E.   |
| 660.67 | To Cor.No.2   |
|        | At the intersection of line 2-3 Sur.No.2822 Surprise lode, with line 1-2 Sur.No.3191 Big Andy lode, Lexington Arizona Mining Company, claimant.   |
|        | A redwood post 4 ins.sq. 4 ft.long, set 18 ins.in the ground with mound of earth and rock, nail at corner point, scribed Y.E.,2-3273 Whence Cor.No.3 Sur.No.2822 Surprise lode bears S.79°28'E.-98.72 ft. |
|        | Cor.No.1 Sur.No.3191 Big Andy lode bears N.16°52'E.-76.22 ft.   |
|        | Thence S.16°52'W.-  |
| 196.25 | To East End Center.   |
|        | A redwood post 4 ins.sq. 4 ft.long, set 18 ins.in the ground, with mound of earth and rock, nail at center point scribed Y.E.-3273  |
| 223.78 | West End Center Sur.No.3191 Big Andy lode.  |
| 426.65 | Intersect the north side line Handy lode, unsurveyed, claimant unknown, at N.74°04'W.-248.16 ft. from the N.E.Cor.  |
| 469.25 | To Cor.No.3   |
|        | Identical with Cor.No.2 Yellow Eagle <sup>No.1</sup> lode of this survey.   |
|        | A redwood post 4 ins.sq, 4 ft.long, set 18 ins.in the ground, with mound of earth and rock, nail at corner point, scribed Y.E.3, Y.E.No.1-2-3273 Whence No bearings are available.                        |

feet

Thence N.80°17'W.

661.76 To Cor.No.4

On line 1-2 Yellow Eagle No.1 lode of this survey.

A redwood post 4 ins. sq. 4 ft.long set 18 ins.in the ground with mound of earth and rock,nail at corner point, scribed Y.E.,4-3273 Whence

No bearings are available.

Thence N.16°52'E.-

114.30 Intersect north side line Handy lode,unsurveyed, at N.74°04'W.-904.87 ft.from the N.E.Cor.

273.00 To West End center.

A redwood post,4 ins.sq. 4 ft.long,set 18 ins.in the ground,with mound of earth and rock,nail at center point, scribed Y.E.-3273

478.74 To Cor.No.1 The place of beginning.

Yellow Eagle No.1 lode.

Beginning at Cor.No.1

A redwood post,4 ins.sq.4 ft.long,set 18 ins.in the ground with mound of earth and rock,nail at corner point, scribed Y.E.No.1,1-3273 Whence

U.S.L.M.No.1602 bears N.22°0'40"W,-5308.16 ft.

Thence S.80°17'E.

84.54 Intersect the west end line Handy lode,unsurveyed at N.20°34'E.-317.26 ft.from the S.W.Cor.

676.00 Cor.No.4 Yellow Eagle lode of this survey.

1337.76 To Cor.No.2

Identical with Cor.No.3 Yellow Eagle lode of this survey previously described.

Thence S.16°52'W

54.53 Cor.Nos.1 and 2 Sur.No.3191 Andy and Big Andy lodes respectively.

302.30 To East End Center

a redwood post,4 ins.sq. 4 ft.long,set 18 ins.in the ground with mound of earth and rock,nail at center point scribed Y.E.No.1-3273

354.53 West end center Andy lode Sur.No.3191

Feat 11 Intersect

471.11 Intersect south side line Handy lode unsurveyed and the North side line Point lode, unsurveyed claimant unknown, at S. 73° 12' E. - 1263.93 ft. from the S.W. Cor. and N.W. Cor. respectively.

604.60 To Cor. No. 3

A redwood post 4 ins. sq. 4 ft. long set 18 ins. in the ground with mound of earth and stone, nail at corner point scribed Y.E. No. 1, 3-3273 Whence  
No bearings are available.

Thence N. 80° 17' W. -

1318.91 Intersect west end line Point lode, unsurveyed at S. 25° 27' W. - 299.53 ft. from the N.W. Cor.

1337.76 To Cor. No. 4

A redwood post 4 ins. sq. 4 ft. long set 18 ins. in the ground with mound of earth and rock, nail at corner point, scribed Y.E. No. 1, 4-3273 Whence  
The N.W. Cor. point lode, unsurveyed and the S.W. Cor. Handy lode, unsurveyed bears N. 28° 51' 30" E. - 305.18 ft.

Thence N. 16° 52' E.

302.30 To west End Center

A redwood post 4 ins. sq. 4 ft. long set 18 ins. in the ground with mound of earth and rock, nail at center point scribed Y.E. No. 1-3273

604.60 To Cor. No. 1 The place of beginning.

Variation at all corners 14° 30' E.

#### Lode lines

As near as may be determined from present developments the veins of the locations embraced in this claim extend from their respective discovery points as follows:

Yellow Eagle, N. 80° 17' W. - 206.50 ft. and S. 80° 17' E. - 455.26 ft.

Yellow Eagle No. 1, N. 80° 17' W. - 230 ft. and S. 80° 17' E. - 1107.76 ft.

#### Areas

Total area Yellow Eagle lode 7.145 Acres

Area in conflict with

|   |              |
|---|--------------|
| Handy lode unsurveyed                       | 1.182 Acres  |
| Total area Yellow Eagle No.1 lode           | 18.423 Acres |
| Area in conflict with Handy lode unsurveyed | 11.317 "     |
| Point lode unsurveyed                       | 6.301 "      |

The survey of this claim is identical with the amended locations of the several lodes embraced therein, as staked upon the ground.

#### Location

This survey is located in the N.1/2 Sec.27 ~~unapproved~~ T.19 N.R.20 <sup>Unapproved,</sup> W., G. & SLR.B. & M.

#### Adjoining claims.

On the north

Sur.No.2822 Surprise lode, claimants herein.

On the East

Sur.No.3191 Andy and Big Andy lodes, Lexington Arizona

Mining Company claimant.

On the south

Handy lode, unsurveyed claimant unknown

Point lode unsurveyed, claimant unknown.

#### Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements upon or for the benefit of each of the locations of this claim, placed thereon by the claimant or its grantors is less than Five Hundred Dollars and consist of:

On Yellow Eagle lode

No.1 The discovery cut, the face of which is on the lode line at 206.50 ft. from the west end center, Running thence West 10 ft. to mouth, 4 ft. wide, 9 ft. face in mineralized andesite and quartz.

Value \$50

No.2 A shaft, which bears from Cor.No.4 S.87°30'E.-190 ft. 5 x 7 ft. 20 ft. deep timbered, in mineralized andesite.

Value \$300

On Yellow Eagle No.1

No.1 The discovery cut, the face of which is on the lode line at 230 ft. from the West end center. Running from face S.10° W.-20 ft. to mouth, 4 ft. wide, 7 ft. face. In bottom of cut at face a 3 x 5 ft. hole 3 ft. deep, all in mineralized and altered andesite

Value of cut and hole \$50

No. 2 A cut and incline tunnel, the mouth of cut bears from the west end center N.42°E.-80 ft. Running thence N.57°E. 13 ft. to face of cut 4 ft. wide 10 ft. high, whence a tunnel 4 x 6.5 ft. runs N.57°E.-12 ft. Thence N.36°E.-39 ft. to face. The floor of tunnel for the last 40 ft. having an inclination toward the face of 16° The tunnel is on a quartz vein in andesite.

Value of Cut and Tunnel \$550

No. 3 A cut, the face of which bears from Cor. No. 2 N.89°30'W. 660 ft. Running S.15°W.-12 ft. to mouth, 4 ft. wide 7 ft. face.

Value \$50

No. 4 A cut, the center of face being on the lode line at 680 ft. from the West end center, 16 ft. wide, running South 11 ft. Face 4 ft. high in gravel.

Value \$50

#### Other Improvements

None

#### Instrument.

This survey was made with a C.L. Berger & Sons transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with steel tapes.

#### Report.

The lines of this claim and connections to adjoining and conflicting claims and to the corner of the public survey and U.S.L.M. were run direct upon the ground.

U.S.L.M. No. 1602 is a basalt stone 8 x 15 x 14 ins. above the ground with a cross(+) and U.S.L.M. 1602

The N. 1/4 Cor. Sec. 27 unapproved T. 19 N. R. 20 W. G. & S. R. B. & M. is a 1 in. iron pipe with brass cap properly set and marked.

Sur. No. 2822 Surprise lode.

Cor. Nos. 2 and 3 are 4 x 4 in. posts properly set and marked

Line 2-3 is correct as approved.

Sur. No. 3191 Andy and Big Andy lodes.

Lines 1-2 of each are found correct as approved.

Cor. No. 1-2 is a cross(+) on ledge of rock, properly marked.

Cors. 1 and 2 respectively are 4 x 4 in. posts properly set and marked.

Handy lode unsurveyed.

East end line is N.20°34'E.-518.59 ft.

North side line is N.74°04'W-1480.24 ft.

West end line is S.20°34'W.-496.15 ft.

South side line is S.73°12'E.-1478.60 ft.

All corners are 4 x 4 in. posts properly set and marked.

Point lode, unsurveyed.

The North side line is identical with the South side line

Handy lode unsurveyed, The course of the west end line is S.25°27'W. All corners are 4 x 4 in. posts properly set and marked.

Note

The discrepancies between these field notes and the amended location certificates are due to errors in the latter.

JUN 24 1916

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Alfred B. Colwell

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

Boundary Cone Gold Mines Company

known as the Yellow Eagle, Yellow Eagle No. 1 lodes

and showing the respective capacities in which they acted.

R. L. D'Arcy....., Chainman.

....., Chainman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

WE, R. L. D'Arcy

and....., do solemnly swear that we assisted Alfred B. Colwell

....., United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Boundary Cone Gold Mines Company

known as the Yellow Eagle, Yellow Eagle No. 1 lodes

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

R. L. D'Arcy....., Chainman.

....., Chainman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 21st

day of June, 1916.

Garold Sheffield  
Notary Public

*Copy Commission expires June 28th, 1917*

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Alfred B. Colwell, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 26-1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Boundary Cone Gold Mines Company, known as the Yellow Eagle, Yellow Eagle No. 1 lodes, situate in San Francisco Mining District, Mohave County, Arizona, in Section 27, Township No. 19 N., Range No. 20 W. G. & S. R. B. & M. and designated as Survey No. 3 2 7 3, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Alfred B. Colwell  
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell,  
 U. S. ~~Deputy~~ Mineral Surveyor, before me a Notary Public in and for  
Mohave County, Arizona this 21st.  
 day of June 1916,

Joy Gray Portz  
 Notary Public

My commission expires ~~on~~ March 4-1920

## Survey No. 3273

## Supplemental Report of Improvements

I hereby certify that the value of the labor performed and improvements made upon or for the benefit of the claims embraced in Mineral Survey No. 3273 by the claimant or its grantors is not less than \$500.00 for each claim and that said improvements in addition to those which were reported at the time of making the survey, consist of

On the Yellow Eagle lode.

No. 2 A shaft which bears from Cor. No. 4 S. 87° 30' E. - 190 ft.  
5 x 7 ft. 36 ft. deep timbered.

Value of 16 ft. additional depth. \$ 240

No. 3 A shaft 5 x 7 ft. 10 ft. deep, on the lode line at S. 80° 17' E.  
226 ft. from the West end center. In rock.

Value \$75.00

*Alfred B. Colwell*  
U.S. Mineral Surveyor.

I Alfred B. Colwell U.S. Mineral Surveyor for the District of Arizona, first being sworn, depose and say that the above supplemental report is true and correct and that the improvements mentioned therein were made and completed prior to the date of the expiration of the publication of the notice of application for patent to the lands embraced within Mineral Survey No. 3273

*Alfred B. Colwell*  
U.S. Mineral Surveyor

State of Arizona)  
County of Mohave) ss

Subscribed and sworn to by the said Alfred B. Colwell before me a Notary Public in and for the County of Mohave State of Arizona, this 21st day of September, 1916

*My commission  
expires March 4, 1920.*

*Jay Gray Bartz*  
Notary Public

SEP. 23 1916

4-690.

Report of Expenditures upon Mining Claim, Filed by U. S. ~~Deputy~~ Mineral Surveyor after Return of Survey.

I, Alfred B. Colwell, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that in pursuance of instructions received from the United States Surveyor-General for \_\_\_\_\_, dated \_\_\_\_\_, 190\_\_\_\_, I have made a personal and thorough examination upon the premises, to ascertain the value of the labor expended and improvements made by claimant or its grantors upon the mining claim of Boundary Cone Gold Mines Company, known as the Yellow Eagle, Yellow Eagle No. 1 lodes, situate in San Francisco mining district, Mohave County, Arizona, in Section 27, Township G. & S. R. B. & M. No. 19 N. E., Range No. 20 W. unapproved, surveyed by me April 1st. June 1st, 1906, and designated as Survey No. 3273; that the value of the labor so expended and improvements so made are as fully stated in my report of said examination, hereto attached; that the character, extent, location, and itemized value of said improvements are specified therein with particularity and full detail, and that no portion of said labor or improvements, so credited to this claim has been included in the estimate of expenditures upon any other claim.

Alfred B. Colwell
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell, U. S. ~~Deputy~~ Mineral Surveyor, before me this 21st. day of September, 1916.

Joy Gray Bartz
Notary Public in and for Mohave County, Arizona.

My commission expires March 4, 1920.

# Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That **BOUNDARY CONE GOLD MINES COMPANY** by **I.D.L. Williams Secty.**

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of **San Francisco** Mining District, hereby make and file this amended location of the **YELLOW EAGLE** Lode, claiming by right of discovery, location, primal appropriation and possession **661.76** feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing **gold, silver** and other valuable minerals, with all dips, variations and angles the same being **206.50** feet along the ledge in a **Northwest** direction from the discovery ~~site~~ <sup>cut</sup> and **455.26** feet along the ledge in a **Southeast** direction therefrom, together with **300 or less** feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in **San Francisco** Mining District, County of **Mohave**, State of Arizona, in and more particularly described as follows, to-wit:

- Beginning at the Southeast corner, on line 1-2 Big Andy lode**
- Sur.No. 3191 at N.16° 52'E.-54.05 ft. from Cor.No.2**
- Thence N.80° 17'W.-661.76 ft. to the S.W.Cor.**
- Thence N.16° 52'E.-273 ft. to the N.W.End center**
- Thence N.16° 52'E.-205.74 ft. to the N.W.Cor.**
- Thence S.79° 28'E.-660.67 ft. to the N.E.Cor.**
- Thence S.16° 52'W.-196.25 ft. to the S.E.End center**
- Thence S.16° 52'W.-273 ft. to the place of beginning.**
- All corners and end centers are marked by 4 x 4 in. posts.**

THIS AMENDED LOCATION is made in conformity with the original location, made **by Dell Ostrom and Thos. Fennell** **Aug. 24th. 1915**, recorded **Oct 28" 1915**, in Book **LL**, Page **353**, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery **Aug. 24th. 1915** A. D. 1  
Date of Amended Location **Feb. 19-1916** A. D. 19

Attest:

**F. W. Dryden**

**BOUNDARY CONE GOLD MINES COMPANY**  
By **I.D.L. Williams Secty**

Recorded at the request of **C. W. Herndon** at 15 minutes past one o'clock P.M., February 21st, 1916, in Book I.I. of Mining Claims, page 656-657, Records of Mohave County, Arizona.

**J. W. Morgan**

County Recorder.

# Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That BOUNDARY CONE GOLD MINES COMPANY by I.D.L. Williams Secty.

the undersigned citizen..... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco

..... Mining District, hereby make and file this..... amended location of the YELLOW EAGLE NO. 1 Lode, claiming by right of discovery, location, primal appropriation and possession..... 1337.76..... feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing..... gold, silver..... and other valuable minerals, with all dips, variations and angles the same being ..... 230..... feet along the ledge in a Northwest..... direction from the discovery cut and..... 1107.76..... feet along the ledge in a Southeast..... direction therefrom, together with 300..... feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in..... San Francisco..... Mining District, County of Mohave..... State of Arizona, in ..... and more particularly described as follows, to-wit:

- Beginning at the Northeast corner, identical with the Southeast Corner Yellow Eagle lode, on line 1-2 Sur.No.3191 Big Andy lode at N.16° 52'E.-54.05 ft. from Cor.No.2
- Thence S.16° 52'W.-302.30 ft. to the S.E.End center
- Thence S.16° 52'W.-302.30 ft. to the S.E.Cor.
- Thence N.80° 17'W.-1337.76 ft. to the S.W.Cor.
- Thence N.16° 52'E.-302.30 ft. to the N.W.End center
- Thence N.16° 52'E.-302.30 ft. to the N.W.Cor.
- Thence S.80° 17'E.-1337.76 ft. to the place of beginning.
- All corners and end centers are marked by 4 x 4 in. posts.

..... by Dell Ostrom and Thos. Fennell  
THIS AMENDED LOCATION is made in conformity with the original location, made Sept. 14-1915....., recorded October 28..... 1915, in Book LL....., Page 354....., of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery..... Sept. 14-1915..... A. D. 1.....  
Date of Amended Location..... Feby. 19-1916..... A. D. 19.....

Attest: BOUNDARY CONE GOLD MINES COMPANY  
F. W. Dryden By I.D.L. Williams Secty

Recorded at the request of C. W. Herndon at 15 minutes past one o'clock P.M., February 21st, 1916, in Book I.I. of Mining Claims, page 657, Records of Mohave County, Arizona.

J. W. Morgan  
County Recorder.

RECORDER'S CERTIFICATE.

STATE OF ARIZONA, )  
                                  ):-ss.  
County of Mohave. )

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of AMENDED LOCATION CERTIFICATES of the YELLOW EAGLE and YELLOW EAGLE NO. 1 lode mining claims, situate in San Francisco mining district, Mohave County, State of Arizona, and of the endorsements thereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and official seal this 24th day of February, A. D. 1916.

J. W. Morgan  
Recorder of Mohave County, Arizona.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 28, 1916

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

BOUNDARY CONE GOLD MINES COMPANY

known as the YELLOW EAGLE, YELLOW EAGLE NO. 1 LODES.

situate in SAN FRANCISCO

Mining District, MOHAVE County, ARIZONA.

in Section 27, Township No. 19 N., Range No. 20 W., unapproved, and

designated as Survey No. 3273, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim each of by claimant or its grantors, and that said improvements consist of 5 cuts, 2 shafts, 1 tunnel and 1 hole, total value \$1365.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

September 28, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

BOUNDARY CONE GOLD MINES COMPANY

, known as the

YELLOW EAGLE, YELLOW EAGLE NO. 1 LODES.

situate in SAN FRANCISCO mining district,

MOHAVE County, ARIZONA.

in Section 27, Township No. 19 N., Range No. 20 W. unapp'd.

, designated as Survey No. 3273

executed by Alfred B. Colwell, U. S. Deputy Mineral

Surveyor, April 1-June 1, 1916, under my instructions dated

February 26, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.