

4-683

MINERAL SURVEY No. 3334

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

R. L. Dimmick for The Fisco Cold Mines Co.

KNOWN AS THE

Burns and Burns No. 1 Lodes

Wearer (or Hallapai) Mining District,

Mohave County, Arizona

Section 4 + 9, Township 22 N., Range 20 W.

Surveyed under instructions dated August 19, 1916.

by Charles M. Becker
U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced Sept. 27, 1916

Survey completed Feb. 7, 1917

Address of claimant R. L. Dimmick, Agt.
Box 632 Kingman, Arizona

DATES OF AMENDED LOCATIONS.

.....
.....
.....

SURVEY No. 3334.

BURNS LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 1 Burns No. 1 Lode of this SUR.

A pine post 4 ft long, 4 ins. square, set 18 ins in the ground with mound of earth and stone scribed 1-113334^{B-B.1} whence

The Section Corner Common to Sections 3-4-9-10, T. 22 N. R. 20 W of the 6th and Salt River Meridian bears S. 37° 34' 37" E. 592.04 ft.

Thence S. 8° 52' E.

474.73 Intersect line between Sections 4⁹ at N. 89° 59' W. 287.87 ft. from the ^{3,4,9,10} Cor. of Sections and S. 89° 59' 00" E. 2354.14 ft. from 1/4 Cor. between Secs. 4 & 9.

1500 To Cor. No. 2.

A pine post 4 ft. long 4 ins square, set 18 ins in the ground with mound of earth and stone scribed 2-3334-B

No bearings available.

Thence S. 81° 08' W.

240 Ravine, course N.W. and S.E.

300 To South End Center, identical with the South End Center of the Amended Location; a pine post, 4 ft. long, 4 ins square, set 18 ins. in the ground with mound of earth and stone scribed S.E.C. 3334 B. with nail marking exact point.

425 Road Course ^{northerly} N.W. and ^{southerly} S.E.

600 To Cor. No. 3.

A pine post 4 ft. long 4 ins. square, set 18 ins. in the ground with mound of earth and stone scribed 3-3334-B, whence.

A cross (x) and the letters B.R. 3-3334 chiseled on large Rhyolite Boulder in place, projecting 2 ft. above the ground bears N. 26° 10' W. 14.98 ft.

Thence N. 8° 52' W.

1118.87 Intersect line between Sections 4⁹ at N. 89° 59' 00" W. 895.15 ft. from the Cor. of sections 3,4,9,10, and S. 89° 59' E

1746.86 ft. from the $\frac{1}{4}$ Cor. bet. Secs. 4 & 9.

1450 Gulch, Course N.W., and S.E. flows N.W.

1500 To Cor. No. 4.

Identical with Cor. No. 4 - Burns No. 1 Lode of this Survey.

A pine post, 4 ft. long 4 ins square, set 18 ins in the ground with mound of earth and stone, scribed

H-H-3324-B-B.1.

No bearings available.

Thence N. $81^{\circ}08'E$.

300 To North End Center, identical with the South End Center, Burns No. 1 Lode of this Survey. A pine post, 4 ft. long, 4 ins square, set 18 ins. in the ground with mound of earth and stone scribed on the South face N.E.C. - 3334-B, and on the North face S. E. C. 3334 - B1

600 To Cor. No. 1, the place of beginning.

Burns No. 1 Lode.

Beginning at Cor. No. 1.

Identical with Cor. No. 1, Burns Lode of this Survey heretofore described, whence:

The Section Corner common to Sections 3-4-9-10, T. 22 N.

R. 20 W. of the Gila and Salt River Meridians bears

S. $37^{\circ}34'37''$ E. 592.04 ft.

Thence, N. $8^{\circ}52'W$.

1500 To Cor. No. 2

A pine post 4 ft. long, 4 ins square, set 18 ins in the ground with mound of earth and stone scribed 2-3334^{B.1} whence

A cross (X) and the letters B.R. 2-3334, chiseled on large Rhyolite Boulder in place, projecting 3 ft above the ground bears S. $48^{\circ}13'$ E. 36.7 ft.

Area.

Total Area Burns Lode. 20.661 acres

Total Area Burns No. 1 Lode 20.661 "

The Survey of each Lode of this claim is identical with the respective ~~Assessed~~ Locations as stated upon the ground.

Location.

This Survey is located in the S.E. 1/4, Section 4, and the N.E. 1/4 Section 9, T. 22 N. R. 20 W. of the Gila and Salt River Meridians.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of.

BURNS

No. 1 The discovery tunnel ~~of the Burns Lode~~, the mouth of which being the discovery point, is on the center line, 875 ft from the center of line 4-1, 5x7 ft. running S. 8° 52' E. 57 ft. to face. Value. \$690.⁰⁰

BURNS No. 1

No. 1 The discovery tunnel ~~of the Burns No. 1 Lode~~, the mouth of which bears from the center of line 4-1 N. 17° 04' W. 158.9 ft., 4x6 ft. running S. 70° 37' E. 25.7 ft. to discovery point and 37.5 ft. to face. Value. \$375.⁰⁰

Other Improvements.

A frame house the N.W. Cor. of which bears from Cor. No. 4 Burns Lode, S. 40° 36' E. 396.7 ft. 20x30 ft., course of long sides S. 44° 16' E.

A barn, the N.W. Cor. of which bears from Cor. No. 1 Burns Lode S. 21° 20' W. 637.8 ft. 14x28 ft. course of long.

Newberry Mt. bears S. 78° 54' W.

Thence S. 81° 08' W.

300 To North End Center, a pine post, 4 ft. long 4 ins square set 18 ins in the ground with mound of earth and stone scribed N.E.C. 3334-B, with nail marking exact point.

600 To Cor. No. 3.

A pine post, 4 ft. long, 4 ins square, set 18 ins in the ground with mound of earth and stone scribed 3-3334^{B.1} whence.

A cross (x) and the letters B.R. 3-3334 chiseled on large Rhyolite Boulder, projecting 4 ft. above the ground bears S. 23° 31' E. 16.47 ft.

A cross (x) and the letters B.R. 3-3334, chiseled on the face of a Rhyolite Cropping, 2 ft above the ground bears N. 32° 31' E. 29.06 ft.

Newberry Mt. bears S. 63° 23' W.

Thence S. 8° 52' E.

1500 To Cor. No. 4.

Identical with Cor. No. 4, Burns Lode of this survey, heretofore described.

Thence N. 81° 08' E.

300 To South End Center, identical with the North End Center Burns Lode of this survey heretofore described.

600 To Cor. No. 1 the place of beginning.

The exact corner point on all corners is marked by a small nail.

Variation at all corners 140° 30' E.

Lode lines.

As near as may be determined from present developments the veins of the several locations embraced in this survey extend as follows from their respective discovery points

Burns Lode, 875 ft. N. 8° 52' W. and 625 ft. S. 8° 52' E.

Burns No. 1 Lode, 145 ft. S. 8° 52' E. and 1355 ft. N. 8° 52' W.

sides $S. 31^{\circ} 29' E.$

Instrument

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100 ft and 300 ft. steel tapes.

Report.

The lode lines of the several locations embraced in this survey were run directly upon the ground and the several corners established by means of offsets from the center lines. All tie lines, were either run directly upon the ground or by traverse, submitted in a separate report herewith.

The corner of sections 3-4-9-10, T. 22 N. R. 20 W. of the Gila and Salt River Meridians, is a cast iron pipe, with brass cap, stamped. $\frac{54}{59} \frac{3}{510}$

The S. $\frac{1}{4}$ Cor. Sec. 4, is a cast iron pipe, with brass cap, stamped. $\frac{54}{59}$

I find the course of the south boundary of Sec. 4, from the S.E. cor. of said section to S. $\frac{1}{4}$ Cor. to be $S. 89^{\circ} 59' 00'' W. 2642.0'$ ft.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Charles M. Becker
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Frisco Gold Mines Company
 known as the Burns and Burns No I lodes
 and showing the respective capacities in which they acted.

J. E. Parke, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~we~~ I, J. E. Parke
 and _____, do solemnly swear that ~~we~~ ^I assisted Charles M. Becker
 _____, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Frisco Gold Mines Company
 known as the Burns and Burns No I lodes
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

J. E. Parke, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 23rd

day of May 1917
L. M. Teale
 Clerk of the Superior Court
 Mohave County, Arizona

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Charles M Becker, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated August 19th 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Fresco Gold Mines Co., known as the Burns and Burns No 1 lodes, situate in Weaver Mining District, Mohave County, Arizona, in Section 4 and 9, Township No. 22 N, Range No. 20 W and designated as Survey No. 3334, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Charles M. Becker
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Charles M Becker
U. S. ~~Deputy~~ Mineral Surveyor, before me J J Whitney a
Notary Public this 19th
day of Sept 1917,

J J Whitney
Notary Public

AMENDED LOCATION CERTIFICATE
BURNS LODE

AUG. 19. 1916

STATE OF ARIZONA)
COUNTY OF MOJAVE) SS.

KNOW ALL MEN BY THESE PRESENTS: That the undersigned, citizen of the United States over the age of twenty one years having complied with all the requirements of the Laws of the United States, and State of Arizona, relating to mining claims, and with Local Laws, customs, rules and regulations of the Weaver Mining District, hereby make, and file this amended Location of the Burns Lode, claiming by right of discovery, Location, primal appropriation and possession, fifteen hundred (1500) linear feet and horizontal measurement, on this vein, or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles, the same being 875.00 feet along the Ledge in a Northerly direction from the discovery Adit, and 625 feet along the Ledge in a Southerly direction therefrom, together with 300 feet in width on each side of the middle of said Ledge, and all veins, Lodes, Ledges, mineral deposits, mineral and surface ground, within the lines of said claim, situate in Weaver Mining District, Mojave County Arizona, about six miles due North of the Frisco Mine and more particularly described by metes and bounds as follows, to wit:

Beginning at the N. E. corner, whence the Section Corner, common to Sections 3-4-9-10, T. 22 N. R. 20 W. bears S. 37° 34' 37" E. 592.04 feet, thence S. 8° 52' E. 1500 feet to the S. E. Corner thence S. 81° 08' W. 300 feet to South End Center post thence S. 81° 08' W. 300 feet to the S. W. Corner, thence N. 8° 52' W. 1500 feet to the N. W. Corner, thence N. 81° 08' E. 300 feet to North End Center post, thence N. 81° 08' E. 300 feet to the N. E. Cor. the place of beginning.

All corners and end centers are marked by 4" X 4" posts.

This amended certificate is made in conformity with the original Location, made on the 23rd. day of October, 1915, and recorded in Book M.M. at page 493 of Quartz Locations in the office of the Recorder of said County, and is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more particularly describing the situation and boundaries of said Lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original Location or record thereof, hereby waiving no rights acquired under and by virtue of said original Location. And if the original Location or the certificate is void, then this Location shall be an original Location and this certificate an original certificate.

Date of Original Discovery Oct. 23-1915.
Date of Amended Location Mch. 31-1916.

The Frisco Gold Mines Co.
By R. L. Dimmick, Manager.

Filed and recorded at request of R. L. Dimmick, Mgr. April 14th A. D. 1916, at 10 o'clock A. M. in Book P.P. of Mines, pages 89, Records of Mohave County, Arizona.

J. W. Morgan, County Recorder.
By Thos. McNeely, Deputy.

KNOW ALL MEN BY THESE PRESENTS: That the undersigned citizen of the United States over the age of twenty one years, having complied with all the requirements of the Laws of the United States, and State of Arizona, relating to mining claims, and with Local Laws, customs, rules and regulations of the Weaver Mining District, hereby make and file this amended location of the Burns No. 1 Lode, claiming by right of discovery, Location primal appropriation and possession, fifteen hundred (1500) linear feet and horizontal measurement on this vein, or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 1355 feet along the ledge in a Northerly direction from the discovery Adit, and 145 feet along the ledge in a Southerly direction therefrom, together with 300 feet in width on each side of the middle of said Ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground, within the lines of said claim, situate in Weaver Mining District, Mojave County Arizona, about six miles due North of the Frisco Mine, and more particularly described by metes and bounds as follows: to wit: Beginning at the S. E. Corner whence the Section Corner common to sections 3-4-9-10 T. 22 N. R. 20 W. bears, S. 37° 34' 37" E. 592.04 feet thence N. 8° 52' W. 1500 feet to the N. E. corner thence S. 81° 08' W. 300 feet to the North end center post, thence S. 81° 08' W. 300 feet to the N. W. corner, thence S. 8° 52' E. 1500 feet to the S. W. Corner, thence N. 81° 08' E. 300 feet to the South end center post thence N. 81° 08' E. 300 feet to the S. E. cor. the place of beginning. All corners and end centers are marked by 4" x 4" posts. This amended certificate is made in conformity with the original location made on the 5th. day of December 1915, and recorded in Book M.M. at page 492 of Quartz Locations, in the office of the Recorder of said County, and is made for the purpose of appropriating all ground within the boundaries hereinbefore described and of more particularly describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location or record thereof, hereby waiving no rights acquired under and by virtue of said original location, And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Dec. 5-1915
Date of Amended Location March 31-1916

The Frisco Gold Mines Co.
By R. L. Dimmick, Manager

Filed and recorded at request of R. L. Dimmick, Mgr.
April 14th A. D. 1916, at 10 o'clock A. M. in Book P.P. of
Mines Pages 90 Records of Mohave County Arizona.

J. W. Morgan, County Recorder.
By Thos. McNeely, Deputy.

RECORDER'S CERTIFICATE.

STATE OF ARIZONA,)
):-ss.
County of Mohave.)

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of amended location certificates of the BURNS and BURNS NO. 1 lode mining claims, located and situated in the Weaver mining district, County of Mohave, State of Arizona, and of the endorsements thereon with the original records thereof on file in this office and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and official seal this 14th day of June, A. D. 1916.



J. W. MORGAN
Recorder of Mohave County,
State of Arizona.

By J. I. Morgan

Deputy.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

October 1, 1917.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

FRISCO GOLD MINES CO.,

known as the BURNS, AND BURNS NO. 1, LODES.

situate in WEAVER

Mining District, Mohave County, Arizona

in Sections 4 and 9, Township No. 22 N., Range No. 20 W., and

designated as Survey No. 3334, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said Burns mining claim by claimant or its grantors, and that said improvements consist of and that less than five hundred dollars' worth of labor has been so expended or improvements so made upon the Burns No. 1 claim, at time of survey, and that said improvements consist of 2 tunnels, total value \$1065.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

October 1, 1917,

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

FRISCO GOLD MINES CO.,

, known as the

BURNS, AND BURNS NO. 1, LODES,

situate in WEAVER mining district,

MOHAVE County, ARIZONA,

in Section 4 and 9, Township No. 22 N., Range No. 20 W.,

, designated as Survey No. 3334,

executed by Charles M. Becker, United States Mineral

Surveyor, Sept. 27, 1916 - February 7, 1917, under my instructions dated

August 19, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank O. Frost

U. S. Surveyor-General for Arizona.