

*Platted.*  
4-683

MINERAL SURVEY No. 3344

LOT No. \_\_\_\_\_

Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

HARRY WRIGHT

KNOWN AS THE

KLONDYKE lode

Copper Mountain Mining District,

Greenlee County, Arizona

Sections 7 & 8 Uns., Township 4 South, Range 29 E., G. & S. R. B. & M.

Surveyed under instructions dated October 4, 1916.

by E. T. Morton  
U. S. Mineral Surveyor.

Claim located see location notice, 19

Survey commenced October 12, 1916.

Survey completed October 14, 1916.

Address of claimant Hampton & Arnold, Attys.,  
Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

Feet. . . . .  
 Survey No. 3344. and (x) across A  
 Klondyke lode. To Cor. No. 1.  
 Beginning at Cor. No. 1.  
 A pine post, in place, 4 ins. square, 3 ft. high, with  
 a mound of stones scribed K-1-3344 whence,  
 The S. E. Cor. Sec. 12, T. 4 S., R. 28 E., G. & S. R.  
 B. & M. bears S. 84° 41' W. 5013.1 ft.  
 No other bearings available.  
 Thence N. 3° 41' E.  
 265 Intersect gulch, course southwest.  
 305.15 Southwest end center of the location and lode.  
 369.25 Intersect line 2-3 Sur. No. 2859 Arizona No. 1 lode at  
 S. 55° 06' W. 1406.53 ft. from Cor. No. 2.  
 To Cor. No. 2.  
 A pine post, in place, 4 ins. square, 3 ft. high, with  
 a mound of stones scribed K-2-3344.  
 No bearings available.  
 Thence N. 62° 19' E.  
 1266.37 Intersect line 1-2 and 3-4 Sur. No. 2859 Arizona  
 and Palo Verde No. 2 lodes at N. 34° 37' W. 29.35 ft.  
 from Cor. Nos. 2 and 3 respectively.  
 1500 To Cor. No. 3.  
 On line 2-3 Sur. No. 2859 Palo Verde No. 2 lode at  
 N. 55° 06' E. 231.92 ft. from Cor. No. 3.  
 A pine post, in place, 4 ins. square, 3 ft. high, with  
 a mound of stones scribed K-3-3344 whence,  
 A cross (x) and B R 3-3344 chiseled on quartzite  
 outcrop exposed 1x3 ft. facing west bears N. 62° 19' E.  
 17.55 ft.  
 Thence S. 3° 41' W.  
 305.15 Northeast end center of the location and lode.  
 593.8 To witness Cor. for Cor. No. 4.  
 A pine post, in place, 4 ins. square, 4 ft. high, with

Feet. a mound of stones scribed W C-K-4-3344 whence, Feet  
 A cross (x) and B-R-W C-4-3344 chiseled on quartzite  
 bedrock 4x5 ft. facing south bears N.3°31'E. 10.2 ft.  
 610.3 To Cor. No. 4, which falls on inaccessible cliff,  
 W.C. heretofore described bears N. 39°41'E. 6.5 ft.  
 Thence S.62°19'W.

1500 To Cor. No. 1, the place of beginning.

Variation at all corners 13°40'E.  
 B. & M. bears S.84°41'W. 2013.1 ft.

LODE LINE

As near as can be determined from present developments  
 the vein of the location embraced in this claim extends  
 as follows from the discovery point:  
 Klondyke 300 ft. S.62°19'W., 1200 ft. N.62°19'E.

AREA.

Total area Klondyke lode	- - - - -	Acres.
		17.944

Area in conflict with:

Sur. No. 2859 Palo Verde No. 2 lode	- -	Acres.
		.078
Sur. No. 2859 Arizona No. 1 lode	- -	Acres.
		3.465

LOCATION.

This survey is located in the Copper Mountain Mining  
 District, Greenlee county, Arizona, in Secs. 7 and 8  
 uns. T.4 S., R.29 E., G. & S. R. B. & M.

ADJOINING LODES.

This survey is bounded on the North by Sur. No. 2859  
 Arizona No. 1 and Palo Verde No. 2 lodes, Arizona Copper  
 Co. claimant; on the East by the L. C. lode uns.  
 claimant unknown; on the South by the Prince lode uns.  
 claimant unknown; on the West by the Public Domain.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements  
 made upon the location embraced in this mining claim by  
 the claimant or his grantors is not less than Five

hundred dollars, and that said improvements consist of:

Klondyke lode.

No.1. The discovery showing mineral in place is on the lode line 300 ft. from line 1-2.

No.2. A tunnel, with an open cut approach, the mouth of which bears from Cor. No. 2 S.  $47^{\circ}07'E$ . 296.4 ft. running N.  $66^{\circ}29'E$ . 5x15ft. 36 ft. of open cut and 74 ft. of 5x6 ft. tunnel, thence N.  $59^{\circ}03'E$ . 96 ft. to point No. 1, thence N.  $31^{\circ}03'E$ . 70 ft. Beginning again at point No. 1 a cross cut 5x6 ft. running N.  $50^{\circ}27'W$ . 113 ft.

Value - - - - - \$5500.00

INSTRUMENT.

This survey was made with a Buff and Berger light mountain transit. The courses were deflected from the true meridian as determined from Polaris observations. The distances were measured with 5,50 and 500 ft. steel tapes.

REPORT.

The S.E. Cor. Sec. 12 T. 4 S., R. 28 E., G. & S. R. B. & M. is an iron rod with a brass cap properly set and marked.


Survey No. 2859 Arizona No. 1 and Palo Verde No. 2 lodes:

All corners are posts properly set and scribed.

The survey of the lode embraced in this location is identical with the location as staked upon the ground.

The differences between these field notes and the location certificate are due to errors in the latter.

All end center monuments are mounds of stones.



U.S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by E. T. Morton

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

Harry Wright

known as the Klondyke lode

and showing the respective capacities in which they acted.

W. R. Hutchins, Chairman.

J. L. Awalt, Chairman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

We, W. R. Hutchins

and J. L. Awalt, do solemnly swear that we assisted.....

E. T. Morton, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Harry Wright

known as the Klondyke lode

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

W. R. Hutchins, Chairman.

J. L. Awalt, Chairman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 30th

day of October, 1916.

Louis T. Payne  
Notary Public

My commission expires Feb. 20, 1919.

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, E.T. Morton, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 4, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Harry Wright, known as the Klondyke lode, situate in Copper Mountain Mining District, Greenlee County, Arizona, in Sections 7 & 8 Uns., Township No. 4 S., Range No. 29 E., G. & S. R. B. & M. and designated as Survey No. 3344, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*E. T. Morton*  
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said *E. T. Morton*  
 U. S. ~~Deputy~~ Mineral Surveyor, before me *Louis T. Payne*

*Antony Public* this 30<sup>th</sup>  
 day of October - 1916

*Louis T. Payne*  
*Antony Public*

*My commission expires Feb. 20-1919*



No. 7139

STATE OF ARIZONA,  
COUNTY OF GREENLEE } ss.

*Radney Coe*

I, ~~W. J. [unclear]~~, County Recorder in and for the County of Greenlee, State of Arizona, do hereby certify that the


within and following is a true, full and complete copy of the within mentioned *Amended Notice*  
*of Mining Location of Steamboat Road Claim*  
as the same appears of record in my office, in book *6* of *Mining Locations*  
*Transcribed Records*, at page *563*.

IN WITNESS WHEREOF, I have hereunto set my hand and seal

of office, this *18* day of *Sept*, A. D. 191*6*

*Radney Coe*  
County Recorder

(SEAL)



MAHERICK-CLAYTON LITHO. CO.

8

AMENDED NOTICE OF MINING LOCATION  
LODE CLAIM.

---

MCT-3 1916

KNOW ALL MEN BY THESE PRESENTS:

That Harry Wright, the undersigned, has this 30th day of March 1904, AMENDED, Located and Claimed, and by these presents does AMEND, Locate and Claim by right of the original discovery, and this additional location certificate on the "KLONDYKE" Lode, Vein, Ledge or Deposit along the vein thereof with all its dips, angles and variations.

The length of this claim is 1500 feet, and I claim 1200 feet in a Northeasterly direction, and 300 feet in a Southwesterly direction, from the center of the discovery cut, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode, deposit and premises is from the Northeast to the Southwest.

The claim is situated and located in the Copper Mountain Mining District, in Graham County, in the Territory of Arizona, U. S. L. M. No. 1, bears from the Northeast corner, N. 14° 00' W. 4800 ft. and the South Cor. of the Palo Verde No. 2 Lode, Arizona Copper Co. claimant, bears from the same Cor. S. 55° 16' W. 233 ft.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at mound of stone, at a point in a Northeasterly direction 1200 feet from the discovery cut, (at which this notice is posted) being in the center of the Northeasterly end line of said claim, thence N. 4° 03' E. 300 feet to a pine post, being the Northeast corner of said claim, thence S. 62° 23' W. 1500 feet to a pine post, being at the Northwest corner of said claim, thence S. 4° 03' W. 300 feet to a mound of stone, being the center of the Southwesterly end of said claim, thence S. 4° 03' E. 300 feet to a pine post, being at the Southwest corner of said claim, thence N. 62° 23' E. 1500 feet to a pine post, at the Southeast corner of said claim, thence N. 4° 03' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona" approved March 16, 1901.

This is an AMENDED Location Notice of the KLONDYKE Mining Claim, located by Harry Wright and Thomas Simpson, on the 1st day of March 1898, and recorded in Book 10 of Record of Mines, at page 15 & 36, in the

office of the County Recorder of the aforesaid County of Graham, to which reference is hereby made.

Dated and posted on the ground this 30 day of March 1904.

Harry Wright.

Filed and recorded at request of Harry Wright, Oct. 7, 1905,  
at 9 A. M.

Mit Simms,  
County Recorder.

By L. Simms,  
Deputy Recorder.

---

(Book 6 of Mining Locations, at page 563 -Transcribed Records)

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 28, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

HARRY WRIGHT

known as the KLONDYKE LODE

situate in COPPER MOUNTAIN

Mining District, GREENLEE County, ARIZONA,

in Sections 7 & 8 uns Township No. 4 S., Range No. 29 E., and

designated as Survey No. 3344, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 cut, tunnel and crosscut, total value \$5500.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 28, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

HARRY WRIGHT

, known as the

KLONDYKE LODE.

situate in COPPER MOUNTAIN mining district,

GREENLEE County, ARIZONA.

in Sections 7 & 8, uns., Township No. 4 S., Range No. 29 E.

, designated as Survey No. 3344

executed by E. T. Morton, U. S. Deputy Mineral

Surveyor, October 12--14, 1916, under my instructions dated

October 4, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.