

4-683

Platted

MINERAL SURVEY No. 3347

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Tillie Starbuck Mining Company

KNOWN AS THE

Arizona, Hollywood, Arctic, Corcoran, St. John, Clay Bank, Last Chance, Tillie Starbuck & Vannuys Lode

Hasayanpha Mining District,

Garapac County, Arizona

Sections Approx. 2, 10 & 11, Township 12 N., Range 2 W. Unsur.

Surveyed under instructions dated Nov 5, 1917  
& Dec 3, 1917

by William H. Bennett  
U. S. Mineral Surveyor.

Claim located Dec 20, 1917

Survey commenced Nov 9, 1917

Survey completed Dec 5, 1917

Address of claimant's <sup>Att.</sup> Richard Lamson  
Parrott, Arizona

MINERAL SURVEY NO. 3347

1A

Claims	M & B Desc.	Improvements	Loc. Notices
	Pg.	Pg.	Red Pg.
Artic	1	14	3
Arizona	12	17	1
Clay Bank	5	16	6
Corcoran	2	15	4
Hollywood	10	16	2
Last Chance	8	15	7
Tillie Starbuck	6	15	8
St. John	9	16	5
Vannuys	4	15	9

## S U R V E Y No. 3347

Arctic lode.

Beginning at cor. 1: Identical with the loc.

A schist stone 4x16x24 ins. set 12 ins, in the ground with mound of stone. Chiseled x-1A-3347 on side facing this lode. Whence U.S.L.M. No. 1691 bears N.  $16^{\circ} 06'$  W. 1131.04 ft.

Loc. cor. mound of stone 3x3 ft. No bearings available.

Feet Thence S.  $14^{\circ} 12'$  W. Va.  $14^{\circ}$  E.

160. Cross draw, course N.  $80^{\circ}$  W.

1499.92 To cor. 2.

Identical with the loc. and with cor. 1, Corcoran lode of this survey.

A granite stone 8x12x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-2A-1C-3347 on sides facing these lodes. Whence a spruce tree, 8 ins. diam., scribed x-BT-2A-1C-3347. bears S.  $76^{\circ}$  W. 19 ft., A pine tree, 12 ins. diam., bears S.  $27^{\circ}$  W. 33 ft., scribed x-BT-2A-1C-3347.

Loc. cor mound of stone 3x3 ft.

Thence S.  $46^{\circ} 30'$  E. Va.  $14^{\circ}$  E.

344 South center end. Identical with the loc. and with the north center end of the Corcoran lode of this survey.

A mound of stone 3x3 ft.

688 To cor. 3.

Identical with the loc. and with cor. 4 of the Corcoran lode of this survey.

A granite stone 6x12x30 ins. set 16 ins. in the ground with mound of stone. Chiseled x-3A-4C-3347 on sides facing these lodes. Whence a pine tree, 10 ins. diam., bears S.  $44^{\circ} 10'$  W. 35 ft., scribed x-BT-3A-4C-3347. A spruce tree, 24 ins. diam., bears S.  $40^{\circ} 30'$  E. 6 ft., scribed x-BT-3A-4C-3347.

Loc. cor. mound of stone 3x3 ft.

S U R V E Y No. 3347 -continued.

Arctic lode -continued.

Feet Thence N.7° E. Va. 14° E.  
484 To cor. 2, Tillie Starbuck lode, and <sup>Cor.</sup> 3, Clay Bank lode of this survey.

1234. To cor. 4.  
Identical with the loc. and in draw, course NW.  
Identical with cor. 2, Clay Bank lode of this survey.

A granite stone 10x16x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-4A-2CB-3347 on sides facing these lodes. No bearings available.  
Loc. cor. mound of stone 2x2 ft.

Thence N. 43° 30' E. Va. 14° E.

190. Cross draw, course NW.

316.1 To cor. 5.  
Identical with the loc. and with cor. 2 of Lot 44, Plevna lode.

A granite stone 10x12x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-5A-3347 on side facing this lode. No bearings available.

Loc. cor. mound of stone 2x2 ft.

Thence N.46° 30' W. Va. 14° E.

344. North center end. Identical with the loc. A mound of stone 3x3 ft.

600. To cor. 3, Lot 44, Plevna lode.

688 To cor. 1, the place of beginning.

Corcoran lode.

Beginning at cor. 1.

Identical with the loc. and with cor. 2, Arctic lode of this survey hereinbefore described. Whence U.S.L.M. No. 1691 bears N. 1° 13' E. 2541.33 ft.

## S U R V E Y No. 3347 -continued.

Corcoran lode -continued.

Feet

Thence S. 7° W. Va. 14° E.

550. Cross draw, course S. 80° W.

1500. To cor. 2.

Identical with the loc. and with cor. 1, VanNuys lode of this survey.

A porphyry stone 8x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-2C-1VN-3347 on sides facing these lodes. Whence an oak tree, 6 ins. diam., bears N. 78° E., 2 ft., scribed x-BT-2C-1VN-3347. No other bearings available.

Loc. cor. /mound of stone 3x3 ft.

---

 Thence S. 46° 30' E. Va. 14° E.

344 South center end. Identical with the loc. and with the north center end of the VanNuys lode of this survey.

A mound of stone 3x3 ft.

688 To cor. 3.

Identical with the loc. and with cor. 4 of the VanNuys lode of this survey.

A porphyry stone 6x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-3C-4VN-3347 on sides

facing these lodes. Whence an oak tree, 10 ins. diam., bears S. 50° 30' E. 15 ft., scribed x-BT-3C-4VN-3347.

A pine tree, 10 ins. diam., bears S. 10° 30' W. 29 ft., scribed x-BT-3C-4VN-3347.

Loc. cor. mound of stone 3x3 ft.

---

 Thence N. 7° E Va. 14° E.

647.10 To cor. 2, Last Chance and <sup>Cor.</sup> 3, Tillie Starbuck lodes of this survey.

1500 To cor. 4. Identical with the loc. and with cor. 3 of the Arctic lode of this survey hereinbefore described.

S U R V E Y No. 3347 -continued.

Corcoran lode -continued.

Feet Thence N. 46° 30' W. Va. 14° E.

344 North center end. Identical with the loc. and with the south center end of the Arctic lode of this survey hereinbefore described.

688 To cor. 1, the place of beginning.

Vannuys lode.

Beginning at cor. 1.

Identical with the loc. and with cor. 2 of the Corcoran lode of this survey hereinbefore described. Whence U.S.L.M. No. 1691 bears N. 3° 22' E. 4036.56 ft.

Thence S. 7° W. Va. 14° E.

740 Cross draw, course SW.

1500 To cor. 2.

Identical with the loc.

A porphyry stone 10x14x26 ins. set 13 ins. in the ground with mound of stone. Chiseled x-2VN-3347 on side facing this lode. Whence a pine tree, 14 ins. diam., bears N. 69° 15' E. 21 ft., scribed x-BT-2VN-3347. A pine tree, 10 ins. diam., S. 54° 15' W. 23.5 ft., scribed x-BT-2VN-3347.

Loc. cor. mound of stone 3x3 ft.

Thence S. 46° 30' E. Va. 14° E.

344 South center end. Identical with the loc. A mound of stone 3x3 ft.

400 Cross road, bears N. and S.

540 Cross draw, course S. 15° W.

688 To cor. 3.

Identical with the loc.

A granite stone 8x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-3VN-3347 on side facing this lode. Whence a pine tree, 10 ins. diam., bears N. 9° E. 11.1 ft., scribed x-BT-3VN-3347. No other bearings available. Loc. cor. mound of stone 3x2½ ft.

## S U R V E Y No. 3347 -continued.

VanNuys lode -continued.

- Feet                    Thence N.7° E Va. 14° E.
- 525 Cross road, bears E. and W.
- 647.1 To cor. 3 of Last Chance lode of this survey.
980. Cross draw, course SW.
- 1500 To cor. 4.
- Identical with the loc. and with cor. 3 of Corcoran lode of this survey hereinbefore described.
- 
- Thence N. 46° 30' W. Va. 14° E.
- 344 North center end. Identical with the loc. and with the south center end of the Corcoran lode hereinbefore described.
- 688 To cor. 1, the place of beginning.
- 
- Clay Bank lode.
- Beginning at cor. 1.
- Identical with the loc. and with cor. 1 of the St. John lode of this survey.
- A granite stone 9x12x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-1CB-1SJ-3347 on sides facing these lodes. Whence a spruce tree, 30 ins. diam., bears S. 77° 15' E. 33 ft., scribed x-BT-1CB-1SJ-3347.
- U.S.L.M. No. 1691 bears N. 50° 37' W. 1667.87 ft.
- No other bearings available. Loc.cor. mound of stone 2x2 ft.
- 
- Thence S.43° 30' W. Va. 14° E.
- 504 North center end in draw, course NW. Identical with the loc. A mound of stone 3x3 ft.
- 691.9 To cor. 2, Lot 44, Plevna lode and cor. 5 of the Arctic lode of this survey.
- 818 Cross draw, course NW.
- 1008 To cor. 2.
- Identical with the loc. and with cor. 4 of the Arctic lode of this survey hereinbefore described.

S U R V E Y No. 3347 -continued.

Clay Bank lode -continued.

Feet

Thence S.  $7^{\circ}$  W. Va.  $14^{\circ}$  E.

750

To cor. 3.

Identical with the loc. and with cor. 2 of the Tillie Starbuck lode of this survey.

A granite stone 12x14x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-3CB-2TS-3347 on sides facing these lodes. Whence a pine tree, 12 ins. diam., bears N.  $17^{\circ} 30'$  E. 20 ft., scribed x-BT-3CB-2TS-3347. A pine tree, 24 ins. diam., bears N.  $46^{\circ}$  W. 32.5 ft., scribed x-BT-3CB-2TS-3347.

Loc. cor. mound of stone 3x3 ft.

---

Thence N.  $43^{\circ} 30'$  E. Va.  $14^{\circ}$  E.

504

South center end. Identical with the loc. and with the north center end of the Tillie Starbuck lode of this survey. A mound of stone 3x3 ft.

1008

To cor. 4.

Identical with the loc. and with cor. 1 of the Tillie Starbuck lode of this survey.

A schist stone 4x8x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-4CB-1TS-3347 on sides facing these lodes. Whence a pine tree, 8 ins. diam., bears S.  $66^{\circ}$  W. 27.7 ft., scribed x-BT-4CB-1TS-3347.

No other bearings available.

Loc. cor. mound of stone 2x2 ft.

---

Thence N.  $7^{\circ}$  E. Va.  $14^{\circ}$  E.

750

To cor. 1, the place of beginning.

---

Tillie Starbuck lode.

Beginning at cor. 1.

Identical with the loc. and with cor. 4 of the Clay Bank lode of this survey hereinbefore described. Whence U.S. L.M. No. 1691 bears N.  $33^{\circ} 36'$  W. 2164.39 ft.



## S U R V E Y No. 3347 -continued.

Tillie Starbuck lode -continued.

Feet

- Thence N.  $7^{\circ}$  E. Va.  $14^{\circ}$  E.   
 586.9 To cor.<sup>Cor.</sup> 2, Hollywood and 2, St. John lodes of this survey.
- 1336.9 To cor. 1, the place of beginning.

---

 Last Chance lode.

Beginning at cor. 1.

Identical with the loc. and with cor. 4 of the Tillie Starbuck lode of this survey, hereinbefore described.

Whence U.S.L.M. No. 1691 bears N.  $18^{\circ} 18'$  W. 3296.29 ft.

---

 Thence S.  $43^{\circ} 30'$  W. Va.  $14^{\circ}$  E.

- 504 North center end. Identical with the loc. and with the south center end of the Tillie Starbuck lode of this survey hereinbefore described.

- 1008 To cor. 2. Identical with the loc. and with cor. 3 of the Tillie Starbuck lode of this survey hereinbefore described.

---

 Thence S.  $7^{\circ}$  W. Va.  $14^{\circ}$  E.

- 647.1 To cor.<sup>Cor.</sup> 3, Corcoran and 4, Vannuys lodes of this survey.

1167 Cross draw, course SW.

1500 To cor. 3.

Identical with the loc.

A granite stone 10x12x30 ins. set 15 ins. in the ground with mound of stone. Chiseled x-3LC-3347 on side facing this lode. Whence an oak tree, 10 ins. diam., bears S.  $37^{\circ}$  W. 9 ft., scribed x-BT-3LC-3347. An oak tree, 14 ins. diam., bears N.  $81^{\circ}$  W. 9.4 ft., scribed x-BT-3LC-3347.

Loc. cor. mound of stone 3x2 $\frac{1}{2}$  ft.

- 504 South center end. Identical with the loc. A mound of stone 3x3 ft.

## S U R V E Y No. 3347 -continued.

Last Chance lode -continued.

Feet  
1008

To cor. 4.

Identical with the loc.

A granite stone 6x8x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-4LC-3347 on side facing this lode. Whence a pine tree, 24 ins. diam., bears N.  $89^{\circ} 30'$  E. 16.4 ft., scribed x-BT-4LC-3347. A pine tree, 30 ins. diam., bears S.  $79^{\circ} 15'$  W. 17 ft., scribed x-BT-4LC-3347.

Loc. cor. mound of stone 2x2 ft.

---

 Thence N.  $7^{\circ}$  E. Va.  $14^{\circ}$  E.

586.9

To cor. 2, Arizona and 3, Hollywood lodes of this survey.

1500

To cor. 1, the place of beginning.

---

 T

St. John lode.

Beginning at cor. 1.

Identical with the loc. and with cor. 1 of the Clay Bank lode of this survey here inbefore described. Whence U.S.L. M.No.1691 bears N.  $50^{\circ} 37'$  W. 1667.87 ft.

---

 Thence S.  $7^{\circ}$  W. Va.  $14^{\circ}$  E.

750

To cor. 4, Clay Bank and 1, Tillie Starbuck lodes of this survey.

1500

To cor. 2.

Identical with the loc. and with cor. 2 of the Hollywood lode of this survey.

A granite stone 4x8x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-2SJ-2H-3347 on sides facing these lodes. Whence an oak tree, 10 ins. diam., bears S.  $7^{\circ} 45'$  W. 15.6 ft., scribed x-BT-2SJ-2H-3347.

No other bearings available.

Loc cor. mound of stone  $3 \times 2\frac{1}{2}$  ft.

---

 Thence N.  $43^{\circ} 30'$  E. Va.  $14^{\circ}$  E.

504

South center end. Identical with the loc. and with the north center end of the Hollywood lode of this survey. A mound of stone 3x3 ft.

Feet  
1008

S U R V E Y No. 3347 -continued.

St. John lode -continued.

To cor. 3.

Identical with the loc. and with cor. 1 of the Hollywood lode of this survey.

A porphyry stone 3x14x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-3SJ-1H-3347 on sides facing these lodes. Whence an oak tree, 9 ins. diam., bears N. 16° E. 26 ft., scribed x-BT-3SJ-1H-3347.

A pine tree, 6 ins. diam., bears S. 61° 15' E. 11 ft., scribed x-BT-3SJ-1H-3347.

Loc. cor. mound of stone 3x3 ft.

Thence N. 7° E. Va. 14° E.

1169.37 Intersect line 2-3 of Lot 43, Mono lode, at S. 46° 30' E. 173.18 ft. from cor. 3.

1500 To cor. 4.

Identical with the loc.

A rock in place 3x8x2 ft. with mound of stone. Chiseled x-4SJ-3347. Whence a rock in place 3x5x2 ft. bears N. 64° 15' W. 5.4 ft., chiseled x-BR-4SJ-3347. An oak tree, 6 ins. diam., bears N. 8° 06' E. 7 ft., scribed x-BT-4SJ-3347.

Loc. cor. mound of stone 2x2 ft.

Thence S. 43° 30' W. Va. 14° E.

21.9 To cor. 4 of Lot 43, Mono lode, whence Cor 3 said Mono lode, brs. S. 38° W. 245 ft.

199.9 To cors. 3, Lot 42, Savage lode and 1, Lot 44, Plevna lode.

504 North center end. Identical with the loc. A mound of stone 3x3 ft.

1008 To cor. 1, the place of beginning.

Hollywood lode.

Beginning at cor. 1 .

Identical with the loc. and with cor. 3 of the St. John lode of this survey hereinbefore described. Whence U.S. L.M.No.1691 bears N.44° 45' W. 2557.08 ft.



SURVEY No. 3347 -continued.

Hollywood lode -continued

Feet	Thence N. 7° E. Va. 14° E.
1500	To cor. 1, the place of beginning.
	Arizona lode.
	Beginning at cor. 1.
	Identical with the loc. and with cor. 4 of the Hollywood lode of this survey hereinbefore described. Whence U.S. L.M. No. 1691 bears N. 26° 04½' W. 3679.36 ft.
	Thence S. 43° 30' W. Va. 14° E.
504	North center end. Identical with the loc. and with the south center end of the Hollywood lode hereinbefore described.
1008	To cor. 2.
	Identical with the loc. and with cor. 3 of the Hollywood lode of this survey hereinbefore described.
	Thence S. 7° W. Va. 14° E.
586.9	To cor. 4 of the Last Chance lode of this survey.
1500	To cor. 3.
	Identical with the loc.
	A schist stone 10x14x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-3A-3347 on side facing this lode. Whence a pine tree, 30 ins. diam., bears N. 52° W. 10.8 ft., scribed x-BT-3A-3347. A pine tree, 24 ins. diam., bears S. 41° 15' W. 50.2 ft., scribed x-BT-3A-3347.
	Loc. cor. mound of stone 3x3 ft.
	Thence N. 43° 30' E. Va. 14° E.
504	South center end. Identical with the loc. A mound of stone 3x3 ft.
1008	To cor. 4.
	Identical with the loc.

Survey No. 3347

Arizona lode continued.

A schist stone 10x14x24 ins. set 12 ins. in the ground with mound of stones, chiseled X-4A-3347 on the side facing this lode, whence pine tree, 9 ins. diam., brs. S 22°30'E. 14 ft., scribed X-BT-4A-3347. A rock in place 3x3x4 ft., chiseled X-ER., 4A-3347, brs. N 86°45' W. 17.7 ft.

Loc. cor. mound of stones 3x3 ft.

- Feet " Thence N 7°E Va. 14°E
- 55 Cross road, brs. N 30°W. and S 30°E.
- 130 Cross draw, course S.E.
- 175 Cross road, brs., SW and E
- 1500 To Cor. No. 1 the place of beginning.

LODE LINES.

As near as can be <sup>de</sup>termined from present developments the veins of the several locations embraced in this claim extends as follows from their respective discovery points:

- Arctic lode, 180 ft. N 14°12'E., and 1319.92 ft. S 14°12'W.
- Corcoran lode, 150 ft. N 7°E., and S 7°W 1350 ft.
- Vannuys lode, 1235 ft. N 7°E and 265 ft. S 7°W
- Claybank lode, 257 ft. N 7°E and 493 ft. S 7°W
- Tillie Starbuck lode, 1191.9 ft. N 7°E and 145 ft. S 7°W
- Last Chance lode, 50 ft. N 7°E and 1450 S 7°W
- St. John lode, 495 ft. N 7°E and 1005 ft. S 7°W
- Hollywood lode, 65 ft. N 7°E and 1435 ft. S 7°W
- Arizona lode, 860 ft. N 7°E and 640 ft. S 7°W

SURVEY No. 3347

AREA.

Arctic lode,.....	17.996	Acres.
Corcoran lode, .....	19.044	"
Vannuys lode. . . . .	19.044	"
Clay Bank lode,.. . . .	10.323	"
Tillie Starbuck lode,.....	18.402	"
Last Chance lode.....	20.647	"
Arizona lode.....	20.647	"
Hollywood lode.....	20.647	"
St. John lode .....	20.647	"

in conflict with Lot 43 Moro lode 0.534 acres.

LOCATION

This survey is located in the Hassayampa Mining District, Prescott National Forest, Yavapai County, Arizona; approximately in unsurveyed secs. 2, 10 and 11, T. 12 N., R. 2. W., G & SR S. R. M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

ARCTIC LODGE.

No. 1 The discovery tunnel, the mouth of which hrs. from Cor. No. 1 S 17°30' E. 285 ft. 5X7 ft. 700 ft. long hrs. S. 40°38' E. Discovery point is 183.8 ft. from mouth, 435 ft. is on this lode and 265 ft. on Clay Bank lode. Value on this lode \$4350.

No. 2. Tunnel, the mouth of which hrs. from cor. No. 1 S 39° 30' E 510 ft., 5X7 ft., running S 65° W 40 ft. Value \$320.

1/9 interest \$1722. in No. 2 tunnel of the Clay Bank lode, a common improvement, is credited to this lode.

Total value credited to this lode \$6392.

SURVEY No. 3347

Expenditure of five hundred dollars continued.

CORCORAN LODE.

No. 1 dis. cut the face of which, being the discovery point, is on the lode line 150 ft. from the North center end, 4 ft. wide, 10 ft. face, running S 45° E. 20 ft. to the mouth.

Value.....\$50.

1/9 interest \$1722. in No. 2 tunnel of the Clay Bank lode, a common improvement is credited to this lode.

Total value credited to this lode.....\$1772.

VANNUYS LODE.

No. discovery cut, the face of which, being the discovery point, is on the lode line 265 ft. from the South center end, 4 ft. wide, 10 ft. face, running East 20 ft. to the mouth

Value.....\$50.

1/9 interest \$1722. in No. 2. tunnel of the Clay Bank lode, a common improvement is credited to this lode.

Total value credited to this lode.....\$1772.

LAST CHANCE LODE.

No. 1 discovery shaft, which is on the lode line 50 ft. from the North center end, 4X6X8 ft. value.... \$80.

1/9 interest \$1722. in No. 2. tunnel of the Clay Bank lode, a common improvement is credited to this lode.

Total value credited to this lode.....\$1802.

Tillie Starbuck lode,

No. 1 discovery shaft, which is on the lode line, 145 ft. from the South center end, 4X6X10 ft., Value...\$80.

1/9 interest \$1722. in No. 2. tunnel of the Clay Bank lode, a common improvement is credited to this lode,

550 ft. further No. 3 tunnel of the Clay Bank lode being on this lode, the value \$400. is credited to this lode.

Total value credited to this lode.....\$6202.

Survey No.3347 Expenditure of five hundred dollars con.  
CLAY BANK LODE.

No.1 discovery shaft,which is on the lode line,247 ft.from  
the North center end,4X6X8 ft. value.....\$80.

No.2 tunnel the mouth of which is on the lode line 30 ft.  
from the North center end,5X7 ft.running southerly 1400 ft.  
720 ft.being on this lode,and the remainder 680 ft.on the  
Tillie Starbuck lode. At 240 ft.from the mouth a crosscut  
5X7 ft.runs S.80°E 150 ft.Value of entire improvements  
\$15,498. as this is a common improvement,as hereinafter  
explained,a 1/9 interest therein,value \$1722.is credited to  
to each claim in this survey.Value of 1/9 interest ~~\$1722~~  
~~is~~ credited to this claim. \$1722.

No.3 tunnel,the mouth of which brs.from cor.No.2.S 37°E  
310 ft.,running S 45°E100 ft.thence southerly 640 ft.,  
190 ft.being on this lode and 550 ft.on the Tillie Starbuck  
lode.Value on this lode.....\$1900.

No.4 tunnel,the mouth of which brs.from cor.No.2.S 36°E390  
ft.5X7 ft.,running S.10°W 110 ft.,value \$850.  
265 ft.,of No.1 tunnel Arctic lode being on this lode the  
value(\$2650.)is credited to this lode.

Total value credited to this lode.....\$7202.

ST. JOHN LODE.

No.1 discovery cut,the face of which,being the discovery  
point,is on the lode line 495 ft.from the North center  
end,4 ft.wide,10 ft.face,running N.7°E 20 ft.to the mouth.  
value.....\$50.

1/9 interest \$1722.2 in No.2 tunnel of the Clay Bank lode  
a common improvement is credited to this lode.

Total value credited to this lode...\$1772.

HOLLYWOOD LODE.

No.1 discovery cut,the face of which being the discovery  
point,is on the lode line 65 ft.,from the North center  
end,4 ft.wide 10 ft.face,running N 80°W 20 ft.to the  
mouth. ....value.....\$50.

SURVEY NO. 3347

EXPENDITURE OF FIVE HUNDRED DOLLARS-continued.

HOLLYWOOD LODE CONTINUED.

1/9 interest \$1722. in No.2.tunnel Clay Bank lode a common improvement is credited to this lode.

Total value credited to this lode.....\$1772.

ARIZONA LODE.

No.1 discovery out,the face of which being the discovery point, is on the lode line 640 ft.,from the South center end,4 ft.wide,10 ft.face,running N 7°E 20 ft. to the mouth. ....value.....\$50.

1/9 interest \$1722. in No.2 tunnel of the Clay Bank lode, a common improvement is credited to this lode.

Total value credited to this lode.....\$1772.

ADJOINING CLAIMS.

This claim is bounded on the North by Lot No.43,gen.169, Mono lode,by Lot No.42 gen.168.Savage lode.by Lot No.44 gen.170,Plevna lode,and by U,S.Land.On the East by Lot No. 43,gen.169,Mono lode and by U.S.Land.On the South and West by U.S.Land.

INSTRUMENT.

This survey was made with a Gurley Solar Transit.The courses were determined by direct Solar observations. The distances were measured with 100 ft.and 500 ft. steel tapes.

REPORT

The lode lines of these claims were run directly upon the ground and the corners were established by means of offsets from the lode lines.The ties were run directly upon the ground.

No.2 and No.3 tunnels of the Clay Bank lode were caved so impossible to measure and are traced from an old map of the under ground works.

Survey No. 3347

Report continued.

Cors. 4 Arctic and 2 Clay Bank are in a draw but on solid ground with no signs of washing.

No corners were found for Lot No. 42, Savage lode Lot No. 43, Mono lode, and Lot No. 44 Plevna lode but bearing tree for cor. No. 2. Plevna lode was found and points for corners established from it as given in notes of these surveys.

U.S.L.M. No. 1691 is a rock in place chiseled X-USLM-No. 1691 with mound of stones alongside, 6 ft. base and 5 ft. high.

These claims are on rolling ground and the common improvement, tunnel No. 2 Clay Bank lode, being at a lower elevation, by cross-cutting all the lodes can be developed.

*William H. Merritt*  
U.S. Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
 known as the Arizona Hollywood Archa Canyon St. John Clay Bank Lost Chance Diller Starbuck + Vanning Lodes  
 and showing the respective capacities in which they acted.

\_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, H.R. Powell  
 and \_\_\_\_\_, do solemnly swear that we assisted William H. Merritt  
 \_\_\_\_\_, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of Diller Starbuck Mines Company  
 known as the Arizona Hollywood Archa Canyon St. John Clay Bank Lost Chance Diller Starbuck + Vanning Lodes  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for Arizona

\_\_\_\_\_ H.R. Powell \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 10<sup>th</sup>  
 day of December 1917

J.M.N. Moore  
 Notary Public

My commission expires Feb 23 1920

Dec 10 1917

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William H. Merritt, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
Nov 5 & Dec 3 1917, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of Illie Starbuck Iron Company  
Arizona, Hulligand, Ariz., Coconino St. Johns clay bank least chance Illie Starbuck & Company Lords, known as the  
situate in Hasayanpa Mining District,  
Yavapai County, Arizona, in Sections  
Approx. 2, 10 & 11, Township No. 12 N, Range No. 2 W, Unsur.,  
and designated as Survey No. 3347, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or it grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

William Merritt  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said William Merritt  
U. S. Mineral Surveyor, before me J. M. N. Moore, a Notary  
Public this 10th  
day of December, 1917

J. M. N. Moore  
Notary Public

AMENDED

Notice of Mining Location

LODE CLAIM

OCT-9-1916

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Arizona Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by A. J. Pickrell and Alan Gardner, citizens of the United States

the undersigned, on the 21 day of Jan 1912

The length of this claim is 1500 feet, and we claim 920 feet, in a northerly direction and 580 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 3/4 mile in a southerly direction from Plevna, a patented claim, joins the Hollywood on the north and the Last Chance on the west side line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Stake in a mound of stone at a point in a N 70 E direction 920 feet from the discovery shaft (at which this notice is posted,) being in the center of the north end line of said claim; thence S 43 30 W 504 feet to a stake in mound of stone, being the north west corner of said claim; thence S 70 W 1500 feet to a stake in mound of stone, being at the south west corner of said claim; thence N 43 30 E 504 feet to a stake in mound of stone at the center of the south end of said claim; thence N 43 30 E 504 feet to a stake in mound of stone, being at the south east corner of said claim; thence N 70 E, 1500 feet to a stake in mound of stone at the north east corner of said claim; thence S 43 30 W 504 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Arizona Mining Claim, located by A. J. Pickrell and W. A. Johnstone on the 24th day of October 1906, and recorded in Book 77 of Records of Mines, at page 186, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

Dated and posted on the ground this 21 day of Jan 1912

A. J. Pickrell Alan Gardner

County of .....

I, \_\_\_\_\_, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at \_\_\_\_\_ o'clock \_\_\_\_\_ M., on this \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_, and duly recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_ Records of \_\_\_\_\_ County, Arizona, at pages \_\_\_\_\_

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED  
Notice of Location  
LODE CLAIM

Dated \_\_\_\_\_ 191\_\_\_\_  
Filed and Recorded at request of \_\_\_\_\_

*A. J. Proffell*

*January 23<sup>rd</sup> A. D. 1912*

at 10:35 O'clock, P.M.


Book *86 of Mines*

Pages *281*

RECORDS OF YAVAPAI COUNTY, ARIZONA

*J. T. Bradbury*  
County Recorder

By *A. H. Bussell*  
Deputy Recorder



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

24

**AMENDED**  
**Notice of Mining Location**  
**LODE CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

This Mining Claim, the name of which is the Hollywood Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

A. J. Pickrell and Alan Gardner  
citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of Jan 1912.

The length of this claim is 1500 feet,  
and We claim 10 feet,

in a northerly direction and 1490  
feet in a Southerly direction from

the center of the discovery <sup>monument</sup> shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the

north to the South

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the State of Arizona, about 1 mile

in a Southerly direction from the Dunkirk Mines, about 900 feet south east of Plevna, a patented claim joins the St. John on the north end line the Last Chance and Lillie Starbuck on the west side and Arizona on the south end line.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

mound of stone

at a point in a N 70° E direction 10 feet from

the discovery <sup>monument</sup> shaft (at which this notice is posted,) being in the center of the Northerly end line of said claim; thence S 43° 30' W 504 feet to a Stake in mound of stone being the North west corner of said claim;

thence S 7° W 1500 feet to a Stake in mound of stone being at the South West corner of said claim; thence N 43° 30' E 504 feet

to a Stake in mound of stone at the center of the Southerly end of said claim;

thence N 43° 30' E 504 feet to a Stake in mound of stone being at the South East corner of said claim; thence N 70° E 1500

feet to a Stake in mound of stone at the northeast corner of said claim;

thence S 43° 30' W 504 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Hollywood Mining Claim, located by A. J. Pickrell and Alan Gardner on the 15th day of

April 1912, and recorded in Book 84 of Records of Mines, at page 351, in the office of the County Recorder of the aforesaid County of Yavapai

to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

Dated and posted on the ground this 21 day of Jan 1912.

A. J. Pickrell  
Alan Gardner

ss.

County of .....

I, ....., County Recorder in and for the County and

State aforesaid, do hereby certify that the within instrument was filed for record at .....o'clock.....M.,

on this ..... day of ....., 191....., and duly recorded in Book No.....

of ..... Records of ..... County, Arizona, at pages.....

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED  
Notice of Location  
LODE CLAIM

Dated ..... 191.....

Filed and Recorded at request of

*A. J. Pickrell*

*January 23 A. D. 1912.*

at *10:35 O'clock P.M.*

Book *86 of Mines*


Page# *282*

RECORDED BY YAVAPAI COUNTY, ARIZONA

*J. O. Bradbury*  
County Recorder

By *A. H. Buss Hope*  
Deputy Recorder

Printed and for sale by Prescott Courier



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED  
Notice of Mining Location  
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Arctic Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

A. J. Pickrell and Alan Gardner  
Citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of Jan 1912.

The length of this claim is 1500 feet,  
and we claim 300 feet,  
in a northerly direction and 1200

feet in a southerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the

southerly to the northerly  
The claim is situated and located in the Hassayampa Mining District, in  
Yavapai County, in the Territory State of Arizona, about

in a northerly direction from and joins the Plevna  
a patented claim on the north end line  
the Clay Bank and Lillie Starbuck on the  
west side line, and the Corcoran on south end line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
at mound of rock

at a point in a N 14° 12' E direction 300 feet from  
the discovery monument shaft (at which this notice is posted,) being in the center of the north  
end line of said claim; thence N 46° 30' W 344 feet to a post in mound  
of Stone, being the north west corner of said claim;

thence S 14° 12' W 1500 feet to a stake in mound of stone  
south west corner of said claim; thence S 46° 30' E 344 feet  
to a stake in mound of stone at the center of the south end of said claim;

thence S 46° 30' E 344 feet to a stake in mound of stone being at the  
south east corner of said claim; thence N 7° E 1234  
feet to a Post at the east side corner of said claim;

thence N 43° 30' E 316.1 feet to cor No 2 of Plevna, the N E cor of said claim  
thence N 46° 30' W 344 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Arctic  
Mining Claim, located by A. J. Pickrell and W. R. Johnson  
on the 28th day of

July 1906, and recorded in Book 78 of Records of Mines, at  
page 68, in the office of the County Recorder of the aforesaid County of Yavapai

to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors  
in the description in the said Original Location Notice.

Dated and posted on the ground this 21 day of Jan 1912.

A. J. Pickrell  
Alan Gardner

County of .....

I, \_\_\_\_\_, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at \_\_\_\_\_ o'clock \_\_\_\_\_ M., on this \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_, and duly recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_ Records of \_\_\_\_\_ County, Arizona, at pages \_\_\_\_\_

Witness my hand and official seal the day and year first above written.

County Recorder.

# AMENDED Notice of Location LODE CLAIM

Dated ..... 191  
Filed and Recorded at request of

*A. J. Picksteel*

*January 23 A. D. 1912*

at 10:35 o'clock P. M.


Book 86 of Mineral

Pages 283

RECORDED IN YAVAPAI COUNTY, ARIZONA

*J. D. Bradburn*  
County Recorder

By *H. B. Bishop*  
Deputy Recorder



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED  
Notice of Mining Location  
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Corcoran  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

A. J. Pickrell and Alan Gardner  
Citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of Jan 1912.

The length of this claim is 1500 feet,  
and the claim 84 feet,  
in a Northerly direction and 1416

feet in a Southerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the  
north to the South

The claim is situated and located in the Hassayampa Mining District, in  
Yavapai County, in the Territory of Arizona, about 1/2 mile  
in a Southerly direction from Plevna, a patented  
claim and joins the Arctic on the north end  
line the Vannuys on the south end line and  
the Last Chance and Dillie Starbuck on the east side line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
Stake in mound of Stone

at a point in a N 7° E direction 84 feet from  
the discovery monument (at which this notice is posted,) being in the center of the north  
end line of said claim; thence N 46° 30' W 344 feet to a Stake in  
mound of Stone, being the north west corner of said claim;  
thence S 70° W 1500 feet to a stake in mound of stone, being at the  
Southwest corner of said claim; thence S 46° 30' E 344 feet  
to a Stake in mound of stone at the center of the South end of said claim;  
thence S 46° 30' E 344 feet to a Stake in mound of stone being at the  
southeast corner of said claim; thence N 7° E 1500  
feet to a Stake in mound of stone at the north east corner of said claim;  
thence N 46° 30' W 344 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Corcoran  
Mining Claim, located by A. J. Pickrell and Alan Gardner

on the 15th day of  
April 1912, and recorded in Book 84 of Records of Mines, at  
page 350, in the office of the County Recorder of the aforesaid County of Yavapai

to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

Dated and posted on the ground this 21 day of Jan 1912.

A. J. Pickrell  
Alan Gardner

County of.....

ss.

I, ....., County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock.....M., on this.....day of....., 191....., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED  
Notice of Location  
LODE CLAIM

Dated ..... 191.....  
Filed and Recorded at request of

*A. J. Packrell*

*January 23 A. D. 1912*

at 10:35 O'clock, P. M.

Book *86 of Mines*

Page *2811*


RECORDS OF YAVAPAI COUNTY, ARIZONA

*J. D. Bradburn*  
County Recorder

*R. Saas*

By *B. H. Bunker*  
Deputy Recorder

Printed and for sale by Prescott Courier



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

3347  
5  
30

AMENDED  
Notice of Mining Location  
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the St. John  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by A. J. Pickrell and Alan Gardner  
Citizens of the U. S.

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of Jan 1912.

The length of this claim is 1500 feet,  
and We claim 500 feet,  
in a Northerly direction and 1000  
feet in a Southerly direction from  
the center of the discovery ~~shaft~~ <sup>monument</sup>, at which this notice is posted, lengthwise of the claim, together with  
300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the  
north to the South

The claim is situated and located in the Glossayampa Mining District, in  
Yavapai County, in the Territory State of Arizona, about one mile  
in a Southerly direction from the Dunkirk Mines  
joins the Pleina a patented mine on the  
north and the Clay Bank on the west  
side line.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
Post

at a point in a N 7° E direction 500 feet from  
the discovery ~~shaft~~ <sup>monument</sup> (at which this notice is posted,) being in the center of the northerly  
end line of said claim; thence S 43° 30' W 504 feet to a post  
being the northwest corner of said claim;  
thence S 70° W 1500 feet to a stake in mound of stone being at the  
southwest corner of said claim; thence N 43° 30' E 504 feet  
to a stake in mound of stone at the center of the South end of said claim;  
thence N 43° 30' E 504 feet to a stake in mound of stone being at the  
Southeast corner of said claim; thence N 7° E 1500  
feet to a mound of stone at the north east corner of said claim;  
thence S 43° 30' W 504 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the St. John  
Mining Claim, located by W. R. Johnson and A. J. Pickrell  
on the 28<sup>th</sup> day of  
Oct 1912, and recorded in Book 78 of Records of Mines, at  
page 363, in the office of the County Recorder of the aforesaid County of Yavapai  
to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors  
in the description in the said Original Location Notice.

Dated and posted on the ground this 21 day of Jan 1912.  
A. J. Pickrell  
Alan Gardner

County of.....

I, ....., County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock.....M., on this.....day of....., 191....., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED  
Notice of Location  
LODE CLAIM

Dated.....191.....  
Filed and Recorded at request of

*A. J. Oriskany*

*January 23 A. D. 1912*

at 10:35 O'clock, P. M.


Book *86 of mine*

Page *285*

RECORDING OFF YAVAPAI COUNTY, ARIZONA

*J. D. Bradbury*  
County Recorder  
(Seal)

By *H. H. Bruckhoff*  
Deputy Recorder



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

6  
32

**AMENDED**  
**Notice of Mining Location**  
**LODE CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

This Mining Claim, the name of which is the Clay Bank  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

A. J. Pickrell and Alan Gardner  
Citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of Jan 1912.

The length of this claim is 750 feet,  
and W. E. claim 257 feet,

in a northerly direction and 493  
feet in a southerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the  
northerly to the southerly

The claim is situated and located in the Glossayampa Mining District, in  
Yavapai County, in the territory State of Arizona, about

in a northerly direction from and the northerly end line

joins the Plevna, a patented claim, the east side  
line joins the St. John, the southerly end line joins  
the Lillie Starbuck and the west side line joins the Arctic

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Stake in mound of rock

at a point in a N 70° E direction 257 feet from

the discovery shaft (at which this notice is posted,) being in the center of the monument north

end line of said claim; thence S 43° 30' W 504 feet to a post

, being the northwest corner of said claim;

thence S 70° W 750 feet to a stake in mound of stone, being at the

southwest corner of said claim; thence N 43° 30' E 504 feet

to a stake in mound of stone at the center of the south end of said claim;

thence N 43° 30' E 504 feet to a stake in mound of stone being at the

southeast corner of said claim; thence N 70° E 750

feet to a stake in mound of stone at the northeast corner of said claim;

thence S 43° 30' W 504 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Clay Bank

Mining Claim, located by W. R. Johnson and C. A. Johnson

on the 30th day of

July 1901, and recorded in Book 60 of Records of Mines, at

page 60, in the office of the County Recorder of the aforesaid County of Yavapai

to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors

in the description in the said Original Location Notice.

Dated and posted on the ground this 21 day of Jan 1912.

A. J. Pickrell

Alan Gardner

County of .....

I, \_\_\_\_\_, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at \_\_\_\_\_ o'clock \_\_\_\_\_ M., on this \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_, and duly recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_ Records of \_\_\_\_\_ County, Arizona, at pages \_\_\_\_\_

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED  
Notice of Location  
LODE CLAIM

Dated ..... 191.....  
Filed and Recorded at request of

*A. G. Pickrell*

*January 23 A. D. 1912.*

at *10:35 O'clock P. M.*


Book *86 of Mines*

Pages *286*

RECORDS OF YAVAPAI COUNTY, ARIZONA

*J. D. Bradburn*  
County Recorder

By *H. H. Bradburn*  
Deputy Recorder



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

34<sup>7</sup>

**AMENDED**  
**Notice of Mining Location**  
**LODE CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

This Mining Claim, the name of which is the Last Chance Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

A. J. Pickrell and Alan Gardner  
Citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of Jan 1912.

The length of this claim is 1500 feet,  
and we claim 148 feet,

in a northerly direction and 1352

feet in a southerly direction from  
the center of the discovery ~~shaft~~ <sup>monument</sup>, at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the

north to the south

The claim is situated and located in the Gassayampa Mining District, in  
Yavapai County, in the State of Arizona, about 1/2 mile

in a Southerly direction from the Plevna, a patented claim  
and joins the Lillie Starbuck on the north end line  
the Corcoran and Vannoy on the west side line  
and the Arizona and Hollywood on the east side line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Stake in mound of Stone

at a point in a N 70° E direction 148 feet from

the discovery shaft (at which this notice is posted,) being in the center of the north

end line of said claim; thence S 43° 30' W 504 feet to a stake in

mound of Stone, being the northwest corner of said claim;

thence S 7° W 1500 feet to a stake in mound of Stone, being at the

South West corner of said claim; thence N 43° 30' E 504 feet

to a stake in mound of Stone at the center of the south end of said claim;

thence N 43° 30' E 504 feet to a stake in mound of Stone, being at the

South east corner of said claim; thence N 70° E 1500

feet to a stake in mound of Stone at the northeast corner of said claim;

thence S 43° 30' W 504 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Last Chance

Mining Claim, located by A. J. Pickrell and W. R. Johnson

on the 5<sup>th</sup> day of

January 1912, and recorded in Book 73 of Records of Mines, at

page 159, in the office of the County Recorder of the aforesaid County of Yavapai

to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

Dated and posted on the ground this 21 day of Jan 1912.

A. J. Pickrell

Alan Gardner

County of.....

I, ....., County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock.....M., on this.....day of....., 191....., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED  
Notice of Location  
LODE CLAIM

Dated ..... 191.....  
Filed and Recorded at request of

*A. J. P. ...*

*January 23rd A. D. 1912*

at 10:35 O'clock, A. M.


Book *86 of Mines*

Page *287*

RECORDED IN MARICOPA COUNTY, ARIZONA

*J. D. Bradbury*  
County Recorder

By *E. H. ...*  
Deputy Recorder



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

8  
36

**AMENDED**  
**Notice of Mining Location**  
**LODE CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

This Mining Claim, the name of which is the Willie Starbuck  
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

A. J. Pickrell and Alan Gardner  
Citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of Jan 1912

The length of this claim is 1336.9 feet,  
and We claim 1286.9 feet,  
in a Northerly direction and 50

feet in a Southerly direction from  
the center of the discovery ~~shaft~~ <sup>monument</sup>, at which this notice is posted, lengthwise of the claim, together with  
300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the

north to the South

The claim is situated and located in the Hassayampa Mining District, in  
Yavapai County, in the Serritory State of Arizona, about 1/4 mile  
in a Southerly direction from the Pleura patented  
claim and joins the Claybank on the north end  
line, the Last Chance on the south end line, the  
Arctic and Corcoran on the west side line and the Holly  
Wood and St. John on the east side line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Stake in mound of stone

at a point in a N 70° E direction 1286.9 feet from  
the discovery ~~shaft~~ <sup>monument</sup> (at which this notice is posted,) being in the center of the north  
end line of said claim; thence S 43° 30' W 504 feet to a Stake in

mound of stone, being the northwest corner of said claim;

thence S 70° W 1336.9 feet to a Stake in mound of stone, being at the

Southwest corner of said claim; thence N 43° 30' E 504 feet

to a Stake in mound of stone at the center of the South end of said claim;

thence N 43° 30' E 504 feet to a Stake in mound of stone being at the

Southeast corner of said claim; thence N 70° E 1336.9

feet to a Stake in mound of stone at the northeast corner of said claim;

thence S 43° 30' W 504 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Willie Starbuck  
Mining Claim, located by W. M. Gibbany

on the 17<sup>th</sup> day of

February 1900, and recorded in Book 54 of Records of Mines, at

page 39, in the office of the County Recorder of the aforesaid County of Yavapai

to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

Dated and posted on the ground this 21<sup>st</sup> day of Jan 1912

A. J. Pickrell  
Alan Gardner

County of .....

I, \_\_\_\_\_, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at \_\_\_\_\_ o'clock \_\_\_\_\_ M., on this \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_, and duly recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_ Records of \_\_\_\_\_ County, Arizona, at pages \_\_\_\_\_

Witness my hand and official seal the day and year first above written.

County Recorder.

AMENDED  
Notice of Location  
LODE CLAIM

Dated ..... 191.....  
Filed and Recorded at request of

*A. J. Pickrell*

*January 23 A. D. 1912*

at 10:35 O'clock P. M.

Book *86 of Mines*


Page# *288*

RECORDED IN YAVAPAI COUNTY, ARIZONA

*J. O. Bradbury*  
County Recorder

By *H. H. Bradbury*  
Deputy Recorder

Printed and for sale by Prescott Courier



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Wannusys

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

A. J. Pickrell and Alan Gardner  
Citizens of the United States

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21 day of Jan, 1912

The length of this claim is 1500 feet,  
and we claim 1385 feet,  
in a Northerly direction and 115

feet in a Southerly direction from  
the center of the discovery ~~shaft~~ <sup>monument</sup>, at which this notice is posted, lengthwise of the claim, together with  
300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the  
Northerly to the Southerly

The claim is situated and located in the Hassayampa Mining District,  
in Yavapai County, in the Territory State of Arizona, about 1 mile

in a Southerly direction from the Dunkirk Mines  
and joins the Corcoran on the north end line and  
the Lost Chance on the East side line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
stake in mound of stone

at a point in a N 7° E direction 1385 feet from  
the discovery ~~shaft~~ <sup>monument</sup> (at which this notice is posted), being in the center of the North  
end line of said claim; thence N 46° 30' W 344 feet to a stake in  
mound of stone, being the North west corner of said claim;  
thence S 7° W 1500 feet to a stake in mound of stone, being at the  
South west corner of said claim; thence S 46° 30' E 344 feet  
to a stake in mound of stone at the center of the South end of said claim;  
thence S 46° 30' E 344 feet to a stake in mound of stone, being at the  
South east corner of said claim; thence N 7° E 1500  
feet to a stake in mound of stone at the North east corner of  
said claim; thence N 46° 30' W 344 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 21 day of Jan, 1912

A. J. Pickrell  
Alan Gardner

County of.....

I, ....., County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock.....M., on this..... day of....., 191....., and duly recorded in Book No..... of

Records of..... County, Arizona, at pages.....

Witness my hand and official seal the day and year first above written.

County Recorder

# Notice of Location

LODE CLAIM

Dated....., 191.....  
Filed and Recorded at request of.....  
.....  
.....  
.....

*W. J. Dickell*  
January 23, A. D. 1912

at 10:35 o'clock A. M.

Book 41 of Pages

Page# 385


RECORDS OF YAVAPAI COUNTY, ARIZONA

*J. L. Brundage*  
County Recorder

By *E. H. Brundage*  
Deputy Recorder

*Sealy*

PRINTED BY PRESCOTT COURIER



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

STATE OF ARIZONA,  
COUNTY OF YAVAPAI.

)  
} S S :-  
}

I, L.S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and Custodian of the Records of such Office, DO HEREBY CERTIFY, that I have compared the foregoing Copies with, and that the same are full, true and correct Copies of following Mines and Mining Claims, situate, lying and being in the Hassayampa Mining District, Yavapai County, State of Arizona; VIZ.- Arizona, - Hollywood, - Arctic, - Corcoran, - St., John, - Clay Bank, - Last Chance, - Tillie Starbuck, - ( All AMENDED LOCATION NOTICES. ) , and the Vannuys, Mining Claim. ( ALSO, - The Tillie Starbuck Mill-Site Claim and Water Right. ) <sup>omit.</sup> ~~eliminated~~

All of the within and foregoing, being of Record in my said Office, in the Books and at the Pages, as set forth in the foregoing Certified Copies, -and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the OFFICIAL SEAL of my Office, this 7th., day of OCTOBER, -A.D., 1916.



*L. S. Colwell*  
\_\_\_\_\_  
COUNTY RECORDER, YAVAPAI  
COUNTY, STATE OF ARIZONA.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 18, 1918.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Tillie Starbuck Mines Company

known as the ARIZONA, HOLLYWOOD, ARCTIC, CORCORAN, ST. JOHN, CLAY BANK, LAST CHANCE, TILLIE STARBUCK and VANNUYS Lodes situate in HESSAYEMPA

Mining District, Yavapai County, Arizona

in Section S. 2, 10 & 11, Township No. 12 N., Range No. 27., Unsur., and designated as Survey No. 3347

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 5 tunnels, 5 cuts, 3 shafts and 1 crosscut, total value \$30,458. An undivided 1/9 interest, value \$1722, in improvement No. 2 of the Clay Bank lode, is properly credited to each of the claims in this survey, as same is a common improvement for the benefit and development of the entire group.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 18, 1918.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Tillie Starbuck Mines Company,

known as the

ARIZONA, HOLLYWOOD, ARCTIC, CORCORAN, ST. JOHN, CLAY BANK, LAST CHANCE, TILLIE STARBUCK, & VANNUYS lodes,

situate in HASSAYAMPA mining district,

YAVAPAI County, ARIZONA

Approx.

in Sections 2, 10 & 11, Township No. 12 N., Range No. 2 W., Unsur.

designated as Survey No. 3347

executed by William H. Merritt, United States Mineral

Surveyor, Nov. 9 - Dec. 5, 1917, under my instructions dated

Nov. 5. & Dec. 3, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.