

Platted

DEC 18 1916 ¹

4-683

MINERAL SURVEY No. 3352.

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

ROBERT JACKSON

KNOWN AS THE

NELLIE lode

Mineral Creek Mining District,

Pinal County, Arizona.

Sections Approx 2 & 11 Township 3 S., Range 13 E., Unsur.

Surveyed under instructions dated Nov. 4, 1916.

by Gus A. Streitz,
U. S. Mineral Surveyor.

Claim located See location notice, 1906.

Survey commenced Dec. 1, 1916.

Survey completed Dec. 5, 1916.

Address of claimant John H. Page & Co., Attys.,
Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

.....
.....
.....

SURVEY NO. 3352.

Feet.

NELLIE LODE.

Beginning at Cor.No.1

Identical with S.W.Cor. of the location and with Cor.
No.4, Homestead lode, Survey No.2917-A.

A pine post, 4 ft.long, 4 ins. square, in a mound of
stone, 5 ft. base, 2 ft. high, lower part decayed, scribed
4-2917-A-H.S.

At this point I set a pine post, 4 ft.long, 4 ins.
square, in a mound of stone 5 ft. base, 2 ft. high, scribed
1-3352-N; 4-2917-A. H.S.

Whence,

U.S.M.M.No.2718 bears S. 5° 37'W. 2743.0 ft.

Thence N.87°13' E.

Along line 4-3, Homestead lode, survey No.2917-A.

148.38 To top of bluff.

197.17 To cor.No.3, Homestead lode, survey No.2917-A.

A pine post, 4 ins. square, projects $1\frac{1}{2}$ ft. above a
mound of stone 3 ft. base, 2 ft. high, scribed 3-2917-
H.S.

Along north boundary Wedge lode, unsurveyed,

294.79 To center wagon road, course N.20°W.

299.99 To South end center of the location.

A mound of stone 3 ft.base, top thrown down.

I set a pine post, 4 ft.long, 4 ins. square, 2 ft. in
boulders and gravel, in a mound of stone 5 ft. base, $1\frac{1}{2}$
ft.high, scribed S.E.C.-N.

307.54 The S.W.Cor.of Central No.6 lode, unsurveyed, bears N.13°
07'W., 90.64 ft.

A post 2x6 ins., projects 3 ft. above a mound of stone,
about 3 ft.base, 1 ft. high, marked S. W. cor.

370.50 To road to dairy, course N.E..

599.86 To Cor.No.2.

Identical with S.E.Cor. of the location.

A pine post 3 x 4 ins., 4 ft. long, set $1\frac{1}{2}$ ft. in

Feet.

ground. No marks.

At which point I set a pine post, 4 ft. long, 4 ins. square, $1\frac{1}{2}$ ft. in sand and gravel, in a mound of stone 4 ft. base, $1\frac{1}{2}$ ft. high; scribed 2-3352-N.

~~The south end center of Central No. 6 lode, unsurveyed, bears N. $24^{\circ} 19'$ W. 80.65 ft.~~

A mound of stone $2\frac{1}{2}$ ft. base, $2\frac{1}{2}$ ft. high, with a rotted piece of pine $1\frac{1}{2}$ x 4 ins., 3 ft. long, inserted in top. No marks.

Thence N. $2^{\circ} 37' 30''$ E.

73.55 To wagon road to dairy, course N. and E., and

~~73.55~~ Intersect south end line of Central No. 6 lode, unsurveyed, at S. $89^{\circ} 54'$ E., 36.88 ft. from its south end center and S. $89^{\circ} 54'$ E., 315.75 ft. from its S.W. cor.

166.66 Cross 4 inch water pipe line; supplies Ray, Arizona.

170.26 To edge of mesa.

176.26 Cross wagon road in yard; end of road.

231.26 Whence location monument Central No. 6 lode, unsurveyed, bears S. $85^{\circ} 31'$ E., 26.2 ft.

A mound of stone 3 ft. base, $2\frac{1}{2}$ ft. high.

268.26 To south side corrugated iron shed and barn, 21.3 x 30 ft. long side E. & W., at 9.5 ft. east of its S.W. cor.

842.55 To point in saddle.

1500.00 To Cor. No. 3

Identical with N.E. Cor. of location.

A pine post 4 ft. long, 4 ins. square, in a mound of lime and stone, scribed 3/N.; bottom badly decayed.

At this point I set a pine post, 4 ft. long, 4 ins. square, 1 ft. in the ground, in a mound of stone and earth, 4 ft. base, $2\frac{1}{2}$ ft. high, scribed 3-3352-N.

The N.W. Cor. Central No. 6 lode, unsurveyed, bears N. $23^{\circ} 42'$ W., 28.05 ft.

A post 2 x 6 ins., projects $2\frac{1}{4}$ ft. above a mound of stone $2\frac{1}{2}$ ft. base, 2 ft. high. No marks.

Feet.

Thence S.87°13'W.

18.07 Intersect west side line Central No.6 lode, unsurveyed,
at S.14°18'30" W., 27.41 ft. from its N.W.Cor., and N.14°
18'30" E. 1468.97 ft. from its S.W.Cor.

122.62 To edge Tufa bluff, 25 ft. high.

283.6 To old wagon road, course North.

299.72 To North end center of the location.

A pine post, 4 ins. square, projects 2 ft. above
a mound of stone and lime, bottom decayed; scribed N.
At this point I set a pine post 4 ft. long, 4 ins. square,
1 ft. in ground, in a mound of stone 4 ft. base, 2 ft.
high, scribed N.E.C.-N.

302.7 Cross 4 inch water pipe line, supplies Ray, Arizona,

427.6 To rock bluff, projects over line, dist. E. & W. 30 ft.

468.6 To center Mineral Creek at bend to West.

533.0 To wagon road, course North.

599.62 To Cor.No.4

Identical with N.W.Cor. of the location.

A pine post 4 ft. long, 4 ins. square, projects 7
inches above flood sands of Mineral Creek, lower part de-
cayed, scribed 2/N.

At this point, I set a pine post 4 ft. long, 4 ins. square,
1½ ft. in ground, in a mound of stone 3½ ft. base, 2 ft.
high, scribed 4-3352-N.

Thence S.2°38' W.

150.00 To north water edge Mineral Creek, 12 ft. wide, course
S. & W.

543.00 To north water edge Mineral Creek, 12 ft. wide, course S. & E.

649.01 To point for Cor.No.5, Homestead lode, survey No.2917 A.
Along line 5-4 Homestead lode, Survey No.2917 A.

950.25 To N.water edge Mineral Creek, 5 ft. wide, course S. & W.

1262.42 The location monument of this lode bears N.72°18'E.,
307.29 ft.

A mound of stone 4 ft. base, 3 ft. high.

No. 1 Discovery shaft bears N. 70° 39'E., 313.92 ft.

1499.68 To cor.No.1, the place of beginning.

SURVEY NO. 3352.

4.
Feet.

VEIN.

The presumed course of the vein on this claim is from the S.E.C. to the N.E.C. N. 2° 38' E. 1499.68 ft.

AREA.

Total area, Nellie Lode,	20.577 Acres.
Area in conflict with Central No. 6 lode, unsurveyed,	5.456
Net area of Nellie lode	20.577 Acres.

Mean magnetic variation at all corners, 14° 20' E.

The Location monument and all corners of the Nellie lode were identified by Robert Jackson, claimant.

The Location monument and corners of the Central No. 6 lode were identified by E. L. Pierce a co-claimant, and by Robert Jackson.

The survey of the Nellie lode is identical with location as staked on the ground.

LOCATION.

This claim is located upon unsurveyed lands of the United States, in Mineral Creek Mining District, Pinal County, Arizona,

Approximately ⁱⁿ Sec. ²⁹ 11, T. 3 S., R. 13 E. G. & S. R. B. & M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant or his grantors, is not less than five hundred dollars, and that said improvements consist of:

No.1. The Discovery shaft of the Nellie lode, which bears N.70° 39'E., 313.92 ft. from a point on its West side line S. 2° 38' W., 1262.42 ft. from Cor. No.4..

Shaft, 4 x 6 ft., 44.2 ft. deep, top 7 ft. timbered, 11 ft. of water in bottom, value, \$ 528.00

No.2. Tunnel of the Nellie lode, portal to which bears S. 54° 21'30"E., 164.9 ft. from Cor. No.4..

Tunnel, 58.7 ft. to breast, average 4 x 6 ft.

Value, \$ 587.00

OTHER IMPROVEMENTS.

A frame house, 22x30 ft., with a porch 8x30 ft. on south side; the S.W. Cor. of main house bears N.73°0'E., 152.22 ft. from a point on ~~west side~~⁴⁻¹ line of Nellie lode S.2°38'W. 527.05 ft. from its ~~N.W. cor.~~⁴⁻¹ No.4. Course of long sides East and West.

A shed and barn, 21.7x30.9 ft., the S.W. Cor. of which bears N.84°38'E., 109.30 ft. from a point on ~~West side~~⁴⁻¹ line of Nellie lode S.2° 38' W., 687.25 ft. from its ~~N.W. Cor.~~⁴⁻¹ No.4. Course of long side north and south.

An adobe house, in course of construction; main part 22x34.8 ft. with an ell on north of 8x14 ft.; the S.E. Cor. of which bears S.70°58'W., 202.39 ft. from a point on ~~east side~~²⁻³ line of Nellie Lode N.2°37'30"E., 170.26 ft. from its ~~S.E. Cor.~~²⁻³ No.2. Course of long side east and west.

A one story plastered adobe house, 14x31 ft., the N.E. Cor. of which bears S.88°40'W., 197.21 ft. from a point on ~~East side~~²⁻³ line of Nellie lode, N. 2°37'30" E., 170.26 ft. from its ~~S.E. Cor.~~²⁻³ No.2. Course of long side east and west.

A one story frame house, 12.4 x 31.50 ft., the S.E. Cor. of which bears N. 83° 28' W., 209.25 ft. from a point on ~~east side~~ line²⁻³ of Nellie lode, N. 2° 37' 30" E., 170.26 ft. from its S.E. Cor.^{No. 2.} Course of long side north and south.

A canvas house, 13.6 x 16 ft., the S.E. Cor. of which bears N. 12° 46' W., 288.61 ft. from a point on ~~east side~~ line²⁻³ of Nellie lode, N. 2° 37' 30" E., 170.26 ft. from its S.E. Cor. Course of long side north and south.

INSTRUMENT.

This survey was made with Gurley Light Mountain Transit No. 12623.

The courses were deflected from the true meridian as determined by observation on Polaris at Western Elongation Dec. 2, 1916.

The distances were measured with 100 ft. and 500ft. steel tapes.

REPORT.

The north end line of the Nellie lode was run on a line 20 ft. north and parallel thereto. A tufa cliff, perpendicular, about 75 ft. high, projects over north end line about 10 ft.

Cor. No. 5, Homestead lode, Survey No. 2917 A. was destroyed by floods in Mineral Creek about 2 years ago.

All corners and end centers of the Nellie lode location were pine posts; the S. End Center was missing; all others badly decayed. I replaced all corners and end centers with new pine posts.

NOTE: The difference between these field notes and notes of Survey No. 2917-A. are due to errors in the latter.

ADJOINING CLAIMS.

This claim is adjoined on the south by the Homestead lode, Survey No.2917 A., and by the Wedge lode, unsurveyed, Bud.Neighbours, claimant; on the east by unsurveyed fraction, unknown claimant; and by conflict with Central No.6 lode, unsurveyed, R.R. Borrowdale and E.L. Pierce, claimants; on the north by conflict with Central No.6 lode, unsurveyed, R.R.Borrowdale and E.L.Pierce. claimants, and by the unsurveyed Bowman lode, Robert Jackson, claimant; on the west by the unsurveyed Bowman lode, Robert Jackson, claimant; by vacant ground of the United States and by Homestead lode, survey No. 2917.

Note: Robert Jackson, claimant of the unsurveyed Bowman lode, stated: Corners of the Bowman lode situated in Mineral Creek bottom, were washed out by floods 2 years ago, never replaced;hence could not show me his lines. Adjoining claims above, referring to the Bowman lode, unsurveyed, is his statement.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Gus. A. Streitz

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

Robert Jackson
known as the Nellie lode

and showing the respective capacities in which they acted.

E. C. Kunderman, Chairman.

Rex E. Lane, Chairman.

....., Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, E. C. Kunderman and Rex E. Lane

and....., do solemnly swear that we assisted Gus. A.

Streitz, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Robert Jackson

known as the Nellie lode

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

E. C. Kunderman, Chairman.

Rex E. Lane, Chairman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 6th

day of December, 1916

M. P. Fitch

Notary Public

(My commission expires May 24 1917)

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Gus A. Streitz, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated November 4, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Robert Jackson, known as the Nellie lode, situate in Mineral Creek Mining District, Pinal County, Arizona, in Section s Approx. 2 & 11, Township No. 3 S., Range No. 13 E., Unsur., and designated as Survey No. 3352, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Gus A. Streitz
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Gus A. Streitz
 U. S. ~~Deputy~~ Mineral Surveyor, before me K. M. Trent, a
Notary Public this 18th
 day of December, 1916.

K. M. Trent
Notary Public

(my commission expires June 19, 1920)

NOV. 4 - 1916

STATE OF ARIZONA, }
County of Pinal. } SS.

I, W. L. BROWN, County Recorder, in
and for the County of PINAL, State of Arizona, do hereby certify that the within and following is a full,
true and correct copy of NELLIE Mining Claim (Location Notice)
....., as the same appears of record in my office in Book
No. 24 of Mines Records, at page 340 thereof, or under File No.
.....; that I have compared the same with the original record, and that the same is a true tran-
script, and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the seal of my office, this
twenty-eighth day of October, 1916 19 at Florence, the County Seat.

(Seal)

..... W. L. BROWN,
County Recorder.
By *M. O. Benson*
Deputy Recorder.

NOTICE OF LOCATION.

NOTICE IS HEREBY GIVEN, That the NELLIE Mining Claim was located by ROBERT JACKSON on this 4th day of June, 1906, for mining purposes. Said claim is 1500 feet in length along this vein or deposit of Mineral Bearing rock in place, and 300 feet in width on each side of the center of said vein or deposit, from end to end of said claim.

The general course of this claim is northerly and southerly, and it is situated in the MINERAL CREEK Mining District, Pinal County, Arizona, about one mile north of the Ray Mine.

This claim runs from the discovery monument or stake, on which this notice is posted, 1300 feet in a northerly direction to the _____ center end monument or stake, and 200 feet in a southerly direction from the aforesaid location monument or stake, to the _____ center end monument or stake, and is also marked by two corner monuments or stakes, at each end of said claim, one on each side of and 300 feet from the center end monuments, or stakes, making the claim in the form of a parallelogram.

ROBERT JACKSON, Locator.

Witness:

John B. Sebreaan.

Filed and recorded at the request of ROBERT JACKSON, on August 28th, 1906, at one o'clock P. M.

E. B. Devine, Recorder,

By N. N. Wells, Deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

May 4, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

ROBERT JACKSON

known as the NELLIE LODGE

situate in MINERAL CREEK

Mining District, PINAL County, ARIZONA

in Sections approx. 2 & 11, Township No. 3 S., Range No. 13 E., unsur., and

designated as Survey No. 3352, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 shaft and 1 tunnel, value \$1115.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 4, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

ROBERT JACKSON

, known as the

NELLIE LODE

situate in MINERAL CREEK mining district,

PINAL County, ARIZONA.

in Section ~~s~~ approx. 2&11, Township No. 3 S., Range No. 13 E., unsur.

, designated as Survey No. 3352

executed by Gus A. Streitz, U. S. Deputy Mineral

Surveyor, December 1-5, 1916, under my instructions dated

November 4, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.