

OCT. 24 1917

FEB. 19 1918

5 hrs

5-21-1918 Copied ARC

(4-683.)

Mineral Survey No. 3421

Lot No. \_\_\_\_\_

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Arizona Brighampton Copper Company

KNOWN AS THE

Illinois, Tennessee, Brighampton Reaction, Leds

Agua Fria Mining District,

Yavapai County, Arizona

Section 31 Unsettled, Township 13 N, Range 2 E  
6 Unsettled, Township 12 N, Range 2 E

Surveyed under instructions dated Aug 2 - 1917

by William H. Bennett, U. S. Deputy Mineral Surveyor.

Claim located See Location notes, 1

Survey commenced Sept 28 - 1917

Survey completed Oct 7 - 1917

Address of Claimant

Anderson, Coleman & Nilsson, Atty's

Prescott, Arizona

12728  
6  
7

SURVEY No. 3421

BINGHAMTON FRACTION lode.

Beginning at cor. No. 1.

Identical with the loc. and with cor. 5 of the Illinois lode of this survey. A schist ledge 3x6x4 ft. chiseled

x-1BF-5I-3421 on sides facing these lodes, with mound of stone. Loc. cor. mound of stone 3x3 ft. No bearings available. Whence the WC 1/2 cor. secs. 6, T. 12 N., R. 2

E. and <sup>Sec.</sup> 1, T. 12 N., R. 1 E. bears N. 85° 11' W. 1930.54 ft.

Cor. 1, The Honey Moon lode, survey 2543 bears S. 18° 31' E. 643.82 ft.

Feet

Thence S. 74° 24' E. Va. 14° E.

300

To north center end. Identical with the loc. and with the south center end of the Illinois lode of this survey. A mound of stone 3x3 ft.

534

To cor. 2.

Identical with cor. 4 of the Illinois lode of this survey.

A schist stone 4x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-2BF-4I-3421 on sides facing these lodes. No bearings available.

Loc. cor. mound of stone 3x3 ft. bears S. 74° 24' E. 66 ft.

Thence S. 4° 12' E. Va. 14° E.

735

To cor. 3. Identical with corners. 3, Chenango and 1, Susquehanna lodes of survey <sup>No.</sup> 1694. A schist stone 3x8x12 ins. in mound of stone. Marked x-3C-1S-1694 on sides facing these lodes. I chiseled 3BF-3421 on side facing this lode. No bearings available.

Thence S. 5° 20' W. Va. 14° E.

770

To point for cor. 4 in wash 25 ft. wide course S. 45° W. Identical with cor. 2 of Susquehanna lode of survey <sup>No.</sup> 1694. No bearings available. Loc. cor. mound of stone 3x3 ft. bears S. 74° 24' E. 66 FT.

S U R V E Y No. 3421 -continued

BINGHAMTON FRACTON lode -continued

- Cor. 1, Kid lode, survey 2543 bears N.33° 39' W. 183.6 ft. W C, hereafter described, bears N.74° 24' W.36 ft.
- Feet Thence N. 74° 24' W. Va. 14° E.
- 36 To WC for cor. 4. A schist stone 4x10x30 ins. set 15 ins. in the ground with mound of stone. Chiseled x-WC-4BF-3421 on side facing point for corner.
- 144.18 Intersect line 4-1 of Kid lode, survey 2543 at S. 18° 2' W. 119.95 ft. from cor. 1.
- 234 To south center end. Identical with the loc. A mound of stone 3x3 ft.
- 534 To cor. 5. Identical with the loc. A schist stone 4x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-5BF-3421 on side facing this lode. No bearings available. Loc. cor. mound of stone 3x3 ft.
- Thence N. 00° 41' E. Va. 14° E.
- 214.18 Intersect line 1-2 of The Honey Moon and line 2-3 of Kid lodes of survey 2543 at S. 18° 2' W. 709.91 ft. from cor. 1, The Honey Moon, and S.18° 2' W. 59.91 ft. from cor. 2, Kid. Cor. 2 of said Kid lode is N. 56° 13' W. 471 ft. from cor. 1 thereof.
- 957.93 Intersect line 4-1 of The Honey Moon lode of survey 2543 at N. 71° 58' W. 221.79 ft. from cor. 1.
- 1499.8 To cor. 1, the place of beginning.

ILLINOIS lode.

Beginning at cor. 1. Identical with the loc. and on line 1-2 of Binghamton Copper lode of survey 1694. Identical with cor. 3 of Tennessee lode of this survey. A schist stone 3x14x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-11-3T-3421 on sides facing these lodes. No bearings available. Loc. cor. mound of stone 3x3 ft. Whence  $\frac{1}{4}$  cor. sec. 31, T. 13 N., R. 2 E. bears N.21° 58 $\frac{1}{2}$ ' E. 1440.82 ft.

SURVEY No. 3421 -continued. Y & W V 3  
ILLINOIS lode -continued. 6601 2001 MI

Feet Thence S.  $16^{\circ} 46'$  E. Va.  $14^{\circ}$  E. 744  
To cor. 2. Identical with cors. 2, Binghamton Copper  
and 1, Chenango lodes of survey 1694.  
A schist stone 3x15x15 ins. in mound of stone and marked  
x-B2-C1-1694, on sides facing these lodes. I chiseled 2I-  
3421 on side facing this lode. No bearings available.

Thence S.  $22^{\circ} 29'$  E. Va.  $14^{\circ}$  E. 513  
To cor. 3. Identical with cor. 2 of Chenango lode of  
survey 1694. A schist stone 3x10x20 ins. in mound of stone  
Marked x-C2-1694. I chiseled 3I-3421 on side facing this  
lode. No bearings available.

Thence S.  $4^{\circ} 12'$  E. Va.  $14^{\circ}$  E. 214  
To cor. 4. Identical with cor. 2 of Binghamton Fraction  
lode of this survey, hereinbefore described.  
Loc. cor. mound of stone 3x3 ft. bears S.  $74^{\circ} 24'$  E. 66 ft.

Thence N.  $74^{\circ} 24'$  W. Va.  $14^{\circ}$  E. 234  
South center end. Identical with the loc. and with the  
north center end of the Binghamton Fraction lode of this  
survey, hereinbefore described.

534 To cor. 5. Identical with the loc. and with cor. 1 of  
the Binghamton Fraction lode of this survey, hereinbefore  
described.

Thence N.  $19^{\circ} 4'$  W. Va.  $14^{\circ}$  E. 1103.26  
Intersect south end line of Moscow lode, unsurveyed, at  
S.  $84^{\circ} 7'$  W. 50.08 ft. from the SE cor.

1499.72 To cor. 6. Identical with the loc. and with cor. 4 of  
the Tennessee lode of this survey.

S U R V E Y No. 3421 -continued.

ILLINOIS lode -continued.

A schist stone 3x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-6I-4T-3421 on sides facing these lodes. No bearings available. Loc. cor. mound of stone 3x3 ft. Whence CC secs. 6, T.12 N., R.2 E. and -IS cor. 1, T.12 N., R.1 E. bears N.50° 40' W. 1853.63 ft.

Feet Thence S. 74° 24' E. Va. 14° E.

150.97 Intersect east side line of the Moscow lode, unsurveyed, at N.5° 53' W. 330.71 ft. from the SE cor.

300.30 North center end. Identical with the loc. and with the south center end of the Tennessee lode of this survey.

A mound of stone 3x3 ft. The SE cor. of the Moscow lode, unsurveyed, bears S.20° 47' W. 309 ft.

600 To cor. 1, the place of beginning.

TENNESSEE lode

Beginning at cor. 1. Identical with the loc. and on line 1-2 of the Copper Ruin lode of survey 1694.

A schist stone 3x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-1T-3421. No bearings available. Loc. cor. mound of stone 3x3 ft. Whence  $\frac{1}{4}$  cor. sec 31, T.13 N., R.2 E. bears S.83° 8 $\frac{1}{2}$ ' E. 935.62 ft.

The NE cor. Moscow and SE cor. of an unknown lode, unsurveyed, bears S. 22° 7' W. 380.30 ft.

Thence S.13° 30' E. Va. 14° E.

114.91 Intersect sec. line between secs. 6, T.12 N., R.2 E. and 31, T.13 N., R.2 E. at east 1648.80 ft. from CC secs. 6-1 and west 902.10 ft. from  $\frac{1}{4}$  cor. sec. 31.

782. To cor. 2. Identical with cors. 2, Copper Ruin and 1, Binghamton <sup>Copper</sup> lodes of survey 1694.

A schist stone 3x14x12 ins. in mound of stone and marked x-CR2-B1-1694 on sides facing these lodes. I chiseled 2T-3421 on side facing this lode.

## S U R V E Y No. 3421 -continued.

## TENNESSEE lode -continued.

Feet           Thence S.16° 46' E. Va. 14° E.  
718       To cor. 3. Identical with the loc. and with cor. 1 of  
the Illinous lode of this survey, hereinbefore described.  
Loc. cor. mound of stone 3x3 ft.

                  Thence N. 74° 24' W. Va. 14° E.  
300       South center end. Identical with the loc. and with the  
north center end of the Illinous lode of this survey,  
hereinbefore described.

449.03   Intersect east side line of Moscow lode, unsurveyed, at  
S. 5° 53' E. 979.96 ft. from the NE cor.

600       To cor. 4. Identical with the loc. and with cor. 6 of  
the Illinous lode of this survey hereinbefore described.  
Loc. cor. mound of stone 3x3 ft.

                  Thence N. 4° 13' W. Va. 14° E.  
925.06   Intersect north end line of the Moscow lode, unsurveyed,  
which is also the south end line of an unknown lode, un-  
surveyed, at S.84° 7' W. 113.58 ft. from the NE cor. of  
the Moscow lode, which is also the SE cor. of the unknown  
lode.

1177.98   Intersect sec. line between secs. 6, T.12 N., R.2 E.  
and 31, T.13 N., R.2 E. at east 1347.21 ft. from the CC  
secs. 6-1 and west 1203.69 ft. from the  $\frac{1}{4}$  cor. sec. 31.

1370.91   To cor. 5. Identical with the loc. A schist stone 5x10x  
24 ins. set 12 ins. in the ground with mound of stone.  
Chiseled x-5T-3421 on side facing this lode. No bearings  
available. Loc. cor. mound of stone 3x3 ft. Whence CC sec.  
6, T. 12 N., R.2 E. and sec. 1, T.12 N., R.1 E. bears S.81°  
47' W. 1346.84 ft.

                  Thence S.74° 24' E. Va. 14° E.  
176       Intersect east side line of an unknown lode, unsurveyed,  
at N.3° 31 $\frac{1}{2}$ ' E. 386.40 ft. from the SE cor.  
300       To cor. 1, the place of beginning.

S U R V E Y No. 3421 -continued.

LODE LINES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Binghamton Fraction lode, 420 ft. N.0° 41' E., and 1079.8 ft. S.0° 41' W.

Illinois lode, 55 ft. N.19° 4' W., and 1444.72 ft. S. 19° 4' E.

Tennessee lode, 1474.42 ft. N.15° 4' W., and 25 ft. S.15° 4' E.

AREA

Total area, Binghamton Fraction lode.....18.842 acres.

Area in conflict with

Sur. 2543, The Honey Moon lode...1.807

Sur.2543, Kid lode .....1.862

Total area, Illinois lode .....16.413

Area in conflict with

Moscow lode, unsurveyed.....0.755

Total area, Tennessee lode.....12.956

Area in conflict with

Moscow lode, unsurveyed.....2.786

unknown lode, unsurveyed.....1.344

LOCATION

This survey is located in the W 1/2 of sec.6, unsurveyed, T.12 N., R. 2 E. and in the SW 1/4 of sec. 31, unsurveyed, T.13 N., R. 2 E. G.&S.R.M. in the Agua Fria Mining District. Yavapai County, Arizona.

S U R V E Y No. 3421 -continued.

ADJOINING CLAIMS

This claim is bounded on the east by the Copper Ruin, Binghamton Copper, Chenango and Susquehanna lodes of survey 1694. On the south by U.S. land and by Kid lode of survey 2543. On the west by Kid and The Honey Moon lodes of survey 2543, by U.S. land, and by the Moscow and an unknown lode, unsurveyed, claimant unknown.

On the north by an unknown lode, unsurveyed, claimant unknown; and by U.S. land.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations in this claim, by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of;

BINGHAMTON FRACTION lode.

No. 1. The discovery shaft which is on the lode line 420 ft. from the north center end. 4x10x8 ft. Value \$80.

No. 2 shaft, a common improvement, which bears from cor. 2, S.9° 30' W. 395 ft. 4x6x75 ft. Value \$1500. 1/3 (\$500) is credited to this claim.

Total improvements credited to this claim.....\$580.

ILLINOIS lode.

No. 1. The discovery shaft which is on the lode line 55 ft. from the north center end. 4x6x8 ft. Value \$65.

No.2. A shaft which bears from cor. 2, S.88° 15' W. 310 ft. 4x6x10 ft. Value .....\$100.

No. 3. A shaft which bears from cor. 2, S.81° 45' W. 312 ft. 4x6x10 ft. Value .....\$100.

From shaft No. 2, Binghamton Fraction lode, a common improvement, 1/3 (\$500) is credited to this lode.

Total improvements credited to this lode.....\$765.

S U R V E Y No. 3421 -continued.

EXPENDITURE OF FIVE HUNDRED DOLLARS -continued.

TENNESSEE lode.

No. 1. The discovery shaft which is on the lode line 25 ft from the south center end. 4x6x8 ft. Value \$65.

No. 2. A shaft which bears from cor. 3, N.39° 30' W. 205 ft. 4x10x8 ft. Value .....\$80.

No.3. A cut, the face of which bears from cor. 3, N.49° W. 315 ft., 4 ft. wide, 10 ft. face, running N.24°E. 20 ft. to the mouth. From the face is a tunnel 4x6 ft. running S.24° W. 20 ft. Value of cut and tunnel \$190.

From shaft No. 2, Binghamton Fraction lode, a common improvement, 1/3 (\$500) is credited to this lode.

Total improvements credited to this lode.....\$835.

---

INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were determined by direct Solar observations. The distances were measured with 100 ft. and 500 ft. steel tapes.

---

REPORT.

The lode lines of these claims were run direct upon the ground and the corners were established by means of offsets from the lode lines. The tie lines were run direct upon the ground.

All old patent corners mentioned and to which ties were made were found to be stones properly marked and set with mound of stone, except cor. 2 of the Susquehanna lode, survey 1694, which was a properly marked stone lying loose in a wash.

The loc. monuments of the Moscow lode and of the unknown lode conflicting with the Tennessee lode were mounds of stone 3x3 ft.

S U R V E Y No. 3421 -continued.

REPORT -continued.

This claim is located on rolling ground and by drifting from shaft No. 2 of the Binghamton Fraction lode all the claims can be developed.

The WC $\frac{1}{4}$  sec. 6 is a malpais stone 4x10x10 ins. properly marked. The CC secs. 6-1 is a quartz stone 8x8x6 ins. properly marked. The  $\frac{1}{4}$  sec.31 is an iron pipe properly marked.

*William H. Merrill*  
U. S. Mineral Surveyor.

OCT 21 1917

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by William H. Merritt  
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

known as the Arizona Binghamton Copper Company  
Illinois, Tennessee, & Binghamton Franchi lodes  
and showing the respective capacities in which they acted.

\_\_\_\_\_, Chainman.  
H R Powell, Chainman.  
\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, J H R Powell  
and \_\_\_\_\_, do solemnly swear that we assisted William H Merritt  
Merritt, United States Mineral Surveyor, in marking the corners and surveying  
the boundaries of the mining claim of Arizona Binghamton Copper Company  
known as the Illinois, Tennessee & Binghamton Franchi lodes  
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
tions furnished by the United States Surveyor-General for Arizona

H R Powell, Chainman.  
\_\_\_\_\_, Chainman.  
\_\_\_\_\_, Axman.  
\_\_\_\_\_, Flagman

Subscribed and sworn to by the above-named persons before me this 23<sup>rd</sup>  
day of October, 1917

J M M Moore  
Notary Public

My commission expires Feb 23 1920

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, William H. Merrill, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
Aug 22 - 1917, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of Arizona Binghamton Copper Company,  
known as the  
Illinois, Linnesse & Binghamton Macchi,  
situate in Agua Fria Mining District,  
Yavapai County, Arizona, in Section  
14, Township No. 12 N., Range No. 2 E  
3 1/2 " " 13 N. " " 2 E  
and designated as Survey No. 3421, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or its grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

William H. Merrill  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said  
U. S. Mineral Surveyor, before me  
Public  
day of October, 1917

W. H. Merrill  
J. M. N. Moore a Notary  
this 23  
rd

J. M. N. Moore  
Notary Public

My commission expires FEB 23 1920

# Notice of Mining Location

"Illinois"  
"

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the ILLINOIS

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

John A. Martin

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1st day of Jan, 1902

The length of this claim is 1500 feet,  
and I claim 1000 feet,  
in a northerly direction and

500 feet in a southerly direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
three hundred (300) feet in width of the surface grounds, on each  
side of the center of said ~~claim~~ claim. The general course of the lode deposit and premises is from the

northerly to the southerly

The claim is situated and located in the Agua fria Mining District,  
Territory

in Yavapai County, in the ~~State~~ of Arizona, about 5 miles

in a North East direction from Jos Mayer, and west  
of the Binghamton shaft, and south end Butts on the Vergina

The surface boundaries of the claim are marked upon the ground as follows: Beginning at  
a monument of stones

at a point in a northerly direction 1,000 feet from  
the discovery shaft (at which this notice is posted), being in the center of the north  
end line of said claim; thence wasterly 300 feet to a monument  
of stones, being the northeast corner of said claim;  
thence southerly 1500 feet to a monument of stones, being at the  
southeast corner of said claim; thence westerly 300 feet  
to a monument of stones at the center of the south end of said claim;  
thence westerly 300 feet to a monument of stones, being at the  
southwest corner of said claim; thence northerly 1500  
feet to a monument of stone at the northwest corner of  
said claim; thence easterly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the  
United States, and of an Act of the General Assembly of Arizona, entitled "An Act ~~to~~ to ~~provide~~  
~~for the location of mining claims~~ Concerning Mines"  
approved March 20th, 1895, and amended March 2d, 1899, and March 16, 1901.

Dated and posted on the ground this 1st day of January, 1902

WITT. L. P. Nellis  
J. A. Joyner

John A. Martin

14

County of .....

ss.

I, \_\_\_\_\_, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at \_\_\_\_\_ o'clock \_\_\_\_\_ M., on this \_\_\_\_\_ day of \_\_\_\_\_, 191\_\_\_\_, and duly recorded in Book No. \_\_\_\_\_ of \_\_\_\_\_ Records of \_\_\_\_\_ County, Arizona, at pages \_\_\_\_\_

Witness my hand and official seal the day and year first above written.

County Recorder

# Notice of Location

## LODE CLAIM

Dated \_\_\_\_\_, 191\_\_\_\_

Recorded at request of \_\_\_\_\_

J. A. Martin

January 30<sup>th</sup>, A. D. 1902.


*Filed At 10:45 Clock A. M.*

Book \_\_\_\_\_ of Mines \_\_\_\_\_

Page \_\_\_\_\_ 530 RECORDS OF YAVAPAI COUNTY, ARIZONA

P. J. Farley  
County Recorder

By D. J. Sullivan  
Deputy \_\_\_\_\_



This diagram is to give the locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

"Tennessee"

# Notice of Mining Location

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the TENNESSEE

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by John A. Martin, a citizen of the U. S.

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1st day of Jan., 1902

The length of this claim is 1500 feet,  
and I claim 1400 feet,  
in a northw direction and  
100 feet in a southw direction from  
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with  
300 feet in width of the surface grounds, on each  
side of the center of said claim. The general course of the lode deposit and premises is from the  
north to the south

The claim is situated and located in the Augafria Mining District,  
in Yavapai County, in the ~~State~~ of Arizona, about 5 miles  
in a northw direction from Jos. Mayers and is a  
north extension of the Illinois

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

" " "  
" " "  
at a point in a south direction 100 feet from  
the discovery shaft (at which this notice is posted), being in the center of the south  
end line of said claim; thence 300 feet to a monument  
of stone, being the southwest corner of said claim;  
thence 750 feet to a monument of stone at the center of the west side  
thence 750 feet to a monument, being at the  
northwest corner of said claim; thence 300 feet  
to a monument at the center of the north end of said claim;  
thence 300 feet to a monument, being at the  
northeast corner of said claim; thence 750 feet to a monument  
at the center of the east side line of said claim, thence 750  
feet to a monument at the southeast corner of  
said claim; thence 300 west feet to the place of the beginning.

line of said claim  
~~thence~~

side

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act ~~to revise and~~ ~~codify the laws of the Territory of Arizona~~ approved ~~March 10, 1901~~ March 20th, 1895 Concerning Mines" approved March 20th, 1895, and amended March 2d, 1899.  
Dated and posted on the ground this 1st day of January, 1902

J. A. Jayner  
Witt. L. P. Nellis

John A. Martin

County of .....

I, ....., County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at .....o'clock.....M., on this.....day of....., 191....., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

Witness my hand and official seal the day and year first above written.

County Recorder

# Notice of Location

## LODE CLAIM

Dated....., 191.....  
Filed and Recorded at request of

J. A. Martin

January 30, A. D. 1902


at 10:45 *islack* A. M.

Book 60 of Mines

Page 528 RECORDS OF YAVAPAI COUNTY, ARIZO

P. J. Farley  
County Recorder

*(Seal)*  
By D. J. Sullivan  
Deputy Recorder



This diagram is to give the locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# Notice of Mining Location

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN: relocation

This Mining Claim, the name of which is the Binghamton fraction

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by John A. Martin

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the first day of June, 1908

The length of this claim is 1500 feet, and I claim 400 feet, in a northerly direction and

1100 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

three hundred (300) feet in width of the surface grounds, on each side of the center of said ~~claim~~. The general course of the lode deposit and premises is from the

northerly to the southerly

The claim is situated and located in the Agua Fria Mining District, Territory in Yavapai County, in the ~~State~~ of Arizona, about 100 feet in a northerly direction from the Agua Fria River and joins on the west side of the Stoddard mining Co's patented claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a northerly direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones being at the northwest corner of said claim; thence easterly 300 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act ~~to locate and~~ concerning mines ~~in the Territory of Arizona~~ approved March 20th, 1895, and amended March 2d, 1899, and March 16th, 1901 Dated and posted on the ground this first day of June, 1908

John A. Martin



STATE OF ARIZONA     )  
                               :   SS  
 COUNTY OF YAVAPAI    )

I, EDITH RUFFNER, County Recorder in and for the aforesaid County of Yavapai and State of Arizona, and Custodian of the Records of such Office; DO HEREBY CERTIFY that I have compared the foregoing Copies with, and that the same are full, true, and correct Copies of the Original Location Notices of the ILLINOIS, <sup>omitted from survey</sup> VERGINIA and TENNESSEE, " " Lode Mining Claims, as the same appear of record in Book 60 of Mines, at Pages 530, <sup>omitted</sup> 529 and 528, respectively, also of the Binghamton Fraction, Lode Mining Claim as the same appears of record in Book 84 of Mines at Page 582, all of the records of my said office.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 25th day of July, 1917.

Edith Ruffner  
 COUNTY RECORDER  
 OF  
 YAVAPAI COUNTY  
 ARIZONA



By Ralph Butler  
 Deputy Recorder

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

June 20, 1918

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

ARIZONA BINGHAMTON COPPER COMPANY,

known as the ILLINOIS, TENNESSEE, BINGHAMTON FRACTION Lodes,

situate in AGUA FRIA

Mining District, YAVAPAI County, ARIZONA,

in Section 31 Unsur., Township No. 13 N., Range No. 2 E.,

designated as Survey No. 3421, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved for each of the mining claims by claimant or its grantors, and that said improvements consist of 7 shafts, 1 cut and 1 tunnel, total value \$2180.

As improvement No. 2 on the Binghamton Fraction lode is a common improvement for the benefit and development of each of the claims in this group, an undivided one-third interest therein, value \$580, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD  
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 20, 1918

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of

ARIZONA BINGHAMTON COPPER COMPANY,

, known as the

ILLINOIS, TENNESSEE, BINGHAMTON FRACTION Lodes,

situate in AGUA FRIA mining district,

YAVAPAI County, ARIZONA,

in Section ~~6~~ <sup>31</sup> ~~unsur.~~, Township No. ~~12~~ <sup>13</sup> ~~N.~~, Range No. ~~2~~ <sup>2</sup> ~~E.~~,

, designated as Survey No. 3421

executed by William H. Merritt, United States Mineral

Surveyor, Sept. 28-Oct. 7, 1917, under my instructions dated

Aug. 2, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona,