

1A
UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)
M.S. 3448

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Chloride Starr lode, Mineral Survey 3448, located in section 3,
T. 23 N., R. 18 W., Gila and Salt River Meridian, Arizona, is hereby cancelled.

This claim has not been filed with the Arizona State Office, Bureau of Land
Management, in accordance with Section 314 of 43 U.S.C. 1744.

This cancellation was necessitated by a need to survey section 3 as requested
by the Kingman Resource Area of the Phoenix District.

February 1, 1988



Chief Cadastral Surveyor of Arizona

copied 6-19-18

Nov 5, 1916

Plotted NOV 5-1917

Jan 22 1918

Apr 16 1918

MINERAL SURVEY No. 3448

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Dora M. Parisia

KNOWN AS THE

Chloride Starr Lode

Wallapai Mining District,

Mohave County, Arizona.

Section 3., Township 23 N., Range 18 W.G.&S.R.M.

Surveyed under instructions dated Oct. 23rd, 1917, 19

by E. Everett. U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced October 26th, 1917

Survey completed October 31st, 1917

Address of claimant Chloride, Arizona.

DATES OF AMENDED LOCATIONS.

no 3, 4, 33, 34

Chloride
Sur.No.3448, Starr Lode.

Feet. Beginning at Cor.No.1.

A cross on the north end of a granite outcrop 20x30 ft, 1 ft above ground, chiseled 1/3448 C.S. whence the corner to sec. 2 and 3 and 34 and 35 T.23 and 24 N. R.18 W. G.&S.R.M. bears N.86°22'30" E. 4981.5 ft.

The N.W. Cor. Sec.3. T.23 N.R.18 W. G.& S.R.M. bears N.43°26'W. 655.55 ft.

A higher part of the outcrop 4x6 ft 10 ft high, chiseled X B.R. 1/3448 C.S. bears S.54°51'W.17.1 ft

The N.E. Cor. Billy Sunday lode, Unsurveyed, bears N.82°52'W.39.35 ft. Claimant unknown.

Thence S.82.52'E.

850. To Cor No.2.

A schist rock 2.9x.9x.5 ft set 1.5 ft in the ground with mound of earth and rock, chiseled 2/3448 C.S. whence The N.W. Cor. Limekiln Lode, unsurveyed, claimant unknown, bears S.82°52'E. 7.27 ft. No bearings are available.

Thence S.8°46' W.

293.07 To East end Center.

A granite rock 2.3x.4x1 ft ,set 1 ft in the ground with mound of earth and rock, chiseled E.E.C. 3448 C.S. Whence no bearings are available.

418. A.T.&S.F.R.R. Track, course N.77°E.

593.19 To Cor.No.3.

A granite rock 2.2x .6x.8 ft ,set one foot in the ground, with mound of earth and rock, chiseled 3/3448 C. S. whence a a rock 10x10 ft, 6 ft high, chiseled x B.R. 3/3448 C.S. bears N.47°54'E 15.7 ft.

Thence N.82°52'W.

511. A.T.&S.F.R.R. track, course N.77°E.

850. To Cor NO.4.

A granite rock 2.x.6x.8 ft set 1 ft in the ground, with mound of earth and rock, chiseled 4/3448 C.S. whence No bearings are available.

Thence N.8°46'E.

300.12 To west end center.

A granite rock 2x.8x.5 ft set 1 ft in the ground with mound of earth and rock, chiseled W. E. C. 3448 C. S.

Whence no bearings are available.

593.19 To Cor. No. 1. the place of beginning.

Variation at all corners 16°09'E.

Lode Line.

As near as can be determined from present developments the vein on the Chloride Starr runs S. 82°52'E. 300 ft and N. 82°52'W. 550^{ft.} from the discovery shaft.

Area.

Total area Chloride Starr Lode 11.570 acres.

Location.

This survey is located in the N.W. 1/4 Sec. 3 T. 23 N. R. 18 W. G. & S. R. M.

Expenditure of Five Hundred Dollars.

I hereby certify that the value of the labor and improvements made upon this claim, placed thereon by the claimant or her grantor is not less than five hundred dollars and that said improvements consist of

No. 1. The discovery shaft, on the lode line 300 ft from the east end center, inclined, dip. 70° N., 4.5 x 6.5 ft 54 feet deep.

Value. \$500.00

Other Improvements.

1 A frame building 24x32 ft, the S.W. cor of which bears from Cor. No. 4. N. 5°40' E. 127 ft Course long side N. 85°E.

2 A frame building, 18x26 ft, the S.W. Cor. of which bears from Cor. No. 4. N. 27°50'E. 191 ft Course long side N. 80°E.

3 A frame building 16x28 ft, the S.W. Cor. of which bears from Cor. No. 4 N. 78°46'E. 110 ft. Course long side N. 78°E.

4 Claimants to above, unknown.

A cement and frame building 26x40 ft, the N.E. Cor of which bears from Cor. No. 4, S. 81°E. 200 ft, Course long side N. 77°E.

Chloride Store Co. Claimant.

3 A frame warehouse 20x40 ft ,the S.W.Cor.of which bears from Cor.No.4. N.83°E.278 ft,course long side N.77°E.

Geo.A.Bonnelli,claimant.

6 A frame building 30x30 ft, the S.W.Co r.of which be ars from Cor.No.4.N.72°45'E. 294 ft. Course south side N.75°E

Clai mant unknown.

7 A frame depot,20x70 ft,the S.W.Cor. of which bears from Cor.No.4. S.82°50'E. 401 ft. Course long side N.70°E.

A.T.&.S.F.RR Clai mant§

8 A frame building 18x48 ft,the S.W.Cor. of which bears from Cor.No.4.N.75° E. 494. ft Course long side N.7°E.

Applicant herein ,claimant.

Instrument.

This survey was made with a buff and berger Transit,No. 901 The courses were deflected from the true merid- ian as determined by direct solar observations. The distances were measured with 400 ft and 6 ft steel tapes

Report.

The lines of this survey were run directly upon the ground . The tie line was determined by traverse run upon the ground and submitted in a separate report here- with

The corner to Secs 3 and 4 T.23 N.R.18 W.G.&.S.R.M. is a 2" pipe of iron with brass cap, stamped

4 13
|
1

& 24

The Cor. to Seds 2,3,34,35 T.23, N.R.18 W. G.&.S.R.M. is

34 35

a 2 inch pipe of iron with brass cap, stamped T.23,24 N.R.18 W.

3 2

E. Everett

U.S. Mineral Surveyor.

Chloride Store Co. Claimant.

A frame warehouse 20x40 ft, the S.W. Cor. of which bears from Cor. No. 4. N. 83° E. 278 ft, course long side N. 77° E.

Geo. A. Bonnell, claimant.

A frame building 30x30 ft, the S.W. Cor. of which bears from Cor. No. 4. N. 72° 45' E. 294 ft. Course south side N. 75° E.

Claimant unknown.

A frame depot, 20x70 ft, the S.W. Cor. of which bears from Cor. No. 4. S. 82° 50' E. 401 ft. Course long side N. 7° E.

A. T. & S. F. RR Claimant.

A frame building 18x48 ft, the S.W. Cor. of which bears from Cor. No. 4. N. 75° E. 494 ft. Course long side N. 8° E.

Applicant herein, claimant.

Instrument.

This survey was made with a buff and Berger Transit, No. 301. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 400 ft and 6 ft steel tapes.

Report.

The lines of this survey were run directly upon the ground. The tie line was determined by traverse run upon the ground and submitted in a separate report here- with

The corner to Secs 3 and 4 T. 23 N. R. 18 W. G. & S. R. M.

is a 2" pipe of iron with brass cap, stamped
4 1/2

The Cor. to Secs 3 and 4 T. 23 N. R. 18 W. G. & S. R. M. is

a 2 inch pipe of iron with brass cap, stamped
3

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by E. Everett
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Dora M. Parisia
 known as the Chloride Starr Lode
 and showing the respective capacities in which they acted.

Willard Teller , *Chainman.*
 , *Chainman.*
 , *Axman.*
 , *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Willard Teller
~~and~~ , do solemnly swear that ~~we~~ I
E. Everett , United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Dora M. Parisia
 known as the Chloride Starr Lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction ; and that said survey has been in all respects, to the best of ~~our~~ my knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

Willard Teller , *Chainman.*
 , *Chainman.*
 , *Axman.*
 , *Flagman.*

Subscribed and sworn to by the above-named persons before me this

day of October 31st, 1917

A. M. MacDougal
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, E. Everett, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
Oct. 23rd, 1917, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Dora M. Parisia,
known as the
Chloride Starr Lode,
situate in Walla pa i Mining District,
Mohave County, Arizona, in Section
3, Township No. 23 N., Range No. 18 W.G. & S.R.M.,
and designated as Survey No. 3448, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or her grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

E. Everett
U. S. Mineral Surveyor.

Subscribed and sworn to by the said E. Everett
U. S. Mineral Surveyor, before me a notary public in and for Mohave
County this 31st
day of October, 1917

A. M. MacDuffee
Notary Public.

Amended Location Certificate

OCT. 23 1917

KNOW ALL MEN BY THESE PRESENTS: That C. A. Parisa

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Chloride Mining District, hereby make and file this amended location of the Chloride Starr Lode, claiming by right of discovery, location, primal appropriation and possession 850.00 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and silver and other valuable minerals, with all dips, variations and angles, the same being 550 feet along the ledge in a N. 82° 52' W. direction from the discovery ~~shaft~~ shaft 300 feet along the ledge in a S. 82° 52' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Chloride Mining District, County of Mohave, State of Arizona, in Sec 3. T. 23 N. R. 18 W. and more particularly described as follows, to-wit:

Beginning at the N. W. cor. No. 1 whence the cor. to secs 3, 4, 33, and 34, T. 23 N. R. 18 W. G. & S.R.M. bears N. 43° 26' W. 655.55 ft. Thence S. 82° 52' E. 850 ft to the N.E. cor. No. 2. Thence S. 8° 46' W. 293.07 ft to the E. end Center and 593.19 ft to the S.E. cor. No. 3. Thence N. 82° 52' W. 850 ft. to the S.W. cor. No. 4. Thence N. 8° 46' E. 300.12 ... to the W. end center and 593.19 ft to the N.W. cor. No. 1, the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made Dec. 13th, 1898 recorded March 13th, 1898, in Book N, Page 697, of Quartz Locations, in the office of the Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting correcting any irregularities, informalities or errors, supplying omissions and ~~corrections and~~ any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery December 13th, A. D. ~~19~~ 1898
Date of Amended Location October 16th, A. D. 19 17.

Attest: Dora M. Parisia.

Recorded at the request of Bruce Glidden, at 9 minutes past A o'clock A.M.,
October 20th, 1917, in Book SS of Mining Claims, Page 373, Records of
H. L. Underwood,

Mohave County, Arizona.

County Recorder.

By Justin Fraser,

Deputy.

STATE OF ARIZONA }
County of Mohave } ss.

I, H. L. Underwood,, Recorder of Mohave County, State of Arizona,
do hereby certify that I have compared the foregoing copy Amended Location Certificate
of Chloride Starr Lode mining claim,.....
and of the endorsement thereon with the original records of the same on file in this office, and
that the same are correct transcripts therefrom and of the whole
of said original records.

WITNESS my hand and the seal of said office this 20th
day of October, 1917.

H. L. Underwood

Recorder of Mohave County, Arizona.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

July 10, 1918.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Dora M. Parisia

known as the CHLORIDE STARR Lode

situate in Wallapai

Mining District, Mohave County, Arizona

in Section 3, Township No. 23 N, Range No. 18 W., and

designated as Survey No. 3448, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or her grantors, and that said improvements consist of 1 shaft, value \$500.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 10, 1918

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Dora M. Parisia

, known as the

CHLORIDE STARR Lode

situate in Yallapai mining district,

Mohave County, Arizona

in Section 3, Township No. 23 N, Range No. 18 W.

, designated as Survey No. 3448

executed by E. Everett, United States Mineral

Surveyor, October 26 - 31, 1917, under my instructions dated

October 23, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona