

Platted

Comp. 1

Copied 11-22, 1918,

A L H

JUN 4- 1918

JUN 4 1918

(4-683.)

Mineral Survey No. 3496

Lot No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

HACKBERRY CONSOLIDATED MINING CO.,

KNOWN AS THE

PROTECTION, PROTECTION #1 & PROTECTION # 2 lodes

Peacock

Mining District,

MOHAVE

County, ARIZONA

Section 28, Township 23 N., Range 14 W.

Surveyed under instructions dated April 2, 1918,

by LEON H. FOSTER,

U. S. Deputy Mineral Surveyor.

Claim located see location notices, 1

Survey commenced April 15th, 1918

Survey completed May 29th, 1918

o 6-100

Address of claimant

W. M. Neagle, SUPT.
Hackberry, Arizona.

PROTECTION located May 10th 1913

" #1 " Nov. 17th. 1917

" #2 " " " "

Survey No. 3496
Protection lode

feet

Beginning at Cor. No. 1

Identical with the location and with Cor. No. 3
Hackberry South lode, Lot No. 37. 44 Lot No. 37

A redwood post, 4 ins. square, 4 ft. long, with a
nail at the exact corner, set 15 ins. in the ground, in a
mound of earth and stone, scribed P-I-3496.

The 1/4 corner between sections 27-28, T. 23 N. R.
14 W. G. & S. R. B. & M. bears N. 17° 36' 30" E. 550.10

A pinon tree, 6" dia. at the base, blazed on the
northerly side, scribed P-I-3496, bears S. 33° 30' E.
17.20 ft.

Thence S. 48° 53' W.

286.10

To the southeasterly end center of the location.

A redwood post, 4 ins. square, 4 ft. long, with a
nail at the exact point, set 15 ins. in the ground, in a
mound of earth and stone, scribed 3496.

The discovery cut bears N. 41° 07' W. 1460.00 ft.

566.10

To Cor. No. 2.

Identical with the location and with Cor. No. 1
Protection No. 1 lode, this survey.

A redwood post, 4 ins. square, 4 ft. long, with a
nail at the exact corner, set 15 ins. in the ground, in a
mound of earth and stone, scribed P-2-3496.

Thence N. 41° 07' W.

1500.00

To Cor. No. 3.

Identical with the location and with Cor. No. 4
Protection No. 1 lode and Cor. No. 2, Protection No. 2
lode, both of this survey and Cor. No. 2, Sunshine No. 2
lode, Sur. No. 2598A.

A granite stone, 6 ins. wide, 10 ins. long, 12 ins.
above ground, with a cross chiseled at the exact corner
and scribed P-3-3496.

Thence N. 48° 53' E.

150.00

Cross northwest and southeast road.

Survey No. 3496
Protection Node

feet

280.00 To the northwesterly end center of the location.
A redwood post, 4 ins, square, 4 ft. long, with a nail at the exact point, set 15 ins. in the ground, in a mound of earth and stone, scribed 3496.

The discovery cut bears S. 41° 07' E. 40.00 ft.

300.00 To the southeasterly end center of the Sunshine No. 2 lode, Sur. No. 2598A.

552.10 To Cor. No. I, Sunshine No. 2 lode and Cor. No. 2 Sunshine lode, both of Sur. No. 2598A.

566.10 To Cor. No. 4.

Identical with the location and with Cor. No. 4, Hackberry South lode, Lot No. 37.
A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone. scribed P-4-3496.

Cor. No. I, Sunshine lode, Sur. No. 2598A and Cor. I, Hackberry South lode, ~~Min. Cor. No. 44~~ Lot. No. 37 bear N. 48° 53' E. 586.00 and 600.00 ft. respectively.

U. S. M. M. No. I bears N. 64° 18' E. 650.16 ft.

Cor. No. I, Homestead lode, Sur. No. 3497, bears S. 87° 24' E. 787.37 ft.

Thence S. 41° 07' E.

480.00 Cross east and west road.

1500.00 To Cor. No. I, the place of beginning.

Variation at all corners; 15° 30'

Protection No. I lode

Beginning at Cor. No. I

Identical with the location and with Cor. No. 2 Protection lode, this survey.

A redwood post, previously described, scribed P-I-I-3496.

The I/4 corner between sections 27-28, T. 23 N. R. 14 W. G. & S. R. B. & M. bears N. 33° 28' 30" E. 1074.90 Ft.

Thence S. 48° 53' W.

265.00 To the southeasterly end center of the location.

Survey No. 3496, cont.,
Protection lode

feet

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 15 ins. in the ground, in a mound of earth and stone, scribed 3496.

565.00 The discovery cut bears N. 41° 07' W. 1435.00 ft.
To Cor. No. 2.

Identical with the location.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed P-1-2-3496.

1500.00 Thence N. 41° 07' W.
To Cor. No. 3.

Identical with the location and with Cor. No. 3
Protection #. 2 lode, this survey.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed P-1-3-3496.

300.00 Thence N. 48° 53' E
To the northwesterly end center of the location.

Identical with the southeasterly end center of the
Protection #. 2 lode, this survey.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 15 ins. in the ground, in a mound of earth and stone, scribed 3496.

565.00 The discovery cut bears S. 41° 07' E. 65.00 ft.
To Cor. No. 4.

Identical with the location and with Cor. No. 2 and 3, Protection #. 2 and Protection lodes, this survey and with Cor. No. 2 Sunshine No. 2 lode, Sur. No. 2598A.

A granite stone, previously described, scribed P-1-4-3496.

1500.00 Thence S. 41° 07' E
To Cor. No. 1, the place of beginning.

No bearing objects available.

Variation at all corners; 15° 30.

Survey No. 3496, cont.,

feet

Protection #. 2 lode.

Beginning at Cor. No. 1

Identical with the location and with Cor. No. 3
Sunshine No. 2 lode. Sur. No. 2598A.

A granite stone, 6 ins. wide, 8 ins. long, 12 ins.
above ground, with a cross at the exact corner, scribed
P-2-1-3496.

The 1/4 corner between sections 21 and 28, T. 23
N. R. 14 W. G. & S. R. B. & M. bears N. 2° 27' W. 1240.60
Ft.

Thence S. 38° 51' E.

I499.39 To Cor. No. 2.

Identical with the location and with Cor. No. 4 and
3, Protection #. 1 and Protection lodes, this survey,
respectively, and with Cor. No. 2, Sunshine No. 2 lode,
Sur. No. 2598A.

A granite stone, previously described, scribed
P-2-2-3496.

Thence S. 48° 53' W.

265.00 To the southeasterly end center of the location.

Identical with the northwesterly end center of the
Protection #. 1 lode, this survey.

A redwood post, previously described, scribed 3496
The discovery cut bears N. 38° 51' W. 360.00 ft.

565.00 To Cor. No. 3.

Identical with the location and with Cor. No. 3,
Protection #. 1 lode, this survey.

A redwood post, previously described, scribed
P-2-3-3496.

Thence N. 38° 51' W.

I499.39 To Cor. No. 4.

Identical with the location.

A redwood post, 4 ins, square, 4 ft. long, with a
nail at the exact corner, set 15 ins. in the Ground, in a
mound of earth and stone, scribed P-2-4-3496.

Survey No. 3496, cont.,
Protection #. 2 lode.

feet

Thence N. 48° 53' E.

300.00 To the northwesterly end center of the location.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 15 ins. in the ground, in a mound of earth and stone, scribed 3496.

The discovery cut bears S. 38 51' E. 1139.39 ft.

565.00 To Cor. No. I, the place of the beginning.

Lode Lines.

As near as can be determined from present developments, the course of the veins in the various claims embraced in this survey extend as follows from their points of discovery.

Protection lode: N. 41° 07' W. 40.00 ft, and S. 41° 07' E. 1460.00 Ft. from the discovery cut.

Protection #. 1 lode: N. 41° 07' W. 65.00 ft. and S. 41° 07' E. 1435.00 ft. from the discovery cut.

Protection #. 2 lode: N. 38° 51' W. 1139.39 ft. and S. 38° 51' E. 360.00 ft. from the discovery cut.

AREAS

	Acres
Protection lode: Total area	19.494
Protection #. 1 lode. Total Area	19.456
Protection #. 2 " " " "	19.443

LOCATION

This group of claims is located in the PEACOCK Mining District, Mohave County, Arizona. in Section 28, T. 23 N. R. 14 W. G. & S. R. B. & .M.

EXPENDITURE of FIVE HUNDRED Dollars.

I certify that the value of the improvements and labor made upon and for the benefit of this group of lode claims, by the Claimants or their Grantors, is not less than Five Hundred Dollars and are as follows:

Survey No. 3496, cont.,
Improvements

Protection lode.

No. I-A discovery cut, 5 ft. wide, a 12 ft. face, the center of which is on the lode line, at S. 41° 07' E. 40 ft. from the northwesterly end center, thence N. 40° W. 20 ft. to the mouth.

Value ----- \$50.00

I/II interest in main working shaft. ----- \$3875.00

Protection No. 1 lode.

No. I - A discovery cut, 4 ft. wide, a 10 ft. face, the center of which is on the lode line, at S. 41° 07' E. 65 ft. from the northwesterly end center, thence south 10 ft. to its mouth.

Value ----- \$30.00

I/II interest in the main working shaft. --- \$3875.00

Protection No. 2 lode.

No. I- A discovery cut, 4 ft. wide, a 10 ft. face, the center of which is on the lode line, at N. 38° 51' W. 360 ft. from the southeasterly end center, thence South 11 ft. to its mouth.

Value ----- \$30.00

I/II interest in the main working shaft. ---- \$3875.00

----- INSTRUMENT and MERIDIAN.

This survey was made with a Berger & Sons Mining transit and with a 500 and 100 ft. steel tape.

The meridian was determined by direct observation on the sun and checked by Polaris.

REPORT

The side and end lines and all other lines were run direct on the ground or calculated from closed traverses.

The main working shaft, the collar of which, bears S. 58° 31' E. 787 ft. from Cor. No. 3, Sunshine lode, Sur. No. 2598A, is a compartment and a half on a 38° incline, running S. 54° W. 690 ft. with a 100 ft. drift at the 225, 100 ft. at the 325, 230 at the 425, 255 at the 550 and 160 at the 690 level. All drifts are on the vein.

7
8

Survey No. 3496, cont.,
REPORT

At the 550 ft. level, at 525 ft. southerly from the incline shaft, is a 110 ft. winze, with 140 ft. of drift at the bottom.

AT 200 ft. southerly from the above shaft is a cross-cut running N. 54 E. 150 ft. and is being extended to cut a parallel vein, which runs thru the three Homestead lodes of Survey No. 3497.

The main shaft is being sunk to the 1000 ft. level.

The above work has all been done within the last year and I value it at \$42625.00 and distribute it among 11 claims, namely, the N. Hackberry # 2, #3, and #4 and the Homestead, Homestead # 3 and #7, Survey No. 3497, and the Sunshine and Sunshine No. 2, Sur. No. 2598A, and the Protection, Protection # 1 and #2, this survey, being 11 claims in all, making each claims share \$3875.00.

The U. S. M. M. No. 1, is a pine post, 4 ins. square, 4 ft. long, set in a mound of stone. (No marks)

The 1/4 corner between sections 21 and 28 is a granite stone, 6" x 12" x 15" ins. high, marked 1/4-S, with a mound of stone alongside.

The corner to sections 22, 21, 27 and 28 is in a wash and is marked by a witness corner, 125.40 ft, north of the true point and is a 1 3/4 inch pipe, set in the ground, with a mound of stone alongside, with a brass cap marked

21	22
28	27

 W. C. T. 23 N. R. 14 W.

The 1/4 corner between sections 27 and 28 is a granite stone, 15" x 20" x 24" high, marked 1/4-S.

All of the corners to the Sunshine and Sunshine No. 2 lodes, Sur. No. 2598A, are stones properly set and marked.

The corners to the Hackberry South lode, Gen. No. 145, Lot No. 37, are small mounds of stone without identification marks and Cors. No. 2 and 3 are on the edge of a wash and have probably been destroyed.

Cors. No. 3 and 4 are identified by the end line of the Sunshine lode, Sur. No. 2598A and by U. S. M. M.

Survey No. 3496 cont.,
REPORT

No. 1 and I therefore established the side line at right angles, as per the records of the Hackberry South.

Adjoining and Conflicting Claims

This group is adjoined on the north by the Hackberry South lode, Gen. No. 145, Lot No. 37 and the Sunshine and Sunshine No. 2 lodes, Sur. No. 2598A.

Leon H. Foster
U. S. Mineral Surveyor.

P. O. Box 813,
Kingman, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by LEON H. FOSTER
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
HACKBERRY CONSOLIDATED MINING CO.
 known as the PROTECTION, PROTECTION # 1, PROTECTION #2 lodes
 and showing the respective capacities in which they acted.

- RALPH H. HAYWARD, Chainman.
- XXXXXXXXXXXXXXXXXXXXXXX, Chainman.
- XXXXXXXXXXXXXXXXXXXXXXX, Axman.
- XXXXXXXXXXXXXXXXXXXXXXX, Flagman.

FINAL OATHS OF ASSISTANTS.

~~XXX~~ I, RALPH H. HAYWARD
 and XXXXXXXXXXXXXXXXXXXXXXX, do solemnly swear that I assisted
LEON H. FOSTER, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of HACKBERRY CONSOLIDATED MINING CO
 known as the PROTECTION, PROTECTION #1 and PROTECTION # 2 lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for ARIZONA

- Ralph H. Hayward, Chainman.
- XXXXXXXXXXXXXXXXXXXXXXX, Chainman.
- XXXXXXXXXXXXXXX, Axman.
- XXXXXXXXXXXXXXXXXXXXXXX, Flagman

Subscribed and sworn to by the above-named persons before me this 29th

day of May, 1918

J. M. Trull
 Clerk Superior Court.
 Mohave County, Arizona

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, LEON H. FOSTER, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for ARIZONA, dated
APRIL 2 1918, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of HACKBERRY CONSOLIDATED MINING CO.,
known as the
PROTECTION, PROTECTION # 1 & PROTECTION # 2 lodes,
situate in PEACOCK Mining District,
MOHAVE County, ARIZONA, in Section
28, Township No. 23 N., Range No. 14. W. G. & S. R. B. & M.
and designated as Survey No. 3496, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Leon H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Leon H. Foster
U. S. Mineral Surveyor, before me

this 29th
day of May, 19 18

L M Toole
Clk of the Superior Court.
Mohave County, Arizona

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS, That W. B. Ridenour the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Peacock Mining District, thereby make and file this...amended location of the Protection Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement on this vein or lode of quartz, or other rock in place, bearing silver and other valuable minerals, with all dips, variations and angles the same being 40 feet along the ledge in a N.W. direction from the discovery stake and 1460 feet along the ledge in a S.W. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Peacock Mining District, County of Mohave, State of Arizona, in...and more particularly described as follows, to-wit:

The northwest corner is identical with the Cor. No. 2, Sunshine #2 lode Sur. No. 2598A.

THIS AMENDED LOCATION, is made in conformity with the original location, made May 10th, 1913, recorded.....1....., in Book HH, page 690, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery May 10th, A.D. 1913.

Date of Amended Location December 6th, A.D. 1917.

-2-

Attest:.....

By W. B. Ridenour.

Recorded at the request of Wm. Neagle at 30 minutes past 2 o'clock P.M. December 8th, 1917, in Book SS of Mining Claims, page. 398. Records of Mohave County, Arizona.

H. L. Underwood,
County Recorder.
By Justin Fraser,
Deputy.

STATE OF ARIZONA, }
County of Mohave } ss.

I, H. L. Underwood, Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copies of Protection #1, Protection #2 (originals) and Protection (amended), dated Nov. 17, 1917, Dec. 6, 1917, and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 17th day of December 1917.



H. L. Underwood
Recorder of Mohave County.

Notice of Mining Location

15

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

UNIV. 20 1918

This Mining Claim, the name of which is the PROTECTION #1
Mining Claim, situate on lands belonging to the United States of America, and in which
there are valuable mineral deposits, was entered upon and located for the purpose of
exploration and purchase by HACKBERRY CONSOLIDATED MINING COMPANY
By Wm. Neagle, Supt.

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 17th day of November, 1917

The length of this claim is 1500 feet,
and we claim 65 feet,
in a N. 39° 21' W. direction and 1435
feet in a N. 39° 21' E. direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim,
together with 300 feet in width of the surface grounds, on
each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the southeast to the northwest

The claim is situated and located in the Peacock Mining District,
in Mohave County in the State of Arizona, about 2-3/4 miles
in a westerly direction from Hackberry

The easterly sideline is identical with the westerly sideline of
the PROTECTION lode

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at 4" X 4" X 4' redwood posts
at a point in a _____ direction _____ feet from
the discovery shaft(at which this notice is posted), being in the center of the _____
_____ end line of said claim; thence _____ feet to a _____
_____, being the _____ corner of said claim; thence
_____ feet to a _____, being at the
_____ corner of said claim; thence _____ feet
to a _____ at the center of the _____ end of said claim;
thence _____ feet to a _____ being at the
_____ corner of said claim; thence _____ feet
to a _____ at the _____ corner of said claim;
thence _____ feet to the place of beginning.

Dated and posted on the grounds this 17 day of November, 1917

HACKBERRY CONSOLIDATED MINING COMPANY

By Wm. Neagle, Supt.

Filed and recorded at request of Wm. Neagle

December 8th A. D., 1917, at 2:30 o'clock P. M., in Book VV
at page 537

H. L. Underwood,

County Recorder.

By Justin Fraser.

Deputy Recorder.

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the PROTECTION # 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by HACKBERRY CONSOLIDATED MINING COMPANY

By Wm. Neagle, Supt.

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 17th day of November, 1917

The length of this claim is 1500 feet, and we claim 360 feet, in a southeasterly direction and 1140 feet in a northwesterly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the south east to the north west

The claim is situated and located in the Peacock Mining District, in Mohave County in the State of Arizona, about 2-3/4 miles in a westerly direction from Hackberry

The easterly sideline is identical with the westerly sideline of the SUNSHINE # 2 lode, Sur. No. 2598A.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at 4" X 4" X 4' Redwood posts. at a point in a _____ direction _____ feet from the discovery shaft(at which this notice is posted), being in the center of the _____ end line of said claim; thence _____ feet to a _____, being the _____ corner of said claim; thence _____ feet to a _____, being at the _____ corner of said claim; thence _____ feet to a _____ at the center of the _____ end of said claim; thence _____ feet to a _____ being at the _____ corner of said claim; thence _____ feet to a _____ at the _____ corner of said claim; thence _____ feet to the place of beginning.

Dated and posted on the grounds this 17th day of November, 19 17

HACKBERRY CONSOLIDATED MINING COMPANY

By Wm. Neagle, Supt.

Filed and recorded at request of Wm. Neagle,

December 8th A. D., 1917, at 2:30 o'clock P. M., in Book VV

at page 538

H. L. Underwood,
County Recorder.

By Justin Fraser.
Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

December 12, 1918.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

HACKBERRY CONSOLIDATED MINING CO.

known as the PROTECTION, PROTECTION #1 AND PROTECTION #2 LODES,

situate in PEACOCK

Mining District, MOHAVE County, ARIZONA.

in Section 28, Township No. 23 N., Range No. 14 W., and

designated as Survey No. 3496, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 3 cuts, value \$110, also \$11,735 from the value of the main working shaft on the sunshine lode, sur. No. 2598 A. As said shaft is a common improvement for the benefit and development of the three claims of this survey, the six claims of Sur. No. 3497, and the two lodes of Sur. No. 3298 A. an undivided one-eleventh interest in said improvement, value \$3,675, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

December 12, 1918.

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

HACKBERRY CONSOLIDATED MINING CO.

, known as the

PROTECTION, PROTECTION #1 AND PROTECTION #2 LODES.

situate in PEACOCK mining district,

MOHAVE County, ARIZONA.

in Section 28, Township No. 23 N., Range No. 14 W.

, designated as Survey No. 3496

executed by Leon H. Foster, U. S. Mineral

Surveyor, April 15-May 29, 1918, under my instructions dated

April 2, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.