

Platted A L H

Jul 10, 1918
Jul 23, 1918

4-683.

Mineral Survey No. 3505

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Telluride Mining, Milling and Development Company

MINERAL SURVEY NO. 3505

Claims	M & B Desc.	Improvements	Loc. Notices
	Pg.	Pg.	Red Pg.
Blue Ridge	1	21	1
Blue Ridge Extension	2	22	2
Blue Ridge Fraction	4	22	3
Connecting Link No. 1	6	24	4
Connection Link No. 2	8	24	5
Lodestone	9	25	6
Lodestone No. 1	10	25	7
Telluride No. 1	12	26	8
" 2	13	27	10
" 3	14	27	11
" 4	15	28	13
" 5	17	28	14

U. S. Deputy Mineral Surveyor

Claim located see Location notices, 1

Survey commenced April 26, 1918

Survey completed May 15, 1918

o 6-159

Address of Claimants Attorney

C.W. Herndon, Kingman, Arizona.

no des. E E E B.R. Frac. see letter 12-14-18

Mineral Survey No. 3505

Feet

BLUE RIDGE lode

Beginning at Cor. No. 1

A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed B.R.1, -B.R.Ext.1, -3505

Whence ; - The corner to sections 23-24-25-26 T.19 N., R.20 W. G. and S.R. Band M. bears S.9°54'E. 438.81 ft.

No other bearing objects available.

Thence N.41°55'E.

111.18 Intersect line between Sections 23 & 24 T.19N., R.20 W. at N.0°07'50"W. 515.01 ft. from the corner to sec.s, 23-24-25 & 26, and S.0°07'50"E. 2136.79 ft. from the ¼ Cor.

300. To N.W. end center .

A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground, a nail at center point, scribed N.W. End Cen. B.R. and E. end Cen. B.R. Ext. - 3505

452.35 Intersect line 1-2 Blue Ridge Fraction lode of this survey, at N.68°04'W. 179.23 ft. from Cor. No.1.

528.98 To Cor. No. 2..

A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed B.R.-2 - B.R. Ext. 4 -3505

No bearing objects available.

Thence S.42°52'E.

149.59 Cor. No.4 Telluride No.5 lode, of this survey.

169.14 Cor. No.1 Blue Ridge Fraction lode, of this survey.

1126.07 Intersect line between Secs 24 & 25 T.19N.R. 20.W., at N.89°58'10"E. 1044 ft. from the Cor. to sec's. 23-24-25 & 26, and S.89°58'10"W 1567.82 ft. from the ¼ Cor.

1430.40 Bed of dry wash, 10ft. wide, course southerly.

1450.40 To Cor. No.3.

A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed B.R.3- L.2 - T.No.5-3 - 3505

No bearing objects available

Thence S.41°55' W.

30. Bed of dry wash, 10ft. wide, course southerly.

78.20 To S.E. end center

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed S.E. End Cen. B. R. - 3505

378.20 To Cor. No. 4.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed B.R.4 - 3505

No bearing objects available.

Thence N. 48°50' W.

104.92 Intersect line 1-2 Lodestone lode, of this survey, at S.57°22'W. 393.81 ft. from Cor. No.2.

788.14 Intersect line between Secs 24 & 25 T.19N., R.20 W. at N. 89°58'10" E. 418.61 ft. from Cor. to Sec's. 23-24-25- & 26 and S.89°58'10"W. 2193.21 ft. from the 1/4 Cor.

1345.40 Intersect line between Secs 23 & 24 T.19N., R.20W. at N. 0°07'50"W. 367.04 ft. from the Cor. to Sec's 23-24-25 & 26 and S. 0°07'50" E. 2384.76 ft. from the 1/4 Cor.

1444.51 To Cor. No.1, the place of beginning.

BLUE RIDGE EXTENSION lode

Beginning at Cor. No.1.

Identical with Cor. No.1 Blue Ridge lode, of this survey, hereinbefore described. Whence :-

The Cor. to sections 23-24-25- & 26 T. 19N., R.20 W. G.&S.R. B.and M. bears S.9°54'E. 438.81 ft.

Thence N. 68°04'W.

1365.27 Intersect East end line Lucky Boy lode, (Unsurveyed) Lucky Boy Mining Co. claimant, at S. 12°30'W. 416.61 ft. from the N. E. Cor.

1400. Bed of dry wash, 15 ft. wide, course westerly.

1500. To Cor. No. 2.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 in the ground with mound of earth and stone, a nail at corner

point, scribed B.R.Ext.-2-3505

No bearing objects available.

Thence N. 41°55' E.

221.39 Intersect line 1-2 Connecting Link No.1 lode, of this survey, at N.65°05' W. 296.40 ft. from Cor. No.1.

270.60 Intersect East end line Lucky Boy lode, (unsurveyed) at S.12°30'W. 158.82 ft. from the N. E. Cor.

300. To the West End center .-

A redwood post 4½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed W.End Cen. B.R.Ext. -3505

528.98 To Cor. No.3.

A redwood-post 4½ ft. long 4 ins, sq. set 18 ins in the ground with mound of earth and stone, a nail at Cor. point, scribed B.R.Ext.-3-3505. Whence ;-

The N.E. Cor. Lucky Boy lode, (unsurveyed) bears S.74° 56' W. 142.16 ft.

No other bearing objects available.

Thence S. 68°04'E.

173.78⁸⁰ Intersect line 2-3 Blue Ridge Fraction lode, of this survey at N.38°00'E. 74.94 ft. from Cor. No.2.

201.08 Intersect line 4-1 Connecting Link No.1 lode, of this survey, at N.23°51'E. 304.6⁶ ft. from Cor. No. 1.

260. Bed of dry wash , 10 ft. wide, course southerly.

1198.07 Intersect line between sections 23&24 T.19N.R.20W, at N.0°07'50"W. 938.68 ft. from the corner to^{Secs.} 23-24-25-26, and S. 0°07'50"E. 1713.12 ft. from the ¼ Cor.

1500. To Cor. No. 4.

Identical with Cor. No. 2 Blue Ridge lode, of this survey, hereinbefore described.

Thence S. 41:55'W.

76.63 Intersect line 1-2 Blue Ridge Fraction lode, of this survey, at S. 68°04' E. 1320.77 ft. from Cor. No. 2.

228.98 To the East End Center.

Identical with the west end center Blue Ridge lode, of this survey, hereinbefore described.

417.00 Intersect

- 417.80 Intersect line between sections 23 & 24 T.19N.R.20W. at N.0°07'50" W..515.01 ft. from the corner to sections 23-24-25-26, and S. 0°07'50" E. 2136.79 ft. from the $\frac{1}{4}$ Cor. between said sections.
- 528.98 To Cor. No. 1, the place of beginning.
- BLUE RIDGE FRACTION lode
- Beginning at Cor. No. 1.
- On lines 2-3 and 3-4 Blue Ridge and Telluride No. 5 lodes of this survey, at S.42°52'E. 169.14 and 19.55 ft. from Cor. No.s. 2 and 4 respectively.
- A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed B.R. Frac.-1-3505. Whence :-
- The Cor. to sections 23-24-25-&26 T.19N. R.20 W. bears S.29°14'40".W. 804.46 ft.
- No other bearing objects available.
- Thence N. 68°04'W.
- 179.23 Intersect lines 1-2 and 4-1 Blue Ridge and Blue Ridge Extension lodes of this survey, S.41°55'W. 76.63 ft. from Cor. No's. 2 and 4 respectively.
- 425.78 Intersect line between sections 23 and 24 T.19N.R.20 W. at N.0°07'50" W. 860.98 ft. and S. 0°07'50" E. 1790.82ft. from the $\frac{1}{4}$ Cor. between said sections.
1375. Bed of dry wash, 10 ft. wide, course southerly.
- 1454.39 Intersect line 4-1 Connecting Link No. 1 lode of this survey at S.23°51'W. 179.30 ft. from Cor. No. 4.
1500. To Cor. No. 2
- A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed B.R.Frac.-2-3505
- No bearing objects available.
- Thence N. 38°00'E.
- 74.94 Intersect line 3-4 Blue Ridge Extension lode of this survey, at N.68°04'W. 1326.2⁰ ft. from Cor. No. 4.
- 138.01 To West End Center.

A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cen. point, scribed W. End Cen. B. R. Frac.-3505.

162.51 Intersect line 2-3 Sur. No. 3199 Bald Eagle lode, Tom Reed Gold Mines Co. claimant, at N. $55^{\circ}15'W$. 297.33 ft. from Cor. No. 2.

186.48 Cor. No. 4 Connecting Link No. 1 lode, of this survey.
327.98 To Cor. No. 3.

A redwood post 4 $\frac{1}{2}$ ft; long 4 ins. Sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed B. R. Frac.-3-3505. Whence :-

Cor. No's. 2-4 Sur. No. 3199 Bald Eagle and Black Eagle lodes, bears S. $25^{\circ}24'20''E$. 331.97 ft.

No other bearing objects available.

Thence S. $68^{\circ}04'E$.

175. Bed of dry wash, 10 ft. wide, course southwesterly.

308;91 Intersect lines 1-2 and 4-5 Sur. No. 3199 Bald Eagle and Black Eagle lodes, at N. $38^{\circ}00'E$. 234.11 ft. from Cor. No's. 2 and 4 respectively.

330. Bed of dry wash, 10 ft. wide, course northwesterly.

852.82 Cor. No. 3 Sur. No. 3199 Black Eagle lode, which is $5.88^{\circ}21'E$. 648.94 ft. from Cor. No. 4, & N. $51^{\circ}W$. 622 ft. from Cor. No. 2 said lode.

855.70 Intersect line between sections 23 and 24 T.19 N. R. 20 W. at N. $0^{\circ}07'50''W$. 1201.06 ft. from Cor. to sections 23-24-25-26; and S. $0^{\circ}07'50''E$. 1450.74 ft. from the $\frac{1}{2}$ Cor.

1125. Wagon Road, course northwesterly and southeasterly
1500. between said sections.

Wagon Road, course northwesterly and southeasterly.
To Cor. No. 4.

On line 1-2 Sur. No. 3199 Black Eagle lode, and line 3-4 Sur. No. 3271 C.J.D.No.3 lode, Charles Mushrush and John Sprague claimants, at N. $38^{\circ}00'E$. 189.97 and 264.14 ft. from Cor's No's. 2 and 3 respectively

A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed B. R. Frac.- 4-3505

No bearing objects available.

Thence S. $38^{\circ}00'W$.

120. Bed of dry wash 5 ft. wide, course northwesterly.

	East End Center, also
189.97	Cor. No. 2 Sur. No. 3199 Black Eagle lode, a pine post 4 ins. sq. 4½ ft. long, properly set & scribed.
264.14	Cor. No. 3 Sur. No. 3271 C. J. D. No. 3 lode and West End Center Telluride No. 5 lode of this survey.
327.98	To Cor. No. 1 the place of beginning.
	CONNECTING LINK No. 1 lode
	Beginning at Cor. No. 1.
	A cross(x) at corner point and C.L.No.1-1-3505 chiseled on the south slope of an andesite outcrop, showing 10 x 20 x 3 ft. above the general surface. This outcrop is too steep to admit of a mound of rock being placed along side of cross (x). Whence :-
	The Corner to sections 23-24-25-26 T.19N.R.20 W. G. and S.R. and M. bears S.45°29'10"E. 1472.70 ft.
	Witness Corner to Cor. No.1 bears N.23°51' E, 22.21 ft; a redwood post 4 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed W.C.- C.L.No. 1 -1-3505.
	Cor. No. 3 Blue Ridge Extension lode of this survey, bears N.10°09'W. 359.38 ft.
	The N. E. Cor. Lucky Boy lode, (unsurveyed) bears N.32°29'10"W. 375.27 ft.
	Thence N. 65°05' W.
271.65	Intersect East end line Lucky Boy lode, (unsurveyed) at S.12°30'W. 207.01 ft. from the N. E. Cor.
296.40	Intersect line 2-3 Blue Ridge Extension lode, of this survey, at S.41°55'W. 307.59 ft. from Cor. No. 3.
350.	Bed of dry wash 10 ft. wide, course southwesterly.
1231.87	Intersect North side line Lucky Boy lode, (unsurveyed) at N. 77°32' W. 937.76 ft. from the N.E. Corner.
1474.73	To Cor. No. 2.
	A redwood post 4 ½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed C.L.No.1-2-3505.
	No bearing objects available.
	Thence N. 23°51' E.

Feet

300 To West End Center

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed W.End Cen. C.L.No.1 - E.End Cen. C.L.No.2 - 3505

557.49 Intersect line 3-4 Sur. No. 3427 Hill lode, claimant unknown, at N. 56°37'30"W. 225.39 ft. from Cor. No.4.

600. To Cor. No. 3.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed C. L. No.1-3 - C.L.No.2 - 4-3505

Whence :

Cor. No. 4 Sur.No.3427 Hill lode, bears S.46°24'E. 236.18 ft.

No other bearing objects available.

Thence S.57°50'E.

211.04 Intersect lines 4-1 and 2-3 Sur. No.3427 Hill and Gold Wedge lodes, at N.8°34'E. 51.09ft.and 0.60ft. from Cor's No's. 4 and 3 respectively.

959.55 Cor. No.3 Sur. No. 3199 Bald Eagle lode, and Intersect line 4-1 Sur. No. 3427 Gold Wedge lode at N.8°34'E.

16.18 ft. from Cor. No. 4, whence Cor.No.3 of the same bears N. 56° 45'W. 754.89 ft.

1248. Bed of dry wash, 10 ft. wide, course southwesterly.

1490.14 To Cor. No.4

On line 2-3 Blue Ridge Fraction lode of this survey at N.38°00'E. 186.48 ft. from Cor. No.2.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed CL No.1-4-3505

No bearing objects available.

Thence S.23°51'W.

24.34⁶ Intersect line 2-3 Sur. No. 3199 Bald Eagle lode, at S. 55°15'E. 534.68² ft. from Cor. No. 3, and N 55°15'W. 291.38 ft. from Cor.No.2.

107.24⁵ Intersect line 3-4 Blue Ridge Extension lode, of this survey, at S.68°04'E. 201.08 ft. from Cor. No. 3.

Feet
 111.91 To East end center
 A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed E.End Cen. C.L.No.1-3505
 179.30 Intersect line 1-2 Blue Ridge Fraction lode of this survey, at S.68°04'E. 45.61 ft. from Cor. No. 2.
 389.70 Witness Cor. to Cor. No. 1
 411.91 To Cor. No. 1 the place of beginning.

CONNECTING LINK No.2 lode

Beginning at Cor. No. 1.
 Identical with Cor. No.2 Connecting Link No.1 lode of this survey, hereinbefore described. Whence ;-
 The 1/4 Cor. between sections 23 and 26 T.19N., R.20 W. G. and S.R. Band M. bears S.8°39'W. 1666. ft.
 Thence N.59°52'W.

630. Bed of dry wash 15 ft. wide, course southwesterly.
 741.04 To Cor. No.2
 A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed C.L.No.2-2-3505
 No bearing objects available.
 Thence N.23°51'E.

300 To West end center
 A redwood post 4 1/2 ft. long 4 ins sq. set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed W.End Cen.C.L.No.2-3505
 599.98 Intersect line 2-4 Sur. No.3427 Hill lode, at N.56°37'30"W. 972.28 ft. from Cor. No. 4.
 600. To Cor. No. 3
 A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed C.L.No. 2-3-3505
 No bearing objects available.
 Thence S.59°52'E.

Feet
500. Bed of dry wash, 10 ft. wide, course southwesterly.
741.04 To Cor. No. 4
Identical with Cor. No. 3 Connecting Link No. 1 lode of this survey, hereinbefore described.
Thence S. 23° 51' W.
42.51 Intersect line 3-4 Sur. No. 3427 Hill lode, at N. 56° 37' 30" W. 225.39 ft. from Cor. No. 4.
300 To East End center
Identical with West end center Connecting Link No. 1 lode of this survey, hereinbefore described.
600 To Cor. No. 1 the place of beginning.

LODESTONE lode

Beginning at Cor. No. 1
A redwood post 4 ft. long 4 ins. sq. set 18 ins, in the ground with mound of earth and stone, a nail at Cor. Point, scribed L. 1 - 3505, Whence :-
The Cor. to sections 23-24-25-and 26 T. 19N. R. 20 W. G. and S. R. B. and M. bears N. 53° 16' 30" W. 942.14 ft.
No other bearing objects available.
Thence N. 57° 22' E.
211.19 Intersect line 1-4 Blue Ridge lode of this survey at N. 48° 50' W. 104.92 ft. from Cor. No. 4.
302.50 To North end center
A redwood post 4 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone a nail at center point, scribed N. End Cen. Lodestone 3505
580 Bed of dry wash, 10 ft. wide, course southerly.
605. To Cor. No. 2.
Identical with Cor. No. 3 Blue Ridge lode. of this survey, hereinbefore described.
Thence S. 25° 13' E.
110.56 Cor. No's. 2-4 Telluride No. 5 and Lodestone No. 1 lodes of this survey
285. Bed of dry wash, 8 ft. wide, course southwesterly.
1277.73 To Cor. No. 3.

Feet	<p>A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed L. 3- 3505 Whence :-</p> <p>Cor. No. 5 Sur. No. 3426 Sunny Side lode, Sunnyside Gold Mines Company claimant, bears S. 65°19'W. 199.88 ft.</p> <p>No bearing objects available.</p> <p>Thence S.57°22'W.</p>
58.63	<p>Intersect line 3-4 Lodestone No.1 lode of this survey at S. 22°23'E. 1176.18 ft. from Cor. No. 4.</p>
194.90	<p>Intersect line 5-6 Sur. No. 3426 Sunny Side lode, at S.38°56'30"E. 27.81 ft. from Cor. No. 5.</p>
302.50	<p>To South end center.</p> <p>A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed S.End Cen. Lodestone 3505</p>
447.03	<p>Intersect line 4-5 Sur. No. 3426 Sunny Side lode, at S.51°02'W. 250.61 ft. from Cor. No.5</p>
605.	<p>To Cor. No. 4.</p> <p>A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed L. 4 - 3505</p> <p>No bearing objects available.</p> <p>Thence N.25° 13' W.</p>
600.	<p>Bed of dry wash, 15 ft. wide course southwesterly.</p>
1277.73	<p>To Cor. No. 1 the place of beginning.</p>
	<p style="text-align: center;">LODESTONE No.1 lode</p>
	<p>Beginning at Cor. No. 1</p>
	<p>A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Corner point, scribed L.No.1,1, T.No.1-4, T.No.5-1-3505</p> <p>Whence :-</p>
	<p>The $\frac{1}{2}$ Cor. between sections 24 and 25 T. 19N.R.20 W. G. and S.R.B & M. bears N.89°57'40" E. 805.91 ft.</p>
	<p>No bearing objects available.</p> <p>Thence S.22°26' E.</p>

Feet

499.40 Bed of dry wash, 8 ft. wide, course westerly.

1489.40 To Cor.No.2.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in ground with mound of earth and stone, a nail at corner point, scribed L.No.1-2, T.No.1-3, T.No.2-5, T.No.4-1-3505.

No bearing objects available.

Thence S.55°38'W.

300. To S.End Center.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed S.End Cen.L.No.1, N.End.Cen.T.No.4-3505.

600. To Cor.No.3.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed L.No.1-3, T.No.4-5 - 3505.

No bearing objects available.

Thence N.22°23'W.

313.49 Intersect line 3-4 Lodestone lode of this survey, at S. 57°22'W. 58.63 ft. from Cor.No.3.

1320. Bed of dry wash, 10 ft. wide, course southwesterly.

1489.67 To Cor.No.4.

On line 2-3 Lodestone lode of this survey, at N.25° 13' W. 1167.17 ft. from Cor.No.3.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed L.No.1-4, T.No.5-2, - 3505.

No bearing objects available.

Thence N.55°38'E.

195. Wagon road, course northwesterly and southeasterly.

300. To N.End Center.

A redwood post 4 1/2 ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed N.End Cen.L.No.1-, S.End Cen.T.No.5-3505.

Feet 598.68	To Cor.No.1, the place of beginning. TELLURIDE NO.1 lode. Beginning at Cor.No.1. A redwood post $4\frac{1}{2}$ ft. long 4 ins.sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed T.No.1-1-3505.. Whence The $\frac{1}{4}$ Cor. between sections 24 and 25 T.19 N.R.20 W. G.& S.R. B.& M. bears S.42°34'20"E. 459.19 ft. No bearing objects available. Thence S.22°26'E.
-365.94	Intersect line between sections 24 and 25 T.19 N.R.20 W. at N.89°58'10"W.2440.81 ft. from the corner to sections 23,24,25 and 26, and S.89°58'10"W. 171.01 ft. from the $\frac{1}{4}$ Cor.between said sections.
890.	Bed of dry wash, 5 ft. wide, course southwesterly.
1489.40	To Cor.No.2. A redwood post $4\frac{1}{2}$ -ft. long, 4 ins, sq. set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed T.No.1-2, T.NO.2-1-3505. No bearing objects available. Thence S.55°38'W.
300.	To S.End.Center. A redwood post $4\frac{1}{2}$ ft. long 4 ins.sq.set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed S.End Cen.T.No.1, N.End Cen.T.No.2-3505.
-320.	Bed of dry wash, 4 ft. wide, course southeasterly.
600.	To Cor.No.3. Identical with Cor.No.2, Lodestone No.1 lode of this survey, hereinbefore described. Thence N.22°26'W.
990.	Bed of dry wash, 8 ft. wide, course westerly.
1489.40	To Cor.No.4. Identical with Cor.No.1, Lodestone No.1 lode of this survey hereinbefore described. Thence N.55°38'E.

Feet
0.18 Intersect line between sections 24 and 25 T.19N.R.20 W.
at N. 89°58'10"E. 1806.05 ft. from the corner to sections
23-24-25-26 and S.89°58'10" W. 805.77 ft. from the $\frac{1}{4}$
corner between said sections.

300. To the North End Center.
A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins.
in the ground with mound of earth and stone, a nail at
center point, scribed N.End. Cen T.No.1 - 3505

600. To Cor. No. 1 the place of beginning.
TELLURIDE No. 2 lode.
Beginning at Cor. No.1.
Identical with Cor. No. 2 Telluride No.1 lode of this
survey, hereinbefore described. Whence :-
The $\frac{1}{4}$ Cor. between sections 24 and 25 T. 19N. R.20
W. G. and S.R.B.and M. bears N.13°56'10"W. 1070.03 ft.
Thence S.31°04'E.

1060. Bed of dry wash, 10 ft. wide, course westerly.

1433.26 To Cor. No. 2.
A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins .
in the ground with mound of earth and stone, a nail at
Cor. point , scribed T.No.2-2, T.No.3 - 4 - 3505.
No bearing objects are available.
Thence S.55°38'W.

300. To south end center.
A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins.
in the ground with mound of earth and stone, a nail at
Center point, scribed S.End Cen. T.No.2, N.End Cen. T.
No.3, T.No.4-2-3505.
No bearing objects available.

600. To Cor. No. 3.
A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins.
in the ground with mound of earth and stone, a nail at
Cor. point, scribed T.No.2-3, T.No.3-3, S.End Cen. T.
No.4 - 3505.
No bearing objects available.

	Thence N.23°57'30" W.
475.54	To Cor. No. 4. A redwood post 4 ½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed T.No.2 - 4 - 3505. No bearing objects available.
	Thence N.34°34' W.
625.	Bed of dry wash, 10 ft. wide, course southwesterly.
963.18	To Cor. No. 5. Identical with Cor. No's. 2-3 Lodestone No.1 and Telluride No.1 lodes of this survey, hereinbefore described.
	Thence N.55°38' E.
280.	Bed of dry wash, 4 ft. wide, course southeasterly.
300.	To North End Center. Identical with South end center Telluride No.1 lode of this survey, hereinbefore described.
600.	To Cor. No.1 the place of beginning.
	TELLURIDE No. 3 lode.
	Beginning at Cor. No.1. A redwood post 4 ½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed T.No.3 - 1 - 3505, Whence :- The ¼ Cor. between sections 25 and 30 T. 19 N., R.20 and R.19 W. G. and S.R.B. and M. bears N.48°17'E.1006.10ft. No bearing objects available.
	Thence S.55°38' W.
260.	Top of divide, course northeasterly and southwesterly.
300.	To south end center. A redwood post 4 ½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at center point, scribed S.End. Cen. T. No.3 - 3505.
510.74	Intersect line 2-3 Sur. No. 3426 Sunny Side Extension No.1 lode, at S.73°38'30" E. 192.95. ft. from Cor. No.3.
600.	To Cor. No. 2 . A redwood post 4 ½ ft. long 4 ins. sq. set 18 ins.

Feet	<p>redwood post 4" dia. 10' long in the ground with mound of earth and stone, a nail at corner, point, scribed T.No.3-2 - 3505 Whence :-</p>
	<p>Cor. No. 3 Sur. No. 3426 Sunny Side Extension No.1 lode, bears N.46°47'W. 152.94 ft.</p>
	<p>No bearing objects available.</p>
	<p>Thence N. 40° 31' W.</p>
126.44	<p>Intersect line 2 - 3 Sur. No. 3426 Sunny Side Extension No.1 lode, at S.73°38'30" E. 50.55 ft. from Cor. No. 3.</p>
209.99	<p>Intersect line 3-4 Sur. No. 3426 Sunny Side Extension No.1 lode, at S.24°27' E. 186.58 ft. from Cor. No.4.</p>
390.68	<p>Intersect lines 1-2 and 4-5 Sur. No. 3426 Sunny Side Extension and Sunny Side Extension No.1 lodes, at S.51° 02' W. 51.66 ft. from Cor. No's. 1-4 respectively.</p>
603.41	<p>Intersect line 5-1 Sur. No. 3426 Sunny Side Extension lode, at N.54°04'30" W. 220.26 ft. from Cor. No.1.</p>
1500.	<p>To Cor. No. 3.</p>
	<p>Identical with Cor. No.3 Telluride No.2 lode of this survey, hereinbefore described.</p>
	<p>Thence N.55°38' E.</p>
300.	<p>To North end center.</p>
	<p>Identical with south end center Telluride No.2 lode of this survey, hereinbefore described.</p>
600.	<p>To Cor. No. 4</p>
	<p>Identical with Cor. No. 2 Telluride No.2 lode of this survey, hereinbefore described.</p>
	<p>Thence S.40° 31' E.</p>
1380.	<p>Top of divide, course northeasterly and southwesterly.</p>
1500..	<p>To Cor. No.1 the place of beginning.</p>
	<p>TELLURIDE No.4 lode.</p>
	<p>Beginning at Cor. No.1.</p>
	<p>Identical with Cor. No's.2-3and 5 Lodestone No.1, Telluride No.1 and Telluride No.2 lodes of this survey hereinbefore described. Whence :-</p>
	<p>The $\frac{1}{2}$ Cor. between sections 24 and 25 T.19N. R.20 W.</p>

Feet	G. and S.R. Band M. bears N. 9° 47' 10" E. 1397.56 ft. Thence S. 43° 00' 30" E.
335.	Bed of dry wash, 10 ft. wide, course southwesterly.
1447.34	To Cor. No. 2 Identical with S. end center Telluride No. 2 and N. end center Telluride No. 3 lodes of this survey, hereinbefore described. Thence S 55° 38' W.
300.	To south end center Identical with Cor. No's. 3-3 Telluride No. 2 and Telluride No. 3 lodes of this survey, hereinbefore described.
523.22	Intersect line 4-5 Sur. No. 3426 Sunny Side Extension lode, at N. 50° 20' W. 0.99 ft. from Cor. No. 5.
537.25	To Cor. No. 3 A redwood post 4 ½ ft. long 4 ins. sq. set 18 ins in the ground with mound of earth and stone, a nail at Corner point scribed T. No. 4 - 3 - 3505 Whence :- Cor. No. 5 Sur. No. 3426 Sunny Side Extension lode bears N. 59° 27' E. 14.34 ft. No other bearing objects available. Thence N. 38° 13' 10" W.
64.30	Intersect line 4-5 Sur, No. 3426 Sunny Side Extension lode at N. 50° 20' W. 67.72 ft. from Cor. No. 5
664.41	To Cor. No. 4 A redwood post 4 ½ Ft long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at Cor. point, scribed T. No. 4 - 4 - 3505 No bearing objects available. Thence N. 51° 25' W.
410.	Bed of dry wash, 10 ft. wide, course southwesterly.
803.27	To. Cor. No. 5 Identical with Cor. No. 3 Lodestone No. 1 lode of this survey hereinbefore described. Thence N. 55° 38' E.
300	To North end center

Feet	Identical with South end center Lodestone No.1 lode of this survey, hereinbefore described.
600.	To Cor. No. 1 the place of beginning.
	TELLURIDE No.5 lode.
	Beginning at Cor. No. 1
	Identical with Cor. No's. 1-4 Lodestone No.1 and Telluride No.1 lodes of this survey, hereinbefore described. Whence :-
	The $\frac{1}{4}$ Cor. between sections 24 and 25 T.19.N., R. 20 W. G. and S. R. B. and M. bears N.89°57'40"E.805.91 ft.
	Thence S. 55°38' W.
298.68	To S.E.End center.
	Identical with N.end center Lodestone No.1 lode of this survey hereinbefore described.
403.68	Wagon Road, course northwesterly and southeasterly.
598;68	To Cor. No. 2
	On line 2-3 Lodestone lode of this survey and identical with Cor. No. 4 Lodestone No.1 lode of this survey hereinbefore described.
	Thence N. 25°13' W.
110.56	To Cor. No. 3
	Identical with Cor. No's. 3-2 Blue Ridge and Lodestone lodes of this survey, hereinbefore described.
	Thence N.42°52' W.
20.	Bed of dry wash , 10 ft. wide, course southwesterly.
324.23	Intersect line between sections 24 and 25 T. 19N. R.20 W. at N. 89°58'10" E. 1044 ft. from the corner to sections 23-24-25 and 26, and S89°58'10"W. 1567.82 ft.
	from the $\frac{1}{4}$ corner between said sections.
1281.26	Cor. No.1 Blue Ridge Fraction lode of this survey.
1300.81	To Cor. No. 4
	On line 2-3 Blue Ridge lode of this survey,
	A redwood post 4 $\frac{1}{2}$ ft. long 4 ins. sq. set 18 ins.
	in the ground with mound of earth and stone, a nail at
	corner point, scribed T.No.5-4-3505
	No bearing objects available.

Feet	Thence N.55°38' E.
63.73	To N.W.end center Identical with Cor. No. 3 Sur. No.3271 C.J.D.No.3 whence Cor. No. 2 of the same bears S.51°34'10" E. 139.623 ft. (1-) lode, A redwood post 4 ½ ft. long 4 ins. sq. set 18 ins in the ground with mound of earth and stone, a nail at center point, scribed N.W.end Cen. T.No.5-3505 and C. J.D.No.3-3-3271
143.73	To Cor. No. 5 A redwood post 4 ½ ft. long 4 ins. sq. set 18 ins. in the ground with mound of earth and stone, a nail at corner point , scribed T. No. 5 - 5 - 3505. No bearing objects available. Thence S.58° 39' E.
550.	Wagon Road, course northwesterly and southeasterly.
700.	Bed of dry wash, 4 ft. wide, course southeasterly.
1381.25	Intersect line 1-2 Sur. No.3271 C.J.D. No.3 lode, at N.38°00' E. 246.69 ft. from Cor. No. 2.
1530.92	Intersect line between sections 24 and 25 T. 19N.,R.20 W. at N. 89°58' 10" E. 1805.74 ft. from the corner to sections 23,24,25, and 26; and S.89°58'10" W. 806.08 ft. from the ¼ Cor. between said sections.
1531.11	To Cor. No. 1 the place of beginning. Variation at all corners 15° east.
	LODE LINES
	As near as can be determined from present developm- ents the lode line ofthe several locations embraced in this claim, extend as follows ; from their respective discoveries.
	Blue Ridge lode 240 ft. S.48°50'E.and 1204.51ft.N.48° 50' W.
	Blue Ridge Extension lode 20 ft. S.68°04' E. and 1480. ft. N.68°04' W.
	Blue Ridge Fraction lode, 180.ft.S.68°04'E.and 1320 ft. N.68°04' W.
	Connecting Link No.1 lode, 954.73 ft.S.65°05'E.and 520 ft. N.65°05' W.

Connecting Link No. 2 lode, 726.04 ft. S. 59° 52' E. and 15 ft. N. 59° 52' W.

Lodestone lode, 887.73 ft. S. 25° 13' E. and 390. ft. N. 25° 13' W.

Lodestone No. 1 lode, 1142.67 ft. S. 22° 23' E. and 347. ft. N. 22° 23' W.

Telluride No. 1 lode, 824.40 ft. S. 22° 26' E. and 665. ft. N. 22° 26' W.

Telluride No. 2 lode, 405.08 ft. S. 24 ° E. and 1032.45 ft. N. 33° 50' W.

Telluride No. 3 lode, 1419. ft. S. 40° 31' E. and 81. ft. N. 40° 31' W.

Telluride No. 4 lode, 656.17 ft. S. 34 ° E. and 805.84 ft. N. 50° 20' W.

Telluride No. 5 lode, 170. ft. S. 50° 46' 30" E. and 1284.90 ft. N. 50° 46' 30" W.

ADJOINING CLAIMS.

The adjoining and conflicting lode claims to this survey are Sur No. 3427 Hill and Gold Wedge lodes, claimant unknown, Sur. No. 3199 Bald Eagle and Black Eagle lodes, Tom Reed Gold Mines Co. claimant, Sur. No. 3271 C. J. D. No. 3 lode, Charles Mushrush and John Sprague, claimants, Moose No. 1, National No. 1 and National No. 2 lodes (unsurveyed) claimants unknown, all on the north and northeast sides;

The Lucky Boy, Rose, Friday, Hawkshaw No. 1, Sidewinder, and Scorpion lodes, (unsurveyed) Lucky Boy Mining Co. claimant, The Golden Queen and Green and Gold lodes, (unsurveyed) claimants unknown, and Sur. No. 3426 Sunny Side, Sunny Side Extension, and Sunny Side Extension No. 1 lodes, Sunnyside Gold Mines Co. claimant, all on the south and southwest sides, of said group.

A R E A .

Total area Blue Ridge lode,	15.040 acres.
Total area Blue Ridge Extension lode,	17.119 "
area in conflict with Lucky Boy lode unsurveyed	0.393 acres.

Total area Blue Ridge Fraction lode,		10.853 acres.
area in conflict with		
Blue Ridge lode of this survey	0.148	acres.
Blue Ridge Extension lode		
of this survey	2.188	"
Sur. No. 3199 Bald Eagle lode	1.362	"
Sur. No. 3199 Black Eagle lode	2.760	"
Total area Connecting Link No. 1 lode		17.126 "
area in conflict with		
Sur. No. 3199 Bald Eagle lode	0.148	"
Sur. No. 3427 Gold Wedge lode	0.132	"
Sur. No. 3427 Hill lode	0.222	"
Lucky Boy lode unsurveyed	2.228	"
Blue Ridge Extension lode,		
of this survey	1.704	"
Blue Ridge Extension lode of		
this survey		
exclusive of its conflict with		
Lucky Boy lode unsurveyed	1.691	"
Blue Ridge Fraction lode		
of this survey	0.094	"
Blue Ridge Fraction lode		
of this survey,		
exclusive of its conflict with		
Sur. No. 3199 Bald Eagle lode	0.092	"
Blue Ridge Fraction lode		
of this survey		
exclusive of its conflict with		
Blue Ridge Extension lode		
of this survey	0.034	"
Blue Ridge Fraction lode		
of this survey		
exclusive of its conflict with		
Sur. No. 3199 Bald Eagle lode		
and Blue Ridge Extension lode		
of this survey	0.032	"
Total area Connecting Link No. 2 lode		10.146 "
area in conflict with		
Sur. No. 3427 Hill lode	0.360	"
Total area Lodestone lode,		17.597 "
area in conflict with		
Sur. No. 3426 Sunny Side lode	0.080	"
Blue Ridge lode of this survey,	0.455	"
Total area Lodestone No. 1 lode		20.050 "
area in conflict with		
Lodestone lode of this survey	0.779	"
Total area Telluride No. 1 lode		20.072 "
Total area Telluride No. 2 lode		18.741 "
Total area Telluride No. 3 lode		20.542 "
area in conflict with		
Sur. No. 3426 Sunny Side		
Extension lode	0.126	"
Sur. No. 3426 Sunny Side		
Extension No. 1 lode	0.236	"
Total Area Telluride No. 4 lode		17.280 "

Area in conflict with
 Sur. No. 3426 Sunny Side Extension lode 0.010 acs.
 Telluride No. 2 lode of this survey 3.959 "
 Total area Telluride No. 5 lode 11.393 acs.

Area in conflict with
 Sur No. 3271 C.J.D.No. 3 lode 5.109 "
 Blue Ridge Fraction lode of this sur. 0.014 "

The survey of each lode of this claim is identical with its respective amended location, all corners of each claim having been found marked on the ground.

L O C A T I O N

This claim is located in the S. 1/2 Sec. 23, S.W. 1/4 Sec. 24, N. 1/2 and S.E. 1/4 of Sec. 25, T.19 N., R.20 W. G. and S. R. B. and M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements, made upon or for the benefit of each lode of this claim, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of :-

On the Blue Ridge lode.

No. 1 The Discovery Cut, the face of which is on the lode line at N. 48° 50' W. 240 ft. from the south^{east} end center. 4 ft. wide 10 ft face runs S. 80° east 19 ft. to mouth, at face of cut a tunnel 4x 6 ft. runs N. 80° W. 7 ft. to face, in mineralized andesite and quartz.

Value of cut and Tunnel \$150.00

No. 2 A cut the mouth of which bears from Cor. No. 3 N. 43° 00' W. 275 ft. 5 ft. wide runs S. 74° W. 20 ft. to bend Thence N. 25° W. 23 ft. to a 12 ft. face, at face of Cut a tunnel 4 x 6 ft. runs N. 25 ° W. 10. ft. to face on a quartz and calcite vein in andesite.

Value of cut and tunnel \$ 350.00

An undivided 1/12 interest in improvement No. 3 Blue Ridge Fraction lode is accredited to this lode.

	Value	\$2500.00
	On the Blue Ridge Extension lode.	
No.1	The discovery cut the face of which is on the lode line at N.68°4'W. 20 ft. from the E. End Center. 15 ft. wide 10 ft. face runs N.60°W. 25 ft. to mouth in altered andesite and vein material.	
	Value	\$140.00
No.2	A shaft which bears from Cor.No.4 S.55°30'W. 170 ft. 4 x 6 ft. 8 ft. deep in altered andesite.	
	Value	\$75.00
No.3	A cut the mouth of which bears from Cor.No.4 N.87°35'W. 238 ft. 4 ft. wide runs S.15°E. 18 ft. to an 8 ft. face. At face of cut a tunnel 4½ x 7 ft. runs S.15°E. 18 ft. to face in altered andesite and vein material.	
	Value of cut and tunnel	\$325.00
No.4	A shaft which bears from Cor.No.4 N.72°45'W. 485 ft. 4 x 6 ft. 8 ft. deep in altered andesite.	
	Value	\$75.00
No.5	A cut the mouth of which bears from Cor.No.3 S.46°50'E. 305 ft. 4 ft. wide runs N.74°W. 21 ft. to a 10 ft. face on a quartz vein in andesite.	
	Value	\$100.00
	An undivided 1/12 interest in improvement No.3 Blue Ridge fractional lode is accredited to this lode.	
	Value	\$2500.00
	On the Blue Ridge Fraction lode.	
No.1	The discovery cut the mouth of which is on the lode line at N.68°04'W. 180 ft. from the E. End Center. 4 ft. wide runs S68°E. 30 ft. to an 11. ft. face on a quartz vein in andesite.	
	Value	\$120.00
No.2	A shaft which bears from Cor.No.1 N.10°40'W. 166 ft. 4 x 6 ft. 8 ft. deep in andesite.	
	Value	\$75.00
No.3	A shaft which bears from Cor.No.1 N.49°30'W. 338 ft. 4½ x 9 ft. in the clear 576 ft. deep, timbered. At the 475 ft. level a crosscut 5 x 7 ft. runs N.69°E. 54 ft.	

to face; and a crosscut 5 x 7 ft. runs S.69°W. 31 ft. to point No.1. Whence a crosscut 5 x 7 ft. runs S.69°W. 129 ft. to face a drift 5 x 7 ft. runs S.20°E. 61 ft. to face and a drift 5 x 7 ft. runs N.50°W. 16 ft. to point No.2, whence a crosscut 5 x 7 ft. runs N.65°W. 25 ft. to face and a drift 5 x 7 ft. runs N.10°W. 63 ft. to face thence N.82°W. 54 ft. to point No.3 thence N.58°W. 50 ft. to face of main drift.

On the 535 ft. level a crosscut 5 x 7 ft. runs S 68° W. 47 ft. from the W. side of the shaft to point No.1. Whence a drift 5 x 7 ft. runs S.30°E. 8 ft. to face and a drift 5 x 7 ft. runs N.30°W. 20 ft. to face; thence from point No.1 N.4°30'W. 42 ft. to point No.2 in main drift; thence N.17°W. 71 ft. to point No.3; thence N.30°W. 42 ft. to face of main drift.

On the 576 ft. level a crosscut 5 x 7 ft. runs S. 70°W. 55 ft. from the W. side of the shaft to point No.1; whence a drift 5 x 7 ft. runs N.31°W. 51 ft. to face; thence from point No.1 S.33°E. 20 ft. to point No.2; thence S.61°E. 28 ft. to face of drift.

Value of shaft, drifts and crosscuts,

\$30,000.00

An undivided 1/12 interest in this improvement is accredited to this lode.

Value \$2,500.00

The above shaft is being sunk and the drifts and crosscuts therefrom are being run for the joint development of all the lodes of this group. The surface of the ground is rough and rugged, and this shaft is centrally located in a basin accessible from the wagon road. The bottom of the shaft is at present several hundred feet below the surface of any point on the group. This shaft, therefore, is a common benefit improvement. Drifts and crosscuts extended each way from this shaft to develop all of the several veins of the group so that with one plant of machinery and one system of workings

all of the group can be systematically and economically developed and ore extracted therefrom.

- No.4 A shaft which bears from Cor.No.4 N.86°35'W. 645 ft. 4 x 10 ft. 15 ft. deep in altered andesite and vein material. Value \$150.00
- No.5 A shaft which bears from Cor.No.4 N.71°10'W. 630 ft. 4 x 6 ft. 11 ft. deep in andesite. Value \$ 85.00
- No.6 A shaft which bears from Cor.No.4 N.69°10'W.637 ft. 4 x 6 ft. 15 ft. deep in andesite. Value \$125.00
- No.7 A cut the mouth of which bears from Cor.No.2 N.67° 40'W. 138 ft. 4 ft. wide runs S.68°E. 17 ft. to a 10 ft. face on a quartz and calcite vein in andesite. Value \$100.00
- No.8 A cut the mouth of which bears from Cor.No.4 N.85° 40'W. 615 ft. 4 ft. wide runs S.20°E. 30 ft. to an 8 ft. face in altered andesite. Value \$ 80.00
- On Connecting Link No.1 lode.
- No.1 The discovery shaft which is on the lode line at S. 65°05'E. 520 ft. from the W.End Center. 4 x 6 ft. 42 ft. deep on a quartz vein in andesite. Value \$500.00
- No.2 A shaft which bears from Cor.No.2 N.84°25'E. 563 ft. 4 x 6 ft. 8 ft. deep on a quartz vein in andesite. Value \$ 75.00
- An undivided 1/12 interest in improvement No.3 Blue Ridge Fraction lode is accredited to this lode. Value \$2500.00
- On Connecting Link No.2 lode.
- No.1 The discovery shaft which is on the lode line S.59° 52'E. 15 ft. from the W.End Center. 4 x 6 ft. 8 ft. deep on a quartz vein in andesite. Value \$ 75.00
- No.2 A cut the mouth of which is on the lode line at

S.59°52'E. 140 ft. from the W.End.Center. 4 ft. wide runs N.24°E. 19 ft. to a present face of 7' ft.(cut partially filled).

Value \$75.00

An undivided 1/12 interest in improvement No.3 Blue Ridge Fraction lode is accredited to this lode.

Value \$2500.00

On Lodestone lode

No.1 The discovery cut the mouth of which is on the lode line at S.25°13'E.390 ft. from the N.End Center. 4½ ft. wide runs S.25°13'E. 20 ft. to a 10 ft. face, at face of cut a tunnel 4 x 6 ft. runs S.25°13'E. 45 ft. to face on a quartz vein in andesite.

Value of cut and tunnel \$500.00

No.2 A cut the mouth of which bears from Cor.No.1 N.85°30'E.280 ft. 4 ft. wide runs N.18°W.15 ft. to an 18'ft. face in altered andesite.

Value \$70.00

No.3 A cut the mouth of which bears from Cor.No.1 S.60°30'E. 564 ft. 4 ft. wide runs S.20°E. 19 ft. to a 9 ft. face in altered andesite.

Value \$85.00

No.4 A cut the mouth of which bears from Cor.No.4 N.7°15'E.515 ft. 6 ft. wide runs N.58°E. 15 ft. to an 8 ft. face. At face of cut a shaft 4 x 6 ft. 6 ft. deep on a quartz and calcite vein in andesite.

Value of cut and shaft \$100.00

No.5 An open cut the east end of which is on the lode line at N.25°13'W. 10 ft. from the S.End Center. 3 ft. wide 4 ft. deep 40 ft. long, course S.76°W.

Value \$100.00

An undivided 1/12 interest in improvement No.3 Blue Ridge Fraction lode is accredited to this lode.

Value \$2500.00

On Lodestone No.1 lode.

No.1 The discovery cut the mouth of which is on the lode

	at S.22°23'E. ³⁴⁷ 347 ft. from the N.End.Center 4½ ft. wide runs S.22°23'E. 17 ft. to a 10 ft. face in altered andesite and vein material.	Value	\$100.00
No.2	A shaft which bears from Cor.No.1 S.5°40'W. 483 ft. 4 x 6 ft. 8 ft. deep in andesite.	Value	\$ 75.00
No.3	A shaft which bears from Cor.No.1 S.11°50'E. 560 ft. 4 x 6 ft. 10 ft. deep on a quartz vein.	Value	\$100.00
No.4	A calyx drill hole which bears from Cor.No.1 S.7°50' W. 364 ft. 6 in. in diameter. 350 ft. incline 42° course N.46°E.	Value	\$1400.00
	An undivided 1/12 interest in improvement No.3 Blue Ridge Fraction lode is accredited to this lode.	Value	\$2500.00
	On Telluride No.1 lode.		
No.1	The discovery cut the face of which is on the lode line line at S.22°26'E. 665 ft. from the N.End.Center. 4½ ft. wide 10 ft. face runs S.10°W. 28 ft. to mouth in altered andesite.	Value	\$100.00
No.2	A cut the mouth of which bears from Cor.No.4 S.48°E. 477 ft. 4 ft. wide runs N.46°E. 20 ft. to a 10 ft. face on a quartz vein in andesite.	Value	\$100.00
No.3	A cut the mouth of which bears from Cor.No.4 S.48°E. 400 ft. 6 ft. wide runs N.48°E. 14 ft. to an 8 ft. face. At face of cut a shaft 4 x 6 ft. 10 ft. deep on a quartz vein in andesite.	Value of cut and shaft	\$150.00
No.4	A cut the mouth of which bears from Cor.No.4 S.45°15' E. 320 ft. 4 ft. wide runs N.44°E. 22 ft. to a 10 ft. face. At face of cut a tunnel 4 x 6 ft. runs N.44°E. 20 ft. to face, on quartz vein in andesite.	value of cut and tunnel	\$350.00

- No.5 A shaft which bears from Cor. No. 4 S.23°10'E.575.ft. 4 x 6 ft. 8 ft. deep on a quartz vein.
- Value \$ 75.00
- An undivided 1/12 interest in improvement No.3 Blue Ridge Fraction lode is accredited to this lode.
- Value \$2500.00
- On Telluride No.2 lode.
- No.1 The discovery shaft the center of which is on the lode line at N.24° W. 405.08 ft. from the S.end center, 4½ x 7 ft. 22 ft. deep on a quartz vein in andesite.
- Value \$ 260.00
- No.2 A cut the mouth of which is on the lode line at N.24° W. 120 ft. from the S. end center, 4 ft. wide runs S.27° E. 20 ft. to a 6 ft. face on a quartz vein.
- Value \$ 60.00
- No.3 A cut the mouth of which bears from Cor. No.5, S.51° 30' E. 740. ft. 4 ft. wide ,runs N.56° E. 15 ft. to a 6 ft. face in altered andesite.
- Value \$ 50.00
- No.4 A shaft which is on the lode line, at S.33°50' E. -15ft. from the N.end center, 4 x 6 ft. 10 ft. deep on a quartz and calcite vein in andesite.
- Value \$ 80.00
- An undivided 1/12 interest in improvement No.3 Blue Ridge Fraction lode, is accredited to this lode.
- Value \$2500.00
- On Telluride NO.3 lode.
- No.1 The discovery cut the mouth of which is on the lode line at S.40°31'E. 81. ft. from the N.end center, 4 ft. wide, runs S.40°31'E. 17 ft. to a 10 ft. face, on a quartz and calcite vein in andesite.
- Value \$100.00
- An undivided 1/12 interest in improvement No.3 Blue Ridge Fraction lode, is accredited to this lode.
- Value \$2500.00

On the Telluride No.4 lode.
 shaft
 No.1 The discovery, which is on the lode line at S.50°20'E.
 805.84 ft. from the N.end center, 4 x 6 ft. 25 ft. deep
 on a quartz and calcite vein in andesite,

Value \$300.00

No.2 A cut the face of which is on the lode line, at N.34°
 W. 150 ft. from the S. end center, 4 ft. wide, runs S.16°
 E. 16 ft. to mouth, 6 ft. high at face, on a quartz and ca
 -lcite vein.

Value \$ 50.00

An undivided 1/12 interest in improvement No.3 Blue
 Ridge Fraction lode, is accredited to this lode.

Value \$2500.00

On Telluride No.5 lode.

No.1 The discovery cut the mouth of which is on the lode
 line, at N.50°46'30"W. 170 ft. from the SE end center,
 9 ft. wide, runs S. 51°E. 16 ft. to a 10 ft. face, in
 altered andesite and vein material.

Value \$ 75.00

No.2 An Incline Shaft, which bears from Cor. No.3 N.26°30'
 W. 350 ft. 4 1/2 x 9 ft. in the clear, timbered, said to be
 500 ft. deep; Incline S.30°W. dip 70°. This shaft is
 sunk on a quartz and calcite vein in andesite, and sever-
 al hundred feet of drifts and cross-cuts are reported on the
 200 ft., 400 ft., and 500 ft. levels; but as these levels
 are all under water, it is impossible to measure same.

Value for 500ft. of shaft, \$ 15000.00

An undivided 1/12 interest in improvement No.3 Blue
 Ridge Fraction lode, is accredited to this lode.

Value \$ 2500.00

OTHER IMPROVEMENTS.

A frame and iron engine room, the S.E. Cor. of which bears
 from Cor. No.1 Blue Ridge Fraction lode, N.56°25'W. 335.ft.
 18 x 30 ft. course of long side S.58° W., This building
 is the housing for a complete plant of mining machinery.

A frame and iron blacksmith shop, the S.W. Cor. of which

bears from Cor. No.1 Blue Ridge Fraction lode, N.45°10'W.
300 ft. 22 x 12 ft. course of long side N.74°E.

A frame and Iron Boarding house, the S.E. Cor. of which
bears from Cor. No.4 Blue Ridge Fraction lode, N.73°30'W.
510. ft. 12 x 24 ft. course of long side, N.41° W.

A frame and iron house, the S. Cor. of which bears from C
Cor. No.4 Blue Ridge Fraction lode, N.73°30'W. 796. ft.
12 x 16 ft. course of long side N.40° E.

A frame and iron house, the S.E. Cor. of which bears
from Cor. No. 4 Blue Ridge Fraction lode, N.82°15'W.570.
ft. 12 x 16 ft. course of long side N.49° W.

A frame and iron house, the East Cor. of which bears
from Cor. No. 4 Blue Ridge Fraction lode, N.81°10'W. 730.
ft. 12 x 14 ft. course of long side N.65° W.

A frame and iron house, the N.E. Cor. of which bears
from Cor. No.4 Blue Ridge Fraction lode, N. 86° W. 718. ff.
12 x 14 ft. course of long side N.56°W.

A Frame Office building, the S.E. Cor. of which bears
from Cor. No.4 Blue Ridge Fraction lode, N.83°W. 650.ft.
12 x 20 ft. course of long side, S.62° W.

All of the above buildings belong to claimant herein.

I N S T R U M E N T

This survey was made with a C.L. Berger and Sons No.2
Transit, The courses were deflected from the true merid-
ian as determined by direct solar observations.
The distances were measured with 100.ft. and 500 ft. steel
tapes.

R E P O R T

All line and ties in this survey were run upon the gro-
und and the courses and distances found to be as herein
stated.

The $\frac{1}{2}$ corners between sections 23 & 24, 23 & 26, and
24 & 25 T.19N.R.20 W. are all 1 inch iron pipes with brass
caps properly marked; with a mound of stone along side.

The Cor. to sections 23, 24, 25 & 26 T. 19N.R.20 W.

is a 2 inch iron pipe with a brass cap , properly marked with a mound of stone along side.

I find the line between sections 23 & 24 T.19 N.R.20 W. to be N. $0^{\circ}07'50''$ W. 2651.80 ft. to the $\frac{1}{2}$ Cor. instead of N. $0^{\circ}03'$ W. 2640 ft. as approved.

I find the line between sections 24 & 25 T.19 N. R. 20 W. to be S. $89^{\circ}58'10''$ W. 2611.82 ft. from the $\frac{1}{2}$ Cor. to the corner to sections 23, 24, 25, & 26, instead of N. $89^{\circ}39'$ W. 2645.28 ft. as approved.

The $\frac{1}{2}$ Cor. between sections 25 & 30 T. 19N.R.19 & 20 W. is an andesite rock 6 x 12 x 10 ins. above a mound of earth and stone, chiseled with $\frac{1}{2}$ on the W. face, and a mound of stone along side.

Sur. No. 3199 Bald Eagle and Black Eagle lode,
all corners are pine posts 4 ins. sq. properly set and scribed; I find all lines and ties to be correct as approved.

Sur. No. 3271 C. J. D. No. 3 lode
all corners are redwood posts 4 ins. sq. properly set and scribed; I find all lines and ties to be correct as approved.

Sur. No. 3426 Sunny Side, Sunny Side Extension and Sunny Side Extension No.1 lodes;
All corners are redwood posts 4 ins. sq. properly set and scribed, I find all lines and ties to be correct as approved.

Sur. No. 3427 Hill and Gold Wedge lode,
All corners are redwood posts 4 ins. sq. properly set and scribed, I find all lines to be correct as approved.

Lucky Boy lode, (unsurveyed)
All corners are redwood posts 4 ins. sq. properly set and marked.

N O T E

The disagreements between these field notes and the amended location certificates with regard to the courses and distances of the boundary lines and ties, and the description of the discovery work, are due to errors in the latter.

Jul 10 1918

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edward I. Haff

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

Telluride Mining Milling and Development Company

Blue Ridge, Blue Ridge Extension, Blue Ridge Fraction, Connecting Link No.1, known as the Connecting Link No.2, Lodestone, Lodestone No.1, Telluride No.1, Telluride No.2, Telluride No.3, Telluride No.4, and Telluride No.5 lodes. and showing the respective capacities in which they acted.

A. B. Crosby, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, I, A. B. Crosby

and _____, do solemnly swear that we assisted Edward I. Haff

_____, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Telluride Mining Milling and Development Company

Known as the Blue Ridge, Blue Ridge Extension, Blue Ridge Fraction, Connecting Link No.1, Connecting Link No.2, Lodestone, Lodestone No.1, and Telluride No. 5 lodes represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

A. B. Crosby, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this first

day of June, 1918.

Josephine Whiting

Notary Public

My commission expires January 20, 1920.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edward L. Haff, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 22 - 1918, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Telluride Mining Milling and Development Company known as the Blue Ridge, Blue Ridge Extension, Blue Ridge Fraction, Connecting Link No.1, Connecting Link No.2, Lodestone, Lodestone No.1, Telluride No.1, Telluride No.2, Telluride No.3, Telluride No.4 and Telluride No.5 lodes. San Francisco Mining District, Mohave County, Arizona, in Section 8 23, 24, 25, Township No. 19 N., Range No. 20 W. G. and S. R. B. and M., and designated as Survey No. 3505, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.


 U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edward L. Haff
 U. S. Mineral Surveyor, before me a Notary Public in and for the
County of Mohave, State of Arizona. this first
 day of June, 1918.


 Notary Public

My commission expires
 January 20, 1920.

Amended Location Certificate

Amended

KNOW ALL MEN BY THESE PRESENTS: That Telluride Mining, Milling and Development Company by J. L. McIver, Agent,

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this second amended location of the Blue Ridge Lode, claiming by right of discovery, location, primal appropriation and possession 1444.51 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold silver and other valuable minerals, with all dips, variations and angles, the same being 1204.51 feet along the ledge in a N.48°50' W. direction from the discovery stake and 240 feet along the ledge in a S.48°50' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in Sec.24-25 T.19N. R. 20 W. and more particularly described as follows, to-wit:

Beginning at the N.E. Cor. whence;-Cor. No. 3 Sur.No. 3271 C.J.D. No. 3 lode, bears S.64°29'30" E. 171.04 ft. Thence S.42°52' E.1450.40 ft. to the S.E. Corner. Thence S.41°55' W.78.20 ft. to the S.End Center and 378.20 ft. to the S.W. Corner. Thence N.48°50' W. 1444.51 ft. to the N.W. Corner. Thence N.41°55' E. 300 ft. to the N. End Center and 528.98 ft. to the place of beginning. Variations 15° East. All corners and end centers are redwood posts 4 ft. long 4" square properly set and marked. The original location of this lode was made October 5th, 1908, by George Hartman and E. Baird, recorded November 7, 1908, in Book Z page 54. And was amended April 8, 1912, by George Hartman and Telluride Mining, Milling and Development Company, recorded April 29, 1912, in Book DD, Page 618.

THIS AMENDED LOCATION is made in conformity with the original location, made October 5, 1908., recorded November 7, 1908, in Book Z, Page 654, of Quartz Locations, in the office of the Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and ~~correcting~~ any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery October 5, A. D. 1908.
Date of Amended Location April 8, A. D. 1912.
Date of 2d amended location, March 29, A.D. 1918.

Attest: _____
Telluride Mining, Milling and Development Company By J.L. McIver Agent.

Recorded at the request of C. W. Herndon, at nine ~~XXXXXX~~ minutes past _____ o'clock A. M., April 8th A.D. 1918, in Book SS of Mining Claims, Page S 517-518, Records of Mohave County, Arizona.

H. L. Underwood,
County Recorder.
By H. F. Williams.
Deputy.

Amended Location Certificate

Apr. 7. 1918

KNOW ALL MEN BY THESE PRESENTS: That Telluride Mining, Milling and Development Company, by J. L. McIver, Agent,

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this second amended location of the Blue Ridge Extension Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold silver and other valuable minerals, with all dips, variations and angles, the same being 1480 feet along the ledge in a N.68°04' W. direction from the discovery ~~xxx~~ cut and 20 feet along the ledge in a S.68°04' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in Sec.23-24 T19 N.R. 20 W. and more particularly described as follows, to-wit:

Beginning at the N.E. Corner whence; -Cor. No. 3 Sur.No. 3271 C.J.D.No. 3 lode, bears S.64°29'30" E. 171.04 ft. Thence S.41°55' W. 228.98 ft. to the E.End Center and 528.98 ft. to the S.E. Corner. Thence N.68°04' W. 1500 ft. to the S.W. Corner. Thence N.41°55' E. 300 ft. to the W.End Center and 528.98 ft. to the N.W. Corner. Thence S.68°04' E. 1500 ft. to the place of beginning. Variations 15° East. All corners and end centers are redwood posts 4 ft. long 4" square, properly set and marked. The original location of this lode was made October 26, 1908, by E. Baird and George Hartman, recorded January 14, 1909, in Book AA, Page 616, and was amended April 9, 1912, as the N.W. Ext. of Blue Ridge by George Hartman and Telluride Mining, Milling and Development Company, recorded April 29, 1912, in Book DD, Page 620.

THIS AMENDED LOCATION is made in conformity with the original location, made October 26, 1908 recorded January 14, 1909, in Book AA, Page 616, of Quartz Locations, in the office of the Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and ~~correcting~~ correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery October 26, 1908 ~~XXXXXX~~
Date of Amended Location April 9, 1912 ~~XXXXXX~~
Date of 2d amended location, March 29, 1918. ~~A.D. 19~~

Attest: _____ Telluride Mining, Milling and Development Company by J.L.McIver Agent.

Recorded at the request of C. W. Herndon, at nine ~~xxxxxx~~ o'clock A.M., April 8th A.D., 1918, in Book SS of Mining Claims, Page S 518-519, Records of H. L. Underwood,

Mohave County, Arizona. _____
County Recorder.
By H. F. Williams.
Deputy.

Amended Location Certificate

April 7, 1918

KNOW ALL MEN BY THESE PRESENTS: That Telluride Mining Milling and Development Company, by J. L. McIver, Agent.

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this amended location of the Connecting Link No. 1 Lode, claiming by right of discovery, location, primal appropriation and possession 1474.73 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold silver and other valuable minerals, with all dips, variations and angles, the same being 520. feet along the ledge in a N.65°05' W. direction from the discovery shaft and 954.73 feet along the ledge in a S.65°05' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in Sec. 23 T.19 N.R.20 W. and more particularly described as follows, to-wit:

Beginning at the N.E. Cor. Whence;-Cor. No. 3 of Survey No. 3199 Bald Eagle lode, Bears N.57°50' W. 530.59 ft. Thence S.23°51' W.111.91 ft. to the East end Center and 411.91 ft. to the S.E. Corner. Thence N. 65°05' W. 1474.73 ft. to the S.W. Corner. Thence N.23°51' E. 300 ft. to the West end center and 600 ft. to the N.W. Corner. Thence S.57°50' E. 1490.14 ft. to the place of beginning. Variation 15° east. All corners and end centers are red wood posts four feet long four inches square properly set and marked.

Milling and Development Co February 2-

THIS AMENDED LOCATION is made in conformity with the original location, made By Telluride Mining/ 1912, recorded April 29, 1912, in Book H.H., Page 256, of Quartz Locations, in the office of the Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and ~~corrections and~~ correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery February 2nd., A. D. 19 12

Date of Amended Location March 29th., A. D. 19 18

Attest: _____ Telluride Mining Milling and Development Company, by J.L. McIver Agent.

Recorded at the request of C. W. Herndon, at nine o'clock A.M., April 8th A.D., 1918, in Book SS of Mining Claims, Page 520-521, Records of H. L. Underwood, Mohave County, Arizona.

H. F. Williams. Deputy.
County Recorder.

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

Connecting Link No. 2

This Mining Claim; the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by **Telluride Mining Milling & Development Co. Citizens of U.S.**

(Locator must insert either "a citizen of the United States" or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the **2nd** day of **Feb.** 19 **12**

The length of this claim is **722** feet,
and **we** claim **137** feet
in a **Nor. Westerly** direction and **585**
feet in a **South Easterly** direction

from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with **300** feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises **is** **Nor West to So East** to the

The claim is situated and located in the **San Francisco** Mining District, in **Mohave** County, in the **Territory** of **Arizona**, about **2000 feet** in a **So. Easterly** direction from **Tom Reed Mill**

The surface boundaries of the claim are marked upon the ground as follows: Beginning at **a pine post**

at a point in a **N. 59°48' W** direction **137** feet from the discovery shaft (at which this notice is posted), being in the center of the **No. West** end line of said claim; thence **N.23°53' E. 300** feet to a **Pine post** being the **No. East** corner of said claim: thence **S.59°48' E. 722** feet to a **Pine Post** being at the **So. East** corner of said claim thence **So. 23°53' West 300** feet to a **Pine Post** at the center of the **So. East** end of said claim; thence **So. 23°53' W.300** feet to a **Pine Post** being at the **So. West** corner of said claim; thence **N.59°48' W.722** feet to a **Pine post** at the **Nor. West** corner of said claim; thence **No.23°53' East** feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XX XII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this **2nd** day of **Feb.** 19 **12**

Telluride Mining Milling & Development Co. by Pete McDonald Agent

Filed and recorded at request of **C. W. Herndon** this **29th** day of **April A.D.** 19 **12** at **One** o'clock **P.** M. **Book HH at Page 257**

J. W. Morgan,

County Recorder.
By **I. J. Whitney, Deputy Recorder.**

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS: That Telluride Mining, Milling & Development Co., by J. L. McIver Agent

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this ... amended location of the Lodestone Lode, claiming by right of discovery, location, primal appropriation and possession 1278.88 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles, the same being 390 feet along the ledge in a N.25°13' W. direction from the discovery ~~stake~~ cut and 888.88 feet along the ledge in a S.25°13' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in

..... and more particularly described as follows, to-wit:

Beginning at the northwest corner, whence the N.W. Cor. Sec. 25 T.19 N.R. 20 W. bears N.53°25' W.-941.20 ft. Thence N.57°22' E.-302.50 ft. to the northwest end center Thence N.57°22' E.-302.50 ft. to the northeast corner Thence S. 25°13' E.-1278.88 ft. to the southeast corner Thence S.57°22' W. 320.50 ft. to the southeast end center Thence S.57°22' W.-302.50 ft. to the southwest corner Thence N 25°13' W.-1278.88 ft. to the place of beginning.

All corners and end centers are marked by 4 x 4 in. posts.

E. Baird $\frac{1}{4}$ U. Grill $\frac{1}{4}$ Nov. 24,

THIS AMENDED LOCATION is made in conformity with the original location, made by George Hartman, 1.908 recorded Jan. 14 A.D., 1.909 in Book AA, Page 615, of Quartz Locations, in the office of the Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and ~~correcting~~ any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Nov. 24, 1908, A. D. ~~18~~
Date of Amended Location April 22-1916, A. D. 19

Attest: _____
Telluride Mining Milling & Dev Co
J. L. McIver Agent.

Recorded at the request of J. L. McIver, Agent, at 9 ~~minutes past~~ o'clock A.M., June 12th, 1916, in Book P.P. of Mining Claims, Page s 490-491, Records of J. W. Morgan, Mohave County, Arizona.

County Recorder.

By J. T. Morgan.
Deputy.

Notice of Mining Location

40

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim; the name of which is the **Lodestone No. 1**
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by **Telluride Mining Milling & Development Co. Citizens of U.S.**

(Locator must insert either "a citizen of the United States" or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the **3rd** day of **March** 19 **12**.

The length of this claim is **1491.6** feet,
and **We** claim **357** feet
in a **Nor. Westerly** direction and **1134.6**
feet in a **So. Easterly** direction
from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with **300**

feet in width of the surface grounds,
on each side of the center of said claim. The general course of the lode deposit and premises **is** from the **Nor West** to the **South East**.

The claim is situated and located in the **San Francisco** Mining District,
in **Mohave** County, in the **Territory** of Arizona, about **7000** feet
in a **So. Easterly** direction from **The Tom Reed Mill**

The surface boundaries of the claim are marked upon the ground as follows: Beginning at **Pine Post**

at a point in a **N 22° 29' W** direction **357** feet from
the discovery shaft (at which this notice is posted), being in the center of the **No. West** end line
of said claim; thence **N 55° 42' E 300** feet to a **Pine Post**
being the **No. East** corner of said claim: thence **S 22° 29' E 1491.6** feet
to a **Pine Post** being at the **So. East** corner of said claim
thence **So 55° 42' West 300** feet to a **Pine Post**
of the **So East** end of said claim; thence **So 55° 42' W 300** feet
to a **Pine post** being at the **So. West** corner of said claim;
thence **N 22° 29' W. 1491.6** feet to a **Pine Post** at the **N. West**
corner of said claim; thence **N 55 42 E. 300** feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XX XII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this **3rd** day of **March** 19 **12**
Telluride Mining Milling & Develop-
ment Co.,
by **Pete McDonald Agent**

Filed and recorded at request of **C. W. Herndon** this **29th** day
of **April A.D.** 19 **12** at **One** o'clock **P. M.** **Book HH Page 258**
J. W. Morgan,

County Recorder.
By **I. J. Whitney Deputy Recorder.**

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Telluride No 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Telluride Mining Milling & Development Co Citizens of U.S. the undersigned, on the 4th day of April, 1912.

The length of this claim is 1491.6 feet, and We claim 370.6 feet, in a No West direction and 1121 feet in a Southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Nor West to the South East.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 7000 feet in a So Easterly direction from The Tom Reed Mill

The surface boundaries of the claim are marked upon the ground as follows;

Beginning at Pine Post at a point in N 22° 29' W direction 370.6 feet from the discovery shaft (at which this notice is posted), being in the center of the No West end line of said claim; thence N 55° 42' E 300 feet to a Pine Post, being the N. East corner of said claim; thence So 22° 29' E 1491.6 feet to a Pine Post being at the So East corner of said claim; thence So 55°42' West 300 feet to a Pine Post at the center of the So East end of said claim; thence So 55°42' W 300 feet to a Pine Post, being at the So West corner of said claim; thence N 22°29' W 1491.6 feet to a Pine Post at the N West corner of said claim; thence N 55. 42' E 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Telluride No 1 Mining claim,

-2-

located by Pete McDonald & J. E. Rose on the 20th day of March, 1909, and recorded in Book ___ of Records of Mines, at page ___, in the office of the County Recorder of the aforesaid County of _____ to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this April 4th day of April, 1912.

Telluride Mining Milling & Development Co.
By Pete McDonald Agent

Filed and Recorded at Request of C. W. Herndon, April 29th A.D. 1912 at One Oclock P.M., Book DD of Mines, Pages 616.

J. W. Morgan
County Recorder
By I. J. Whitney
Deputy Recorder.

416.8
1018.
1434.8

Apr. 7. 1912

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS: That Telluride Mining Milling & Development

the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the ~~State~~ ^{Territory} of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this amended location of the Telluride No. 2 Lode, claiming by right of discovery, location, primal appropriation and possession 1434.8 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing Gold and other valuable minerals, with all dips, variations and angles, the same being 1018 feet along the ledge in a N. W. direction from the discovery stake and 416.8 feet along the ledge in a S. E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, ~~State~~ ^{Territory} of Arizona, in

and more particularly described as follows, to-wit:
About 9000 feet So Easterly from Tom Reed Mill
Beginning at N.W. End Center a Pine Post from which the Discovery shaft bears So 34° 18' E 1010 feet; thence N 55° 42' E 300 feet to N.E. corner a pine post; thence So 31° 13' E 1429.7 feet to So East corner a pine post; thence So 55° 42' West 300 feet to So E End Center a Pine Post; thence So 55° 42' West 300 feet to S.W. Corner a Pine Post; thence N. 24° 24' West 471.5 feet to West Side Corner a Pine Post; thence N 34° 36' W 963.8 feet to N.W. Corner a Pine Post; thence N. 55° 42' E 300 feet to place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made March 20th, 1909, recorded, 1.0.0., in Book, Page, of Quartz Locations, in the office of the Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and ~~correcting~~ any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Mar 20th, A. D. 19 09.
Date of Amended Location April 4th, A. D. 19 12.

Attest:
Telluride Mining Milling & Development Co.
by Pete McDonald Agent

Recorded at the request of C. W. Herndon, at One XXXXXX o'clock P. M.,
April 29th, 19 12 in Book DD of Mining Claims, Page 617, Records of
J. W. Morgan,
Mohave County, Arizona.

I. J. Whitney
Deputy Recorder.

Amended

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Telluride No. 3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Telluride Mining Milling & Development Co Citizens of U.S. the undersigned, on the 4th day of April 1912

The length of this claim is 1500 feet, and we claim 100 feet, in a N. Westerly direction and 1400 feet in a So Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface ground, on each side of the center of said claim. The general course of the lode deposit and premises is from the No West to the So East

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 10,000 feet in a So Easterly direction from Tom Reed Mill

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Pine Post at a point in a N 40°21' W direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the N.W. end line of said claim; thence N55°42' E 300 feet to a Pine Post, being the N. East corner of said claim; thence S.40°21' E. 1500 feet to a Pine Post being at the So East corner of said claim; thence S 55°42' W 300 feet to a Pine Post at the center of the S. East end of said claim; thence S 55°42' W 300 feet to a Pine Post, being at the So West corner of said claim; thence N. 40°21' West 1500 feet to a Pine Post at the N. West corner of said claim; thence N 55° 42' E 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of An Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws

-2-

of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Telluride No. 3 Mining Claim, located by Pete McDonald & J. E. Rose on the 20th day of March 1909, and recorded in Book _____ of Records of Mines, at Page _____, in the office of the County Recorder of the aforesaid County of _____ to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description of the said original Location Notice.

Dated and posted on the ground this 4th day of April, 1912.

Telluride Mining Milling & Development Co.,
by Pete McDonald Agent.

Filed and Recorded at request of C. W. Herndon April 29th A.D. 1912 at one o'clock P.M., Book DD of Mines, Pages 619.

J. W. Morgan
County Recorder.
By I. J. Whitney
Deputy Recorder.

Notice of Mining Location

46

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim; the name of which is the Telluride No. 4
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Telluride Mining Milling and Development Co. Citizen of U. S.

(Locator must insert either "a citizen of the United States" or "who has declared his intention to become a citizen of the United States,")
the undersigned, on the 2nd day of Mch 19 12.

The length of this claim is 1459.6 feet,
and we claim 650.6 feet
in a S. Ely direction and 809
feet in a N. W. direction

from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises ~~is~~ is N. W. to the S. E.

The claim is situated and located in the San Francisco Mining District, in Mohave County, in the Territory of Arizona, about 9000 feet in a S. Ely direction from Tom Reed Mill

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a pine post

at a point in a N 51°21' W direction 809 feet from the discovery shaft (at which this notice is posted), being in the center of the N. W. end line of said claim; thence N 55°42' E 300 feet to a pine post being the N. E. corner of said claim: thence S. 43°11' E 1445 feet to a pine post being at the S. E. corner of said claim thence S 55°42' W 300 feet to a pine post at the center of the S. E. end of said claim; thence S. 55°42' W 2391 feet to a pine post being at the S. W. corner of said claim; thence N. 37°58' W 657 feet to W. side Cor. a pine post; thence N 51°21' W. 803.5 ft to a pine post the N. W. Cor. thence N 55°42' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XX XII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 2nd day of March 19 12

Telluride Mining Milling and Development Co
by Pete McDonald Agent

Filed and recorded at request of C. W. Herndon this 29th day of April A. D. 19 12 at One o'clock P. M. Book HH at page 259
J. W. Morgan,

County Recorder.

By I. J. Whitney, Deputy Recorder.

Amended Location Certificate

APR 17 1918

KNOW ALL MEN BY THESE PRESENTS: That Telluride Mining Milling and Development Company, by J. L. McIver, Agent,

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this amended location of the Telluride No. 5 Lode, claiming by right of discovery, location, primal appropriation and possession 1454.90 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold silver and other valuable minerals, with all dips, variations and angles, the same being 1284.90 feet along the ledge in a N.50°46'30" W. direction from the discovery stake and 170. feet along the ledge in a S.50°46'30" E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in San Francisco Mining District, County of Mohave, State of Arizona, in Sec.24-25 T.19N.,R.20 W. and more particularly described as follows, to-wit:

Beginning at the N.W. Corner, Whence; -Cor. No. 3 of Sur. No. 3271 C.J.D. No. 3 lode bears N. 55°38' E. 63.73 ft. Thence N.55°38' E.63.73 ft. to the N.W. End center and 143.73 ft. to the North Corner. Thence S.58°39' E. 1531.11 ft. to the S.E. Corner. Thence S.55°38' W. 298.68 ft. to the S.E. End center and 598.68 ft. to the S.W. Corner. Thence N.25°13' W. 110.56 ft. to the West Angle Corner. Thence N.42°52' W. 1300.81 ft. to the place of beginning. Variation 15° East. All corners and end centers are redwood posts 4 ft. long 4 ins. sq. properly set and marked.

Milling and Development Co. April 10

THIS AMENDED LOCATION is made in conformity with the original location, made By Telluride Mining/, 1.912 recorded April 29, 1.912 in Book H H, Page 260, of Quartz Locations, in the office of the Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and ~~corrections and~~ ^{correcting} any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery April 10th 1912, A. D. 12
Date of Amended Location March 29th 1918, A. D. 19

Attest: _____
Telluride Mining Milling and Development Company, by J.L. McIver Agent.

Recorded at the request of C. W. Herndon, at nine o'clock A. M.,
April 8th A.D., 1918, in Book SS of Mining Claims, Page S 521-522, Records of
H. L. Underwood,
Mohave County, Arizona.

County Recorder.
By H. F. Williams.
Deputy.

APR 12 1918

STATE OF ARIZONA)
COUNTY OF MOHAVE)SS.

I, H. L. Underwood, Recorder of Mohave County, State of Arizona,
do hereby certify that I have compared the foregoing copies of

- Telluride No. 1 (Amended)
- Telluride No. 2 (Amended)
- Telluride No. 3 (Amended)
- Telluride No. 4 (Original)
- Connecting Link No. 2 (Original)
- Lodestone (Amended)
- Lodestone No. 1 (Original)
- Blue Ridge (Amended)
- Blue Ridge Extension (Amended)
- Blue Ridge Fraction (Amended)
- Connecting Link No. 1 (Amended)
- Telluride No. 5 (Amended)

and of the endorsement thereon with the original records of the
same on file in this office, and that the same are correct trans-
cripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office this 12th day
of April, 1918.



H. L. Underwood,
Recorder of
Mohave County, Arizona.

By H. F. Williams,
Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

January 3, 1919

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Telluride Mining, Milling and Development Company known as the Blue Ridge, Blue Ridge Extension, Blue Ridge Fraction, Connecting Link No. 1, Connecting Link No. 2, Lodestone, Lodestone No. 1, Telluride No. 1, Telluride No. 2, Telluride No. 3, Telluride No. 4 and Telluride No. 5 lodes.

situate in San Francisco

Mining District, Mohave County, Arizona.

in Section 23, 24, & 25, Township No. 19 N., Range No. 20 W., and

designated as Survey No. 3505, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 24 cuts, 19 shafts, 5 tunnels, 1 drill hole, 8 drifts and 6 crosscuts, total value \$51,955.

As improvement No. 3 on the Blue Ridge Fraction lode is a common improvement for the benefit and development of all twelve of the claims of this survey, an undivided one-twelfth interest therein, value \$2500, is properly credited to each of the claims in this survey.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

January 3, 1919

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Telluride Mining, Milling and Development Company

Blue Ridge, Blue Ridge Extension, Blue Ridge Fraction, known as the Connecting Link No. 1, Connecting Link No. 2, Lodestone, Lodestone No. 1, Telluride No. 1, Telluride No. 2, Telluride No. 3, Telluride No. 4 and Telluride No. 5 lodes

situate in San Francisco mining district,

Mohave County, Arizona.

in Sections 23, 24 & 25, Township No. 19 N., Range No. 20 W.

, designated as Survey No. 3505

executed by Edward L. Haff, U. S. Mineral

Surveyor, April 26-May 15, 1918, under my instructions dated

April 22, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.