

MINERAL SURVEY No. 3571

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

ARIZONA BRUNSWICK MINING Company

KNOWN AS THE

Century, Brunswick and Brunswick No. 1 lodes

WALLAPAI

Mining District,

Mohave

County,

Arizona

Section 3, *Township* 23 N., *Range* 18 W.

Surveyed under instructions dated February 15, 19 19

by Leon H. Foster

U. S. Mineral Surveyor.

Claim located See location notices., 19

Survey commenced March 15, 19 19

Survey completed April 15, 19 19

Address of claimant's Atty., C. W. Herndon,
Kingman, Arizona

DATES OF AMENDED LOCATIONS.

~~Brunswick, Feb. 8 1919~~

~~Brunswick No. 1, Feb. 8 1919.~~

~~Century, Feb. 8 1919~~

Mineral Survey No. 357I
Brunswick No. I lode

Beginning Cor. No. I.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed B-I-1-357I.

Identical with the location and on line 3-4, Silver Age lode, Sur. No. 2203 at S. 2° 02' W. 1428.37 ft. and N. 2° 02' E. 69.79 ft. from Cors. No. 3 and 4, respectively.

The Corner of sections 3-2-II-10, T. 23 N. R. 18 W. G. & S. R. B. & M. bears S. 85° 32' E. 833.80 ft.

Cor. No. 1, Century lode, this survey, bears N. 47° 43' W. 163.40 ft.

Thence N. 85° 02' W.

133.20 To the south end center of the location.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 12 ins. in the ground, in a mound of earth and stone, scribed 357I.

The discovery cut bears N. 2° 02' E. 25.00 ft.

433.20 To Cor. No. 2.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed B-I-2-357I.

Identical with the location.

Thence N. 2° 02' E.

236.83 Intersect line I-2, Century lode, this survey, at N. 61° 28' W. 343.88 ft. from Cor. No. 1.

747.40 To Cor. No. 3.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth, scribed B-I-3-357I.

Identical with the location.

Thence S. 85° 02' E.

93.56 To Cor. No. 3, Brunswick lode, this survey.

300.00 To the north end center of the location.

Survey No. 357I.

feet

Brunswick lode, No. 1, cont,

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 15 ins. in the ground, in a mound of earth and stone, scribed 357I.

The discovery cut bears S. 2° 02' W. 722.40 ft.

325.16 Intersect line 5-I, Century lode, this survey, at N. 3° 132' E. 647.57 ft. from Cer. No. 1.

368.56 To the south end center, Brunswick lode, this survey.

433.20 To Cer. No. 4.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed B-I-4-357I.

Identical with the location and with Cer. No. 2

Brunswick lode, this survey.

On line 3-4, Silver Age lode, Sur. No. 2203, at S. 2° 02' W. 680.97 ft. and N. 2° 02' E. 817.19 ft. from Cers. No. 3 and 4, respectively.

Thence S. 2° 02' W.

747.40 To Cer. No. 1, the place of beginning.

No. bearing objects available.

Variation at all corners, 14° 30' E.

Century lode.

Beginning Cer. No. 1.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed C-I-367I.

Identical with the location.

Cer. No. 1, Brunswick No. 1. lode, bears S. 47° 43' E. 163.40 ft.

The corner of sections 3-2-II-10, T. 23 N. R. 18 W.

G. & S. R. B. & M. bears S. 79° 37½' E. 968.41 ft.

Thence N. 61° 28' W.

343.88 Intersect line 2-3, Brunswick No. 1 lode, this survey, at S. 2° 02' W. 510.57 ft. from Cer. No. 3.

713.94 To Cer. No. 2.

Survey No. 3571

feet

Century lode, cont,

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed C-2-3571.

Identical with the location.

Thence N. 3° 32' E.

331.10

To the westerly end center of the location.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 15 ins. in the ground, in a mound of earth and stone, scribed 3571.

619.90

The discovery shaft bears S. 61° 28' E. 698.94 ft.

To Cor. No. 3.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed C-3-3571.

Identical with the location.

On line 3-4, Arizona lode, Survey No. 3363, at S. 66° 28' E. 164.71 ft. and N. 66° 28' W. 439.90 ft. from Cors. No. 3 and 4, respectively.

Thence S. 66° 28' E.

439.90

To Cor. No. 4.

A granite stone, 6 ins. square, 8 ins. above ground, set in a mound of earth and stone, scribed C-4-3571 with a cross on top at the exact corner.

Identical with the location and with Cor. No. 4 Arizona lode, Survey No. 3363.

On line 3-4 Brunswick lode, this survey, at N. 2° 35' E. 117.80 ft. from Cor. No. 3.

Thence S. 61° 28' E.

257.84

To Cor. No. 5.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed C-5-3571.

Identical with the location.

Thence S. 3° 32' W.

14.63

Intersect line 3-4 and line 2-3, Brunswick No. I

Survey No. 357I.
Century lode, cont,

feet

and Brunswick lode, respectively, this survey, at S. 85° 02' E. 325.16 ft. and 231.60 ft. from Cors. No. 3 and 3, respectively.

331.10

To the easterly end center of the location.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 12 ins. in the ground, in a mound of earth and stone, scribed 357I.

662.20

The discovery shaft bears N. 61° 28' W. 15.00 ft.

To Cor. No. 1, the place of beginning.

No. bearing objects available.

Variation at all corners, 14° 30' E.

Brunswick lode.

Beginning Cor. No. 1.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed B-1-357I.

Identical with the location.

The I/4 corner between sections 2 and 3, ^{T.23 N., R.18 W.} bears N. 62° 28' E. 827.50 ft.

Cor. No. 1. Montana lode, Sur. No. 3363, bears S. 51° 33' W. 238.31 ft. A granite boulder, 3 ft. square, 2 ft. above ground, marked with a cross and BR-B-1-357I, brs. N. 47° 17' W. 18.41 ft. Thence S. 7° 55' W.

716.19

Intersect line 2-3, Silver Age lode, Sur. No. 2203, at N. 87° 53' W. 526.24 ft. and S. 87° 53' E. 70.16 ft. from Cors. 2 and 3, respectively.

817. 29

Intersect line 3-4, Silver Knight lode, Sur. No. 3368, at N. 81° 31' E. 53.97 ft. and S. 81° 31' W. 547.42 ft. from Cors. No. 3 and 4, respectively.

1400.66

To Cor. No. 2.

A pine post, previously described, scribed B-2-357I.

Identical with the location and with Cor. No. 4 Brunswick No. 1 lode, this survey.

On line 3-4, Silver Age lode, Sur. No. 2203, at S. 2° 02' W. 680.97 ft. and N. 2° 02' E. 817.19 ft. from Cors. No. 3 and 4, respectively, and S. 2° 02' W. 674.69 ft. from intersection of line 2-3 Silver Knight lode, Sur. No. 3368.

Survey No. 357I.

feet

Brunswick, lode, cont.

The corner of sections 2-3-II-10, T. 23 N. R. 18 W. G. & S. R. B. & M. bears S. 44° 45' E. 1143.13 ft.

Thence N. 85° 02' W.

64.64 To the south end center of the location.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 15 ins. in the ground; in a mound of earth and stone, scribed 357I.

The discovery shaft bears N. 2° 35' E. 65.00 ft.

108.04 Intersect line 5-I, Century lode, this survey, at S. 3° 32' W. 14.63 ft. from Cor. No. 5.

133.20 To the north end center, Brunswick No. I lode, this survey.

339.64 To Cor. No. 3.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground in a mound of earth and stone, scribed B-3-357I.

Identical with the location.

Cor. No. 3, Brunswick No. I lode, this survey, bears N. 85° 02' W. 93.56 ft.

Thence N. 2° 35' E.

117.80 To Cor. No. 4, Century lode, this survey, and

1335.00 Cor. No. 4, Arizona lode, Survey No. 3363.
To Cor. No. I, Arizona lode, Sur. No. 3363.

Intersect line I-2, Montana lode, Sur. No. 3363, at N. 66° 28' W. 310.55 ft. and S. 66° 28' E. 590.76 ft. from Cors. No. I and 2, respectively.

1400.00 To Cor. No. 4.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 15 ins. in the ground, in a mound of earth and stone, scribed B-4-357I.

Identical with the location.

Thence S. 85° 02' E.

275.00 To the north end center of the location.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact point, set 12 ins. in the ground, in a mound of earth and stone, scribed 357I.

Survey No. 3571

Brunswick lode, cont.

- The discovery shaft bears S. 2° 35' W. 1335 ft.
 - 277.50 Intersect line 2-3, Silver Knight lode, Sur. No. 3368, at S. 1° 47' E. 666.72 ft. from Cor. No.2 and N. 1° 47' W. 164.92 ft. from Cor. No. I, Montana lode, Sur. No. 3363. 729.62 ft. from intersection of said line with line 3-4, Silver Age lode, Sur. No. 2203 and 833.96^{7/8} from Cor. No. 3.
 - 292.02 Intersect line 4-I, Montana lode, Sur. No. 3363, at S. 3° 12' W. 457.35 ft. and N. 3° 12' E. 163.85 ft. from Cors. No. 4 and I, respectively.
 - 470.00 To Cor. No. I, the place of beginning.
- Variation at all corners, 14° 30' E.

LODE LINES

As near as can be determined from present developments, the veins in the three claims of this survey extend as follows;-

- Brunswick No. I lode.- N. 2° 02' W. 722.40 ft. and S. 2° 02' E. 25.00 ft. from the discovery cut.
- Century lode.- N. 61° 28' W. 698.94 ft. and S. 61° 28' E. 15.00 ft. from the discovery shaft,
- Brunswick lode.- N. 2° 35' E. 1335.00 ft. and S. 2° 35' W. 65.00 ft. from the discovery shaft.

AREAS

Brunswick No. I lode.	Acres
Total area -----	7.423
Century lode.	
Total area -----	9,636
Area in conflict with Brunswick No. I lode,	
this survey -----	Acres 4.220
Area in conflict with Brunswick lode,	
this survey -----	0.353
Brunswick lode.	
Total area -----	12.996

Survey No. 3571.

Areas, continued

Area in conflict with Montana lode, Sur. No. 3363	Acres -----0.767
Area in conflict with Silver Knight lode, Sur. No. 3368	----- 2.317
Area in conflict with Silver Knight lode, exclusive of its conflict with Montana lode, Sur. No. 3363	----- 2.289
Area in conflict with Silver Knight lode exclusive of its conflict with Silver Age lode, Sur. No. 2203	-----2.154
Area in conflict with Silver Knight lode, exclusive of its conflict with Montana ^{lode, Sur. No. 3363,} and Silver Age ^{lode, Sur. No. 2203.}	-----2.137
Area in conflict with Silver Age lode, Sur. No. 2203	-----0.548

LOCATION

This survey is located in the Wallapai Mining District, Mohave County, Arizona, about one^{mile} east of the Town of Chloride, in section 3, T. 23 N. R. 18 W. G. & S. R. B. & M.

EXPENDITURE of FIVE HUNDRED Dollars

I certify that the value of the improvements and labor made upon and for the benefit of this group of lode claims by the claimants or their grantors, is not less than five hundred dollars and are as follows:-

Brunswick No. 1 lode.

No. 1, discovery cut, 4 ft. wide, 10 ft. face, the center of which is on the lode line, 25.00 ft. from the south end center and extending S. 30° E. to its mouth.

Value --- \$35.00

No. 2, A shaft, 4 ft. wide, 6 ft. long and 50 ft. deep, the center of which bears N. 18° W. 262 ft. from

Cor. No. 1. --- Value ---\$750.00

No. 3, A shaft, 4 ft. wide, 6 ft. long, 65 ft.

Survey No. 3571.

Improvements, Cont.

deep, with a 25 ft. crosscut, 4 x 6 ft. running east.

Center of the shaft bears N. 15° 25' W. 337 ft. from

Cor. No. I. Value----- \$1225.00

No. 4, A shaft, 4 ft. wide, 6 ft. long, 7 ft. deep the center of which bears N. 8° 35' W. 425 ft from

Cor. No. I. Value ----- \$30.00

No. 5, A shaft, 4 ft. wide, 6 ft. long, 50 ft. deep the center of which bears N. 11° 20' W. 451 ft. from

Cor. No. I. Value----- \$750.00

No. 6, A shaft, 4 ft. wide, 6 ft. long, 15 ft. deep the center of which bears S. 12° 10' W. 240 ft. from

Cor. No. 4. Value ----- \$75.00

No. 7, The main working shaft, timbered, two compartment, 5 ft. wide, 9 ft. long, 25 ft. deep. Course of long side S. 2° W. The northeast corner bears S. 40° 15' W. 87 ft. from Cor. No. 4. Value ----- \$200.00

Brunswick lode.

No. 1, the discovery shaft, 4 ft. wide, 6 ft. long 40 ft. deep, the center of which is on the lode line 65 ft. from the south end center. Value ----- \$600.00

No. 2, A shaft, 4 ft. wide, 6 ft. long, 30 ft. deep the center of which is on the lode line, 400 ft. from the south end center. Value----- \$360.00

Century lode.

No. I, The discovery shaft, 4 ft. wide, 6 ft. long 40 ft. deep, the center of which is on the lode line, 15 ft. from the east end center. Value ----- \$600.00

INSTRUMENT and MERIDIAN.

This survey was made with a Berger & Sons Mining transit and a 500 and 100 ft. steel tape.

The meridian was determined by direct observation on the sun.

Survey No. 3571

REPORT

The side and end lines and all other lines were run directly on the ground.

The main working shaft, with head frame and buildings, is under the course of construction.

The corners of the Silver Age lode, Sur. No. 2203 are redwood posts, 4ins. square, 4 ft. long, properly marked and set.

Corners of the Montana and Arizona lodes, Sur. No. 3363, are stones, properly marked and set.

Corners of the Silver Knight lode, Sur. No. 3368 are redwood posts, properly marked and set.

The corners of sections 2-3-II-10 and the 1/4 corner between sections 2 and 3, T. 23. N. R. 18 W. G. & S. R. B. & M. are stones with proper markings, set in a mound of stone.

ADJOINING and CONFLICTING Claims

This group is joined on the east by the Silver Age lode, Sur. No. 2203 and the Silver Knight lode, Sur. No. 3368, on the north by the Montana lode. Sur. No. 3363, on the northwest by the Arizona lode, Sur. No. 3363 and on the south by the Scotch Lassie lode, unsurveyed, claimant unknown.

The difference between this survey and the location notices is due to error in the latter.

Leon H. Foster
U. S. Mineral Surveyor

Kingman, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Leon H. Foster
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
Arizona Brunswick Mining Company
 known as the Century, Brunswick and Brunswick No. 1 lodes
 and showing the respective capacities in which they acted.

R. B. BLUM, Chainman.
 XXXXXXXXXXXXXXXXXXXXXXXX, Chainman.
 XXXXXXXXXXXXXXXXXXXXXXXX, Axman.
 XXXXXXXXXXXXXXXXXXXXXXXX, Flagman.

FINAL OATHS OF ASSISTANTS.

~~XX~~ I, R. B. Blum
 and XXXXXXXXXXXXXXXXXXXX, do solemnly swear that ~~we~~ ^I assisted
Leon H. Foster, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Arizona Brunswick Mining Company
 known as the Century, Brunswick and Brunswick No. 1 lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

R. B. Blum, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman

Subscribed and sworn to by the above-named persons before me this 9th
 day of May, 1919.

J. T. Morgan
 Clerk Superior Court

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Leon H. Foster, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Feb. 15, 1919, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Arizona Brunswick Mining Company, known as the Century, Brunswick and Brunswick No. 1 Lodes, situate in Wallapai Mining District, Mohave County, Arizona, in Section 3, Township No. 23 N., Range No. 18 W. G. & S. R. B. & M., and designated as Survey No. 3571, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Leon H. Foster
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Leon H. Foster
U. S. Mineral Surveyor, before me J. T. Morgan, Clerk Superior
Court this 9th
day of May, 1919.

J. T. Morgan
Clerk Superior Court.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

MAR 10 1920, 191

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

ARIZONA BRUNSWICK MINING COMPANY,

known as the CENTURY, BRUNSWICK and BRUNSWICK NO. 1 LODES,

situate in WALLA PAI

Mining District, MOHAVE County, ARIZONA,

in Section 3, Township No. 23 N, Range No. 18 W., and

designated as Survey No. 3571, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claim by claimant or its grantors, and that said improvements consist of nine shafts and a cut. Value \$4,625.00.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

MAR 10 1920, 191

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

ARIZONA BRUNSWICK MINING COMPANY,

, known as the

CENTURY, BRUNSWICK, and BRUNSWICK NO. 1 LODES,

situate in WALLAPAI mining district,

MOHAVE County, ARIZONA,

in Section 3, Township No. 23 N., Range No. 18 W.,

G. & S. R. B. & M, designated as Survey No. 3571

executed by Leon H. Foster, United States Mineral

Surveyor, March 15, - April 15, 1919, under my instructions dated

February 15, 1919, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9605 (942)
M.S. 3571


NOTICE OF CANCELLATION OF MINERAL SURVEY

The Brunswick, Century, and Brunswick No. 1 lodes, Mineral Survey 3571, located in section 3, T. 23 N., R. 18 W., Gila and Salt River Meridian, Arizona, are hereby cancelled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314 of 43 U.S.C. 1744.

This cancellation was necessitated by a need to survey section 3 as requested by the Kingman Resource Area of the Phoenix District.

February 1, 1988


Chief Cadastral Surveyor of Arizona