

4-683

MINERAL SURVEY No. 3654

LOT No.

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Louis d'Or Mining and Milling Company

KNOWN AS THE

SARAH JANE #1, SARAH JANE #2, SARAH JANE #3 and SARAH JANE #4 LODES

Globe

Mining District,

Gila

County, Arizona,

Section 7, unsurveyed, Township 1 N., Range 15 E.

Surveyed under instructions dated January 13., 19 20.

by Edwin T. Stewart

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced January 21., 19 20.

Survey completed January 26., 19 20.

Address of claimant's attorney, Charles L. Rawlins, Globe, Arizona.

DATES OF AMENDED LOCATIONS.

Feet.

MINERAL SURVEY NO 3654.

SARAH JANE #1 Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location and Cor. No. 4, Sarah Jane #2 lode, this survey.

A Redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 20 ins. in the ground, with mound of stone, scribed 1-S.J.1-3654, whence

The quarter corner between sections 5 and 8, T. 1 N., R. 15 E., G.&S.R.B. & M., bears N.71°-18'-30"E., 4611.3 ft.

A cross on monzonite in place, about which is chiseled B.R. 3654, bears N.30°-42'W. 6.2 ft.

No other bearings available.

Thence S.44°-38'W.

Along line 4-3 of said Sarah Jane #2 lode.

1500.0 To Cor. No. 2, identical with S.W. Cor. of the location and Cor. No 3 of said Sarah Jane #2 lode.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 24 ins., in the ground, scribed 2-S.J.1-3654 for this claim, whence

A dacite boulder, 2.5 x 3 x 4 ft. out of the ground, chiseled cross B.R. 3654, bears N:25°-28'W. 25.15 ft.

No other bearings available.

Thence N.30°-42'W.

309.0 To S.W.E.C. monument of the location, from which the discovery cut bears N.44°-38'E. 25.0 ft.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 18 ins, in the ground, with mound of stone, scribed S.W.E.C.,-S.J.1-3654.

400.4 Intersect line 2-3, Hamburg lode, Sur. 3491, S.77°-03'W. 382.0 ft. from Cor. No. 2.

618.0 To Cor. No. 3, identical with N.W. Cor. of the location

A standard 3 in. iron pipe, 3 ft. long, with iron cap

divided in quadrants and stamped 3-S.J.1-3654 in the quadrant facing the claim, set 18 ins. in concrete base, whence Cor. No. 2, Hamburg lode, Sur. 3491 bears S.78°-08'-30"E. 493.9 ft.

Cor. No. 4 of said Hamburg lode, identical with Cors. 1 and 2 respectively of Holmes and Gordon lodes of Sur.

1638 bears N.20°-38' W. 106.2 ft. ins. in concrete base.

No other bearings available.

Thence N. 44°-38'E.

370.0 Road, course northwest and southeast.

592.4 Intersect line 1-2, Hamburg lode, Sur. 3491, N.07°-19'W.  
527.4 ft. from Cor. No. 2.

1500.0 To Cor. No. 4, identical with N.E. Cor. of the location.  
A standard 3 in. iron pipe, 3 ft. long, with iron cap divided in quadrants, and stamped 4-S.J.1-3654 in the quadrant facing the claim, set 21 ins. in concrete base.

No bearings available.

Thence S.30°-42'E.

309.0 To N.E.E.C., monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone scribed N.E.E.C. -S.J.1-3654.

618.0 To Cor. No. 1, the place of beginning.

SARAH JANE #2 Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location and Cor., No 4, Sarah Jane #3 lode, this survey.  
A standard 3 in. iron pipe, 3 ft. long, with iron cap divided in quadrants, and stamped 1-S.J.2-3654 in the quadrant facing this claim, set 20 ins. in concrete base, whence,

The quarter corner between sections 5 and 8, T. 1 N., R. 15 E., G. & S.R.B. & M., bears N.63°-37'-30"E. 4523.0 ft.

No other bearings available.

Thence S.44°-38'W.

Along line 4-3 of said Sarah Jane #3 lode.

1270.0 Wagon road, course southeast and northwest.

1500.0 To Cor. No. 2, identical with S.W. Cor. of the location and Cor. No. 3 of said Sarah Jane #3 lode.

A standard 3 in. iron pipe, 3 ft. long, with iron cap divided in quadrants, and stamped 2-S.J.2-3654 in the quadrant facing the claim, set 19 ins. in concrete base.

Feet.

No bearings available.

Thence N.30°-42'W.

309.0 To S.W.E.C. monument of the location, from which the discovery cut bears N. 44°-38'E. 41.0 ft.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 24 ins. in the ground, with mound of stone scribed S.W.E.C.-S.J.2-3654.

438.0 Wagon road, course northwest and southeast.

618.0 To Cor. No 3, identical with N.W. Cor. of the location and Cor., No. 2, Sarah Jane #1 lode, this survey.

A redwood post, previously described, to which I add 3-S.J.-2 for this claim.

Thence N.44°-38'E.

Along line 2-1 of said Sarah Jane #1 lode, this survey.

1500.0 To Cor., No. 4, identical with N.E. Cor. of the location and Cor., No. 1, of said Sarah Jane # 1 lode, this survey.

A redwood post previously described, to which I add 4-S.J. 2, for this claim.

Thence S.30°-42'E.

309.0 To N.E.E.C. monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 18 ins. in the ground, with mound of stone, scribed N.E.E.C.-S.J.2-3654.

618.0 To Cor. No. 1, the place of beginning.

SARAH JANE # 3 Lode.

Beginning at Cor. No. 1, identical with S.E. Cor. of the location and Cor. No. 1, Sarah Jane # 4 lode, this survey.

A redwood post, 4 ft. long, 4 ins. sq., with nail at the exact corner, set 24. ins. in the ground, with mound of stone, scribed 1-S.J.3-3654., for this claim, whence

The quarter corner between sections 5 and 8, T. 1 N., R. 15 E., G. & S.R.B. & M., bears N.56°-05'-30"E. 4517.2 ft.

No other bearings available.

Thence S44°-38'W.

Along line 1-4 of said Sarah Jane #4 lode.

Feet.  
 1256.0 Road, course northwest and southeast.  
 1500.0 To Cor. No. 2, identical with S.W. Cor. of the location and Cor. No. 4 of said Sarah Jane #4 lode.  
 A pine post, 3.5 ft. long, 4 ins. sq., with nail at the exact corner, set 24 ins. in the ground, scribed 2-S.J.3-3654.

No bearings available.

Thence N.30°-42'W.

309.0 To S.W.E.C. monument of the location, from which the discovery cut bears N.44°-38'E. 30.0 ft.

A monument of stone, 3 ft., base, 3 ft. high.

594.0 To Cor. No. 3, identical with N.W. Cor. of the location, and Cor. No. 2, Sarah Jane #2 lode, this survey.

An iron pipe, with cap previously described, stamped 3-S.J.3 in the quadrant facing this claim.

Thence N. 44°-38'E.

Along line 2-1 of said Sarah Jane #2 lode.

230.0 Wagon road, course northwest and southeast.

1500.0 To Cor. No. 4, identical with N.E. Cor. of the location and Cor., No. 1 Sarah Jane #2 lode, this survey.

An iron pipe, with cap previously described, stamped 4-S.J.3 in the quadrant facing this claim.

Thence S.30°-42'E.

285.0 To N.E.E.C. monument of the location.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 24 ins. in the ground, scribed N.E.E.C. S.J.3-3654.

594.0 To cor. No. 1 the place of beginning.

SARAH JANE #4 Lode.

Beginning at Cor. No. 1, identical with N.E. Cor. of the location and Cor., No. 1, Sarah Jane #3 lode, this survey.

A redwood post, previously described, to which I add 1-S.J.4-3654. for this claim.

The quarter corner between sections 5 and 8, T. 1 N., R. 15 E., G. & S.R.B. & M., bears N.56°-05'-30"E. 4517.2 ft.

Feet. Thence S.30°-42'E.

309.0 To N.E.E.C. monument of the location, from which the discovery scut bears S.44°-38'W. 1387.0 ft.

A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 24 ins., in the ground, scribed N.E.E.C. S.J.4-3654.

569.6 To Cor. No. 2, identical with S.E. Cor. of the location. A standard 3 inch iron pipe, 3 ft. long, with iron cap divided in quadrants and stamped 2-S.J.4-3654 in the quadrant facing this claim, set 21 ins. in concrete base, whence

A cedar stump, 14 ins. in diameter, blazed and scribed cross B.T. 3654, bears N.31°-30'E. 20.10 ft.

Cor. No.3, Schley lode, Sur. 3586 bears S.14°-49'E. 795.2 ft.

No other bearings available.

800.0 Road, course east and west. Thence S. 44°-38'W.

1500.0 To Cor. No. 3, identical with S.W. Cor. of the location. A standard 3 in. iron pipe, 3 ft. long, with iron cap divided in quadrants and stamped 3-S.J.4-3654 in the quadrant facing the claim.

No bearings available

Thence N.30°-42'W.

260.6 To S.W.E.C. monument of the location. A pine post, 4 ft. long, 4 ins. sq., with nail at the exact point, set 24 ins. in the ground, scribed S.W.E.C.-S.J.4-3654.

569.6 To Cor. No. 4, identical with N.W. Cor. of the location and Cor. No. 2, Sarah Jane #3 lode, this survey. A pine post, previously described, to which I add 4-S.J.4 for this claim.

Thence N.44°-38'E.

244.0 Road, course northwest and southeast.

1500.0 To Cor. No. 1, the place of beginning.

Mean magnetic variation at all corners, 14°-10'E.

oooooooooooooooooooo

LODE LINES.

As near as can be determined from present developments, the veins of the several locations embraced in this survey extend as follows from their respective discovery points:

Sarah Jane #1, N.44°-38'E. 1475.0 ft. and S.44°-38'W. 25.0 ft.

Sarah Jane #2, N.44°-38'E. 1459.0 ft. and S.44°-38'W. 41.0 ft.

Sarah Jane #3, N.44°-38'E. 1470.0 ft. and S.44°-38'W. 30.0 ft.

Sarah Jane #4, N.44°-38'E. 1387.0 ft, and S.44°-38'W. 113.0 ft.

.....

AREAS.

Total Area Sarah Jane #1 lode, 20,588 Acres.

Area in conflict with Hamburg

lode, Sur. 3491, 3,733

Total Area Sarah Jane #2 lode, 20,588 Acres.

Total Area Sarah Jane #3 lode, 19.788 Acres.

Total Area Sarah Jane #4 lode, 18.975 Acres.

.....

LOCATION.

This survey is located in Sec. 7, unsurveyed, T. 1 N. R. 15 E., G. & S.R.B. & M., Globe Mining District, Gila County, Arizona, in the Crook National Forest.

.....

ADJOINING AND CONFLICTING CLAIMS.

The Hamburg lode, Sur. 3491, owned by Clara Kinney; and the Ohio No. 2 lode, unsurveyed, owned by Jacob Klienfelder et al., on the north. The Ohio No. 3 and Ohio No. 4, lodes unsurveyed, owned by Jacob Klienfelder et al., on the east. The Buckeye No. 11 lode unsurveyed, owned by Jacob Klienfelder et al., on the south. And the Buckeye No. 9, Buckeye No. 8 and Cordova lodes, unsurveyed owned by Jacob Klienfelder, and the Gordon and Holmes lodes, Sur. 1638, owned by the Inspiration Miami Copper

Company on the west.   
 .....

DISCOVERY AND IMPROVEMENTS.

I certify that the value of the labor and improvements or for the benefit of made upon these claims, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:

SARAH JANE #1.

No. 1, the discovery, cut, 4.5 x 9 x 12 ft., the center of the face of which is on the lode line 25.0 ft. from the S.W.E.C., and which extends thence S.01°E. to toe. Value \$35.00.

No. 2, 100 ft. of cut and tunnel, 4 x 6 ft., the center of the toe of which bears S.06°-50'E. 414.8 ft. from a point on line 3-4, 331.0 ft. from Cor. No. 3, and which extends thence N.89°-25'E. to face. Value \$1,200.00.

No. 3, a churn drill hole, 10 ins. in diameter, 1177 feet deep, the center of which bears, N.69°-07'E. 132.6 ft. from a point on the lode line 496.0 ft. from the S.W.E.C. Value, \$12,000.00.

This hole was drilled by the claimant as one of a series to be put down at regular intervals on the group for the purpose of prospecting and determining the extent of and values in the mineralized zone beneath the claims. The plan of prospecting and developing a group of claims by drill holes is quite generally carried out in this district, the Inspiration Consolidated Copper Company's mine and the Miami Copper Company's mine, both large properties operating in the near vicinity of this group, being successfully prospected by drill holes. The plan of developing the claims by a system of drill holes being feasible, and advantageous, and the hole, now down, being so located that it not only develops the claim it is situated on, but also tends to equally develop the other claims of the group, the value thereof is distributed

between the four claims, \$3000.00 being distributed to each.

SARAH JANE # 2.

No. 1, the discovery, cut, 4 x 10 x 10 ft., the S.W. Cor. of which is on the lode line 41.0 ft. from the S.W.E.C. and which extends thence N.64°E to toe. Value \$35.00.

1/4 of the value of improvement No. 3 on the Sarah Jane #1 which is credited to this claim. Value \$3000.00.

SARAH JANE # 3.

No. 1, the discovery, cut, 4 x 8 x 18 ft., which is intersected by the lode line 30.0 ft. from the S.W.E.C., and which extends thence N.17°W. 11.0 ft. to face and S.17°E. 7.0 ft. to toe of cut, Value \$35.00.

No. 2, 59.0 ft. of cut and tunnel 6 x 8 ft. the center of the toe of which bears N. 06°-52'E. 474.5 ft. from Cor. No. 2, and which extends thence N30°-30'E. 35.0 ft., thence N.68°-30'E. 24.0 ft. to face. Value \$600.00.

1/4 of the value of improvement No. 3 on the Sarah Jane #1 which is credited to this claim. Value \$3000.00.

SARAH JANE # 4.

No. 1, the discovery, cut, 4 x 9 x 20 ft., the N.W. Cor. of which is on the lode line 113.0 ft. from the S.W.E.C., and which extends thence N.77°E to toe. Value \$40.00.

1/4 of the value of improvement No. 3 on the Sarah Jane #1 which is credited to this claim. Value \$3000.00.

OTHER IMPROVEMENTS.

SARAH JANE #1.

38 ft. of cut and tunnel, 4 x 6 ft., the center of the toe of which bears S.39°-21'W. 204.4 ft. from a point on line 3-4, 331.0 ft. from Cor. No. 3, and which extends thence N.18°W. to face.

188 ft. of cut and tunnel, 4 x 6 ft., the center of the toe of which bears S.28°-58'E. 208.8 ft., from the above described point, and which extends thence N.15°-30'E. 102.8 ft. to pt. 1; thence N. 37°E. 20.2 ft., to pt. 2; thence N.85°E. 34.0 ft. to face. And, from pt. 1, N.19°W. 22.0 ft. to face. And, from pt. 2, N.03°E. 9.0 ft. to face.

23 ft. of cut and tunnel, 3 x 5 ft., the center of the toe of which bears S.06°-48'E. 390.7 ft. from the above described point, and which extends thence N.03°E. to face.

SARAH JANE # 2.

52 ft. of cut and tunnel, 4 x 6 ft. the center of the toe of which bears S.01°-50'E. 85.2 ft. from a point on line 3-4, 496.0 ft. from Cor. No. 3, and which extends thence S.51°E to face.

30 ft. of cut and tunnel, 4 x 6 ft. the center of the toe of which bears S.45°-26'E. 194.5 ft. from the above described point, and which extends thence S.86°E to face.

A cut 3 x 5 x 22 ft., the center of the toe of which bears N.31°-48'E. 375.8 ft. from the S.W.E.C., and which extends thence N.70°E to face.

47 ft. of cut and tunnel, 4 x 6.5 ft., the center of the toe of which bears S.86°-39'W. 132.5 ft. from a point on line 1-2, 356.8 ft. from Cor. No. 2, and which extends thence N. 52°W to face.

28 ft. of cut and tunnel, 4 x 5 ft., the center of the toe of which bears S.74°-53'W. 249.3 ft. from the above described point, and which extends thence S.69°W. 9.0 ft.; thence S.59°W. 19.0 ft. to face.

50 ft. of cut and tunnel, 5 x 6 ft., the center of the toe of which bears S.65°-00'W. 231.6 ft. from the above described point, and which extends thence S.42°W 16.0 ft., thence S.25°W. 34.0 ft, to face.

SARAH JANE # 3.

54.0 ft. of cut and tunnel. 4 x 6 ft., the center of the

toe of which bears S.  $18^{\circ}-34'W$ . 283.8 ft. from a point on line 3-4, 356.8 ft. from Cor. No. 3, and which extends thence S.  $34^{\circ}W$  to face.

SARAH JANE # 4.

28 ft. of cut and tunnel, 4 x 6 ft., the center of the toe of which bears S.  $07^{\circ}-39'W$ . 194.0 ft. from a point on line 4-1, 244.0 ft. from Cor. No. 4, and which extends thence S.  $29^{\circ}W$  to face.

32 ft. of cut and tunnel, 4 x 6 ft., the center of the portal of which bears N.  $39^{\circ}E$ . 69.3 ft. from a point on line 2-3, 689.9 ft. from Cor. No. 2, and which extends thence S.  $59^{\circ}W$ . 12.0 ft. to face and N.  $59^{\circ}E$ . 20.0 ft. to toe of cut.

A shaft, 4 x 5.5 x 7 ft., the N.W. Cor. of which bears S.  $83^{\circ}-29'W$ . 218.0 ft. from the above described point.

None of the work described under Other Improvements is credited to the claims of the survey on account of not having been done by the claimant or its grantors.

INSTRUMENT AND DETERMINATION OF MERIDIAN.

This survey was made with a  $6\frac{1}{2}$  inch Berger transit. The courses were deflected from the true meridian as determined by direct Solar observation. The distances were measured with a 660 foot steel tape.

REPORT.

The quarter corner between sections 5 and 8, T. 1 N., R. 15 E., G. & S.R.B. & M., to which tie is given, is a quartzite stone, 8 x 24 ins., flush with the ground, chiseled 1/4-8-S-5, with mound of stone alongside. The ties to this corner were computed through a traverse run from Cor. No. 1 of Sarah Jane #2 lode, N.  $44^{\circ}-38'E$ . 85.9 ft.; thence N.  $63^{\circ}-52'E$ . 4332.3 ft.; thence N.  $68^{\circ}-43'E$ . 110.0 ft. to said corner,  
Hamburg lode, Sur. 3491:

11.

Cors. 1,2,3 and 4 of this claim are 4 x 4 posts properly set and scribed. The disagreement between these notes and the bearings of lines 1-2-3 is due to errors in Sur. 3491.

Schley lode, Sur. 3586:

Cor. No. 3 of this claim is a dacite stone properly set and chiseled.

The disagreement between these notes and the location notices is due to errors in the latter.

*Edwin P. Stewart*  
United States Mineral Surveyor.

Globe, Arizona,  
July 10, 1920.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Edwin T. Stewart

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

The Louis d'Or Mining and Milling Company

known as the SARAH JANE #1, SARAH JANE #2, SARAH JANE #3 and SARAH JANE #4 lodes

and showing the respective capacities in which they acted.

Rudolph Wolf, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We,

and I, Rudolph Wolf, do solemnly swear that we assisted \_\_\_\_\_

Edwin T. Stewart, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Louis d'Or Mining and Milling Company

known as the SARAH JANE #1, SARAH JANE #2, SARAH JANE #3 and SARAH JANE #4 lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of <sup>my</sup> our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

Rudolph Wolf, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 10th

day of July, 19 20.

L. B. Feland

Notary Public, Gila  
County, Arizona.

My Com. Ex. Feb 12, 1923

# FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Edwin T. Stewart, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for ARIZONA, dated January 13, 1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Louis d'Or Mining and Milling Company, known as the SARAH JANE #1, SARAH JANE #2, SARAH JANE #3 and SARAH JANE #4 lodes situate in Globe Mining District, Gila County, Arizona, approx., in Section 7, uns., Township No. 1 N., Range No. 15 E. and designated as Survey No. 3654, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Edwin T. Stewart  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edwin T. Stewart  
U. S. Mineral Surveyor, before me L.B. Feland, a Notary Public,  
this 10th  
day of July, 19 20.

L. B. Feland  
Notary Public, Gila  
County, Arizona.

My Com. Ex. Feb 12, 1923  
6-1044

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

, 19

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

The Louis d'Or Mining and Milling Company known as the SARAH JANE #1, SARAH JANE #2, SARAH JANE #3, SARAH JANE #4 lodes situate in Globe

Mining District, Gila County, Arizona

in Section 7 Unsur., Township No. 1 N., Range No. 15 E., and

designated as Survey No. 3654, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 6 cuts, 2 tunnels and 1 drill hole, total value \$13,945.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

, 19

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

The Louis d'Or Mining and Milling Company

, known as the

SARAH JANE #1, SARAH JANE #2, SARAH JANE #3 and SARAH JANE #4 lodes

situate in Globe mining district,

Gila County, Arizona

in Section 7 Unsur., Township No. 1 N., Range No. 15 E.

, designated as Survey No. 3654

executed by Edwin T. Stewart, U. S. Mineral

Surveyor, January 21 - 26, 1920, under my instructions dated

January 13, 1920, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

*Frank D. Frost*

U. S. Surveyor General for Arizona