

MINERAL SURVEY No. 3676

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Alice G. Cope,

KNOWN AS THE

DIXIE Millsite

Weaver

Mining District,

Yavapai

County,

Arizona.

Section 26, Township 10 North, Range 5 West.

Surveyed under instructions dated May 6th., 19 20.

by Harry E. Jones, U. S. Mineral Surveyor.

Claim located See location notice., 19

Survey commenced May 15th., 1920.

Survey completed May 16th., 1920.

Address of claimant B.H. Gibbs Atty. Box 528 Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

Feet

DIXIE MILLSITE

Beginning at Cor. No. 1

Identical with location monument, and Cor. 4 Suney Side lode, Sur. No. 1971; on line 1-2 Welcome No. 1 West lode Sur. No. 1971.

Replace stone corner with a 3ft. $\frac{3}{4}$ in. iron pipe with a 2in. round screw brass cap marked U.S. MINERAL SURVEY NO. 3676-DMS-1-1971-SS-4; set 18ins. in ground and surrounded with a substantial mound of earth and rock.

The corner common to Sections 26-27-34-35; T. 10 N. R. 5 W. G&SRB&M, bears S. 51° 09' W. 624.68 ft.

No other suitable bearings available.

Thence N. 45° 03' E.

Along line 4-3 Suney Side lode Sur. No. 1971.

135.00 Cross center of 5ft. wash course SE.

194.00 Cross chicken yard fence.

202.00 Cross chicken yard fence.

480.57 To Cor. No. 2

A 3ft. $\frac{3}{4}$ in. iron pipe with a 2in. round-screw brass cap marked U.S. MINERAL SURVEY NO. 3676-DMS-2; set 18ins. in ground and surrounded with a substantial mound of earth and rock.

Whence the loc. mon. bears N. 3° 45' E. 117.6 ft.

No suitable bearings available.

Thence S. 77° 22' E.

30.00 Cross center of old road course NE. and SW.

255.00 Cross center of 10 ft. wash course SW.

432.95 To Cor. No. 3

A 3ft. $\frac{3}{4}$ in. iron pipe with a 2in. round screw brass cap marked U.S. MINERAL SURVEY NO. 3676-DMS-3; set 18ins. in ground and surrounded with a substantial mound of earth and rock.

Whence the loc. mon. bears N. 68° 44' E. 407.0 ft.

No. 1 Dis. shaft Liberty Bond lode Uns. bears S. 32° 57' W. 196.0 ft.

No suitable bearings available.

Feet	Thence S. 40° 44' W.
487.31	To Cor. No. 4
	A 3ft. $\frac{3}{4}$ in. iron pipe with a 2in. round screw brass cap marked U.S. MINERAL SURVEY NO. 3676-DMS-4; set 18ins. in ground and surrounded with a substantial mound of earth and rock.
	On line 1-2 Welcome lode Sur. No. 1971.
	Whence the loc. mon. bears S. 70° 36' E. 95.0 ft.
	No suitable bearings available.
	Thence N. 70° 36' W.
	Along line 2-1 Welcome lode Sur. No. 1971.
20.00	Cross center of 10-ft. wash course SW.
58.00	Intersect frame house 5x5 ft.
181.00	Cross center of old road course NE. and SW.
204.78	To Cor. No. 5.
	Identical with location monument, and Cor. 1 Welcome lode and Cor. 2 Welcome No. 1 West lode, both of Sur. No. 1971.
	Replace stone corner with a 3ft. $\frac{3}{4}$ in. iron pipe with a 2in. round screw brass cap marked U.S. MINERAL SURVEY NO. 3676-5
	-1971-W-1-W No. 1-W-2; set 18ins. in ground and surrounded with a substantial mound of earth and rock.
	A cross on rock in place 2.5x4x2ft. above ground marked BxR-W-1-1971 bears S. 6° 21' W. 7.58 ft.
	No other suitable bearings available.
	Thence N. 77° 22' W.
	Along line 2-1 Welcome No. 1 West lode Sur. No. 1971.
100.00	Cross center of 5 ft. wash course SE.
257.68	To Cor. No. 1 the place of beginning.

Mean Magnetic Variation at all corners 14° 02' E.

AREA

Total area Dixie Millsite 4.283 Acres

LOCATION

This survey is located in the SW $\frac{1}{4}$ of Section 26; T. 10 N. R. 5 W. G&SRB&M. Weaver Mining District; Yavapai County, Arizona.

OTHER IMPROVEMENTS

A well and spring 5x5x6 ft. deep timbered bears N.57°31'W. 119.9 ft. from Cor. No. 5.

A frame house 40x58 ft. bears N.8°12'W. 118.6 ft. from Cor. No. 5.

A frame house 10x20 ft. bears N.7°37'E. 19.8 ft. from Cor. No.5.

A frame house 5x5 ft. bears S.70°36'E. 146.78 ft. from Cor. No. 5. All improvements belong to claimant herein.

INSTRUMENT

This survey was made with a W. & L.E.Gurley light mountain transit. The courses were deflected from a true meridian determined by direct solar observations. The distances were measured with a 50ft. and 600 ft. steel tape.

REPORT

All lines of this claim were run directly upon the ground and the corners established by measurements upon these lines. All tie lines were ^{run} directly upon the ground.

The public land survey corner to which this survey is tied is a bronze capped pipe properly marked, and in good condition.

I find that the courses and distances of Sur.No.1971 as approved to be in error, and the correct courses and distances are given herein.

This survey is entirely in conflict with the Liberty Bond lode Uns.

Samuel Jones
U. S. Mineral Surveyor.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Harry E. Jones, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 6th. 1920., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Alice G. Cope, known as the Dixie Millsite, situate in Weaver Mining District, Yavapai County, Arizona, in Section 26, Township No. 10 N., Range No. 5 W. G&SRB&M., and designated as Survey No. 3676, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Harry E. Jones
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones, U. S. Mineral Surveyor, before me a Notary Public, in and for the County of Maricopa, State of Arizona. this 17th. day of May, 1920.

Notary Public.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

June 15, 1920.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Alice C. Cope

known as the Dixie Millsite

situate in Weaver

Mining District, Yavapai County, Arizona

in Section 26, Township No. 10 North, Range No. 5 West

designated as Survey No. 3676, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim~~

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

June 15, 1920

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the

Mining Claim of Alice G. Cope

known as the

Dixie Millsite

situate in Weaver mining district,

Yavapai County, Arizona

in Section 26, Township No. 10 North, Range No. 5 West.

designated as Survey No. 3676

executed by Harry E. Jones, U. S. Mineral

Surveyor, May 15-16, 1920, under my instructions dated


May 6th, 1920, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.

9632 (942)
M.S. 3676
Group No. 611, Arizona

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Dixie Millsite, Mineral Survey No. 3676 in Section 26, Township 10 North, Range 5 West, Gila and Salt River Meridian, Arizona, is hereby cancelled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314 of 43 USC 1744.

The Chief, Branch of Lands and Minerals Operations, requested this cancellation by memorandum dated April 20, 1983, for administrative purposes.

May 6, 1983

Date

4


Chief Cadastral Surveyor of Arizona