

JAN 19 1920

4-683

MINERAL SURVEY No. 3691

1

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

P. G. Spilsbury

KNOWN AS THE

CEDAR and SETTING SUN Lodes

Walnut Grove Mining District,

Yavapai County, Arizona

Sections 12 and 13, Township 11 N., Range 4 W.G. & S.R. B. & M.

Surveyed under instructions dated July 20, 1920

by Alfred B. Colwell U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced July 27, 1920

Survey completed August 4, 1920

Address of claimant Box 1123, Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

## Mineral Survey No.3691

Feet	Cedar lode.
	Beginning at Cor.No.1
	Identical with Cor.No.4 Setting Sun lode of this survey.
	On line 3-4 Sur.No.1324 Sunset lode,claimant unknown, at N.33°9'30"E.-461.82 ft.from Cor.No.3, said line and cor.being identical with the Northwest side line and the S.W.Cor.respectively of the Georgia No.3 lode,unsurveyed claimant unknown.
	A schist rock 8 x 16 x 22 ins.set 18 ins.in the ground chiseled + at exact corner point and C-1,S.S.4-3691 with mound of rock alongside. <span style="float:right">Whence</span>
	U.S.M.M.No.1 bears N.13°37'50"E.-3394.72 ft.
	The N.E.Cor.T.11.N.R.4 W.G.& S.R.B.& M. bears N.13°25'30" E.-11775.25 ft.
	No other bearings available.
	Thence S.55°55'E.
28.00	S.W.End Center Setting Sun lode of this survey.
314.12	N.E.End Center,A monument of rock.
328.00	Cor.No.3 Setting Sun lode of this survey.
577.88	Intersect the Southeast side line Georgia No.3 lode,uns- urveyed at N.33°15'E.-488.36 ft.from the S.E.Cor. and S.33°15'W.-977.41 ft.from the N.E.Cor.
628.24	To Cor.No.2
	A schist rock 8 x 12 x 29 ins. set 20 ins.in the ground chiseled + at exact corner point and C,2-3691 with mound of rock alongside. <span style="float:right">Whence</span>
	A face of rock in place 5 x 6 ft. bears S.11°35'E.46.85 ft. chiseled + and B.R.C,2-3691
	Thence S.51°20'W.
155.29	Intersect Northerly side line Bonita lode,unsurveyed, claimant unknown at N.77°20'E.-602.75 ft.from the North Westerly corner, 447.29 ft.from intersection with the S.W.End line Georgia No.3 lode unsurveyed,identical with the N.E.End line Sunrise lode unsurveyed,claimant un- known and 3.10 ft.from intersection with the Southeast side line Georgia No.3 lode,unsurveyed, and S.77°20'W 897.25 ft.from the N.E.Cor. Bonita lode unsurveyed.

## Mineral Survey No. 3691

Feet

- 162.22 Intersect Southeast side line Georgia No. 3 lode, unsurveyed, at N. 33° 15' E. - 333.44 ft. from the S.E. Cor. and S. 33° 15' W. - 4.36 ft. from intersection with Northerly side line Bonita lode unsurveyed.
- 506.18 Intersect the Southwest end line Georgia No. 3 lode, unsurveyed, at S. 53° 17' E. - 471.18 ft. from the S.W. Cor., 202.63 ft. from intersection with Northerly side line Bonita lode unsurveyed, 179.18 ft. from N.E. Cor. Sunrise lode, unsurveyed, and at N. 53° 17' W. - 106.96 ft. from the S.E. Cor. Georgia No. 3 lode unsurveyed.
- 933.15 To Cor. No. 3  
A schist rock 6 x 14 x 28 ins. set 18 ins. in the ground chiseled + at exact corner point and C, 3-3691 with mound of rock alongside. Whence  
The Northwesterly corner Bonita lode, unsurveyed bears N. 3° 07' E. - 354.35 ft.  
The N.E. Cor. Sunrise lode, unsurveyed bears N. 26° 54' 26" E. 419.26 ft.  
A ledge of rock 3 x 4 ft. face bears N. 80° W. - 5.2 ft. chiseled B+R. C, 3-3691  
Thence N. 55° 55' W.  
Which is 5.55° 05' E. 318.84 Ft. From Cor. No. 3 and 50.11 Ft. From Intersection with East side line Sunrise lode, unsurveyed.
- 50.21 North End center Sur. No. 1495 Navy No. 4 lode and intersect Westerly end line Bonita lode, unsurveyed at S. 10° 35' W. 331.32 ft. from the N.W. Cor., 99.44 ft. from intersection with East side line Sunrise lode unsurveyed, and N. 10° 35' E. - 300 ft. from the S.W. Cor. Bonita lode unsurveyed.
- 100.39 Intersect the Easterly side line Sunrise lode, unsurveyed at S. 40° 40' W. - 418.77 ft. from the N.E. Cor., 91.80 ft. from intersection with Westerly end line Bonita lode, unsurveyed and .73 ft. from intersection with line 2-3 Sur. No. 1495 Navy No. 4 lode, claimant unknown, and N. 40° 40' E. 1025 ft. from the S.E. Cor. Sunrise lode unsurveyed.
- 314.12 South West End Center, A monument of rock.
- 371.05 Intersect line 3-4 Sur. No. 1495 Navy No. 4 lode at S. 57° 43' W. - 5.06 ft. from Cor. No. 3 and N. 57° 43' E. - <sup>1073.67</sup>~~1075.87~~ ft. from Cor. No. 4

628.24 To Cor.No.4

A quartz rock 6 x 10 x 18 ins.set 12 ins.in the ground  
chiseled + and C,4-3691 with mound of rock alongside.

Whence

Cor.No.3 Sur.No.1495 Navy No.4 lode bears S.56°56'30"E.  
259.27 ft.

A lone tree on Weaver Mountain bears S.12°33'W.

No other bearings available.

Thence N.51°20'E.

456.13 Intersect line 2-3 Sur.No.1324 Sunset lode at N.53°32'W  
149.04 ft.from Cor.No.3 and S.53°32'E. 432.66 ft.from  
Cor.No.2 and Northerly end line Sunrise lode,unsurveyed  
at S.53°32'E. 85 ft.from the N.W.Cor.and N.53°32'W.149.04  
ft.from the N.End Cen.which is N.53°17'W.292 ft.from the  
933.15 To Cor.No.1 The place of beginning. N.E.Cor.

Setting Sun lode.

Beginning at Cor.No.1

On the N.E.End line Yankee Girl lode,unsurveyed,claimant  
unknown,at S.55°55'E. 330 ft.from the N.W.Cor.

A schist rock 8 x 16 x 22 ins.set 12 ins.in the ground  
chiseled + at exact corner point and S.S.1-3691 with  
mound of rock alongside.

The N.E.Cor.T.11 N.R.4 W.G.& S.R.B.& M.bears N.10°39'E.  
10386.00 ft.

U.S.M.M.No.1 bears N.0°24'W. 2052.77 ft.

No other bearings available.

Thence S.55°55'E.

28.00 North East End Center, A monument of rock.

269.27 N.E.Cor.Yankee Girl lode,unsurveyed.

On the Westerly side line Georgia No.2 lode,unsurveyed  
claimant unknown, at S.40°45'W.-900 ft.from the N.W.Cor.,  
and N.40°45'E. 483.28 ft.from the S.E.Cor.Yankee Girl  
lode,unsurveyed, and 604.56 ft.from the S.W.Cor.Georgia  
No.2 lode,unsurveyed.

328.00 To Cor.No.2

A schist rock 7 x 10 x 23ins.set 15 ins.in the ground  
chiseled + at exact corner point and S.S.2-3691 with

Feet		Whence
	mound of rock alongside.	
	The S.W.Cor.Georgia No.2 lode,unsurveyed bears S.46°12'W. 614.16 ft.	
	No other bearings available.	
	Thence S.33°9'30"W.	
172.10 222.67	Intersect the South line Sec.12 T.11N.R.4 W. G.& S.R.F.& M. at S.89°52'W. <sup>1722.12</sup> <del>1769.73</del> ft.from calculated position for the S.E.Cor. and N.89°52'E. <sup>924.48</sup> <del>883.47</del> ft.from the calculated position for the S.¼ Cor.of said section.	
490.35	Intersect the N.E.End line Georgia No.3 lode,unsurveyed at N.51°08'W.252.65 ft.from the N.E.Cor. and S.51°08'E-123.18 ft.from the Westerly side line Georgia No.2 lode unsurveyed and the S.E.Cor.Yankee Girl lode unsurveyed. and S.51°08'E-329.60 ft.from the N.W.Cor.said Georgia No.3 lode unsurveyed.	
707.74	Intersect the S.W.End line Georgia No.2 lode unsurveyed, at S.18°33'E.-176.58 ft.from the S.W.Cor. and N.18°33'W 539.42 ft.from the S.E.Cor.	
1488.83	To Cor.No.3 On line 1-2 Cedar lode of this survey. A schist rock 4 x 14 x 30 ins.set 18 ins.in the ground chiseled + at exact corner point and S.S.3-3691 with a mound of rock alongside. No bearings are available. Thence N.55°55'W.	Whence
	13.88 N.E.End Center Cedar lode of this survey.	
300.00	S.W.End Center, A monument of rock.	
328.00	To Cor.No.4 Identical with Cor.No.1 Cedar lode of this survey, previously described. Thence N.33°9'30"E.	
1025.97	Cor.No.4 Sur.No.1324 Sunset lode and N.W.Cor.Georgia No.3 lode,unsurveyed. On the S.W.End line Yankee Girl lode,unsurveyed at N.51°08'W.-206.42 ft.from the S.E.Cor. and S.53°35'E.390 ft. from the S.W.Cor.	

Feet  
~~1045.88~~ 1095.61 Intersect the South line Sec.12 T.11 N.R.4 W. G.& S.R.B.  
 & M. at S.89°52'W. <sup>2114.40</sup>~~2161.86~~ ft.from the calculated  
 position for the S.E.Cor. and N.89°52'E. <sup>532.20</sup>~~491.34~~ ft.from  
 the calculated position for the S.¼ Cor.of said Section.  
 1488.83 To Cor.No.1 The place of beginning.

Variation at all corners 14°30'E.

Lode lines

As near as can be determined from present developments  
the lode lines of this claim run as follows from their  
respective discovery points..-

Cedar Lode- N.51°20'E.-290 ft. and S.51°20'W.843.15 ft.

Setting Sun lode- N.33°9'30"E.-480 ft.and S.33°9'30"W.

1008.83 ft.

Area.

Total Area Cedar lode ..... 12.853 Acres

Area in conflict with

Sur.No.1324 Sunset lode ..... .789 ✓

Sur.No.1495 Navy No.4 lode ..... .017

Bonita lode,unsurveyed ..... 2.534 ✓

Georgia No.3 lode,unsurveyed ..... 5.889 ✓

Georgia No.3 lode unsurveyed  
Exclusive of its conflict with  
Bonita lode unsurveyed ..... 5.099

Tract A.,hereinafter described ..... .936 ✓

Tract A.  
Exclusive of its conflict with  
Sur.No.1495 Navy No.4 lode ..... .934 ✓

Tract A.  
Exclusive of its conflict with  
Bonita lode unsurveyed ..... .554 ✓

Tract A.  
Exclusive of its conflict with  
Sur.No.1495 Navy No.4 and  
Bonita lode unsurveyed ..... .552 ✓

Sunrise lode,unsurveyed ..... 4.756 ✓

Sunrise lode unsurveyed  
Exclusive of its conflict with  
Sur.No.1495 Navy No.4 lode. .... 4.739 ✓

Sunrise lode unsurveyed  
Exclusive of its conflict with  
Bonita lode unsurveyed ..... 4.288 ✓

Sunrise lode unsurveyed  
Exclusive of its conflict with  
Tract A ..... 3.820 ✓

T ract A

Mineral Survey No.3691

4.756	.086
1.037	.936
3.719	-.018
	1.03

Sunrise lode  
Exclusive of its conflict with  
Sur.No.1495 Navy No.4, Bonita lode unsur  
veyed and Tract A. .... 3.719

Total Area Setting Sun lode ..... 11.209 Acres

Area in conflict with  
Tract B hereinafter described ..... 5.668 ✓

Georgia No.3 lode unsurveyed ..... 7.620 ✓

Georgia No.3 lode unsurveyed  
Exclusive of its conflict with  
Tract B. .... 3.821 ✓

Georgia No.2 lode, unsurveyed ..... 1.531 ✓

Georgia No.2 lode unsurveyed  
Exclusive of its conflict with  
Tract B. .... .856 ✓

Georgia No.2 lode unsurveyed  
Exclusive of its conflict with  
Tract B and Georgia No.3 lode unsur... 1.014 ✓

Georgia No.2 lode unsurveyed  
Exclusive of its conflict with  
Tract B and Georgia No.3 lode unsur... .458

Yankee Girl lode unsurveyed ..... 2.575 ✓

Yankee Girl lode unsurveyed  
Exclusive of its conflict with  
Tract B. .... 1.261 ✓

Tract A.

Beginning at a point on line 3-4 Cedar lode of this  
survey, at N.55°55'W.-178.51 ft. from Cor.No.3

Thence N.42°50'E.-362.14 ft.  
Thence N.43°53'W.-371.33 ft.  
Thence S.53°32'E.-142.69 ft. to Cor.No.3 Sur.No.1324  
Sunset lode.

Thence S.53°17'E.-292.00 ft. to N.E. Cor. Sunrise lode unsur  
Thence S.40°40'W.-418.77 ft.  
Thence N.55°55'W.-78.12 ft. to place of beginning.  
Containing .936 Acres.

Tract B.

Beginning at Cor.No.4 Setting Sun lode of this survey  
Thence N.33°09'30"E.-1025.97 ft. to Cor.No.4 Sur.No.1324  
Sunset lode.

Thence N.60°30'E.-516.76 ft. to point 237.37 on line 1-2 Setting Sun  
Thence S.55°55'E.-90.63 ft. to Cor.No.2 Setting Sun lode.  
Thence S.42°44'W.-1505.77 ft. to point 250.5 on line 3-4 Setting sun lode.  
Thence N.55°55'W.-77.50 ft. To the place of beginning.  
Containing 5.668 Acres.

The survey of each lode of this claim is identical  
with the respective location as monumented.

Location.

This survey is located in the S.E. 1/4 Sec.12 and the N. 1/2  
Sec.13 T.11 N., R.4 W. Gila & Salt River Base and Meridian.

## Adjoining Claims.

On the East.

Georgia No. 2, Georgia No. 3 and Bonita lodes, unsurveyed

On the South.

Bonita and Sunrise lodes, unsurveyed and Sur. No. 1495

Navy No. 4 lode.

On the West

Sur. No. 1324 Sunset lode and Yankee Girl lode, unsurveyed

Others if any unknown.

## Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon or for the benefit of the locations embraced in this claim by the claimant or his grantors is less than five hundred dollars and that said improvements consist of-

On the Cedar lode.

- No. 1 The discovery cut, the mouth of which is on the lode line at 90 ft. from the N.E. End Center, Running thence S. 10° E. 14 ft. to 9 ft. face, 5 ft. wide.

Value \$50

On the Setting Sun lode

- No. 1 The discovery cut, the mouth of which is on the lode line at 480 ft. from the N.E. End Center. Running thence N. 40° W. 18 ft. to 8 ft. face, 4 ft. wide in iron stained schist.

Value \$75

(See additional report of improvements, attached.)

## Other Improvements

A cut, the mouth of which bears from Cor. No. 1 of the Cedar lode, S. 40° 15' E. - 248 ft. Running thence S. 55° W. -

11 ft. to 8 ft. face 3 to 5 ft. wide, Claimant unknown.

A cut, the mouth of which bears from Cor. No. 1 Cedar lode S. 11° W. - 300 ft. Running thence N. 60° E. - 12 ft. 4 x 7 ft. claimant unknown.

A cut the mouth of which bears from Cor. No. 1 Cedar lode, S. 42° W. - 570 ft. Running thence S. 60° W. - 12 ft. 4 x 8 ft. Claimant unknown.

## Instrument

This survey was made with a C.L. Berger & Sons transit.

The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with steel tapes.

#### Report

The lines of this survey were run direct upon the ground as were also the connections from Cor.No.1 Setting Sun lode to the Township corner and U.S.M.M.No.1

The respective ties from Cor.No.1 of the Cedar lode were calculated thru the lines of the survey.

The N.E.Cor.T.11 N.R.4 W. G.& S.R.B.& M. tied to herein is a 3 in.iron pipe with bronze cap properly lettered.

U.S.M.M.No.1 is on a diorite ledge showing five feet above the surface, situate on the North bank of French Gulch, properly marked except that the + has been obliterated. Diligent search was made for the corners of Sec. 12 and for other interior corners of the Township but none could be found and identified.

The ~~corner~~ <sup>intersections with</sup> position of the ~~S.E. Cor. Sec. 12~~ <sup>line between Secs. 12 & 13</sup> were calculated from the known location of the Township corner, figuring  $50^{\circ} 13' W. 79.56 chs.$ , South  $80 chs.$ , &  $589^{\circ} 52' W. 40.10 chs.$  ~~80.2 chs. + 80 chs. South~~ from said Township corner as shown by the ~~approved plat of said Township~~ <sup>records in the office of the U.S. Sur. Gen.</sup>

The corners of Sur.No.1324 Sunset lode are stones set in the ground and properly marked.

Cors.3 and 4 Sur.No.1495 Navy No.4 lode are 4 x 4 in. posts properly scribed. The N.E.End center of said lode is a rock set in the ground properly marked. Cor.No.2 of said lode has been destroyed.

The corners of adjoining and conflicting unsurveyed locations are monuments of rock.

Tracts A and B. are described herein for the purpose of segregating areas which are included within the lines of Georgia No.2, Georgia No.3 and Yankee Girl amended locations, but were not within the lines of said claims as originally monumented.

#### Note

The discrepancies between these field notes and the location certificates, indicating a difference in length of side and end lines of locations are due to errors in the latter.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Alfred B. Colwell

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

P.C. Spilsbury

known as the Cedar and Setting Sun lodes

and showing the respective capacities in which they acted.

Robert F. Allen, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, I Robert F. Allen

and \_\_\_\_\_, do solemnly swear that we assisted \_\_\_\_\_

Alfred B. Colwell, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of P.C. Spilsbury

known as the Cedar and Setting Sun lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

+ Robert F. Allen, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 4th

day of August, 1920

My Commission Expires March 1st, 1924

[Signature]  
Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Alfred B. Colwell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 20-1920, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of P.G. Spilsbury, known as the Cedar and Setting Sun lodes, situate in Walnut Grove Mining District, Yavapai County, Arizona, in Section 12 and 13, Township No. 11 N., Range No. 4 W.G. & S.R.B. & M., and designated as Survey No. 3691, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Alfred B. Colwell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell
U. S. Mineral Surveyor, before me
Notary Public this 19th.
day of October, 1920

Notary Public
Yavapai County, Arizona.

My Com. exp.
March 28, 1924.

Mineral Survey No. 3691

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon or for the benefit of the locations embraced in this claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of

On the Cedar lode.

No.1 The discovery cut the mouth of which is on the lode line at 90 ft. from the N.E. End Center, Running thence S.10°E. 14 ft. to 9 ft. face 5 ft. wide.

Value \$50

No.2 A cut and tunnel, the mouth of cut bears from Cor. No.1 S.5°45'E. 430 ft. Running thence N.53°E. 20 ft. to face of cut 10 ft. high, whence tunnel runs N.53°E. 44 ft. to face 4 x 6.5 ft. in iron and jasper.

Value of Cut and Tunnel \$500

On the Setting Sun lode.

No.1 The discovery cut, the mouth of which is on the lode line at 480 ft. from the N.E. End Center. Running thence N.40°W. 18 ft. to 8 ft. face, 4 ft. wide in iron stained schist.

Value \$75

No.2 A cut and tunnel, the mouth of cut bears from Cor. No.1 S.26°15'W. 826 ft. Running thence N.83°W. 20 ft. to face of cut 11 ft. high, 4 ft. wide, whence tunnel runs N.83°W. 64 ft. to face 4 ft. wide, 6.5 ft. high. in iron stained schist.

Value of cut and tunnel \$500

Report of Expenditures upon Mining Claim, filed by U. S. ~~Deputy~~ Mineral Surveyor after return of Survey.

I, Alfred B. Colwell, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 20, 1920,

I have made a personal and thorough examination upon the premises, to ascertain the value of the labor expended and improvements made by claimant or his grantors upon the mining claim of P. G. Spilsbury

, known as the Cedar and Setting Sun

lodes, situate in

Walnut Grove mining district, Yavapai

County, Arizona, in Sections 12 and 13 Township No.

11 N., Range No. 4 W. G. & S. R. B. & M., surveyed by me

July 27-Aug. 4 1920, 18, and designated as Survey No. 3691;

that the value of the labor so expended and improvements so made are as fully stated in my report of said examination, hereto attached; that the character, extent, location and itemized value of said improvements are specified therein with particularity and full detail, and that no portion of said labor or improvements, so credited to this claim has been included in the estimate of expenditures upon any other claim.

Alfred B. Colwell  
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell

, U. S. ~~Deputy~~ Mineral Surveyor, before me

this 4<sup>th</sup> day of December, 1920

Walter H. Davis  
Notary Public.

*My commission expires,*  
11-14-23.

11-14-23.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

December 20, 19 20

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

P. G. Spilsbury

known as the CEDAR and SETTING SUN Lodes

situate in Walnut Grove

Mining District, Yavapai County, Arizona

in Sections 12 and 13 Township No. 11 N., Range No. 4 W., and

designated as Survey No. 3691, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 4 cuts and 2 tunnels, total value \$1125.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL

..... Phoenix, Arizona, .....

..... December 20 ....., 19 20

I, U. S. Surveyor General for ..... District of Arizona .....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of .....

..... P. G. Spilsbury .....

....., known as the

..... CEDAR and SETTING SUN Lodes .....

situate in ..... Walnut Grove ..... mining district,

..... Yavapai ..... County, ..... Arizona .....

in Section s 12 and 13 ....., Township No. .... 11 N. ...., Range No. .... 4 W. ....

....., designated as Survey No. .... 3691 .....

executed by ..... Alfred B. Colwell ....., U. S. Mineral

Surveyor, ..... July 27 - August 4 ....., 1920, under my instructions dated


..... July 20 ....., 1920, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

.....  .....

U. S. Surveyor General for ..... Arizona .....

## Mineral Survey No. 3691

Mr. Frank P. Trott  
 Surveyor General for Arizona  
 Phoenix, Arizona

Sir:-

Pursuant to your letter of April 13-1923 I beg to report that I have re-examined my field work on the above survey and herewith report it in error in the following respects:-

Cedar lode: Lines 1-2 and 3-4 are S.55°54'E-628.00 ft. and N.55°54'W-628.00 ft. respectively.

Lines 2-3 and 4-1 are S. 51°22'W.-932.60ft. and N.51°22'E. 932.60 ft. respectively

Setting Sun lode-Lines 2-3 and 4-1 are S.33°14'W-1488.13 ft. and N.33°14'E.- 1488.51 ft. respectively.

Cor.No.4 to Cor.No.3 Sur.No.1324 Copper Glende lodes is S.33°14'W.- 460.60 ft.

Cor.No.1 to U.S.M.M. is N.0°26'W.-2056.00 ft. o.k.

Alfred B. Colwell

U.S. Mineral Surveyor

Subscribed and sworn to by the said Alfred B. Colwell  
 U.S. Mineral Surveyor, before me a Notary Public this

28<sup>th</sup> day of August 1923  
 My Commission Expires June 1, 1925

R. Warren

Notary Public.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 3691  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The CEDAR and SETTING SUN lodes, Mineral Survey No. 3691, located in section 13, Township 11 North, Range 4 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"CEDAR and SETTING SUN lodes, M.S. 3691, were canceled November 15, 2002, by memo 9605 (956) M.S. 3691, which is now a part of the original field notes."

November 15, 2002  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona