

MINERAL SURVEY No. 3711

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

R. L. Keith

Alvare-Lorraine No. 1 KNOWN AS THE Alvare-Lorraine No. 2 AS THE Alvare-Lorraine No. 3 Alvare-Lorraine No. 4 Alvare-Lorraine No. 5 Alvare-Lorraine No. 6

Fort Apache Ind. Reservation, Canyon Creek Mining District, Navajo County, Arizona

Sections Approx. 35 & 36, Township 9 N., Range 13 E. Unsur.

Surveyed under instructions dated Sept. 28, 1920

by Richard L. Merritt U. S. Mineral Surveyor.

Claim located Su Location Nobis, 19

Survey commenced October 4, 1920

Survey completed October 15, 1920

Address of claimant R. L. Keith, Winslow Ariz Box, 386

DATES OF AMENDED LOCATIONS.

1
Mineral Survey 3711

Feet

Alsace Lorraine No. 6 lode

Beginning at Cor. No 1 identical with the loc. a Quartz stone 6x10x24 ins. set 12 ins in the ground with mound of stones chiselled x-1-A L 6,3711; Whence U.S.L.M 3711 bears N87°55'E -3778.14 ft. A Pine tree 30 ins. in diameter blazed and scribed x-B.T. 1-A L 6,3711 bears N9°W 14.2 ft. No other bearings available, location Cor. a mound of stones 3x3 ft.

Thence S12°05'E Va. 14°E

1500.0 To Cor No 2 identical with the location and with Cor No 1 Alsace Lorraine No 5 lode of this survey a Sandstone 10x14x26^{ins.} set 13 ins in the ground with mound of stones, chiselled x-2-A L 6, 1 A L 5, 3711; Whence an Oak 10 ins^{diam.} blazed and scribed x 2 A L 6, 1 A L 5,3711 bears S25°W 20.8 ft. An Oak 8 ins. in diameter blazed and scribed x 2 A L 6, 1 A L 5, 3711 bears N6°E 16.0 ft. Location Cor. a mound of stones 3x3 ft.

Thence S69°55'W Va 14°E

300.0 To the S.C.E. a mound of stones 3x3 ft. identical with the location and with the N.C.E. Alsace Lorraine No 5 lode of this survey.

600.0 To Cor. No. 3 identical with the location and with Cor. No.4 Alsace Lorraine No 5 lode of this survey a Quartzite stone 8x14x28 ins. set 14 ins in the ground with mound of stones chiselled x 3 A L 6, 4 A L 5 ,3711 Whence an Oak 9 ins. in diameter blazed and scribed x B T 3 A L 6, 4 AL 5, 3711 bears N36°E 37.8 ft. An oak 18 ins in diameter blazed and scribed x B T 3 A L 6, 4 A L 5, 3711 bears N54°W -36.6 ft. Location Cor a mound of stones 3x3 ft.

Thence N12°05'W Va 14°E

1500.0 To Cor No 4 identical with the location, a Sand stone in place 2x2x2 ft above ground chiselled x A L 6,3711.

Fect

Whence an Oak 10 ins. in diameter blazed and scribed
x B T 4 A L 6, 3711 bears S3° E 16.2 ft. No other
bearings available. Location Cor. a mound of stones 3x3
ft.

Thence N69°55'E Va 14°E

300.0 To the N.C.E. a mound of stones 3x3 ft identical with
the location.

600.0 To Cor. No.1 the place of beginning.

Alsace Lorraine No 5 lode

Beginning at Cor. No 1 identical with the location
and with Cor. No 2 Alsace Lorraine No 6 lode of this
survey hereinbefore described. Whence U.S.L.M. 3711
bears N65°08'24" E 3215.18 ft. Location Cor a mound of sto
stones 3x3 ft.

Thence S12°05'E Va 14°E

1500.0 To Cor No 2 identical with the location, on line 4-1
Alsace Lorraine lode of this survey, a Quartz stone 5x
10x 24 ins. set 12 ins. in the ground with mound of stones
chiselled x-2 A L 5, 3711. Whence a Pine tree 18 ins. in
diameter blazed and scribed x B T 2 A L 5 bears S23°E
33.9 ft. An Oak tree 9 ins. in diameter blazed and
scribed x B T 2 A L 5, 3711 bears N42°E 30.3 ft. Location
Cor. a mound of stones 3x3 ft.

Thence S69°55'W Va. 14°E

300.0 To the S.C.E. a mound of stones 3x3 ft. identical
with the location.

600.0 To Cor. No. 3 identical with the location and with
Cor No 4 Alsace Lorraine lode of this survey a Quartz
stone 4x12x26 ins. set 12 ins. in the ground with mound
of stones chiselled x 3 A L 5, 4 A L, 3711. Whence a
Pine tree 24 ins. in diameter blazed and scribed x B T
3 A L 5, 4 A L, 3711 bears N42°W 7.8 ft. No other bear-
ings available. Loc Cor a mound of stones 3x3 ft.

Feet Thence N12°05'W Va 14°E
 1500.0 To Cor. No 4 identical with the location and with Cor No. 3 Alsace Lorraine No 6 lode of this survey herein before described.

 Thence N69°55'E Va. 14°E
 300.0 To the N.C.E identical with the location and with the S.C.E. Alsace Lorraine No 6 lode of this survey herein before described.

600.0 To Cor. No 1 the place of beginning.

 Alsace Lorraine lode
 Beginning at Cor No 1 identical with the location and with the S.C.E. Alsace Lorraine No 1 lode of this survey a Sand stone 6x10x26 ins. set 13 ins. in the ground with a mound of stones chiselled x 1 A L, 3711. Whence U.S.L.M 3711 bears N39°49'E 3595.50 ft. A Pine tree 24 ins. in diameter blazed and scribed x B T 1 A L 3711 bears N66°15'E 1.5 ft. Location Cor. a mound of stones 3x3 ft.

 Thence S20°05'E Va. 14°E
 300.00 To the E.C.E. a mound of stones 3x3 ft. identical with the location.

600.0 To Cor No 2 identical with the location a Quartz ^{stone} 6x6x24 ins. set 12 ins in the ground with mound of stones chiselled x 2 A L, 3711. Whence a Pine tree 20 ins. in diameter blazed and scribed x B T 2 A L 3711 bears N79°W 17.8 ft. No other bearings available, loc. Cor. a mound of stones 3x3 ft.

 Thence S69°55'W Va. 14°E
 680.0 Cross Canyon Creek 80 ft. wide course S20°E
 1500.0 To Cor. No 3 identical with the location a Limestone 6x10x24 ins. set 12 ins in the ground with mound of stones chiselled x 3 A L, 3711. An Oak tree 12 ins. in diameter blazed and scribed x B T 3 A L, 3711 Brs. N49°W 20.3 ft.

Feet No other bearings available, location Cor a mound of stones 3x3 ft.

Thence N20°05'W Va. 14°E

300.0 To the W.C.E. a mound of stones 3x3 ft. identical with the location.

600.00 To Cor. No 4 identical with the location and with Cor. No 3 Alsace Lorraine No 5 lode of this survey hereinbefore described.

Thence N69°55'E Va. 14°E

300.0 To the S.C.E. Alsace Lorraine No 5 lode of this survey.

600.0 To Cor. No 2 Alsace Lorraine No 5 lode of this survey.

830.0 Cross ~~Canon~~ Creek 80 ft. wide course S20°E

1200.0 To Cor. 3 Alsace Lorraine No 1 lode of this survey,

1500.0 To Cor No 1 the place of beginning.

Alsace Lorraine No 1 lode

Beginning at Cor. No 1 identical with the location a Sand stone 4x14x26 ins set 13 ins in the ground with mound of stones chiselled x I A L 1,3711 Whence U.S.L.M 3711 bears N48°18'35"E 2800.71 ft. No bearings available

Location Cor. a mound of stones 3x3 ft.

Thence S5°05'E Va. 14°E

428.62 Intersect line 1-2 Alsace Lorraine No 2 lode of this survey at N36°10'E 97.4 ft from Cor No 2.

799.0 To Cor No 2 a Sandstone bluff 20x35 ft chiselled x 2 A L 1, 3711. A Juniper tree 14 ins. in diameter blazed and scribed x B.T.2 A L'1, 3711 bears S82°W 40.8 ft. Th

No other bearings available. The location Cor. a mound of stones 3x3 ft. bears S5°05'E 701.0 ft.

Thence S69°55'W Va. 14°E

300.0 To the S.C.E. identical with Cor.No. 1 Alsace Lorraine lode of this survey hereinbefore described. The location Cor. bears S5°05'E 701.0 ft., a mound of stones 3x3 ft.

feet
 600.00 To Cor. No 3 a Quartz stone 8x12x28 ins set 14 ins. in
 the ground with mound of stones chiselled x 3 A L 1, 3711
 Whence an Oak tree 10 ins. in diameter blazed and
 scribed x B T 3 A L 1, 3711 bears S69°E 22.3 ft. No
 other bearings available. The location Cor a mound of
 stones 3x3 ft. bears S5°05'E 701.0 ft.

 Thence N5°05'W Va. 14°E

799.0 To Cor. No 4 identical with the location a Quartz stone
 6x6x24 ins. set 12 ins. in the ground with mound of stones
 chiselled x 4 A L 1, 3711. Whence an Oak tree 10 ins. in
 diameter blazed and scribed x B T 4 A L 1, 3711 bears
 S6°E 15.7 ft. no other bearings available, location Cor.

a mound of stones 3x3 ft. identical with the location
 Thence N69°55'E, Va 14°E

95.29 Intersect line 2-3 Alsace Lorraine No 2 lode of this
 survey at N53°50'W 563.01 ft. from Cor No 2

300.00 To the N.C.E. a mound of stones 3x3 ft. identical with
 the location.

600.00 TO Cor. No 1 the place of beginning.

 Alsace Lorraine No. 2 lode

Beginning at Cor. No 1 identical with the location
 and with Cor. No 2 Alsace Lorraine No 3 lode of this
 survey a Quartz stone 3x12x36^{ins.} set 18 ins in the ground
 with mound of stones chiselled X 1 A L 2, 2 A L 3, 3711.
 Whence U.S.L.M. 3711 bears N46°25'E 1723.18 ft. A
 Juniper 12 ins. in diameter blazed and scribed x B T
 1 A L 2, 2 A L 3, 3711 bears N52°E 25.0 ft. No other
 bearings available, location Cor a mound of stones 3x3
 ft.

 Thence S36°10'W Va. 14°E

1364.6 Intersect line 1-2 Alsace Lorraine No 1 lode of this
 survey at S5°05'E 428.62 ft from Cor. No 1.

Feet
1462.0 To Cor No 2 identical with the location a Sandstone
8x12x28 ins. set 14 ins. in the ground with a mound of
stones chiselled x 2 A L 2, 3711. Whence a Juniper tree
24 ins. in diameter blazed and scribed x B T 2 A L 2, 3711
Bears N49°W 12.3 ft. No other bearings available. Cor.
No 1 Alsace Lorraine No 1 lode of this survey bears
N2°12' 30" E 505.94 ft. Location Cor a mound of stones
3x3 ft.

Thence N53°50'W Va. 14°E

300.00 To the S.C.E a mound of stones 3x3 ft. identical with
the location.

563.01 Intersect line # 1 Alsace Lorraine No 1 lode of this
survey at S69°55'W 504.71 ft from Cor. No 1

600.0 To Cor. No 3 identical with the location a Sandstone
8x8x24 ins. set 12 ins. in the ground with mound of stones
chiselled x 3 A L 2, 3711. Whence a pine tree 30 ins.
in diameter blazed and scribed x B T 3 A L 2, 3711. brs.
S70°E 9.8 ft. No other bearings available, location Cor.
a mound of stones 3x3 ft.

Thence N36°10'E Va. 14°E

1462.0 To Cor No 4 identical with the location and with Cor.
No 3 Alsace Lorraine No 3 lode of this survey a Sand
stone 6x6x24 ins. set 12 ins in the ground with a mound
of stones chiselled x 4 A L 2, 3 A L 3, 3711. Whence a
Pine 12 ins. in diameter blazed and scribed x B T 4 A L
2, 3 A L 3, 3711 brs. N3°37'W 17 ft. A Pine 14 ins. in
diameter blazed and scribed x B T 4 A L 2, 3 A L 3, 3711
brs. S 59°20'E 14.2 ft. Location Cor. a mound of stones
3x3 ft.

Thence S53°50'E Va 14°E

300.00 To the N.C.E a mound of stones 3x3 ft. identical with
the location and the S.C.E. Alsace Lorraine No 3 lode of
this survey.

600.00 To Cor. No. 1 the place of beginning.

Feet.

Alsace Lorraine No 3 lode

Beginning at Cor No 1 identical with the location and with the W.C.E. Alsace Lorraine No 4 lode of this survey a Sand stone 6x12x28 ins. set 14 ins in the ground with a mound of stones chiselled x L A L 3,3711. Whence U.S.L.M. 3711 bears S86°23'E 363.6 ft. A Pine tree 24ins. in diameter blazed and scribed x B T 1 A L 3, 3711 brs.S17°E 1.0 ft. An Oak 12 ins in diameter blazed and scribed x B T 1 A L 3,3711 brs N86°W 27.8 ft. Location Cor. a mound of stones 3x3 ft.

Thence S36°10'W Va 14° E

1500.0 To Cor No 2 identical with the location and with Cor No 1 Alsace Lorraine No 2 lode of this survey herein before described.

Thence N53°50'W Va 14°E

300.00 To the S.C.E. identical with the location and with the N.C.E. Alsace Lorraine No 2 lode of this survey herein-before described.

600.00 To Cor No 3 identical with the location and with Cor. No 4 Alsace Lorraine No 2 lode of this survey herein before described.

Thence N36°10'E Va.14°E

1500.00 To Cor No 4 identical with the location a Sand stone 6x6x24 ins. set 12 ins in the ground with mound of stones chiselled x 4 A L 3,3711. Whence a pine tree 30 ins. in diameter blazed and scribed x B T 4 A L 3, 3711 brs. S20°W 16.3 ft. A Pine tree 18 ins. in diameter blazed and scribed x B T 4 A L 3 brs. N50°W 20.6 ft. Location Cor a mound of stones 3x3 ft.

Thence S53°50'E Va 14°E

300.0 To the N.C.E. identical with the location and with

feet

Cor. No. 2 Alsace Lorraine No 4 lode of this survey.

Location Cor a mound of stones 3x3 ft.

600.00 To Cor No 1 the place of beginning.

Alsace Lorraine No 4 lode

Beginning at Cor No 1 identical with the location a Sand stone 4x12x24 ins. set 12 ins in the ground with a mound of stones chiselled x 1 A L 4 ,3711. Whence an Oak 8 ins. in diameter blazed and scribed x B T 1 A L 4,3711 brs N43°53'E 15.9 ft. No other bearings available .

Location Cor a mound of stones 3x3 ft. U.S.L.M 3711 brs. N38°05'E 195.82 ft.

Thence N53°50'W Va. 14°E

300.0 To the W.C.E. identical with the location and with the Cor. No 1 Alsace Lorraine No 3 lode of this survey, hereinbefore described. Location Cor a mound of stones 3x3 ft.

600.00 To Cor.No 2 identical with the location and with the N.C.E Alsace Lorraine No 3 lode of this survey a sand stone 6x12x28 ins. set 14 ins in the ground with a mound of stones chiselled x 2 A L 4, 3711. No bearings available. Location Cor a mound of stones 3x3 ft.

Thence N68°32'E Va14°E

1500.0 To Cor. No 3 identical with the location a Sand stone 6x10x24 ins. set 12 ins. in the ground with mound of stones chiselled x 3 A L 4 ,3711. Whence a Pine tree 10 ins in diameter blazed and scribed x B T 3 A L 4, 3711 brs. N48°09'E 31.0 ft. No other bearings available. Location Cor a mound of stones 3x3 ft.

Thence S53°50'E Va 14°E

300.0 To the E.C.E. a mound of stones 3x3 ft. identical with the location.

600.0 To Cor. No 4 identical with the location a Sand stone

Feet

5x6x24 ins set 12 ins. in the ground with mound of stones
 chiselled x 4 A L 4, 3711 Whence a Pine tree 20 ins in
 diameter, blazed and scribed x B T 4 A L 4, 3711 brs.
 N53°07'E 34.9 ft. A Pine 24 ins. in diameter, blazed and
 scribed x B T 4 A L 4 3711 brs. N88°23'W -45.4 ft.
 Location Cor a mound of stones, 3x3 ft.

Thence S68°32'W Va 14°E
 To Cor. No 1 the place of beginning.

AREA

	Acres
Total Area Alsace Lorraine No 6 lode	20.460 ✓
Total Area Alsace Lorraine No 5 lode	20.460 ✓
Total Area Alsace Lorraine lode	20.661 ✓
Total Area Alsace Lorraine No 1 lode	10.630 ✓
Area in Conflict with Alsace Lorraine No.2	
lode of this survey	3.028 ✓
Total Area Alsace Lorraine No 2 lode	20.138 ✓
Total Area Alsace Lorraine No 3 lode	20.661 ✓
Total Area Alsace Lorraine No 4 lode	17.451 ✓

LODE LINES

As near as can be determined from present developments
 the veins of the several locations embraced in this
 claim extend as follows from their respective discovery
 points:

Alsace Lorraine NO 6 lode N12°05'W 750.0 ft & S12°05'E
 750.0 ft.

Alsace Lorraine No 5 lode N12°05'W 750.0ft. & S12°05'E
 750.0 ft.

Alsace Lorraine lode N69°55'E 750.0 ft. & S69°55'W 750.0
 ft.

Alsace Lorraine No 1 lode N5°05'W 659.0 ft & S5°05E
 140.0 ft

Alsace Lorraine No. 2 lode N36°10'E 712.0 ft & S36°10'W
 750.0 ft.

Alsace Lorraine No 3 lode N36°10'E 750.0 ft. & S36°10'W
750.0 ft.

Alsace Lorraine No 4 lode N68°32'E 750.0 ft. & S68°32'W
750.0 ft.

LOCATION

In the Fort Apache Indian Reservation, Canyon
Creek Mining district approximately in Sections ^{35&36}, T 9 N,
R 15½ E, on unsurveyed land. Navajo County, Ariz.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that there have been no improvements made upon
this claim.

Alsace Lorraine No 6 lode, the discovery which is on
the lode line 750 ft. from the S.C.E. No value.

Alsace Lorraine No 5 lode, the discovery which is on
the lode line 750 ft from the S.C.E. No value.

Alsace Lorraine lode, the discovery which is on the
lode line 750 ft. from the west center end. No value.

Alsace Lorraine No 1 lode, the discovery which is on the
lode line 140.0 ft from the S.C.E. No value.

Alsace Lorraine No 2 lode, the discovery which is on
the lode line 750.0 ft from the S.C.E. No Value

Alsace Lorraine No 3 lode, the discovery which is on
the lode line 750.0 ft. from the S.C.E. No value.

Alsace Lorraine No 4 lode, the discovery which is on
the lode line 750.0 from the W.C.E. No value.

The discovery monument of each claim is upon a ledge of iron ore.

INSTRUMENT

This survey was made with a light mountain Gurley
transit. The courses were deflected from the meridian
as determined by direct solar observations. The distances
were measured with a five hundred foot and a 50 ft.
steel tapes.

THE LODE ADJOINING CLAIMS

This claim is bounded on all sides by U.S. land.

Report

The lode lines of each location of this claim were run directly upon the ground, and the several corners were established by means of offsets from the lode lines. All tie lines were run directly upon the ground.

Richard L. Merrill
U.S. Mineral Surveyor

U.S.L.M NO. 3711

There being no corners of the public survey or location monuments within the prescribed limit I established U.S.L.M. 3711 on a high point on the east side of Canyon Creek by chiselling x U.S.L.M 3711 on a Quartzite Rock in place 12x12x18 ins. above ground, with a mound of stones 6 ft. base by 5 ft. high alongside Whence an Oak tree 8 ins. in diameter blazed and scribed x B.T. U.S.L.M., 3711 bears N48°16'E 13.4 ft. A pine tree 8 ins. in diameter blazed and scribed x B T U.S.L.M. 3711 bears S79°49'W 20.4 ft. A round top mountain bears S49°37'W four miles. A high point on a long ridge bears S78°46'W six miles. Latitude 34°08'N Longitude 110°42'W.

No other bearings available.

U.S.L.M. 3711 is located in the ~~White Mountain~~ Fort Apache Indian Reservation, Canyon Creek Mining District, Navajo County Ariz., approximately in Section ~~34~~³⁶, T 9 N, R 15½ E, on unsurveyed land.

Richard L. Meritt
U.S. Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

known as the R. L. Keith
also sworn as surveyor No. 1, 2, 3, 4, 5, 6, 7, 8
also sworn as _____
and showing the respective capacities in which they acted.

_____, Chainman.
J. M. Merritt, Chainman.
_____, Axman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, J. M. Merritt

and _____, do solemnly swear that we assisted Richard L. Merritt, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of _____

known as the R. L. Keith
also sworn as surveyor No. 1, 2, 3, 4, 5, 6, 7, 8
also sworn as _____
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

J. M. Merritt, Chainman.
_____, Chainman.
_____, Axman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 21st,
day of October, 1920,

Earl Suggin
Notary Public.

My commission expires Dec. 7th, 1922



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merritt, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
September 28-1920, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of R. L. Keith
Alsace Lorraine ^{no. 1} Alsace Lorraine ^{no. 2} Alsace Lorraine ^{no. 3} Alsace Lorraine ^{no. 4} Alsace Lorraine ^{no. 5} known as the 6 lodes
situate in Fort Apache Ind. Reservation, Canyon Creek Mining District,
Navajo County, Arizona, in Section
Approx 35 & 36, Township No. 9 N, Range No. 15 1/2 E Unsur.,
and designated as Survey No. 3711, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Richard L. Merritt
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merritt
U. S. Mineral Surveyor, before me Edw. Swiggin,
Notary Public, this 21st,
day of October, 1920.

Edw. Swiggin
Notary Public.

My commission expires Dec. 7th, 1922



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

December 9, 19 20

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of R. L. Keith, known as the

ALSACE-LORRAINE, ALSACE-LORRAINE NO.1, ALSACE-LORRAINE NO.2, ALSACE-LORRAINE NO.3, ALSACE-LORRAINE NO.4, ALSACE-LORRAINE NO.5, and ALSACE-LORRAINE NO.6 lodes situate in Fort Apache Indian Reservation, Canyon Creek

Mining District, Navajo County, Arizona

Approx. in Sections 35 & 36, Township No. 9 N., Range No. 15 E., Unsur, and

designated as Survey No. 3711, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona.

December 9, 1920

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

R. L. Keith

known as the
ALSACE-LORRAINE, ALSACE-LORRAINE NO. 1, ALSACE-LORRAINE NO. 2, ALSACE-
LORRAINE NO. 3, ALSACE-LORRAINE NO. 4, ALSACE-LORRAINE NO. 5, ALSACE-
LORRAINE NO. 6 lodes

situate in Canyon Creek mining district,
Port Apache Indian Reservation
Navajo County, Arizona

in Sections ~~Approx. 35 & 36~~, Township No. ~~9 N.~~, Range No. ~~15 E. Unsur.~~

designated as Survey No. 3711

executed by Richard L. Morrill, U. S. Mineral

Surveyor, October 4 - 15, 1920, under my instructions dated

September 28, 1920, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

Frank B. Frost

U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 3711
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Alsace-Lorraine, Alsace-Lorraine No.1, Alsace-Lorraine No.2, Alsace-Lorraine No.3, Alsace-Lorraine No.4, Alsace-Lorraine No.5, and Alsace-Lorraine No.6 lodes, Mineral Survey No. 3711, located in approximately sections 23, 24, 25 and 26, Township 9 North, Range 15 1/2 East (unsurveyed), Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Alsace-Lorraine, Alsace-Lorraine No.1, Alsace-Lorraine No.2, Alsace-Lorraine No.3, Alsace-Lorraine No.4, Alsace-Lorraine No.5, and Alsace-Lorraine No.6 lodes, M.S. No. 3711, were canceled June 5, 2012, by memo 9605 (956) M.S. 3711, which is now a part of the original field notes."

June 5, 2012
Date

Stephen H. Hansen
Chief Cadastral Surveyor of Arizona