

MINERAL SURVEY No. 3756.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

T.M. SMITH

KNOWN AS THE

WYOMING and ARIZONA Lodes.

Old Hat Mining District,

Pinal County, Arizona.

Section 26 & 35, Township 8 South, Range 16 East. G. & S.R.B. & M.

Surveyed under instructions dated March 21st., 1921.

by Paul E. Fernald U. S. Mineral Surveyor.

Claim located (see location notices attached) 19

Survey commenced March 29th., 1921.

Survey completed April 1st., 1921.

Address of claimant Dr. T.M. Smith, Box 633. Tucson, Arizona.

DATES OF AMENDED LOCATIONS.

U.S. Mineral Survey No. 3756.

Feet.WYOMING Lode.

Beginning at Cor.No.1, Identical with Cor.No.4 Golden Slipper Lode, Survey No.3751, and on line 2-3 Arizona Lode, this survey.

A 4x4 post 4 feet long with pyramid top and painted white, scribed 3756-1 WYO. Post set $1\frac{1}{2}$ feet in the ground and surrounded by monument of stones, whence

The N.W.Cor. of section 35, T 8 S, R 16 E, G. & S.R.B. & M. bears N 88 50'42"W, 1812.52 feet.

Cor.No.2, Arizona Lode, this survey, bears N 30 7'W, 376.58 feet.

Thence N 29 45'E

- 56.88 Intersects the north boundary of Section 35, T 8 S, R 16 E, G. & S.R.B. & M. at point N 89 36'E, 1840.44 feet from the N.W. Section Cor., and S. 89°36'W. 3375.34 feet from the N.E. Section corner.
- 224.00 Crosses center road running N.W.- S.E.
- 301.09 North end center - identical with south end center Golden Slipper Lode, Survey No.3751. Monument of stones 3 feet high.
- 546.74 Intersects line 4-1, Mohawk Lode, Survey No.1157, at point N 15 22'50"W. 527.91 feet from its Cor.No.4.
- 602.18 Cor.No.2., identical with Cor.No.3, Golden Slipper Lode, Survey No.3751.
- A 4x4 post, 4 feet long with pyramid top and painted white, scribed 3756 2 WYO. Post set $1\frac{1}{2}$ feet in ground and surrounded by monument of stones, whence
- Cor.No.1, Mohawk Lode, Survey No.1157, bears N 17 49'W, 924.35 feet.
- The N.E.Corner of Section 35, T 8 S. R 16 E, G. & S.R.B. & M. bears S 81 45'E, 3137.18 feet.
- Cor.No.3, Mohawk Lode, Survey No.1157, identical with the North East Corner of the Mohawk Extension Lode, unsvd. bears S 75 54'30"E, 554.43 feet.
- Cor.No.4, Mohawk Lode, Survey No.1157, identical with the North West Corner of Mohawk Extension Lode, unsvd. bears

S 11 25'E, 568.39 feet.

The west corner of the Mohawk Extension Lode, Unsvd. main shaft, bears S 59 39'E, 517.72 feet.

The center of Mohawk Extension Lode, Unsvd. Discovery shaft, bears S 46 34'E, 704.46 feet.

Thence S 30° 7'E

490.69 Intersects line 3-4, Mohawk Lode, Survey No.1157, at point N 45° 13'E, 188.37 feet from Cor.No.4. Identically, intersects the north end line of Mohawk Extension Lode, Unsurveyed, at point N 45° 13'E, 188.³⁷~~51~~ feet from its N.W.Corner.

542.93 Intersects the north boundary line of Section 35, T 8 S, R 16 E, G.& S.R.B.& M. at point N 89 36'E, 2383.46 feet from its N.W.Corner, and S 89° 36'W 2382.32 feet from its N.E. corner.

685.00 Crosses center road running S.W.- N.E.

1500.00 Cor.No.3.

A 4x4 post, 4 feet long with pyramid top and painted white, scribed 3756 3 WYO. Post set 1½ feet in ground and surrounded by monument of stones, whence The S.W.Corner of Mohawk Extension Lode, Unsurveyed, bears S 15 38'22"E, 531.52 feet.

Thence S 29° 45'W

170,25 Intersects the west side line of Mohawk Extension Lode, Unsurveyed, at point S 32° 2'E, 1047.69 feet from its N.W.Corner.

301.09 South End Center - monument of stones 3 feet high.

602.18 Cor.No.4.

A 4x4 post, 4 feet long with pyramid top and painted white. Post scribed 3756-4 WYO., and set 1½ feet in the ground, surrounded by monument of stones.

Thence N 30° 7'W.

376.58 Cor.No.3 Arizona Lode, this survey.

1500.00 Cor.No.1, the point of beginning,

ARIZONA Lode.

Beginning at Cor.No.1, identical with Cor.No.4, Washington

U.S. Mineral Survey No. 3756.

Lode, Survey No. 3751.

A 4x4 post, 4 feet long, with pyramid top and painted white;

Post scribed 3756 1 ARIZ. and set $1\frac{1}{2}$ feet in the ground

surrounded by monument of stones, whence

The N.W. Cor. of Section 35, T 8 S, R 16 E, G. & S. R. B. & M.

bears N $76^{\circ} 24' 15''$ W, 1313.28 feet.

The South End Center of Apollo Lode, Unsurveyed, bears

S $75^{\circ} 37' W$, 294.39 feet.

The S.E. Corner of Apollo Lode, Unsurveyed, bears N $0^{\circ} 45' 30''$ E,

127.78 feet.

The N.E. Cor. of Apollo Lode, Unsurveyed, bears N $5^{\circ} 28' 22''$ W,

1446.98 feet.

Center of "Monitor" Discovery Shaft bears N $16^{\circ} 30' W$, 204.

feet.

Thence N $30^{\circ} 6' 30''$ E

345.60 North End Center - identical with the south end center of

Washington Lode, Survey No. 3751. Monument of stones

3 feet high.

368.20 Crosses center of road running S-S.E.

368.67 Intersects the north boundary line of Section 35, T 8 S,

R 16 E, G. & S. R. B. & M. at point N $89^{\circ} 36' E$, 1461.46 feet

from its N.W. Corner, and S. $89^{\circ} 36' W$. 3754.32 feet from its
N.E. corner.

691.20 Cor. No. 2, identical with Cor. No. 3, Washington Lode, Survey

No. 3751, and falling at north side of road running E.-S.E.

A 4x4 post 4 feet long, with pyramid top and painted

white. Post scribed 3756 2 ARIZ., set $1\frac{1}{2}$ feet in the

ground and surrounded by monument of stones.

Thence S. $30^{\circ} 7' E$

319.95 Intersects the north boundary of section 35, T 8 S, R 16 E,

G. & S. R. B. & M. at point N $89^{\circ} 36' E$, 1783.80 feet from its

N.W. Corner, and S. $89^{\circ} 36' W$. 3431.98 feet from its N.E. corner.

376.58 - Cor. No. 1, Wyoming Lode, this survey, identical with Cor.

No. 4, Golden Slipper Lode, Survey No. 3751.

1500.00 Cor. No. 3, on line 4-1 Wyoming Lode, this survey.

A 4x4 post 4 feet long with pyramid top and painted white.

Post scribed 3756 3 ARIZ., set $1\frac{1}{2}$ feet in the ground and surrounded by monument of stones.

Thence S $30^{\circ} 6' 30''$ W

345.60 South End Center - monument of stones $3\frac{1}{2}$ feet high.

691.20 Cor.No.4.

A 4x4 post 4 feet long, with pyramid top and painted white. Post scribed 3756 4 ARIZ., set $1\frac{1}{2}$ feet in the ground and surrounded by monument of stones.

Thence N $30^{\circ} 7' W$

606.00 Crosses Oracle Road, running westerly.

1500.00 Cor.No.1, the point of beginning.

* * * *

Magnetic Variation at all corners of this survey $14^{\circ} 0' E$.

The ground covered by this survey being devoid of tree growth and generally overlain with drift, no natural bearing objects were available from any corner of this survey.

The survey of each lode of this location is identical with the respective lode as staked upon the ground, and all survey corners are identical in position with the respective location monuments.

LOCATION. This survey is located in the S.W. $\frac{1}{4}$ of Section 26, and in the N. $\frac{1}{2}$ of Section 35, T 8 S, R 16 E, G. & S.R.B. & M, in the Old Hat Mining District, Pinal County, Arizona.

LODE LINES..

As near as can be determined from present development, the veins of the two locations embraced in this survey extend as follows from their respective discovery points:-
Wyoming Lode, N $30^{\circ} 7' W$ - 604. feet, and S $30^{\circ} 7' E$ - 896. ft.
Arizona Lode, N $30^{\circ} 7' W$ - 627. feet, and S $30^{\circ} 7' E$ - 873. ft.

Adjoining and conflicting claims:-

The Wyoming Lode of this survey ^{is} ^{by} adjoined the Golden Slipper Lode, Survey No. 3751, on the north west; ^{with} conflicts the

U.S. Mineral Survey No. 3756.

Mohawk Lode, Survey No. 1157, on the north; conflicts ^{with} the Mohawk Extension Lode, unsurveyed, on the north east. The Arizona Lode, this survey ^{is} adjoined ^{by} the Washington Lode, Survey No. 3751, on the north west, and ^{by} the Golden Slipper Lode, Survey No. 3751, on the north east.

AREAS. Total Area, Wyoming Lode. 17.934 Acres.
 Area in conflict with:-
 Mohawk Lode, Sur. No. 1157. 1.264 acres.
 Mohawk Extension Lode, Unsvd. 3.915 " .
 Total area Arizona Lode. 20.659 Acres.

EXPENDITURE OF FIVE HUNDRED DOLLARS:-

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in this mining claim by the claimant or its grantors, is not less than Five Hundred Dollars, and that such improvements consist of:-

WYOMING Lode.

- No. 1. Discovery point on center line, 604. feet from the north end center, marked by large discovery monument of stones,
 - No. 2. ~~whence~~ center of discovery shaft, 4x7'-8' deep, bears N 29° 45' E, 44 feet. ^{from discovery point,} Value shaft \$45.00
 - No. 3. Shaft 4x6-8' deep, center of which bears N 32 40' E, 382. feet from Cor. No. 1. Value \$40.00
- A $\frac{1}{4}$ interest in Improvement No. 9, Golden Slipper Lode, Survey No. 3751, same being a common improvement equally benefitting the Golden Slipper and Washington Lodes, Survey No. 3751, and the Wyoming and Arizona Lodes, this survey, as described in the official field notes of Sur. No. 3751.
- Value $\frac{1}{4}$ interest accredited this lode \$3575.25

ARIZONA Lode.

- No. 1. Discovery shaft, 4x7-8' deep, on center line 627 feet from the North End Center. Value \$45.00
- No. 2. Cut in north, 4x25 to 6' face, the center of mouth of which bears S 64° 32' W, 306 feet from point 679.34, line 2-3. Value \$62.50

No. 3. Cut in northwest, 4x18'to 9'face, the center of face bearing S 63° 0'W, 278. feet from point 679.34, line 2-3.

Value \$67.50

A $\frac{1}{4}$ interest in Improvement No.9, Golden Slipper Lode, Survey No.3751, heretofore described, accredited to this Lode.

Value $\frac{1}{4}$ interest \$3575.25

OTHER IMPROVEMENTS.

Wyoming Lode.

- Shaft 4x6x8'deep, the center of which bears N 30 56'E, 300 feet from Cor.No.1. This is the discovery shaft of the "Boss" Lode, unsurveyed, Cressman & Wills, Claimants, claimed as a relocation of the Wyoming Lode, and calling for 300 feet northerly and 1200 feet southerly. No corner nor center monuments of "Boss" Lode could be found.

- Shaft 4x6x11'deep, the south corner of which bears N 37 38'E, 308 feet from Cor.No.1. Assessment work for Boss Lode, Unsurveyed.

- Cut in west 4x25 to 8'face, with shaft 4 $\frac{1}{2}$ feet deep at face. Center face of cut bears S 85 15'E, 137. feet from Cor.No.1. Assessment work for Boss Lode, Unsvd.

Arizona Lode.

Shaft 4x6-8'deep, center bears S 24 57'W, 401.feet from Cor.No.2. Assessment work for Monitor Lode, Unsvd.

Cut in northwest, 5x19'to 6'face, with shaft at face 5x6-3'deep. Center mouth of cut bears S 34 32'W, 515. feet from point 679.34, line 2-3. Assessment work for Monitor Lode, Unsurveyed.

INSTRUMENT.

This survey was made with a Dietzgen Transit, with plate verniers reading to 15". Courses were deflected from the true meridian as determined by direct solar observations. Distances were measured by 50 and 350 foot steel tapes.

REPORT. The lines of this survey were run direct upon the ground. The N.W.Cor.of Section 35, T 8 S, R 16 E, G.& S.R.B.& M. is an old Mesquite post, peeled and notched on sides, in

U.S. Mineral Survey No. 3756.

monument of stones.

The N.E. Corner of Section 35, T 8 S, R 16 E, G. & S. R. B. & M. is a Paloverde post, notched on sides, in monument of stones.

Corners of Apollo Lode, Unsurveyed, are small monuments of stones.

Corners of Golden Slipper and Washington Lodes, Survey No. 3751, are scribed 3751, with abbreviated lode name and corner number.

Cor. No. 1, Mohawk Lode, Survey No. 1157, is marked by iron pin in ground under porch of Mammoth store building.

Cor. No. 3, Mohawk Lode, Survey No. 1157, is $1\frac{1}{4}$ " iron pipe 18" above ground, in center monument of stones. Identified by old residents of district as identical with position of original corner monument.

Cor. No. 4, Mohawk Lode, Survey No. 1157, is a 4x4 post, 5 feet above ground in monument of stones, scribed "M S 1157 Cor. 4".

The N.E. and N.W. Corners of Mohawk Extension Lode, Unsvd. are identical respectively with Cors. 3 and 4 of Mohawk Lode, Survey No. 1157.

The S.W. Cor. Mohawk Extension Lode, Unsurveyed, is a monument of stones with small stick in center.

The "Monitor" Lode, Unsurveyed, Cressman & Wills, Claimants, claims 600 feet northerly and 900 feet southerly from discovery shaft 4x6-6' deep, bearing to center of which is given herein from Cor. No. 1 Arizona Lode, this Survey. Location notice of "Monitor" Lode, claims same to be relocation of "Arizona" Lode, No corner or center monuments could be found. Discovery shaft of Monitor Lode falls within area of Apollo Lode, Unsvd.

ERROR REPORT.

I find lines 3-4 and 4-1, Mohawk Lode, Survey No. 1157, to be in error, as follows:-

Line 3-4. S 45 13' W - 599.19 ft. vs. S 45 0' W - 600. feet

as reported.

Line 4-1. N 15° 22' 50" W - 1490.56 feet, vs. N 15° 20' W - 1500.00 feet as reported.

Paul E. Fernald

U.S. Mineral Surveyor.

Tucson, Arizona. April 25th. 1921.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Paul E. Fernald

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of T. M. Smith

known as the Wyoming & Arizona Lodes

and showing the respective capacities in which they acted.

L. F. Hicks , *Chainman.*

Roy Leppert , *Chainman.*

..... , *Arman.*

..... , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, L. F. Hicks

and Roy Leppert , do solemnly swear that we assisted

Paul E. Fernald , United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of T. M. Smith

known as the Wyoming & Arizona Lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

L. F. Hicks , *Chainman.*

Roy Leppert , *Chainman.*

..... , *Arman.*

..... , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 8th

day of April , 1921.

James O'Barry
.....
Notary Public

My commission expires Aug. 12, 1923.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Paul E. Fernald, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
March 21 1921, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of T. M. Smith
....., known as the
Wyoming & Arizona Lodes,
situate in Old Hat Mining District,
Pinal County, Arizona, in Section
26 & 35, Township No. 8 S., Range No. 16 E., G. & S. R. B & M.,
and designated as Survey No. 3756, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Paul E. Fernald.
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Paul E. Fernald
U. S. Mineral Surveyor, before me James O. Barry, a Notary Public in
and for Pinal County, Arizona, this 8th
day of April, 1921.

James O. Barry
Notary Public

My commission expires Aug. 12, 1923.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

July 29, 1921.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

T. M. Smith

, known as the WYOMING and ARIZONA Lodes

, situate in Old Hat

Mining District, Pinal County,

Arizona, in Sections 26 & 35, Township No. 8 S.,

Range No. 16 E., and designated as Survey

No. 3756, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or for each of
or improvements made upon said mining claims by claimant or his grantors, and
that said improvements consist of 3 shafts and 2 cuts, and 2 one-quarter
interests in improvement No. 9 on the Golden Slipper lode, Mineral
Survey No. 3751, total value \$7410.50

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

July 29, 1921

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

T. M. Smith

, known as the

WYOMING and ARIZONA Lodes

situate in Old Hat mining district,

Pinal County, Arizona

in Section 26 & 35, Township No. 8 S., Range No. 16 E.

, designated as Survey No. 3756

executed by Paul E. Fernald, U. S. Mineral

Surveyor, March 29 - April 1, 19 21, under my instructions dated

March 21, 1921, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.

1087
la

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

9632.27 (942)
M.S. 3756

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Arizona and Wyoming Lodes, M.S. 3756, in sections 26 and 35, T. 8 S., R. 16 E., Gila and Salt River Meridian, Arizona, are hereby cancelled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314 of 43 U.S.C. 1744.

This cancellation was requested by the Chief, Branch of Lands and Minerals Operations, to facilitate a land exchange.

January 15, 1986
Date

James P. Kelley
Chief Cadastral Surveyor of Arizona



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE
3707 N. 7th Street
P.O. Box 16563
Phoenix, Arizona 85011

1183756
IN REPLY REFER TO:

PX A 19395
(943) (PAS)

File 9632.27(942)

DEC 30 1985

December 23, 1985

Memorandum

TO: Chief, Branch of Cadastral Survey (942)
From: Chief, Branch of Lands and Minerals Operations
Subject: Cancellation of Unpatented Mineral Survey 4203

We are in the process of consummating an exchange with Magma Copper Company for the following described public lands:

- T. 8 S., R. 16 E., GSR Mer., Arizona
- sec. 25, S $\frac{1}{2}$ N $\frac{1}{2}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$;
- sec. 26, all remaining public land;
- sec. 35, all remaining public land.

containing approximately 566.1 acres.

We request that you cancel the unpatented Mineral Survey 4203 and any unpatented mineral claims situated within the above described lands and notify us when this has been accomplished.

Enclosures

1. Copy of MS 4203
2. Copy of Mining Dist Sheet

cc: Safford Dist. Office

•

RELINQUISHMENT

Effective upon recording of this Relinquishment with the County Recorder of Pinal County, Arizona, Magma Copper Company, a Delaware corporation, authorized to transact business in Arizona relinquishes unpatented mining claims and millsites located in Sections 25, 26 and 35, Township 8 South, Range 16 East, Gila and Salt River Base and Meridian, Old Hat Mining District, Pinal County, Arizona more particularly described as follows:

Unpatented Mining Claims
Location Notices Recorded in Office of County Recorder
of Pinal County

<u>Name of Claim</u>	<u>Book of Mines</u>	<u>Docket</u>	<u>Page</u>	<u>Location Notice Date</u>	<u>AMC Serial #</u>
Cholla Flat	53		288	01/05/45	62308
Amended	54		110	02/21/46	
Amended		179	367	05/28/57	
San Toy	53		395	04/11/45	62309
Amended		179	379	05/28/57	
Golden Terra	53		287 (298)	01/03/45	62310
Amended	54		109	02/21/46	
Amended		179	372	05/28/57	
Happy Valley	53		287	01/02/45	62311
Amended		179	373	05/28/57	
Cholla	27		231	02/20/10	62312
Amended	52		216	10/10/41	
Amended		179	365	05/28/57	
Sunrise (Sun Rise)	"B"		577	01/01/08	62313
Amended	52		215	10/10/41	
Amended		179	381	05/27/57	
Red Hill	30		425	11/17/15	62314
Amended	52		184	10/10/41	
Amended		179	378	05/27/57	
Apollo	7		469	01/01/83	62323
Amended		179	359	05/27/57	
Apollo Extension	46		30	10/04/29	62324
Amended	46		193	06/17/30	
Amended		179	360	05/27/57	
Apollo Extension No. 1	46		533	04/15/31	62325
Amended		179	361	05/28/57	

Unpatented Mining Claims
 Location Notices Recorded in Office of County Recorder
 of Pinal County

<u>Name of Claim</u>	<u>Book of Mines</u>	<u>Docket</u>	<u>Page</u>	<u>Location Notice Date</u>	<u>AMC Serial #</u>
Lucky Boy					
(Lucky Boy)	46		537	04/27/31	62327
Amended		179	376	05/27/57	
Erfletch Extension	51		11	06/19/39	62328
Amended		179	369	05/27/57	
Oversight Fraction	53		394	04/04/45	62329
Amended		179	377	05/28/57	
Highway No. 1	54		381	05/24/46	62318
Highway No. 2	54		382	05/24/46	62319
Highway No. 3	54		383	05/24/46	62320
Highway No. 4	54		384	05/24/46	62321
Highway No. 5	54		385	05/24/46	62322
Saguara 1		53	371	12/12/51	62315
Saguara 2		53	372	12/12/51	62316
Saguara 3		53	373	12/12/51	62317
Saguara 4		1224	796	05/15/84	222593
South Top No. 1	47		104	09/15/31	62042
Amended	47		585	06/14/33	
South Top No. 2	47		107	09/15/31	62043
Amended	47		586	06/14/33	
Manana No. 1	52		371	06/11/42	62036
Manana No. 2	52		372	06/11/42	62037
Manana No. 3	52		373	06/11/42	62038
Anchor Quartz	47		267	02/15/32	62019
Amended	47		591	06/18/33	
Anchor Quartz					
No. 2	47		351	05/15/32	62020
Amended	47		590	06/18/33	
Blue No. 1		53	442	12/13/51	62021
Blue No. 2		53	443	12/13/51	62022
Blue Ox	54		531	08/12/46	62023
Amended	55		259	11/10/46	
Oracle #1	54		598	06/10/46	62040
Amended	54		599	08/02/46	
Oracle #2	54		600	06/10/46	62041
Amended	54		601	08/02/46	
Tarde	52		374	06/11/42	62044
Valley	52		375	06/12/42	62047
Amended		37	385	01/10/51	
Tip Top	28		188	11/14/12	62045
Amended	47		592	06/18/33	
Tip Top #1	30		597	06/01/16	62046
Amended	47		593	06/18/33	
Missing Link	50		473	12/21/38	62039

Unpatented Mining Claims
 Location Notices Recorded in Office of County Recorder
 of Pinal County

<u>Name of Claim</u>	<u>Book of Mines</u>	<u>Docket</u>	<u>Page</u>	<u>Location Notice Date</u>	<u>AMC Serial #</u>
Coyote	48		107	09/26/33	62027
June Bug	47		266	02/15/32	62033
Amended	47		596	06/18/33	
June Bug #2	47		350	05/15/32	62034
Amended	47		594	06/18/33	

Millsites
 Location Notices Recorded in Office of County Recorder
 of Pinal County

<u>Name of Millsite</u>	<u>Book of Mines</u>	<u>Docket</u>	<u>Page</u>	<u>Location Notice Date</u>	<u>AMC Serial #</u>
Mill 1		1217	541	04/02/84	220826
Mill 2		1217	542	04/02/84	220827
Mill 3		1217	543	04/02/84	220828
Mill 4		1217	544	04/02/84	220829
Mill 5		1217	545	04/02/84	220830
Mill 6		1217	546	04/02/84	220831
Mill 7		1217	547	04/02/84	220832
Mill 8		1217	548	04/02/84	220833
Mill 9		1217	549	04/02/84	220834
Mill 10		1217	550	04/02/84	220835
Mill 11		1217	551	04/03/84	220836
Mill 12		1217	552	04/03/84	220837
Mill 13		1217	553	04/03/84	220838
Mill 14		1217	554	04/04/84	220839
Mill 15		1217	555	04/03/84	220840
Mill 16		1217	556	04/03/84	220841
Mill 17		1217	557	04/03/84	220842
Mill 18		1217	558	04/03/84	220843
Mill 19		1217	559	04/03/84	220844
Mill 20		1217	560	04/03/84	220845
Mill 21		1217	561	04/03/84	220846
Mill 22		1217	562	04/03/84	220847
Mill 23		1217	563	04/03/84	220848
Mill 24		1217	564	04/03/84	220849
Mill 25		1217	565	04/03/84	220850
Mill 26		1217	566	04/03/84	220851
Mill 27		1217	567	04/03/84	220852
Mill 28		1217	568	04/03/84	220853
Mill 29		1217	569	04/03/84	220854
Mill 30		1217	570	04/03/84	220855
Mill 31		1217	571	04/04/84	220856
Mill 32		1217	572	04/04/84	220857
Mill 33		1217	573	04/04/84	220858

Millsites
 Location Notices Recorded in Office of County Recorder
 of Pinal County

<u>Name of Millsite</u>	<u>Book of Mines</u>	<u>Docket</u>	<u>Page</u>	<u>Location Notice Date</u>	<u>AMC Serial #</u>
Mill 34		1217	574	04/04/84	220859
Mill 35		1217	575	04/04/84	220860
Mill 36		1217	576	04/03/84	220861
Mill 37		1217	577	04/03/84	220862
Mill 38		1217	578	04/03/84	220863
Mill 39		1217	579	04/03/84	220864
Mill 40		1230	395	06/12/84	224036
Mill 41		1230	396	06/12/84	224037
Mill 42		1230	397	06/12/84	224038
Mill 43		1230	398	06/12/84	224039
Mill 44		1230	399	06/12/84	224040
Mill 45		1230	400	06/12/84	224041
Mill 46		1230	401	06/12/84	224042
Mill 47		1230	402	06/12/84	224043
Mill 48		1230	403	06/12/84	224044
Mill 49		1230	404	06/12/84	224045
Mill 50		1230	405	06/12/84	224046
Mill 51		1230	406	06/12/84	224047
Mill 52		1230	407	06/11/84	224048
Mill 53		1230	408	06/11/84	224049
Mill 54		1230	409	06/11/84	224050
Mill 55		1230	410	06/11/84	224051
Mill 56		1230	411	06/11/84	224052
Mill 57		1230	412	06/11/84	224053
Mill 58		1289	29	05/20/85	239667
Mill 59		1289	30	05/20/85	239668
Mill 60		1289	31	05/20/85	239669
Mill 61		1289	32	05/20/85	239670
Mill 62		1289	33	05/20/85	239671
Mill 63		1289	34	05/20/85	239672
Mill 64		1289	35	05/20/85	239673
Mill 65		1289	36	05/20/85	239674
Mill 66		1289	37	05/20/85	239675
Mill 67		1289	38	05/20/85	239676
Mill 68		1289	39	05/20/85	239677
Mill 69		1289	40	05/20/85	239678
Mill 70		1289	41	05/20/85	239679
Mill 71		1289	42	05/20/85	239680
Mill 72		1289	43	05/20/85	239681
Mill 73		1289	44	05/20/85	239682
Mill 74		1289	45	05/20/85	239683
Mill 75		1289	46	05/20/85	239684
Mill 76		1289	47	05/20/85	239685
Mill 77		1289	48	05/20/85	239686
Mill 78		1289	49	05/20/85	239687
Mill 79		1289	50	05/20/85	239688
Mill 80		1289	51	05/20/85	239689

Millsites
 Location Notices Recorded in Office of County Recorder
 of Pinal County

<u>Name of Millsite</u>	<u>Book of Mines</u>	<u>Docket</u>	<u>Page</u>	<u>Location Notice Date</u>	<u>AMC Serial #</u>
Mill 81		1289	52	05/20/85	239690
Mill 82		1289	53	05/20/85	239691
Mill 83		1289	54	05/20/85	239692
Mill 84		1289	55	05/20/85	239693
Mill 85		1289	56	05/20/85	239694
Mill 86		1289	57	05/20/85	239695
Mill 87		1289	58	05/20/85	239696
Mill 88		1289	59	05/20/85	239697

Magma Copper Company further requests cancellation by the Bureau of Land Management of Mineral Survey 4203 insofar as said Mineral Survey applies to the unpatented mining claims.

IN WITNESS WHEREOF, this relinquishment is hereby executed by the duly authorized Executive Vice President of Magma Copper Company, Brian R. Woolfe this 23 day of DECEMBER, 1985.

MAGMA COPPER COMPANY


BY Brian R. Woolfe
 Brian R. Woolfe
 Executive Vice President

STATE OF ARIZONA)
) ss.
 County of Pinal)

The foregoing instrument was acknowledged before me this 23 day of December by Brian R. Woolfe, Executive Vice President of Magma Copper Company on behalf of the corporation with authority pursuant to Resolutions of the Corporation's Board of Directors.

[Signature]
 Notary Public

Commission Expires:



*** CERTIFICATE OF RECORDING ***

STATE OF ARIZONA, COUNTY OF PINAL (SS)
I HEREBY CERTIFY THAT THE WITHIN INSTRUMENT WAS FILED FOR RECORD IN
PINAL COUNTY, STATE OF ARIZONA. WITNESS MY HAND AND OFFICIAL SEAL.



NO: 816402

TIME: 0900 24DEC85

PAGES: 005

FEE: \$ 5.00

KATHLEEN C. FELIX
PINAL COUNTY RECORDER, BY DEPUTY

RELINQ

FROM: MAGMA COPPER
TO: CHOLLA FLAT AMD AND OTHERS

Deputy _____
Kathleen C. Felix, Pinal County Recorder
in Docket _____ Page _____
the official records of the Pinal County Recorder.
-certificate that made from a microfilm copy of
If is to be used for any other purpose, a complete and



By *Kathleen C. Felix* Deputy
Kathleen C. Felix, Pinal County Recorder
It is Certified that this is a complete and
accurate print made from a microfilm copy of
the official records of the Pinal County Recorder
in Docket 1729 Page 316

DEC 24 1985