

1
APR 1923
MAY 1923
SEP 1923

MINERAL SURVEY No. 3899

Arizona Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Green Monster Mining Company

KNOWN AS THE

Morgan, Humbert, Bailey, Valley View, Silver Cup, Wedge and Closure lodes.

Verde Mining District,

Yavapai County, Arizona

Section 36, Township 16 N., 2 E., & Unsur. 15 N., Range 2 E., G. & S.R.B. & M

Surveyed under instructions dated June 14, 1923

by Alfred B. Colwell
U. S. Mineral Surveyor

Claim located, 19

Survey commenced June 20, 1923

Survey completed July 13, 1923

Address of claimants Attys Anderson, Gale & Nilsson, Prescott Ariz.
Box N,

DATES OF AMENDED LOCATIONS.

2

Claims
Bailey
Closure
Humbert
Morgan
Silver Cup
Valley View
Wedge

MINERAL SURVEY NO. 3899

M & B Desc.
Pg. 4
11
2
1
8
6
9

Improvements
Pg. 16
17
15
15
16
16
16

Loc. Notices
Red Pg. 5
13
3
1
9
7
11

Feet	
	Morgan lode.
	Beginning at Cor.No.1
	Identical with Cor.No.2 Humbert lode of this survey.
	On line 4-1 Bailey lode of this survey.
	A porphyry stone 6 x 10 x 20 ins.set 12 ins.in the ground, chiseled + at exact corner point and M.1,H.2-3899 with mound of stone alongside Whence
	The S.¼ Cor.Sec.36 T.16 N.R.2 E. G.& S.R.B.& M.bears N.33°06'E.-649.40 ft.
	Thence S.65°19'W.
16.50	Intersect line 2-3 Sur.No.1468 Blue Bell lode, claimant herein, at S.80°33'E.-613.14 ft.from Cor.No.2 and 158.72ft. from the intersection of said line 2-3 Blue Bell lode with line 1-2 Sur.No.1544 Pastime lode, claimant unknown.
40.00	Cor.No.4 Bailey lode of this survey.
175.92	Intersect line 1-2 Sur.No.1544 Pastime lode at S.7°12'E. 1282.97 ft.from Cor.No.1 and 93.37 ft.from the intersection of line 2-3 Sur.No.1468 Blue Bell lode with line 1-2 Sur.No.1544 Pastime lode. and at N.7°12'W.- 96.03 ft.from Cor.No.2 Sur.No.1544 Pastime lode.
339.25	South End Center, A monument of rock.
678.50	To Cor.No.2
	A porphyry stone 9 x 15 x 24 ins. set 15 ins.in the ground chiseled + at exact corner point and M.2-3899 with mound of stone alongside. Whence
	No bearings are available.
	Thence N.3°10'E.
373.71	Intersect line 2-3 Sur.No.1468 Blue Bell lode at N.80°33' W.-1408.92 ft.from Cor.No.3 and S.80°33'E.- 24.28 ft.from Cor.No.2
433.08	Intersect line 1-2 Sur.No.1544 Exchange lode at S.86°30'W. 384.52 ft.from Cor.No.2 and N.86°30'E.-1055.48 ft.from Cor.No.1
821.05	Intersect line 2-3 Sur.No.1466 Silver Tip lode, claimant herein, at S.87°30'W.-285.82 ft.from Cor.No.3 and N.87°30'E.-294.18 ft.from Cor.No.2

Feet	
950.08	Intersect line 3-4 Sur.No.1544 Exchange lode at S.86°30'W 258.57 ft.from Cor.No.3 and N.86°30'E.- 1181.43 ft.from Cor.No.4
1314.00	Gulch 12 ft.wide,course Northeasterly.
1384.00	To Cor.No.3 A porphyry stone 5 x 8 x 19 ins.set 10 ins.in the ground chiseled + at exact corner point and M.3-3899 with mound of of stone alongside Whence Cor.No.3 Sur.No.1544 Exchange lode bears S.29°17'E.- 478.64 ft. Thence N.65°19'E.
100.00	Wagon Road 8ft.wide,Northerly and Southerly.
161.47	Cor.No.5 Sur.No.1466 Silver Tip lode and Cor.No.2 Sur.No. 1469 Loan Pine lode, claimant herein.
241.47	Cor.Nos.1 Sur.No.1544 Pastime and 4 Sur.No.1466 Silver Tip lodes. Whence line 4-3 Silver Tip lode runs S.3°05'E.- 651.40 ft. to Cor.No.3 and 615.57 ft.to its intersection with line 2-3 Sur.No.1544 Exchange lode, said intersection being at S.10°49'E.- 98.10 ft.from Cor.No.3 and N.10°49'W. 419.63 ft.from Cor.No.2 of said Exchange lode.
339.25	North End Center, A monument of rock.
674	Gulch 8 ft.wide, course Northerly.
678.50	To Cor.No.4 Identical with Cor.No.3 Humbert lode,this survey. A + and M.4,H.3-3899 chiseled on flat surface of rock with mound of rock alongside. Thence S.3°10'W.
480	Road N.W.and S.E.
1384.00	To Cor.No.1, The place of beginning. Humbert lode. Beginning at Cor.No.1 Identical with Cor.No.5 Sur.No.1469 Ninety Eight lode and Cor.No.3 Sur.No.1544 Treadwell lode On line 1-2 Sur.No.1544 Wayside lode and line 4-1 Bailey lode of this survey. A schist rock 8 x 10 x 26 ins. set 14 ins.in the ground

Mineral Survey No.3899

3

Feet	
	chiseled + at exact corner point, T.1-1544, "98"5-1469 and H.1-3899 with mound of stone alongside. Whence The S. $\frac{1}{4}$ Cor. Sec. 36 T.16 N.R.2 E. G. & S.R.B. & M. bears N.45°08'W. - 369.50 ft.
	Thence S.65°19'W.
165	Road 10 ft. wide, Northerly and Southerly.
235	Road 10 ft. wide, N.W. and S.E.
339.25	South End Center, A monument of rock.
347.95	Cor. No. 2 Sur. No. 1544 Treadwell lode, which is S.7°11'E. 1283.08 ft. from Cor. No. 1 thereof.
357.37	Intersect line 3-4 Sur. No. 1544 Pastime lode at S.6°47'E. 1285.95 ft. from Cor. No. 4
470	Road 8 ft. wide N.W. and S.E.
487.50	Cor. No. 1 Sur. No. 1544 Wayside lode
678.50	To Cor. No. 2 Identical with Cor. No. 1 Morgan lode of this survey, previously described.
	Thence N.3°10'E.
904	Road N.W. and S.E.
1384.00	To Cor. No. 3 On line 2-3 Sur. No. 1469 Loan Pine lode. Identical with Cor. No. 4 Morgan lode of this survey, previously described.
	Thence N.65°19'E.
69.83	Cor. No. 4 Pastime and Cor. No. 1 Treadwell lodes, Sur. No. 1544
220	Gulch 12 ft. wide, course Southeasterly.
339.25	North End Center, A monument of rock.
678.50	To Cor. No. 4 On line 2-3 Sur. No. 1469 Loan Pine lode at S.65°19'W. - 283.57 ft. from Cor. No. 3. Identical with Cor. No. 1 Sur. No. 1469 Ninety Eight lode and Cor. No. 4 Sur. No. 1544 Treadwell lode. A porphyry stone 3 x 10 ins. above ground chiseled + at exact corner point and "98" 1-1469, T.4-1544 and H.4-3899 with mound of rock alongside.

Feet	
	Thence S.3°10'W.
110	Gulch 15 ft.wide, course Easterly.
1384.00	To Cor.No.1 The place of beginning.
	Bailey lode.
	Beginning at Cor.No.1
	At the intersection of lines 4-5 Sur.No.1469 Ninety Eight lode and 4-1 Valley View lode of this survey, at S.65°19' W.-185.34 ft.from Cor.No.4 of the former and S.15°52'E.-736.40 ft.from Cor.No.1 of the latter.
	A porphyry stone 4 x 6 x 20 ins.set 10 ins.in the ground chiseled + at exact corner point and B.1-3899 with mound of rock alongside.
	Whence
	The S.¼ Cor.Sec.36 T.16 N.R.2 E. G.& S.R.B.& M.bears N.80°51'20"W.- 621.90 ft.
	No other bearings available.
	Thence S.15°52'E.
155.01	Intersect line 2-3 Sur.No.1386 Copper Bell lode, claimant unknown at S.84°45'E.- 294.59 ft.from Cor.No.2
165.65	Northeast End Center, a monument of rock.
465.65	To Cor.No.2
	On line 4-1 Valley View lode of this survey at N.15°52'W. 297.95 ft.from Cor.No.4
	A porphyry stone 5 x 6 x 20 ins.set 11 ins.in the ground chiseled + at exact corner point and B.2-3899 with mound of rock alongside.
	Whence
	Cor.No.2 Sur.No.1386 Copper Bell lode bears N.49°16'W. 499.22 ft.
	A + and B.R., B.2-3899 chiseled on 2 x 6 ft.face of rock bears N.68°30'W.- 18.3 ft.
	Thence S.65°19'W.
332.35	Cor.No.3 Sur.No.1468 Blue Bell lode, whence line 3-2 said Blue Bell lode runs N.80°33'W. At 84.27 ft.it intersects line 1-2 Sur.No.1386 Copper Bell lode at S.0°52'W.-450.77 ft.from Cor.No.2 and N.0°52'E.- 745.75 ft.from Cor.No.1
	At 86.39 ft. it intersects line 3-4 Sur.No.1544 Wayside lode

Feet	
	lode at S.60°09'W.- 2.45 ft.from Cor.No.3 and N.60°09'E. 371.93 ft.from Cor.No.4
424.70	Intersect line 1-2 Sur.No.1386 Copper Bell lode at N.0° 52'E.-693.35 ft.from Cor.No.1 and S.0°52'W.- 503.17 ft. from Cor.No.2, 53.97 ft.from Cor.No.3 Wayside lode and 52.40 ft.from intersection of Copper Bell line 1-2 with line 2-3 Sur.No.1468 Blue Bell lode.
1106.02	To Cor.No.3 A diorite stone 6 x 14 x 24 ins. set 16 ins. in the ground chiseled + at exact corner point and B.3- 3899 with mound of rock alongside Whence No bearings are available.
	Thence N.15°52'W.-
300.00	Southwest end Center, a monument of rock.
372.38	Intersect line 2-3 Sur.No.1544 Pastime lode at N.65°32'E. 150.49 ft.from Cor.No.2 and S.65°32'W.-345.23 ft.from Cor. No.3 and 251.42 ft. from the intersection of said line 2-3 Pastime lode with line 4-1 Sur.No.1544 Wayside lode and at 174.73 ft.from the intersection of said line 2-3 Pastime lode with line 2-3 Sur.No.1468 Blue Bell lode.
465.65	To Cor.No.4 On line 1-2 Morgan lode of this survey. A porphyry stone 5 x 7 x 24 ins.set 12 ins.in the ground chiseled + at exact corner point and B.4-3899 with mound of stone alongside. Whence A + and B.R. B.4-3899 chiseled on ledge of rock 2 x 3ft. bears S.18°35'W.-24 ft.
	Thence N.65°19'E.
23.50	Intersect line 2-3 Sur.No.1468 Blue Bell lode at N.80° 33'W.- 820.06 ft.from Cor.No.3
40.00	Cor.Nos.2 and 1 Humbert and Morgan lodes of this survey.
231.90	Cor.No.1 Sur.No.1544 Wayside lode,whence Cor.No.4 said Wayside lode bears S.28°27'E.-93.32 ft.to intersect line 2-3 Sur.No.1544 Pastime lode at S.65°32'W.- 93.81 ft. from Cor.No.3 and N.65°32'E.-401.91 ft.from Cor.No.2. At 147.60ft. said line 1-4 Wayside lode intersects line 2-3 Sur.No.1468 Blue Bell lode at N.80°33'W.-557.60 ft.

Feet	
	from Cor.No.3 and S.80°33'E.- 875.60 ft.from Cor.No.2
	From Cor.No.1 said Wayside lode, the distance to Cor.No.4 is 446.14 ft.
248.50	Road N.W.and S.E.
361.13	Intersect line 3-4 Sur.No.1544Pastime lode at N.6°47'W. 98.23 ft.from Cor.No.3
370.55	Cor.No.2 Sur.No.1544 Treadwell lode.
379.25	South End Center Humbert lode of this survey.
483.50	Road, N.W.and S.E.
553.50	Road Northerly and Southerly.
718.50	Cor.No.1 Humbert lode of this survey, and Cor.No.5 Sur. No.1469 Ninety Eight lode.
829.87	Cor.No.2 Sur.No.1544 Wayside lode at N. 15°52'W. ^{O°52'E. 456.06 ft} from Cor.No.3 thereof & -6.86 ft. from Cor.No.2 Sur.No.1386 Copper Bell lode.
1106.02	To Cor.No.1. The place of beginning.
	Valley View lode.
	Beginning at Cor.No.1
	A porphyry stone 10 x 12 x 19 ins. set 10 ins.in the ground, chiseled + at exact corner point and V.V., 1-3899 with mound of rock alongside. Whence
	The S.¼ Cor.Sec.36 T.16 N.R.2 E.G.& S.R.B.& H. bears S.34°06'W.- 736.06 ft.
	No other bearings available.
	Thence N.65°19'E.
300.00	North End Center, a monument of rock.
510.00	To Cor.No.2
	Identical with the assumed position of Cor.No.3 Sur.No. 1469 Ninety Eight lode at N.6°20'E.-849.10 ft.from Cor.No. 4 of said lode.
	On assumed line 1-2 Sur.No.1469 Galveston lode.
	A porphyry stone 6 x 12 x 20 ins. set 10 ins.in the ground chiseled + at exact corner point and V.V.2-3899 with mound of rock alongside. Whence
	No bearings are available.
	Thence S.15°52'E.

Feet	
110.00	Cor.No.1 El Paso and Cor.No.2 Galveston lodes Sur.No. 1469 respectively.
704.75	Cor.Nos.2 Sur.No.1469 El Paso lode and 3 Silver Cup lode of this survey.
967.01	S.W.End Center Silver Cup lode of this survey.
973.92	Intersect line 1-2 Sur.No.1155 Silver Plate lode, claimant unknown at N.54°33'E.-290.79 ft.from Cor.No.1
1267.01	Cor.No.2 Silver Cup lode of this survey.
1500.00	To Cor.No.3 On line 1-2 Wedge lode of this survey. A porphyry stone 8 x 9 x 20 ins. set 12 ins.in the ground chiseled + at exact corner point and V.V.3-3899 with mound of rock alongside. Whence Cor.No.1 Sur.No.1155 Silver Plate lode bears N.48°27'10"W-508.69 ft. No other bearings available. Thence S.65°19'W.
210.00	South End Center, a monument of rock.
427.25	Intersect line 4-1 Sur.No.1155 Silver Plate lode and line 3-4 Sur.No.1386 Copper Bell lode at S.0°50'W.-515.85 ft. from Cor.No.1 Silver Plate lode and 528.00 ft. from Cor.No.3 Copper Bell lode.
510.00	To Cor.No.4 Identical with Cor.No.1 Wedge lode of this survey. A porphyry stone 10 x 12 x 20 ins. set 10 ins.in the ground, chiseled + at exact corner point and V.V.4-W.1 3899 Whence B.+R., V.V.4, W.1-3899 chiseled on 4 x 7ft.ledge bears N.74°35'W.-18.20 ft. Thence N.15°52'W.
297.95	Cor.No.2 Bailey lode of this survey.
597.95	N.E.End Center Bailey lode of this survey.
608.59	Intersect line 2-3 Sur.No.1386 Copper Bell lode at N.84°45'W.-250.31 ft.from Cor.No.3
763.60	Cor.No.1 Bailey lode of this survey and intersect line 4-5 Sur.No.1469 Ninety Eight lode at S.65°19'W.-185.34 ft from Cor.No.4

Feet	
1500.00	To Cor.No.1, The place of beginning.
	Silver Cup lode.
	Beginning at Cor.No.1
	A porphyry stone 6 x 15 x 20 ins.set 10 ins.in the ground chiseled + at exact corner point and S.C.1-3899 with mound of stones alongside Whence
	The S.E.Cor.Sec.36 T.16 N.R.2 E.G.& S.R.B.& M.bears N.86°56'E.- 619.60 ft.
	Thence S.65°27'W.
676.27	Intersect line 2-3 Sur.No.1155 Silver Plate lode at S.0° 48'W.- 389.73 ft.from Cor.No.2, 31.48ft.from the intersect- ion of line 2-3 Silver Plate lode with line 3-4 Sur.No. 1166 South Plat lode, claimant unknown, and at N.0°48'E 794.25ft.from Cor.No.3 Sur.No.1155 Silver Plate lode.
749.66	Cor.No.3 Sur.No.1166 South Plat lode
878.06	To Cor.No.2
	On line 2-3 Valley View lode of this survey at N.15°52'W. 232.99 ft.from Cor.No.3
	A porphyry stone 6 x 12 x 18 ins.set 9 ins.in the ground, chiseled + at exact corner point and S.C.2-3899 with mound of stones alongside Whence
	Cor.No.2 Sur.No.1155 Silver Plate lode bears N.21°45'26"E. 509.25 ft.
	No other bearings available.
	Thence N.15°52'W.
293.09	Intersect line 1-2 Sur.No.1155 Silver Plate lode at S.54° 33'W.- 330.36 ft.from Cor.No.2
300.00	Southwest End Center, a monument of rock.
562.26	To Cor.No.3
	On line 2-3 Valley View lode of this survey.
	Identical with Cor.No.2 Sur.No.1469 El Paso lode.
	A porphyry stone showing 6 x 8 x 12 ins.above ground, chiseled + at exact corner point and E.P.2-1469, S.C.3-38 3899 with mound of rock alongside Whence
	No bearings are available.

Feet	Thence N.65°27'E.
878.06	<p>To Cor.No.4</p> <p>On line 2-3 Sur.No.1469 El Paso lode at 621.94 ft.from Cor.No.3</p> <p>Identical with Cor.No.1 Sur.No.1469 Golden Eagle lode.</p> <p>A porphyry stone showing 7 x 10 x 12 ins.above ground, chiseled + at exact corner point and G.E.1-1469, S.C.4-3899 with mound of rock alongside.</p>
	Thence S.15°52'E.
262.26	Northeast End Center, a monument of rock.
300.83	<p>Cor.No.6 Sur.No.1469 Golden Eagle lode and intersect line 3-4 Sur.No.1166 South Plat lode at S.47°19'W.- 535.13 ft. from Cor.No.4 South Plat lode, identical with Cor.No.5 Golden Eagle lode and at N.47°19'E.- 830.37 ft.from Cor.No.3 Sur.No.1166 South Plat lode and 738.96 ft.from the intersection of line 3-4 South Plat lode with line 2-3 Sur.No.1155 Silver Plate lode.</p>
562.26	To Cor.No.1, The place of beginning.
	Wedge lode.
	<p>Beginning at Cor.No.1</p> <p>Identical with Cor.No.4 Valley View lode of this survey previously described.</p>
	Whence
	<p>The South $\frac{1}{4}$ Cor.Sec.36 T.16 N.R.2 E.G.& S.R.B.& M. bears N.44°38'W.- 1171.07 ft.</p>
	<p>B.+ R.V.V.4- W.1-3899 chiseled on 4 x 7ft.ledge of rock bears N.74°35'W- 18.2 ft.</p>
	Thence N.65°19'E.
82.75	<p>Intersect line 3-4 Sur.No.1386 Copper Bell lode at N.0°50'E.-667.45 ft.from Cor.No.4 and line 4-1 Sur.No.1155</p>
37.47	<p>Silver Plate lode at N.0°50'E.- 667.45 ft.from Cor.No.4</p> <p>58'E.- 373.99 ft.from Cor.No.4</p>
300.00	South End Center, Valley View lode of this survey.
510.00	Cor.No.3 Valley View lode of this survey.
622.85	<p>Intersect line 2-3 Sur.No.1166 South Plat lode at N.12°07' W.-354.57 ft.from Cor.No.2 and 60.90 ft.from the inter-</p>

Feet	
	section of line 2-3 South Plat lode with line 2-3 Sur.No. 1155 Silver Plate lode.
637.93	Intersect line 2-3 Sur.No.1155 Silver Plate lode at N.0° 48'E.-539.73 ft.from Cor.No.3 and 65.85 ft.from intersection with line 2-3 Silver Plate lode with line 2-3 South Plat lode.
702.14	To Cor.No.2 A porphyry stone 7 x 10 x 18 ins. set 10 ins. in the ground, chiseled + at exact corner point and W.2-3899 with mound of stones alongside. Whence B.+ R.W.2-3899 chiseled on 3 x 4 ft.ledge of rock bears S.25°W.-10.8 ft. Thence S.5°10'E.
318.00	East End Center, a monument of rock.
354.10	Intersect line 1-2 Sur.No.1469 Copper Plate lode and line 1-2 Sur.No.1166 South Plat lode at N.47°25'E.- 40.08 ft. from the common corner Nos.1 and 2 respectively
543.31	To Cor.No.3 Identical with Cor.No.6 Sur.No.1469 Copper Plate lode, Cor.No.1 Sur.No.1469 Cloverdale lode and Cor.No.2 Closure lode of this survey, whence Cor.No.1 said Copper Plate lode brs. N.16° 06'W. 167.90 ft. A schist stone showing 6 x 8 x 10 ins. above ground, chiseled + at exact corner point and C.P.6, C.1, C.2, W.3-3899 with mound of stone alongside Whence No bearings are available. Thence S.65°19'W.
246.81	Intersect line 3-4 Sur.No.1155 Silver Plate lode at S.54° 38'W.- 134.21 ft.from Cor.No.3, and N.54° 36'E. 487.11 ft. from Cor. No.4
682.37	Intersect line 1-4 Sur.No.1155 Silver Plate lode and line 3-4 Sur.No.1386 Copper Bell lode at N.0°50'E. 100.05 ft. from Cor.No.4 of said lodes respectively, at N.0° 50'E.-100.01 ft. from Cor. No.4
702.14	To Cor.No.4 A diorite stone 6 x 12 x 24 ins. set 14 ins. in the ground, chiseled + at exact corner point and W.4-3899 with mound of rock alongside. Whence

Feet	
	Cor.No.4 Sur.No.1155 Silver Plate lode and Cor.No.4 Sur.No.1386 Copper Bell lode bears S.10°11'45"E.- 93.27ft.
	Thence N.5°10'W.
106.73	Intersect line 1-2 Closure lode of this survey at S.73° 54'W.-674.03 ft.from Cor.No.2
225.31	West End Center, a monument of rock.
543.31	To Cor.No.1, The place of beginning.
	Closure lode
	Beginning at Cor.No.1
	A + and C.1-3899 chiseled on ledge of rock in place 2 x 3 ft.with mound of rock alongside. Whence
	The S.¼ Cor.Sec.36 T.16 N.R.2 E.G.& S.R.B.& M. bears N.9°23'10"W.- 1467.55-ft.
	Cor.No.4 Sur.No.1443 Noel lode,claimant unknown bears S.11°08'W.- 231.81 ft.
	Cor.No.5 Sur.No.1468 Cliff lode bears S.15°49'E.-349.73ft
	Thence N.73°54'E.
109.85	Cor.No.1 Sur.No.1386 Copper Bell lode whence Cor.No.4 said lode bears S.84°52'E.-545.51 ft.and line 1-4 at 39.4 ft. intersects line 4-5 Sur.No.1468 Cliff lode.
140.00	Road, Northerly and Southerly.
152.88	Intersect line 4-5 Sur.No.1468 Cliff lode at S.7°45'W. 172.63 ft.from Cor.No.4 and N.7°45'E.- 382.38 ft.from Cor.No.5 and 15.60 ft.from the intersection of line 3-4 Cliff lode with line 4-1 Sur.No.1386 Copper Bell lode.
210.00	Road N.W.and S.E.
648.17	Intersect line 4-1 Wedge lode of this survey at N.5°10'W. 106.73 ft.from Cor.No.4
678.48	Intersect line 3-4 Sur.No.1386 Copper Bell lode and line 4-1 Sur.No.1155 Silver Plate lode at N.0°50' E.
682.77	206.52 ft.from Cor.No.4 of said lodes respectively. N.1° 58'E.- 207.81 ft.from Cor.No.4
1183.55	Intersect line 3-4 Sur.No.1155 Silver Plate lode at N.54° 38'E.- 598.76 ft.from Cor.No.4, & S.54°38 W. 22.56 ft. from Cor.No.3.
1322.20	To Cor.No.2

Feet	
	Identical with Cor.No.3 Wedge lode of this survey previously described, and with Cor.No.6 Sur.No.1469 Copper Plate lode and Cor.No.1 Sur.No.1469 Cloverdale lode. Whence Cor.No.4 Sur.No.1438 New Year lode, claimant unknown bears S.25°04'W- 284.65 ft.
	Thence S.16°10'E.
300.00	East End Center, a monument of rock
379.28	Intersect line 3-4 Sur.No.1438 New Year lode at S.64°48'E. 250.00 ft.from Cor.No.4
581.22	To Cor.No.3
	Identical with Cor.No.2 Sur.No.1469 Cloverdale lode. A granite stone 7 x 9 x 12 ins.above ground chiseled + at exact corner point and C.2-1469,C.3-3899 with mound of rock alongside. Whence No bearing are available.
	Thence S.78°54'W.
800	Road, Easterly and Westerly.
900	Gulch, 20 ft.wide, course Easterly.
963.62	Intersect line 1-4 Sur.No.1438 New Year lode at S.48°35'W. 858.62 ft.from Cor.No.4
1055.16	Intersect line 3-4 Sur.No.1443 Noel lode at S.61°0'E. 529.56 ft.from Cor.No.4
1322.20	To Cor.No.4
	A diorite stone 12 x 16 x 22 ins.set 12 ins.in the ground chiseled + at exact corner point and C.4-3899 with mound of stone alongside. Whence B.+ R.C.4-3899 chiseled on face of rock 2 x 4 ft.bears S.67°E.-7.55 ft.
	Thence N.16°10'W.
180	Gulch 20 ft.wide, course Easterly.
236.31	Intersect line 4-5 Sur.No.1468 Cliff lode at N.7°45'E. 15.27 ft.from Cor.No.5 and S.7°45'W.- 24.19 ft.from the intersection of line 4-5 Cliff lode with line 3-4 Sur.No.1443 Noel lode.

Feet
268.29 Intersect line 3-4 Sur.No.1443 Noel lode at S.61°0'E.
150.80 ft.from Cor.No.4 and N.61°0'W.13,91 ft.from the
intersection of line 3-4 Noel lode with line 4-5 Sur.No.
1468 Cliff lode.

281.22 Southwest End Center, a monument of rock.

310 Road, Easterly and Westerly

490 Road, Northeasterly and Southwesterly.

581.22 To Cor.No.1, The place of beginning.

Variation at all corners 14°30'E.

Lode lines.

The lode lines of the several claims embraced in this survey run as follows from their respective discovery points:-

Morgan lode:- 320 ft.N.3°10'E. and 1064 ft.S.3°10'W.

Humbert lode:- 720 ft.N.3°10'E. and 664 ft.S.3°10'W.

Bailey lode:- 445 ft.S.65°19'W and 661.02 ft.W.65°19'E.

Valley View lode:-960 ft.N.15°52'W.-and 540 ft.S.15°52'E.

Silver Cup lode:-368.06 ft.S.65°27'W.and 510 ft.N.65°27'E.

Wedge lode:- 82.14 ft.N.65°19'E.and 620 ft.S.65°19'W.

Closure lode:-28 ft.N.73°54'E. and 1294.20 ft.S.73°54'W.

Area

Total Area Morgan lode 19.060 Acres

Area in conflict with

Sur.No.1466 Silver Tip lode 3.516 Acres

Sur.No.1468 Blue Bell lode 2.511 "

Sur.No.1544 Pastime lode 8.610 "

Sur.No.1544 Pastime lode

Exclusive of its conflict with

Sur.No.1468 Blue Bell lode 8.447 "

Sur.No.1544 Exchange lode 3.791 "

Sur.No.1544 Exchange lode

Exclusive of its conflict with

Sur.No.1466 Silver Tip lode 2.968 "

Total Area Humbert lode 19.060 "

Area in conflict with

Sur.No.1544 Treadwell lode 13.437 "

Sur.No.1544 Pastime lode 5.491 "

Total Area Bailey lode 11.683 "

Area in conflict with

Sur.No.1386 Copper Bell lode 3.192 "

Sur.No.1468 Blue Bell lode 4.211 "

Sur.No.1468 Blue Bell lode

Exclusive of its conflict with

Sur.No.1386 Copper Bell lode 4.161 "

Sur.No.1544 Pastime lode	.752	Acres
Sur.No.1544 Pastime lode		
Exclusive of its conflict with		
Sur.No.1468 Blue Bell lode	.543	"
Sur.No.1544 Wayside lode	4.745	"
Sur.No.1544 Wayside lode		
Exclusive of its conflict with		
Sur.No.1468 Blue Bell lode	3.471	"
Sur.No.1544 Wayside lode		
Exclusive of its conflict with		
Sur.No.1544 Pastime lode	4.505	"
Total Area Valley View lode	17.354	Acres
Area in conflict with		
Sur.No.1155 Silver Plate lode	3.937	"
Sur.No.1386 Copper Bell lode	2.083	"
Sur.No.1469 Ninety Eight lode	5.807	"
Total area Silver Cup lode	11.204	"
Area in conflict with		
Sur.No.1155 Silver Plate lode	1.863	"
Sur.No.1166 South Plat lode	2.224	"
Sur.No.1166 South Plat lode		
Exclusive of its conflict with		
Sur.No.1155 Silver Plate lode	1.200	"
Total area Wedge lode	8.254	"
Area in conflict with		
Sur.No.1155 Silver Plate lode	6.495	"
Sur.No.1386 Copper Bell lode	.602	"
Sur.No.1166 South Plat lode	.444	"
Sur.No.1166 South Plat lode		
Exclusive of its conflict with		
Sur.No.1155 Silver Plate lode	.434	"
Sur.No.1469 Copper Plate lode	.069	"
Closure lode of this survey	.811	"
Closure lode		
Exclusive of its conflict with		
Sur.No.1155 Silver Plate lode	.117	"
Closure lode		
Exclusive of its conflict with		
Sur.No.1386 Copper Bell lode	.754	"
Total Area Closure lode	17.642	"
Area in conflict with		
Sur.No.1155 Silver Plate lode	1.145	"
Sur.No.1386 Copper Bell lode	1.289	"
Sur.No.1438 New Year lode	4.494	"
Sur.No.1443 Noel lode	.822	"
Sur.No.1468 Cliff lode	.605	"
Sur.No.1468 Cliff lode		
Exclusive of its conflict with		
Sur.No.1386 Copper Bell lode	.598	"
Sur.No.1468 Cliff lode		
Exclusive of its conflict with		
Sur.No.1443 Noel lode	.602	"

The survey of this claim is identical with the amended locations of the respective lodes.

Location

This claim is situated in the S. $\frac{1}{2}$ Sec.36 T.16 N. R.2 E. and the N. $\frac{1}{2}$ Sec.1 T.15 N.R.2 E. Unsurveyed. Gila and Salt

River Base and Meridian, and within the Prescott National Forest

Adjoining Claims.

On the North: Sur.No.1466 Silver Tip lode. Sur.No.1469 Loan Pine. Ninety Eight, Galveston and El Paso lodes.

On the East: Sur.No.1166 South Plat lode and Sur.No.1469 Golden Eagle, Copper Plate and Cloverdale lodes, Sur.No. 1155 Silver Plate lode.

On the South: Sur.No.1438 New Year, Sur.No.1443 Noel and Sur.No.1468 Cliff and Blue Bell lodes.

On the West: Sur.No.1466 Silver Tip lode, Sur.No.1544 Exchange and Sur.No.1386 Copper Bell lodes.

Conflicting with this survey are the Pastime, Treadwell and Wayside lodes, Sur. No. 1544.

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements upon or for the benefit of this claim, placed thereon by the claimant or its grantors, is not less than five hundred dollars for each lode, and that said improvements consist of:-

Morgan lode

No.1 The Discovery cut, The face of which is on the lode line at 320 ft. from the North end center, Running thence North 20 ft. to mouth, 4 ft. wide 10 ft. face

Value \$80

No.2 An incline shaft which bears from Cor.No.3 S.63°E.-340 ft 5 x 8 ft. Dips South at an angle of 45°, 60 ft. deep to water. This appears from the records to have been an old shaft but claimant states that it expended not less than \$300 in additional work thereon.

Value \$300

1/46 part of Value of Common Benefit Imps. \$2338.35

Humbert lode.

No.1 The Discovery cut, the face of which is on the lode line at 720 ft. from the North end center, Running thence S.75°E 25 ft. to mouth, 4 ft. wide 10 ft. face.

Value \$100

No.2 An open cut the mouth of which bears from Cor.No.1 N.34° 10'W.- 540 ft. Running thence N.60°W.-14 ft. to 8 ft. face

	4 ft.wide.	Value	\$60
No.3	A cut and tunnel. The mouth of cut bears from Cor.No.1 N.39°30'W.-485 ft. Running thence S.70°W.-25.6 ft.to face of cut,whence tunnel runs S.70°W.-25 ft..Thence N.60°W. 56 ft.to face 4 x 6½ ft.in rock.	Value of last 56 ft.of tunnel run by claimant herein	\$560
No.4	A cut and tunnel.The mouth of cut bears from Cor.No.1 N.23°W.-410 ft. Running thence West 18 ft.to face of cut Whence tunnel runs West 99 ft.to face,4 x 6½ ft.in rock.	Value of Cut and Tunnel	\$1000
	1/46 part of Value of Common Benefit Imps.		\$2338.35
	Bailey lode.		
No.1	The discovery cut,the face of which is on the lode line at 445 ft.from the S.W.end center,Running thence S.65°W. 18 ft.to mouth,4 ft.wide,10 ft.face.	Value	\$75
No.2	A shaft which bears from Cor.No.1 S.62°15'W.-510 ft. 5 x 6 ft.10 ft.deep	Value	\$100
	1/46 part of the Value of Common Benefit Imps.		\$2338.35
	Valley View lode.		
No.1	The discovery cut and tunnel.The face of cut is on the lode line at 540 ft.from the South end center,Running thence East 24 ft.to mouth of cut and from face of cut tunnel runs West 27 ft.to face 4 x 6½ ft.	Value of Cut and Tunnel	\$400
	1/46 part Of Value of Common Benefit Imps.		\$2338.35
	Silver Cup lode.		
No.1	The discovery cut,the face of which is on the lode line at 368.06 ft.from the S.W.End center,Running thence N.15° W.-20 ft.to mouth of cut,4 ft.wide 10 ft.face.	Value	\$75
	1/46 part of the Value of Common Benefit Imps.		\$2338.35
	Wedge lode.		
No.1	The discovery cut and tunnel.The face of cut is on the		

- lode
 lode line at 82.14 ft.from the East end center. Running
 thence S.30°E.- 14 ft.to mouth of cut 4 ft.wide. At face
 of cut a tunnel runs N.30°W.-5 ft.to face 4 x 6½ ft.
 Value of Cut and Tunnel \$100
- No.2 A shaft which bears from Cor.No.3 N.29°W.-110 ft. 4 x 7ft
 30 ft.deep.
 Value \$450
- No.3 An open cut,the mouth of which bears from Cor.No.3 N.40°W
 100 ft. Running thence N.20°W.23ft.to face 4 x 8 ft.
 Value \$75
 1/46 part of Value of Common Benefit Imps. \$2338.35
- Closure lode
- No.1 The discovery cut,the face of wich is on the lode line
 at 28ft.from the East end center,Running thence N.15°W.
 24 ft.to mouth, 4 ft.wide 10 ft.face.
 Value \$100
- No.2 A cut,the mouth of which bears from Cor.No.2 S.14°E.-
 245 ft. Running thence South 20 ft.to 10 ft.face 4 ft.
 wide.
 Value \$80
- No.3 An open Cut and tunnel, the mouth of cut bears from Cor.
 No.1 S.77°E.-280 ft. Running thence N.65°W.- 44 ft.to
 face of cut,whence tunnel runs N.65°W.-30 ft.to face
 4 x 6½ ft.
 Value of Cut and Tunnel \$400
 1/46 part of the Value of Common Benefit Imps. \$2338.35

The three tunnels hereinafter described were plan-
 ned by the claimant for the development of all that
 portion of its holdings which could be reached by horizon-
 tal development work, or used as means of access to shafts
 or winzes which would develop the ground at reasonable
 depths below the level of the tunnels. Inasmuch as the
 crest of the Black Hills range lies to the West,the
 ground rises rapidly in that direction ~~as~~ and as the
 tunnels gain depth below the surface they are a logical
 means of development and also form an economical outlet
 for the extraction of ore.

The claims hereinafter enumerated belonging to the

claimant all lie above the level of the lowest of the three tunnels (Revenue Tunnel) and are all susceptible of development through one or the other of the tunnels.

That portion of the claimants holdings lying above the Revenue Tunnel, and which is herein claimed as benefited by the system of tunnels, consists of 30 patented claims and 16 unpatented locations enumerated as follows:

Patented Claims- Sur.No.1466 Grand Bounce, Prince, Oregon, ~~East Extension~~ Grand Bounce, Fraction, Protector, Missouri, Oversight and Silver Tip lodes. Sur.No.1468 Union Jack, Blue Bell, Cliff, John & Johnathan and Cherry lodes. Sur.No.1469 Badger, Ground Hog, Loan Pine, Black Horse,, Amazon, Ninety Eight, Galveston, El Paso, Little Joe, Limbo, Golden Eagle, Copper Plate, Cloverdale and Revenue lodes, Sur.No.1414 Green Monster and Green Monster Ex#. (In the last two claimant only owns one half interest but the element of contiguity is not disturbed thereby)
Unpatented Locations The following 12 are embraced in recent surveys as follows, Sur.No.3896 Wild Rose, Sur.No.3897 Layman Fraction and Elusive. Sur.No.3899 Morgan, Humbert, Bailey, Valley View, Silver Cup, Wedge and Closure lodes. Sur.No.3900 Manzanita. Sur.No.3901 Slim Fraction. Also the following unsurveyed locations to wit, Layman Brad, Iron Cap, and Independence lodes.

Description of the Tunnels is as follows:

Badger Tunnel, The mouth of which is situated on Sur.No. 1469 Badger lode, claimant herein, at N.20°30'E.-2270 ft. from Cor.No.3 Morgan lode of this survey.
Thence N.87°30'W.- 120 ft. to Pt.1
Thence S.75°W.-410 ft. to Pt.2
Thence S.86°W.- 140 ft. to Pt.3
Thence S.71°W.-330 ft. to Pt.4
Thence S.73°30'W.- 262 ft. to Pt.5
Thence S.80°40'W.-190 ft. to Pt.6
Thence N.10°W.-65 ft. to face of drift.
From Pt.6 S.80°40'W.- 67 ft. to Pt.7
Thence S.80°40'W.- 17 ft. to face.
From Pt.7 N.18°W.- 15 ft. to Pt.8
Thence N.18°W.- 70 ft. to face of drift.
and from Pt.8 N.40°W.- 18 ft. to face of drift.
All openings not less than 4 x 6½ ft.
Total of 1704 ft. Value \$25564

Gorge Tunnel, The mouth of which is situated on Sur.No. 1468 Blue Bell lode, claimant herein. Whence Cor.No.3 Bailey lode of this survey bears West 317 ft.
Thence S.66°30'W.-50 ft. to Pt.1
Thence N.81°30'W.- 386 ft. to Pt.2
Thence N.24°W.- 94 ft. to face
From Pt.2 S.79°30'W.- 100 ft. to Pt.3
Thence N.39°W.- 173 ft. to face.
From Pt.3 S.79°30'W.- 47 ft. to Pt.4
Thence N.55°W.- 79 ft. to Pt.4½
Thence West 100 ft. to face.
From Pt.4 S.26°30'W.- 217 ft. to Pt.5
Thence S.55°E.- 110 ft. to face.
From Pt.5 S.26°30'W.- 243 ft. to Pt.6
Thence S.54°E.- 40 ft. to Pt.6¼
Thence S.80°E.- 38 ft. to face.
From Pt.6¼ West 25 ft. to Pt.6½
Thence S.30°W.- 30 ft. to face.
From Pt.6½ N.70°W.- 16 ft. to face.
From Pt.6 S.26°30'W.- 235 ft. to Pt.7

Thence S.87°E.- 120 ft. to Pt.8
 Thence N.40°E.-50 ft. to face.
 From Pt.8 S.87°E.- 90 ft. to Pt.9
 Thence S.30°E.- 25 ft. to Pt.9½
 Thence East 70 ft. to face.
 From Pt.9 N.75°E.- 50 ft. to Pt.10
 Thence N.40°E.- 230 ft. to Pt.11
 Thence N.10°E.- 30 ft. to face.
 From Pt.7 West 15 ft. to shaft extending 100 ft.vertically
 down and 184 ft.vertically up to
 surface.

From Shaft N.80°W.- 115 ft. to Pt.12
 Thence N.58°W.- 104 ft. to face.
 From Pt.12 S.58°W.- 100 ft. to Pt.13
 Thence S.5°W.- 45 ft. to face.

All drifts and crosscuts not less than 4 x 6½ ft.

Value of Tunnel	\$43900
Value of 284 ft.of shaft	8100
Total	\$52000

Revenue Tunnel- The mouth of which bears from Cor.No.3
 Sur.No.1469 Revenue lode,N.12°E.-450 ft. and whence Cor.
 No.3 Wedge lode of this survey bears S.77°20'W.-2274 ft.

Thence S.12°W. 32 ft. tp Pt.1
 Thence S.51°W.- 190 ft. tp Pt.2
 Thence N.38°15'W.- 83 ft. to Pt.3
 Thence N.38°15'W.- 32 ft. to face.
 From Pt.3 S.73°W- 60 ft. to Pt.4
 Thence S.7°W- 32 ft. tp Pt.5
 Thence S.26°E.- 55 ft. to face.
 From Pt.2 S.51°W. 21 ft. tp Pt.6
 Thence S.51°W.- 93 ft. to face.
 From Pt.6 S.19°40'E.- 21 ft. to Pt.7
 Thence S.46°10'E.-35 ft. to Pt.8
 Thence East 16 ft. to Pt.9
 Thence East 34 ft. to winze of unknown depth.
 Thence East 76 ft. to face.
 From Pt.9 S.21°E.- 50 ft. to Pt.10
 Thence S.41°10'E.-35 ft. to Pt.11
 Thence S.69°20'E.- 18 ft. to Pt.12
 Thence S.69°20'E.- 38 ft. to face.
 From Pt.12 S.12°W.- 106 ft. to Pt.13
 Thence S.12°W. -32 ft. to face.
 From Pt.13 N.88°W . 44 ft. to Pt.14
 Thence N.63°W.→87 ft. to face.
 All workings not less than 4 x 6½ ft.

Value of Tunnel \$18000

Also the following improvements made by the claimant for
 the common benefit of the lodes herein enumerated.

An Incline Shaft,situated on Sur.No.1466 Silver Tip lode
 claimant herein, whence Cor.No.3 Morgan lode of this
 survey bears N.49°E.- 50 ft.

Said shaft runs from the top on a dip of 20° in a
 direction N.30°W.a depth of 190 ft. 5 x 8 ft.partly timber-
 ed.

Value \$5000

Also the following sections of Road,constructed at the
 expense of claimant,for the operation and maintanance of
 the property. Used specifically for the purpose of hauling
 machinery to the incline shaft just described and for
 access to the Gorge Tunnel.

Beginning where it leaves the main public road at a
 point S.26°W.- 460 ft.from Cor.No.1 Sur.No.3899 Closure
 lode. Thence following a reasonable grade in a Northerly
 direction as shown on plat of this survey, a distance of
 3950 ft. to where it crosses line 3-4 Morgan lode. No
 claim to any improvement is made beyond this point.

Also the following described portion of road:-

Beginning where it leaves the previously described road

at S.77°30'E.- 130 ft.from Cor.No.1 Closure lode. Thence in a Northerly direction as shown on plat of this survey a distance of 700 ft. to the mouth of the Gorge tunnel.

Both sections of this road are 7ft.to 9 ft.wide with rock cuts on the upper side from 3 ft. to 10 ft.in height.

Value of both sections of Road \$7000

Value of Badger Tunnel	\$25564
Value Gorge Tunnel and Shaft	52000
Value of Revenue Tunnel	18000
Value of Incline Shaft	5000
Value of Road	7000

Total \$107564

1/46 part of Total Value \$2338.35

Of the total expenditure, more than \$500 has been expended for each lode of this survey since the date of its location.

Other Improvements.

A shaft which bears from Cor.No.1 Bailey lode S.63°W.- 535 ft. 4 x 6 ft.8 ft.deep, Claimant unknown.

Instrument.

This survey was made with a Wm.Ainsworth transit. The courses were deflected from the true meridian as determined by direct solar observations. Distances were measured with steel tapes.

Report.

The lines of this survey and connections to Sec.Cors.a and conflicting claims were run upon the ground.

The S.¼ Cor. and S.E.Cor. Sec.36 are iron pipes with bronze caps properly^l set and marked.

Sur.No.1155 Silver Plate lode-Cors.Nos.1,2 and 3 were found to be stones set in ground properly marked. Cor.No. 4 identical with Cor.No.4 Sur No.1386 Copper Bell lode, having been destroyed, its position was determined from approved bearing rock ties.

Sur.No.1166 South Plat lode- All corners were found to be stones set in ground properly marked.

Sur.No.1386 Copper Bell lode- Cors.Nos.1,2 and 3 were found to be stones set in ground properly marked.

Sur.No.1438 NewYear lode-Cors.Nos.1,3 and 4 were found to be stones set in ground properly marked.

Sur.No.1443 Noel lode- ~~Cor.No.4~~^{was} found to be stone set in ground properly marked. Cor.No.3 could not be found. Its position was assumed to be on line 4-1 Sur.No.1438 New Year lode at S.61°E.-from Cor.No.4 Noel lode.

Sur.No.1466 Silver Tip lode-Cors.Nos.3, 4 and 5 were found to be stones set in ground properly marked. Cor.No.2 could not be found, line 2-3 being assumed as approved.

Sur.No.1468 Blue Bell lode-Cors.Nos.1,2 and 3 were found to be stones set in ground properly marked. Cor.No.4 has been destroyed. Cliff lode-Cor.No.5 was found in place properly marked. Cor.No.4 has been destroyed. The length of line 4-5 was determined by proportioning the relation existing between Cor.No.5 Cliff and Cor.No.3 Blue Bell lodes.

Sur.No.1469 Loan Pine lode- Cors.Nos.2 and 3 were found to be stones properly set and marked. Ninety Eight lode-Cors.Nos.1 and 5 were found properly set and marked Cors.Nos.2 and 3 could not be found. Cor.No.4 was found loose on the surface in approximately the position shown in these notes which seems to be the only logical assumption to make as to its original position. El Paso lode-Cors.Nos.1 and 2 were found properly set and marked. Cor.No.3 identical with Cor.No.2 Golden Eagle lode could not be found. The course of line 2-3 was determined by the position of Cor.No.1 Golden Eagle lode, which was found in place. Cor.No.6 Golden Eagle, a marked stone but loose on surface of ground, assumed to be in its original position. Copper Plate lode-Cors.Nos.1,2 and 6 were found properly set and marked. Cloverdale lode-Cors.Nos.1 and 2 were found properly set and marked.

Sur.No.1544 Cors.Nos.1 and 4 Exchange lode were not found. The remaining corners of the survey were all found to be stones set in ground properly marked. Cor.No.4 Wayside lode is greatly out of place but is a large well set stone chiseled W.4-1544 with monument of rock along side.

Note.

The discrepancies between this survey and the measurements of the claim lines as given in the amended notices of location are due to inaccuracies in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Alfred B. Colwell
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
Green Monster Mining Company
 known as the Morgan, Humbert, Bailey, Valley View, Silver Cup, Wedge and
Closure lodes.
 and showing the respective capacities in which they acted.

Tony Banke, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Tony Banke
 and _____, do solemnly swear that we assisted
Alfred B. Colwell, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Green Monster Mining Company
 known as the Morgan, Humbert, Bailey, Valley View, Silver Cup, Wedge and
Closure lodes.
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

Tony Banke, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman

Subscribed and sworn to by the above-named persons before me this 17th
 day of August, 1913.

*My Commission
 expires Feb. 9. 1914*

Charles Jones
Notary Public

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Alfred B. Colwell, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 14- 1923, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Green Monster Mining Company, known as the Morgan, Humbert, Bailey, Valley View, Silver Cup, Wedge and Closure lodes situate in Verde Mining District, Yavapai County, Arizona, in Section 36, Township No 15 N., Range No. 2 E., G. & S. R. B. & M., and designated as Survey No. 3899, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Alfred B. Colwell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Alfred B. Colwell
U. S. Mineral Surveyor, before me A Notary Public
this 17th
day of August, 1923

Robert Porter
Notary Public

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,

December 4, 1923.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of

Green Monster Mining Company

, known as the MORGAN, HUMBERT, BAILEY, VALLEY VIEW, SILVER CUP,
WEDGE, and CLOSURE Lodes, situate in Verde

Mining District, Yavapai County,

Arizona, in Section 36, Township No. 16 N.,
Range No. 2 E., and Unsur. 15 N.

No. 3899, and designated as Survey
No. 3899, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended
or improvements made upon said mining claims by claimant or its grantors, and
that said improvements consist of 3 shafts, 13 cuts and 5 tunnels, also
7/46 of the value of the common improvement system, total value
\$20,323.45

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor General for Arizona.

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL**

..... Phoenix, Arizona.

..... December 4 1923

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

..... Green Monster Mining Company

....., known as the

MORGAN, HUMBERT, BAILEY, VALLEY VIEW, SILVER CUP, WEDGE, and CLOSURE Lodes

situate in Verde mining district,

..... Yavapai County, Arizona

in Section ³⁶ ~~1~~, Township No. ^{16 N.,} ~~15 N.,~~, Range No. ^{2 E., and} ~~2 E., Unsur.~~

....., designated as Survey No. 3899

executed by Alfred B. Colwell, U. S. Mineral

Surveyor, June 20 - July 13, 1923, under my instructions dated

..... June 14, 1923, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.