

*Plotted*

4-653

MINERAL SURVEY No. 3917

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Jeanne J. Hollingworth

KNOWN AS THE

*Swiss Girl, Beebe, Alice, Baby, Laura, Sam, Mark, White Cross, Arizona, River, Loretta, Iron Cliff, and Berna, Lead*

Agua Fria

Mining District,

Yavapai

County, Arizona

Section 12, 13, 14, & 24, Township 13 N., Range 1 1/2 E Unapp'd.

Surveyed under instructions dated Nov 7, 1923.

by Richard S. Munn

U. S. Mineral Surveyor.

Claim located See Location Notices, 19

Survey commenced Nov 10, 1923

Survey completed Nov 28, 1923

Address of claimant Norris & Norris, Prescott Ariz

DATES OF AMENDED LOCATIONS.

See Location Notices

MINERAL SURVEY NO. 3917

	1 M & B Desc.	Improvements	Loc. Notices
	Pg.	Pg.	<u>Red</u> Pg.
Claims			
Alice	9	16	5
Arizona	1	14	15
Baby	11	16	7
Beebe	10	16	3
Berna	2	14	24
Iron Cliff	3	14	21
Iron Mask	2	14	11
Laura	6	15	9
Loretta	7	15	19
Pivot	8	16	17
Swiss Girl	4	15	1
White Cross	5	15	13

Feet	Mineral Survey No. 3917
	<p>Arizona Lode, Beginning at Cor. No.1, identical with the location and with Cor.No.4 Berna lode of this Sur. a Porphyry stone 6x10x24 ins.set 12 ins.in the ground with mound of stones, chiseled X:A-1.4-B-3917; whence East <math>\frac{1}{4}</math> Cor.Sec.24 T.13 N.R.1, EBrS. <math>\\$ 78^{\circ}35'20''W 5386.01</math> ft.No bearings available.Location Cor.mound of stones 3 X 3 Ft.</p>
	<p>----- Thence N <math>68^{\circ}19'E</math>. Va.14<math>^{\circ}E</math></p>
300	<p>To the N.C.E.identical with the location and with the S.C.E.of Berna lode of this Sur.a mound of stones 3 X 3 Ft.</p>
600	<p>To Cor.No.2 identical with the location, and with Cor. No.3 Berna lode of this Sur. A Porphyry stone 4x12x26 ins.set 13 ins.in the ground, with mound of stones chiseled X-2-A.3-B-3917, No Bearings available.Location Cor. mound of stones 3x3 ft.</p>
	<p>----- Thence S <math>26^{\circ}50'E</math>. Va. 14<math>^{\circ}E</math></p>
1500	<p>To Cor.No.3 identical with the location, A Porphyry stone 4x12x26 ins.set 13 ins.in the ground, chiseled X-3-A-3917, No bearings available.Location Cor.Mound of stones 3 X 3 ft.</p>
	<p>----- Thence S <math>68^{\circ}19'W</math>. Va.14<math>^{\circ}E</math></p>
300	<p>To the S.C.E.identical with the location a mound of stones 3 x 3 Ft.</p>
600	<p>To Cor.No.4, identical with the location, Porphyry<sup>14</sup> stone 8X 12 X 26 ins.set 13 ins.in the ground with mound of stones chiseled X-4-A-3917.No bearings available.Location Cor. mound of stones 3 x 3 Ft.</p>
	<p>----- Thence N <math>26^{\circ}50'W</math>. Va.14<math>^{\circ}E</math></p>
1000	<p>Side mon.identical with the location, mound of stones 3x3 ft</p>
1500	<p>To Cor.No.1 the place of beginning.</p>

## Survey No.3917 continued.

Feet

Berna Lode,

Beginning at Cor.No.1 identical with the location and with Cor.No.4 Iron Mask lode of this Sur.Porphry stone 8x10x24 ins.set 12 ins.in the ground with mound of stones, chiseled X-1-B.4-I-M-3917.Whence S.E.Cor.Sec.13 T.13.N.R.1 E. Brs.N  $87^{\circ}48'44''$ W 4728.76 ft.No bearings available.Location cor.mound of stones 3 x 3 ft.

-----  
Thence N  $68^{\circ}19'$  E Va. $14^{\circ}$ E

300 To the N.C.E.identical with the location,and with the S.C. E.of Iron Mask lode of this Sur. A mound of stones 3x3 ft

600 To Cor.No.2 identical with the location,and with cor.No. 3 Iron Mask and Cor.No.4 Iron Cliff lodes of this Sur. a Granite stone 8x10x27 ins.set 14 ins.in the ground with mound of stones,chiseled X-2-B,3-I-M,4-I-C 3917. No bearings available.Location Cor.mound of stones 3x3 ft.

-----  
Thence S  $21^{\circ}41'$  E Va. $14^{\circ}$ E.

1500 To Cor.No.3,identical with the location and with Cor.No.2 Arizona lode of this survey,hereinbefore described.

-----  
Thence S  $68^{\circ}19'$  W Va. $14^{\circ}$ E

300 To the S.C.E.identical with the location and with the N.C.E.of Arizona lode of this Sur. hereinbefore described.

600 To Cor.No.4 identical with the location and with Cor.No. 1 Arizona lode of this Sur.hereinbefore described.

-----  
Thence N  $21^{\circ}41'$ W.Va. $14^{\circ}$ E

1500. To Cor.No.1 the place of beginning.

Iron Mask Lode.

Beginning at Cor.No.1.identical with the location and with Cor.No.4 Swiss Girl lode of this Sur. a Schist stone 8x10x24 ins.set 12 ins.in the ground with mound of stones,chiseled X-1-I.M-4-S.G.3917.Whence S.E.Cor.Sec.13 T.13 N.R.1 E. Brs.S  $73^{\circ}47'10''$ W 4343.89' ft.

Feet.

Survey No.3917 continued.

The <sup>1/4</sup> <sup>Cor.</sup> North line of Sec.24 T.13 N'R.1 1/2 E.Brs.S 21°46'30"E  
450.47 ft. No bearings available.Loc.cor.mound of Stones  
3 X 3 Ft.

-----  
Thence N 68°19'E Va.14°E

300 The N.C.E.identical with the location and with the S.C.E  
of Swiss Girl lode of this Sur. A mound of stones 3x3 ft.

600 To Cor.No.2 identical with the location and with Cor.No.3  
Swiss Girl,and Cor.No.1 Iron cliff lodes of this survey  
A Porphyry stone 10x12x28 ins.set 14 ins.in the ground  
with mound of stones,chiseled X-2-I.M.3-S.G.1-I.C.3917  
No bearings available. *loc. Cor. & mound of stones 3x3ft.*

-----  
Thence S 21°41'E Va.14°E

1500 To Cor.No.3 identical with the location and with Cor.No.  
4 Iron Cliff and Cor.No.2 Berna lodes of this Sur.herein  
before described.

-----  
Thence S 68°19'W Va.14°E

300 To the S.C.E.identical with the location and with the N.  
C.E.Berna lode of this Sur. hereinbefore described.

600 To Cor.No.4 identical with the location and with Cor.No.  
1 Berna lode of this survey hereinbefore described.

-----  
Thence N 21°41' W. Va.14°E

1500 To Cor.No.1 the place of beginning.

-----  
Iron Cliff Lode.

Beginning at Cor.No.1 , <sup>fixed</sup> iden. with the location and with  
Cor. No 2 Iron Mask, Cor. No 3 Swiss Girl lodes of this  
survey, hereinbefore described. Whence the S.E.Cor. Sec.  
13, T 13 N , R 1 E brs. S73°07'W 4941.6/ ft.

-----  
Thence N68°19'E Va. 14°E

300.0 To the N.C.E. a mound of stones 3x3 ft. iden.with the  
Loc.

600.0 To Cor. No 2 Iden. with the loc. a Porphyry stone 6x10x  
24 ins. set 12 ins. in the ground with a mound of stones,

Feet	Survey No. 3917
	chiselled X 2-I C- 3917. NO bearings available, Loc. Cor. a mound of stones 3x3 ft.
	-----
	Thence S21°41'E Va. 14°E
1500.0	To Cor. No. 3, iden. with the loc. a Schist stone 10x12x28 ins. set 14 ins. in the ground with a mound of stones, chiselled X 3- I C 3917. No bearings available Loc. Cor. a mound of stones 3x3 ft. No bearings available.
	-----
	Thence S68°19'W Va. 14°E
300.0	To the S.C.E. a mound of stones 3x3 ft. iden. with the Loc.
600.0	To Cor. No. 4 iden. with the Loc. and with Cor. No. 2 Berna, Cor. No. 3 Iron Mask lodes of this survey, hereinbefore described.
	-----
	Thence N21°41'W Va. 14°E
1500.0	To Cor. No. 1 the place of beginning.
	-----
	Swiss Girl lode
	Beginning at Cor. No 1, iden. with the Loc. a Porphyry stone 6x8x30 ins. set 15 ins. in the ground with a mound of stones chiselled X -1-S G - 3917. Whence the East $\frac{1}{4}$ Cor. Sec. 13, T 13 N, R 1 E brs. N89°29'W 3617.01 ft. Cor. No 2 Pivot lode of this survey brs. N34°24'E 214.03'. No bearings available, location Cor. a mound of stones 3x3 ft.
	-----
	Thence N68°19'E Va. 14°E
119.24	Intersect line 2-3 Pivot lode of this survey at S4°22'W 132.93' from Cor. No 2.
300.0	To the N.C.E. iden. With the Loc. and with the S.CE. White Cross lode of this Survey, a mound of stones 3x3ft.
600.0	To Cor. No. 2, iden. with the Loc. a Porphyry stone 10x12x24 ins. set 12 ins. in the ground with a mound of stones chiselled X- 2-S G- 3917. No bearings available, loc. Cor a mound of stones 3x3 ft.

Feet	Survey 3917 Continued.
	Thence S21°41'E Va. 14°E
673.0	To Cor. No.1 Baby lode of this survey.
683.0	Cross road Course S78°E and N78°W
973.0	To W.C.E. Baby lode of this survey.
1273.0	To Cor. No. 4 Baby lode of this survey.
1500.0	To Cor. No. 3, iden. with the Loc. and with Cor. No 1 Iron Cliff, Cor. No. 2 Iron Mask lodes of this survey, hereinbefore described.
	-----
	Thence S68°19'W Va. 14°E
300.0	To the S.C.E. iden. with the Loc and with the N.C.E. Iron Mask lode of this survey, hereinbefore described.
600.00	To Cor No 4 iden. with the Loc and with Cor. No 1 Iron Mask lode of this survey hereinbefore described.
	-----
	Thence N21°41'W Va. 14°E
300.0	To Side monument iden. with the Loc. a mound of stones 3x3 ft.
960.0	Cross road course N58°E and S58°W
1256.06	Intersect line 2-3 Pivot lode of this survey at S4°22' W 404.45 ft. from Cor. No 2.
1500.00	To Cor. No 1 the place of beginning.
	-----
	White Cross lode
	Beginning at Cor. No 1 iden with the Loc. A porphyry stone 4x8x24 ins. set 12 ins. in the ground with a mound of stones chiselled X-1-W C-3917, Whence the East ¼ Cor. Sec 13, T13 N, R1 E , brs. N89°04'W 3554.14' ft. Cor. No 2 Pivot lode of this survey Brs. N42°23' 10'E 273.11 ft. No bearings available, Loc. Cor. a mound of stones 3x3 ft.
	-----
	Thence N14°43'E Va. 14°E
218.71	Intersect line 1-2 Pivot lode of this survey at N85° 38'W 128.92 ft. from Cor. No 2.
500.00	To side monument iden. with the loc. a mound of stones 3x3 ft.

Feet

## Sur. 3917 Continued.

1500.00 To Cor. No 2 iden. with the Loc. and with Cor. No. 1  
 Laura lode of this survey a Granite stone 8x10x26 ins.  
 set 13 ins. in the ground with a mound of stones chiselled  
 X -2-W C, 1-L, 3917. No bearings available, Loc. Cor a  
 mound of stones 3x3 ft.

-----

Thence N68°19'E Va. 14°E

368.0 To the N.C.E. iden. with the Loc. and with the S.C.E.  
 Laura lode of this survey, a mound of stones 3x3 ft.

736.0 To Cor. No. 3 iden. with the Loc. and with Cor. No 4  
 Laura lode of this survey, a Granite stone 7x12x26 ins.  
 set 13 ins. in. the ground with a mound of stones,  
 chiselled X 3-W C, 4 L, 3917. No bearings available, Loc.  
 Cor. a mound of stones 3x3 ft.

-----

Thence S14°43'W Va. 14°E

1500.0 To Cor No. 4 iden. with the Loc. a Porphyry stone  
 10x12x24 ins. set 12 ins. in the ground with a mound of  
 stones chiselled X 4-W C 3917. No bearings available,  
 Loc. Cor. is a mound of stones 3x3 ft.

-----

Thence S68°19'W Va. 14°E

68.0 To Cor. No 2 Swiss Girl lode of this survey herein  
 before described.

368.0 To the S.C.E. Iden. with the Loc. and with the N.C.E  
 Swiss Girl lode of this survey hereinbefore described.

548.76 Intersect line 2-3 Pivot lode of this survey, at  
 S4°22'W 132.93 ft. from Cor. No 2.

668.0 To Cor. No. 1 Swiss Girl lode of this survey herein-  
 before described.

736.0 To Cor. No 1 the Place of beginning.

-----

## Laura lode

Beginning at Cor. No. 1 iden. with the Loc. and with  
 Cor. No. 2 White Cross lode of this survey, hereinbefore  
 described; Whence the N.E. Cor. Sec. 13, T13N, R 1 E, brs.  
 N72°23'50"W 4124.03 ft.

Feet

## Survey 3917 Continued.

- Thence N14°43'E Va. 14°E
- 1500.00 To Cor. No. 2 iden. with the loc. a Granite stone 6x10x24ins. set 12 ins. in the ground with a mound of stones chiselled X 2 L 3917. No bearings available Loc. Cor a mound of stones 3x3 ft.
- 
- Thence N68°19'E Va. 14°E
- 48.0 To the S.C.E. Loretta lode of this survey.
- 348.0 To Cor. 3 Loretta lode of this survey.
- 368.0 To the N.C.E Iden. with the Loc. a mound of stones 3x3 ft.
- 736.0 To Cor. No 3 iden. with the Loc. a <sup>Granite Stone</sup> 3x7x24 ins. set 12 ins. in the ground with a mound of stones, chiselled X 3 L 3917. No bearings available Loc. Cor. a mound of stones 3x3 ft.
- 
- Thence S14°43'W Va. 14°E
- 1200.0 To side monument Iden. with the Loc. a mound of stones 3x3 ft.
- 1500.00 To Cor. No 4, Iden with the Loc. and with Cor. No 3 White Cross lode of this survey here in before described stones, chiselled X 4 L 3917. No bearings available; Loc. Cor. a mound of
- Thence S68°19'W Va. 14°E
- 368.0 To the S.C.E. Iden. with the Loc. and with the N.C.E White Cross lode of this Survey hereinbefore described.
- 736.0 To Cor. No. 1 the place of beginning.
- 
- Loretta lode
- Beginning at Cor. No 1 Iden. with the Loc. a Quartz stone 6x6x24 ins. set 12 ins. in the ground with a mound of stones chiselled X 1 L 3917. Whence the East  $\frac{1}{4}$  Cor. Sec. 12, T 13 N, R 1 E brs. N72°25'00" W 3715.35 ft No bearings available, Loc. Cor. a mound of stones 3x3 ft.
- 
- Thence N68°19'E Va. 14°E
- 300.0 To the N.C.E. Iden. with the Loc a mound of stones 3x3'

Feet

## Survey 3917 Continued.

600.0 To Cor. No 2, Iden. With the Loc. A Quartz stone 7x14x30 ins. set 15 ins. in the ground with a mound of stones chiselled X 2 L 3917. No bearings available, Loc. Cor a mound of stones 3x3 ft.

-----  
Thence S20°45'E Va. 14°E

1500.0 To Cor. No. 3 Iden. with the Loc. a Porphyry stone 6x12x24 ins. set 12 ins. in the ground with a mound of stones ,chiselled X 3 L, 3917. No bearings available, Loc. Cor. a mound of stones 3x3 ft.

-----  
Thence S68°19'W Va. 14°E

300.0 To the S.C.E. Iden. with the Loc. a mound of stones 3x3 ft.

348.0 To Cor. No. 2 Laura Lode hereinbefore described.

600.0 To Cor. No. 4 Iden. with the Loc. a Porphyry stone 8x10x26 ins. set 13 ins. in the ground with a mound of stones chiselled X 4 L, 3917. No bearings available, Loc. Cor. a mound of stones 3x3 ft.

-----  
Thence N20°45'W Va. 14°E

1500.0 To Cor. No 1 the place of beginning.

## Pivot Lode

Beginning at Cor. No. 1 Iden. with the Loc. and with Cor. No. 2 Alice lode of this survey a Quartz stone 10x12x24 ins. set 12 ins. in the ground with a mound <sup>of</sup> stones chiselled X 1 P, 2 A, 3917. Whence the East  $\frac{1}{4}$  Cor. Sec. 13, T 13 N, R 1 E brs. S86°32'50"W 3145.22'ft. No bearings available. Loc. Cor. a mound of stones 3x3 ft.

-----  
Thence S85°38'E Va. 14°E

300.00 To the N.C.E. Iden. with the Loc. a mound of stones 3x3'

471.08 Intersect line 1-2 White Cross lode of this survey at N14°43'E 218.71' from Cor. No. 1.

600.00 To Cor. No 2 Iden. with the Loc. a Porphyry stone 6x12x24 ins. set 12 ins. in the ground with a mound of

Feet

Sur. 3917 Continued.

stones chiselled X 2 P 3917. No bearings available; Loc.  
Cor. a mound of stones 3x3 ft.

-----

Thence S4°22'W Va. 14°E

132.93 Intersect line 1-2 Swiss Girl lode of this survey at  
N68°19'E 119.24<sub>ft</sub> from Cors No 1-1 respectively  
*+ 187.24 ft*  
*& line 1-4 White Cross*

404.45 Intersect line 4-1 Swiss Girl lode of this survey at  
S21°41'E 243.94 ft from Cor. No 1

760.0 Cross road Course N58°E and S58°W

1500.0 To Cor. No 3, Iden. with the Loc. a Porphyry stone  
4x6x24 ins. set 12 ins. in the ground with a mound of  
stones, chiselled X 3 P 3917 No bearings available Loc.  
Cor. a mound of stones 3x3 ft.

Thence N85°38'W Va. 14°E

60.0 Cross Road course S4°W and N4°E

300.0 To the S.C.E. Iden. with the Loc. a mound of stones  
3x3 ft.

600.0 To Cor. No 4 Iden. with the Loc. and with Cor. No 3  
Alice lode of this survey a Schist stone 5x7x24 ins.  
set 12 ins. in the ground with a mound of stones  
chiselled X 4 P, 3 A 3917. No bearings available, Loc. Cor.  
a mound of stones 3x3 ft.

Thence N4°22'E Va. 14°E

970.0 Cross road Course S44°E and N44°W

1500.00 To Cor. No 1 the place of beginning.

-----  
Alice lode

Beginning at Cor. No 1 Iden. with the Loc. A Porphyry  
stone 5x12x30 ins. set 15 ins in the ground with a mound  
of stones chiselled X 1 A 3917; Whence the East  $\frac{1}{4}$  Cor.

Sec. 13 T 13 N, R1 E brs. S84°42'50"W 2552.12 ft.

No bearings available, Loc. Cor. a mound of stones 3x3ft.

-----

Thence S85°38'E Va. 14°E

Feet	Sur. 3917 continued
300.00	To the N.C.E. a mound of stones 3x3 ft. Iden. with the Loc.
600.00	To Cor. No. 2 Iden. with the Loc. and with Cor. No. 1 Pivot lode of this survey, hereinbefore described.
-----	
	Thence S4°22'W Va. 14°E
530.0	Cross road course S44°E and N44°W
1500.00	To Cor. No. 3 Iden. with the Loc. and Cor. No. 4 Pivot lode of this survey hereinbefore described.
-----	
	Thence N85°38'W Va. 14°E
300.0	To the S.C.E. Iden. with the Loc. a mound of stones 3x3 ft.
600.0	To Cor. No 4 Iden. with the Loc. a Schist stone 5x6x24 ins. set 12 ins. in the ground with a mound of stones chiselled X 4 A 3917. No bearings available , Loc. Cor a mound of stones 3x3 ft.
-----	
	Thence N4°22'E Va. 14°E
258.8	Intersect line 3-4 Beebe lode of this survey at S81°43'W 30 ft. <sup>from</sup> to Cor. No 3.
363.25	Intersect line 2-3 Beebe lode of this survey at N12°17'W 102.16 <sup>ft</sup> from Cor. No. 3
750.0	To side monument Iden. with the loc. a mound of stones 3x3 ft.
1350.0	Cross road course S77°E and N77°W
1500.0	To Cor. No 1 The place of beginning.
-----	
	Beebe lode
	Beginning at Cor No 1 Iden. with the Loc. a Schist stone 4x10x24 ins. set 12 ins. in the ground with a mound of stones chiselled X 1 B 3917. Whence East $\frac{1}{2}$ Cor. Sec. 13 T13 N, R 1 E. brs. S76°18' <sup>10"</sup> W 1609.37 ft. No bearings available, Loc. Cor. a mound of stones 3x3 ft.
-----	
	Thence N81°43'E Va. 14°E

Feet	Survey 3917 continued.
300.0	To the N.C.E Iden. with the Loc. a mound of stones 3x3 ft.
600.00	To Cor. No 2 Iden. with the Loc. a Quartz stone 8x10x24 ins. set 12 ins. in the ground with a mound of stones chiselled x 2 B 3917 . No bearings available, Loc. Cor. a mound of stones 3x3 ft.
-----	
Thence S12°17'E Va. 14°E	
1397.84	Intersect line 4-1 Alice lode of this survey at <sup>363.25</sup> N4°22'E <del>360.96</del> ft. from Cor. No 4
1500.0	To Cor. No. 3 Iden. with the Loc. a Schist stone 6x7x24 ins. set 12 ins. in the ground with a mound of stones chiselled x 3 B 3917. Cor. No 4 Alice lode of this survey brs. S10°39'45"W 266.92 ft. No bearings available, Loc. Cor a mound of stones 3x3 ft.
-----	
Thence S81°43'W Va. 14°E	
30.00	<i>Intersect line 4-1 Alice lode this sur. at N4°22'E - 258.8' from Cor. N°4</i>
300.00	To the S.C.E. Iden. with the loc. a mound of stones 3x3 ft.
600.00	To Cor. No 4 Iden. with the Loc. a Quartz stone 6x8x24 ins. set 12 ins. in the ground with a mound of stones, chiselled X 4 B 3917. No bearings available, Loc. Cor. a mound of stones 3x3 ft.
-----	
Thence N12°17'W Va. 14°E	
750.0	To side monument Iden. with the Loc. a mound of stones 3x3 ft.
1500.0	To Cor. No 1 the place of beginning.
-----	
Baby lode	
153.05	Beginning at Cor. No 1 Iden. with the Loc. a Porphyry stone 4x6x24ins. set 12 ins. in the ground with a mound of stones, chiselled X 1 B 3917; Whence the East $\frac{1}{4}$ Cor. Sec. 13 T13N, R 1 E brs. N84°21'50"W 4444.56' ft. No bearings available , Loc. Cor. a mound of stones 3x3 ft.
-----	

Feet	Sur. 3917 continued
	Thence N57°33'E Va. 14°E
750.0	To side Monument, Iden. with the Loc. a mound of stones 3x3 ft.
1500 .0	To Cor. No. 2 Iden. with the Loc a Porphyry stone 3x10 x24 ins. set 12 ins. in the ground with a mound of stones chiselled X 2 B 3917. A Rock in place <sup>3.3ft</sup> 2x4x6 ft. brs. s50°W chiselled X B.R. 2 B 3917. No other bearings available, Loc. cor. a mound of stones 3x3 ft.
-----	
	Thence S21°41'W Va. 14°E
300.0	To the E.C.E. a mound of stones 3x3 ft. Iden. with the Loc.
600.00	To Cor. No. 3 Iden. with the Loc. a Porphyry stone 6x12x24 ins. set 12 ins. in the ground with a mound of stones chiselled X 3 B 3917 No bearings available, Loc. Cor. a mound of stones 3x3 ft.
-----	
	Thence S57°33'W Va. 14°E
1500.00	To Cor. No 4 Iden. with the Loc. a Porphyry stone 4x6x24 ins. set 12 ins. in the ground with a mound of stones chiselled X 4 B 3917. No bearings available, Loc. Cor. a mound of stones 3x3 ft.
-----	
	Thence N21°41'W Va. 14°E
300.00	To the W.C.E. a mound of stones 3x3 ft. Iden. with the Loc.
590.0	Cross a road course S78°E and N78°W
600.0	To Cor. No 1 the place of beginning.

-----

Area

	Acres
Total area Arizona lode	20.577 ✓
Total area Berna lode	20.661 ✓
Total area Iron Mask lode	20.661 ✓
Total area Iron Cliff lode	20.661 ✓
Total area Swiss Girl lode	20.661 ✓
Area in conflict with Pivot lode of this Survey	0.334 ✓

## Survey 3917 continued.

Total area White Cross lode -----	20.400 ✓
Area in conflict with Pivot lode of this Sur.	0.575 ✓
Total area Laura lode -----	20.400 ✓
Total area Loretta lode -----	20.658 ✓
Total area Pivot lode -----	20.661 ✓
Total area Alice lode -----	20.661 ✓
Area conflict with Beebe lode this Survey	0.035 ✓
Total area Beebe lode -----	20.611 ✓
Total area Baby lode -----	20.297 ✓

## Lode lines

As near as can be determined from the present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points;

Arizona lode, S26°50'E	355 ft	and N 26°50' W	1145.0 ft.
Berna lode	N21°41'W	650 ft	and S21°41'E 850.0 ft.
Iron Mask lode	S21°41'E	490 ft	and N21°41'W 1010.0 ft.
Iron Cliff lode	S21°41'E	640 ft.	& N21°41'W 860.0 ft.
Swiss Girl lode	S21°41'E	330 ft	& N21°41'W 1170.0 ft.
White Cross lode	S14°43'W	506 ft	& N14°43'E 994.0 ft.
Laura lode	S14°43'W	895.ft	& N14°43'E 605.0 ft.
Loretta lode	S20°45'E	205 ft.	and N20°45'W 1295.0 ft.
Pivot lode	N4°22'E	45.0 ft	and S4°22'W 1455.00 ft.
Alice lode	N4°22'E	660.0 ft.	and S4°22'W 840.0 ft.
Beebe lode	N12°17'W	715.0 ft	and S12°17'E 785.0 ft.
Baby lode	S57°33'W	830.0 ft.	and N57°33'E 670.0 ft.

## Location

This claim is located in the Agua Fria Mining District, in Secs. 12, 13, 14, and 24 T 13 N, R 1½ E, Unapproved, Yavapai County Arizona.

## Adjoining Claims

This claim is bounded on the North by Hidden Treasure, Arrow, and Bessie lodes unsurveyed, claimed by Jeanne J Hollingsworth, and U.S. Land.

## Sur. 3917 Continued.

On the east by Drill, Pick, Bessie, unsurveyed lodes, Jeanne J Hollingsworth claimant and U.S. Land.

On the south by Giant, Winkelried, William Tell, Diamond, unsurveyed lodes Jeanne J Hollingsworth claimant and U.S. Land. On the West by Arrow, Manzanita, Red Cross, unsurveyed lodes Jeanne J Hollingsworth claimant and U.S. Land.

-----  
Exp enditure of five hundred dollars.

I certify that the value of the labor and improvements made upon or for the benefit of, each of the locations embraced in said mining claim by the claimant or her grantors is not less than five hundred dollars and that said improvements consist of;

## Arizona lode ;

No 1 the Dis. Shaft which is on the lode line 355 ft from the S.C.E 4x6x30 ft . Value \$300.00

No 2 a shaft which brs.  $N54^{\circ}14'W$  from Cor. No.  $3-600$  <sup>$4 \times 6 \times 60$  ft.</sup> value \$600.00

<sup>value</sup> 1/12 Shaft No 1 Swiss Girl lode , a common improvement, \$2000.00 is credited this lode.

Total value improvements credited this lode \$2900.00

## Berna lode

No 1, the Discovery cut which is on the lode line 650 ft from the N.C.E. 6x14 x10 ft. face Value \$50.00

1/12 value Shaft No1 Swiss Girl lode, a common improvement, \$2000.0 is credited this lode.

Total value improvements credited this lode \$2050.00

## Iron Mask lode.

No 1 the Discovery Tunnel which crosses the lode line 490 ft from the S.C.E. from this point  $N88^{\circ}E 105'$  to face  $S88^{\circ}W 145'$  to mouth. 4x6x250 ft Value \$2500.0

1/12 value Shaft No 1 Swiss Girl lode, a common improvement, \$2000.00 is credited this lode.

Total value improvements credited this lode \$4500.00

## Iron Cliff Lode

No 1, the discovery shaft which is on the lode line

15  
Sur.3917 continued.

640 ft from the S.C.E. 4x6x20 ft. value \$200.00

1/12 the value Shaft No.1 Swiss Girl lode, a common improvement, \$2000.0 is credited this lode.

Total value improvements credited this lode \$2200.00

Swiss Girl lode

No 1 the Discovery shaft which is on the lode line 330' from the S.C.E. 4x6x500 ft. timbered, Value \$24000.00

This shaft is a common improvement and 1/12 its value \$2000.00 is credited this lode.

No 2 a shaft which is on the lode line 300 ft from the S.C.E. 4x6x200 ft. Value \$6000.00

No 3 a Tunnel , the mouth brs. N13°30'W 142 ft. from the S.C.E. course of tunnel N8°36'W 4x6x200 ft. Value \$2000.00

Total value improvements credited this lode \$10,000.00

-----  
White Cross lode

No.1 the Discovery shaft which is on the lode line 506 ft. from the S.C.E. 4x6x10 ft, value \$50.00

No 2 a Cut which brs.N57°W 200 ft. <sup>from S.C.E.</sup> 4x14x10 ft face value \$50.00

1/12 the value Shaft No. 1 Swiss Girl lode, a common improvement, \$2000.00 is credited this lode.

Total value improvements credited this lode \$2100.00

Laura lode

No 1 the discovery shaft which is on the lode line 895' from the S.C.E. 4x6x200 ft Value \$6000.00

1/12 the value Shaft No 1 Swiss Girl lode, a common improvement, \$2000.00 is credited this lode.

Total value improvements credited <sup>This lode \$8000.00</sup> Loretta lode

No 1 the Discovery shaft which is on the lode line 205 ft from the S.C.E. 4x6x10 ft, value \$50.00

No 2 a shaft which brs N54°w 1036 ft from Cor. No 3 4x6x10 ft value \$50.00

No 3 a shaft which brs. N51°10'W 1100.0 <sup>ft.</sup> 4x6x20 ft. <sup>from Cor No 3</sup> value \$200.00

## Sur. 3917 Continued.

1/12 the value Shaft No 1 Swiss Girl lode, a common improvement, \$2000.00 is credited this lode.

Total value improvements credited this lode \$2300.00

Pivot lode

No. 1 the discovery shaft which is on the lode line 45 ft from the N.C.E. 4x6x10 ft value \$50.00

No. 2 a shaft which brs N36°40'E 770 ft from Cor. No 4, 4x6x10 ft value \$50.00

1/12 the value, Shaft No 1 Swiss Girl lode, a common improvement, is credited this lode \$2000.00

Total value improvements credited this lode \$2100.0

Alice lode

No. 1, the discovery shaft which is on the lode line 660 ft from the N.C.E. 4x6x200 ft Value \$6000.00

1/12 the value Shaft No 1 Swiss Girl lode, a common improvement, \$2000.00 is credited this lode.

Total value improvements credited this lode \$8000.0

Beebe lode

No 1, the Discovery shaft which is on the lode line 785 ft. from the S.C.E 4x6x30 ft, value \$300.00

No. 2, A tunnel the mouth of which brs S49°13'W 125 ft from N.C.E.  
4x6x30 ft course S50°W Value \$300.00

1/12 the value shaft No .1 Swiss Girl lode, a common improvement is credited this lode. \$2000.00

Total value improvements credited this lode \$2600.00

Baby lode

No. 1, the discovery shaft which is on the lode line 830 ft. from the W.C.E. 4x6x100 ft, Value \$2000.00

1/12 the value Shaft No 1 Swiss Girl lode, a common improvement is credited this lode. \$2000.00

Total value improvements credited this lode \$4000.00

-----  
Other improvements

Alice lode;

The following bear from Cor. No 2

S50°38'W 403' house 24 x 30 ft course alongside N50°W  
S30°53'W 406' house 18x40 ft. course long side S52°E

17

Survey 3917 continued.

S19°38'W 402 ft house 32x34 ft. Course long side S52°E

S13°30'W 425 ft house 15x18 ft. course long side N48°E

Pivot lode

The following bear from Cor. No 4

N18°35'E 892 ft. House 30x36 ft. course long side S50°E

N26°40'E 710 ft. House 18x36 ft. course long side S25°E

N30°20'E 840 ft. House 22x100 ft course long side S25°E

Swiss Girl lode

A House 20x64 ft course long side N78°E brs N58°30'W  
360 ft from Cor. No 3.

-----

#### Instrument

This survey was made with a light Mountain Gurley Transit , the courses were deflected from the meridian as determined by direct Solar Observations. The distances were measured with a five hundred ft. steel tape.

-----

#### Report

The lode line of each location of this claim was run direct upon the ground ,and the several corners established by means of offsets from the lode lines. All tie lines were run direct upon the ground. All Section and  $\frac{1}{4}$  <sup>Sec</sup> Cors tied to in this survey are Iron pipes properly marked. This claim is located on mountainous ground and Shaft No. 1 Swiss Girl lode, the common improvement, is so located that by drifting and crosscutting all the lodes in this claim will be developed.

The following are ties to corners of T 13 N, R1 $\frac{1}{2}$  E, (unapproved),  
From Cor. No 1 Beebe lode N18°14'E 431.7 to  $\frac{1}{4}$  Cor Bet.  
Secs. 13 and 14 ; From Cor. No 3 Loretta lode N31°50'W  
550.77ft. to  $\frac{1}{4}$  Cor. Bet. Secs 12 and 13. ; From Cor .No 3  
Iron Cliff lode N64°45'E 1256.55 <sup>ft.</sup> to S.E.Cor. Sec. 13 ;  
From Cor. No 3 Arizona lode N28°37'E 968.28' To East  $\frac{1}{4}$   
Cor.Sec. 24

Richard L. Merritt  
U.S. Mineral Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merritt

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

Jeanne J. Hollingsworth

known as the Swiss Girl, Beebe, Alice, Baby, Laura, Iron Mask, White Cross, Arizona, Fire, Cora, Iron Cliff, & Berna lodes

and showing the respective capacities in which they acted.

A. G. Curtis, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, I A. G. Curtis

and \_\_\_\_\_, do solemnly swear that we assisted Richard L

Merritt

United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Jeanne J. Hollingsworth

known as the Swiss Girl, Beebe, Alice, Baby, Laura, Iron Mask, White Cross, Arizona, Fire, Cora, Iron Cliff, & Berna lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the United States Surveyor-General for Arizona

A. G. Curtis, Chainman.

\_\_\_\_\_, Chainman.

\_\_\_\_\_, Axman.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 20<sup>th</sup>

day of December, 19 23

My Commission Expires  
January 18 - 1927

W. H. Merritt

Notary Public

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Richard L. Merrill, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
November 7, 1923, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of Jeanne J. Hollingsworth, known as the  
Swiss Gulch, Beebe, Alice, Baby, Lanna, Dawn, White, Arizona, River, Sonora, and Berna lodes,  
situate in Agua Fria Mining District,  
Yavapai County, Arizona, in Section  
12, 13, 14 & 24, Township No. 13, Range No. 1 1/2 E Unapproved,  
and designated as Survey No. 3917, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or her grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

Richard L. Merrill  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Richard L. Merrill  
U. S. Mineral Surveyor, before me W. H. Merrill a Notary Public  
this 20th  
day of December, 19 23

W. H. Merrill  
Notary Public

My Commission Expires  
January 18-1927

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,  
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

March 31, 1924.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of

Jeanne J. Hollingsworth  
SWISS GIRL, BEEBE, ALICE, BABY, LAURA, IRON MASK,  
, known as the WHITE CROSS, ARIZONA, PIVOT, LORETTA, IRON CLIFF,  
and BERNA lodes, situate in Agua Fria

Mining District, Yavapai County,  
Arizona, in Section 12, 13, 14 & 24, Township No. 13 N.,  
Range No. 1 1/2 E., Unapp'd., and designated as Survey

No. 3917, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or for each of  
or improvements made upon said mining claims by claimant or her grantors, and  
that said improvements consist of 15 shafts, 3 tunnels and 2 cuts, total  
value \$50,750.

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Charles M. Donohoe

United States Surveyor General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona

March 31, 1924

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Jeanne J. Hollingsworth

known as the SWISS GIRL, BEEBE, ALICE, BABY, LAURA, IRON MASK, WHITE CROSS, ARIZONA, PIVOT, LORETTA, IRON CLIFF, and BERNA lodes

situate in Agua Fria mining district,

Yavapai County, Arizona

in Sections 12, 13, 14 & 24, Township No. 13 N., Range No. 1 1/2 E., Unapp'd.

designated as Survey No. 3917

executed by Richard L. Merritt, U. S. Mineral

Surveyor, November 10 - 28, 1923, under my instructions dated

November 7, 1923, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

Charles M. Donohoe

U. S. Surveyor General for Arizona