

4-683

MINERAL SURVEY No. 3926

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. S. SCHWARTZ,

KNOWN AS THE

LITTLE WILLIE, CONTACT and BOBBIE lodes,

MINERAL HILL Mining District,

PINAL County, ARIZONA

Approx. Sections 5 & 8, Township 3 South, Range 11 East Uns.

Surveyed under instructions dated February 11th. 1924.

by Harry E. Jones, U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced February 16th. 1924.

Survey completed February 18th. 1924.

Address of claimant I. J. Lipsohn, Atty. 710 Heard Bldg, Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

See location notices attached.

Feet	SURVEY NO.3926
	Little Willie Lode
	Beginning at Cor. No. 1
	Identical with loc. mon.
	A 3½ft. ⅝in. pipe with a 2in, brass cap marked U.S.MINERAL SURVEY NO.3926-LW-1; set 18ins. in ground and surrounded with a substantial mound of earth and rock.
	U. S. L. M. No. 2419, bears S: 13° 44' E. 2371.30 ft.
	No other suitable bearings available.
	Thence S. 86° 52' W.
300.00	To South End Center.
	Identical with loc. mon. a substantial mound of stone.
600.00	To Cor. No. 2
	Identical with loc. mon.
	A 3½ft. ⅝in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3926-2-LW; set 14ins. in ground and surrounded with a substantial mound of earth and rock.
	No suitable bearings available.
	Thence N. 5° 13' E.
1290.00	Cross center of 30 ft. wash; course Westerly.
1499.60	To Cor. No. 3
	Identical with loc. mon. and Cor.2 Contact lode, this sur.
	A 3½ft. ⅝in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3926-3-LW;2-C; set 18ins. in ground and surrounded with a substantial mound of earth and rock.
	No suitable bearings available.
	Thence N. 86° 52' E.
	Along line 2-1 Contact lode, this survey.
300.00	To North End Center.
	Identical with loc. mon. and South End Center Contact lode this survey, a substantial mound of stone.
600.00	To Cor. No. 4
	Identical with loc. mon. and Cor.1 Contact lode, this sur.
	A 3½ft. ⅝in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3926-4-LW;1-C; set 16ins. in ground and surrounded with a substantial mound of earth and rock.
	No suitable bearings available.

Feet	Thence S. 5° 13' W.
302.00	Cross center of 20 ft. wash, course Westerly.
467.00	Cross center of 15 ft. wash, course Westerly.
1499.60	To Cor. No. 1 the place of beginning.
	----- Contact Lode
	Beginning at Cor. No. 1
	Identical with loc. mon. and Cor. 4 Little Willie lode, this survey, previously described.
	U. S. L. M. No. 2419, bears S. 6° 25' E. 3820.81 ft.
	Thence S. 86° 52' W.
	Along line 4-3 Little Willie lode, this survey.
300.00	To South End Center.
	Identical with loc. mon. and North End Center Little Willie lode, this survey previously described.
600.00	To Cor. No. 2
	Identical with loc. mon. and Cor. 3 Little Willie lode, this survey, previously described.
	Thence N. 3° 08' W.
50.00	Cross center of road, bears Easterly and Westerly.
960.00	Intersect SE. bank of Cottonwood Canyon, course SW.
1015.00	Intersect NW. bank of Cottonwood Canyon, course SW.
1500.00	To Cor. No. 3
	Identical with loc. mon. and Cor. 2 Bobbie lode, this sur.
	A 3½ft. ¾in. pipe with a 2in. brass cap marked U.S. MINERAL SURVEY NO. 3926-3-C; 2-B; set 18ins. in ground and surrounded with a substantial mound of earth and rock.
	No suitable bearings available.
	Thence N. 86° 52' E.
	Along line 2-1 Bobbie lode, this survey.
95.00	Cross center of road, bears NW-SE.
300.00	To North End Center.
	Identical with loc. mon. and South End Center. Bobbie lode this survey, a substantial mound of stone.
512.00	Intersect NW. bank of Cottonwood Canyon, Course, SW.
565.00	Cross center of road, bears NE-SW.
580.00	Intersect SE. bank of Cottonwood Canyon, course SW.

Feet	
600.00	To Cor. No. 4 Identical with loc. mon. and Cor.1 Bobbie lode, this sur. A 3½ft. ½in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3926-4-C;1-B; set 18ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available. Thence S. 3° 08' E.
1500.00	To Cor. No. 1 the place of beginning. ----- Bobbie Lode Beginning at Cor. No. 1 Identical with loc. mon. and Cor.4 Contact lode, this survey previously described. U. S. L. M. No. 2419, bears-S. 5° 29' 30" E. 5319.06 ft. Thence S. 86° 52' W. Along line 4-3 Contact lode, this survey.
20.00	Intersect SE. bank Cottonwood Canyon, course, SW.
35.00	Cross center of road, bears NE-SW.
88.00	Intersect NW. bank Cottonwood Canyon, course, SW.
300.00	To South End Center. Identical with loc. mon. and North End Center, Contact lode, this survey, previously described.
505.00	Cross center of road, bears NW-SE.
600.00	To Cor. No. 2 Identical with loc. mon. and Cor.3 Contact lode, this survey, previously described. Thence N. 3° 08' W.
218.00	Cross center of road, bears NW-SE.
1500.00	To Cor. No. 3 Identical with loc. mon. A 3½ft. ½in. pipe with a 2in. brass cap marked U.S.MINERAL SURVEY NO.3926-3-B;set 18ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available. Thence N. 86° 52' E.
300.00	To North End Center. Identical with loc. mon. a substantial mound of stone.

Feet

600.00 To Cor. No. 4

Identical with loc. mon.

A  $3\frac{1}{2}$  ft.  $\frac{3}{4}$  in. pipe with a 2 in. brass cap marked U.S. MINERAL SURVEY NO. 3926-4-B; set 18 ins. in ground and surrounded with a substantial mound of earth and rock.

No suitable bearings available.

Thence S.  $3^{\circ} 08'$  E.

1400.00 Intersect NW. bank of Cottonwood Canyon, course SW.

1440.00 Cross center of road, bears NE-SW.

1470.00 Intersect SE. bank of Cottonwood Canyon, course, SW.

1500.00 To Cor. No. 1 the place of beginning.

The mean magnetic variation at all corners is  $15^{\circ} 50'$  E.

## Lode Lines

As near as can be determined from the present developments the veins of the several locations embraced in this claim extend from their respective discovery points as follows:

Little Willie lode, N.  $5^{\circ} 13'$  E. 1480 ft. and S.  $5^{\circ} 13'$  W. 1906 ft.Contact lode, S.  $3^{\circ} 08'$  E. 1009 ft. and N.  $3^{\circ} 08'$  W. 491 ft.Bobbie lode, N.  $3^{\circ} 08'$  W. 980 ft. and S.  $3^{\circ} 08'$  E. 520 ft.

## Areas

Total area Little Willie lode, 20.437 ✓

Total area Contact, lode, 20.661 ✓

Total area Bobbie lode, 20.661 ✓

## Location

This claim is located approximately in the  $W\frac{1}{2}$  of Sections 5, T. 3 S. R. 11 E., Uns. G&SRB&M. Mineral Hill Mining District, Pinal County, Arizona.

## Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim, by the claimant or his grantors, is not less than Five Hundred Dollars, and that said improvements consist of;

## Little Willie lode

No.1 Dis. cut 4x16x8 ft. facing N. bears N.5°13'E. 19.6 ft. from the South end center. Value \$100.00

An undivided 1/3rd. interest in improvement No.2 Contact lode, this survey hereinafter described, is accredited to this lode. Value \$1118.00

## Contact lode

No.1 Dis. shaft 4x6x27 ft. deep partially timbered with drift running South from bottom 4x6x20 ft. bears S.3°08'E. 491 ft. from North end center. Value \$750.00

No.2 shaft 4x6x88 ft. deep partially timbered, with drifts from 76 ft. level running North 4x6x50ft. and South 4x6x15 ft. and a crosscut running West 4x6x12 ft. bears N.3°08'W. 148 ft. from South end center. Total Value \$3354.00

An undivided 1/3rd. interest in this improvement is accredited to this lode. Value \$1118.00

This shaft and its lateral workings, being situated to advantage from a mining standpoint, is located centrally upon this claim, and the bottom of the present shaft is below the surface of each of the locations of this claim; the general ground surface slopes to the West and Southwest from this improvement, and by extending the shaft and its lateral workings therefrom toward and under the several locations of this claim, the various ore bodies can be developed, and the extraction of the ore be greatly facilitated.

This working is therefore a common improvement which redounds to the benefit of each of the several locations of this claim and the whole thereof; and an undivided 1/3rd. interest (\$1118.00) of the total value (\$3354.00) of this improvement is hereby assigned to each location of this claim.

No. 3 cut 4x11x5 ft. facing W. bears N.41°40'E. 150 ft. from the ~~521 ft.~~ <sup>521 ft.</sup> point on lode line from N. end center. Value \$ 100.00

No.4 cut 4x8x3 ft. facing NE. bears S.3°35'W. 114 ft. from the same point above mentioned. Value \$ 50.00

No.5 cut 3x8x3 ft. facing W. bears N.12°05'E. 366 ft. from  
<sup>134 ft.</sup>  
~~the 134 ft.~~ point on lode line, from S. end center.

Value \$ 35.00

No.6 shaft 4x6x8 ft. deep bears N.12°05'E. 345 ft. from  
 said 134 ft. point.

Value \$100.00

No.7 shaft 4x6x8 ft. deep bears N.9°10'W. 440 ft. from  
 said 134 ft. point.

Value \$100.00

No.8 cut 20x14x2 ft. facing W. bears N.82°30'E. 110 ft.  
 from said 134 ft. point.

Value \$75.00

No.9 cut 4x10x5 ft. and tunnel 4x5x7 ft. facing S. bears  
 S.84°45'W. 98 ft. from said 134 ft. point.

Value \$100.00

Bobbie lode

No.1 Dis.cut 5x18x7 ft. facing S. bears N.3°08'W. 520 ft.  
 from South end center.

Value \$100.00

An undivided 1/3rd. interest in improvement No.2 Contact  
 lode, this survey is accredited to this lode.

Value \$1118.00

#### Other Improvements

The West end of a concrete water trough 2x4x35 ft. bears  
 N.19°W. 236 ft. from the 521 ft. point on lode line of  
 Contact lode, aforementioned.

The SE. corner of a shed 9x22 ft. bears N.7°05'W. 303 ft.  
 from said 521 ft. point.

A well 6x6x14 ft. deep bears N.9°23'E. 188 ft. from said  
 521 ft. point.

The SW. corner of a stone and adobe house 17x49 ft. bears  
 N.14°57'E. 212 ft. from said 521 ft. point.

The <sup>center</sup> of a galvanized tank bears N.18°15'E. 173 ft. from  
 said 521 ft. point.

#### Instrument

This survey was made with a W. & L. E. Gurley light moun-  
 tain transit.

The courses were deflected from true meridians as determined  
 from direct solar observations.

The distances were measured with 50 ft. and 660 ft. steel  
 tapes.

Adjoining Claims

This claim is bounded on the North by public land, on the East, West and South by unknown claims, J.S.Schwartz, claim -ant.

-----

Report

The lines of this claim were run directly upon the ground and the corners established by measurements along said lines.

The tie lines were run directly upon the ground.

U. S. L. M. No. 2419 to which this survey is tied is a marked stone properly marked.

This survey is within the 2 mile limit of a public land survey, and without reiteration I wish to refer to my report in this connection, furnished with Sur.No.3752, and can only say that the conditions are unchanged.

Any errors which may exist between these notes and the location notices are due to discrepancies in the latter.

*August Jones*  
U.S.Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Harry E. Jones,

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_

J. S. Schwartz,

known as the Little Willie, Contact, and Bobbie lodes,

and showing the respective capacities in which they acted.

Alfredo E. Robles, Chainman.

Chainman.

Arman.

Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Alfredo E. Robles,

and \_\_\_\_\_, do solemnly swear that we assisted \_\_\_\_\_

Harry E. Jones, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of J. S. Schwartz,

known as the Little Willie, Contact and Bobbie lodes,

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for \_\_\_\_\_

Alfredo E. Robles, Chainman.

Chainman.

Arman.

Flagman

Subscribed and sworn to by the above-named persons before me this 19<sup>th</sup>

day of February, 1924.

R. L. Burns

Notary Public.

My commission expires Dec. 15 1925

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Harry E. Jones,  
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_  
J. S. Schwartz,  
 known as the Little Willie, Contact, and Bobbie lodes;  
 and showing the respective capacities in which they acted.

\_\_\_\_\_J. L. Jones,\_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Arman.*  
 \_\_\_\_\_, *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, J. L. Jones  
 and \_\_\_\_\_, do solemnly swear that we assisted \_\_\_\_\_  
Harry E. Jones, United States Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of J. S. Schwartz,  
 known as the Little Willie, Contact, and Bobbie lodes,  
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully  
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-  
 tions furnished by the United States Surveyor-General for Arizona.

J. L. Jones \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Chainman.*  
 \_\_\_\_\_, *Arman.*  
 \_\_\_\_\_, *Flagman*

Subscribed and sworn to by the above-named persons before me this 20th.

day of February, 19 24.

Capt A. Phillip  
 \_\_\_\_\_  
 \_\_\_\_\_, *Notary Public.*

My commission expires June 23rd. 1927.

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Harry E. Jones, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 11th. 1924., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of J. S. Schwartz, known as the Little Willie, Contact, and Bobbie lodes, situate in Mineral Hill Mining District, Pinal County, Arizona, in Sections Approx 5 & 8, Township No. 3 S., Range No. 11 E., Unsur, and designated as Survey No. 3926, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Harry E. Jones
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones, U. S. Mineral Surveyor, before me a Notary Public in and for the County of Maricopa, State of Arizona this 20th. day of February, 19 24.

Ralph C. Phillip
Notary Public.

My commission expires June 23rd. 1927.

(4-688.)

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON  
FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona.

April 29, 1924.

I, U. S. Surveyor General for District of Arizona,  
do hereby certify that the foregoing transcript of the Field Notes, return and approval  
of the Survey of the mining claim of  
J. S. Schwartz  
, known as the LITTLE WILLIE, CONTACT, and BOBBIE lodes  
, situate in Mineral Hill  
Mining District, Pinal County,  
Approx. in Sections 5 & 8, Township No. 3 S.,  
Range No. 11 E., Unsur., and designated as Survey  
No. 3926, has been correctly copied from the originals on  
file in this office; that said Field Notes furnish such an accurate description of said  
mining claim as will, if incorporated into a patent, serve fully to identify the premises,  
and that such reference is made therein to natural objects or permanent monuments as  
will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended  
or for each of  
or improvements made upon said mining claims by claimant or his grantors, and  
that said improvements consist of 7 cuts, 1 tunnel, 4 shafts, 3 drifts,  
and 1 crosscut, total value \$4864.

and that no portion of said labor or improvements has been included in the estimate of  
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,  
Arizona, is correct and in conformity with the foregoing Field Notes.

Charles M. Donohoe

United States Surveyor General for Arizona.

4-687

**SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES  
AND SURVEY OF MINING CLAIM**

**DEPARTMENT OF THE INTERIOR  
OFFICE OF U. S. SURVEYOR GENERAL**

.....Phoenix, Arizona.....

.....April 29....., 1924

I, U. S. Surveyor General for .....District of Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of .....

.....J. S. Schwartz.....

....., known as the

.....LITTLE WILLIE, CONTACT, and BOBBIE lodes.....

situate in .....Mineral Hill..... mining district,

.....Pinal..... County, .....Arizona.....

Approx.

in Section s 5 & 8....., Township No. 3 South....., Range No. 11 E., Unsur.

....., designated as Survey No. 3926.....

executed by .....Harry E. Jones....., U. S. Mineral

Surveyor, .....February 16 - 18....., 1924, under my instructions dated

.....February 11....., 1924, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

*Charles M. Donohoe*

U. S. Surveyor General for .....Arizona.....

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (952)  
BUREAU OF LAND MANAGEMENT M.S. 3926  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Little Willie, Contact and Bobbie lodes, Mineral Survey No. 3926, located in sections 5 and 8, Township 3 South, Range 11 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Little Willie, Contact and Bobbie lodes, M.S. 3926 were canceled January 19, 1999, by memo 9605 (952) M.S. 3926, which is now a part of the original field notes."

January 19, 1999  
Date

*Steven K. M. Key*  
Acting Chief Cadastral Surveyor of Arizona