

MINERAL SURVEY No. 4071

Arizona

Land District.

FIELD NOTES

of the exterior boundaries OF THE SURVEY OF THE MINING CLAIM OF

Dan W. Riggs

Made under Regulations under the Act of June 30, 1919

KNOWN AS THE

Abveaha Nos. 1, 2, 3 and 4 lodes

Colorado River Indian Reservation

Mining District,

Yuma

County,

Arizona

Sections 1, 2, 35 and 36, Township Nos. 5 and 6 North, Range 21 West

Surveyed under instructions dated June 23, 1928

by Edgar C. Kinderman

U. S. Mineral Surveyor.

Claim located (See location notices), 19

Survey commenced July 6, 1928

Survey completed July 9, 1928

Address of claimant Parker, Arizona

DATES OF AMENDED LOCATIONS.

See amended location notices

Mineral Survey Number 4071

Beginning at corner no.1.

Identical with a corner of the location.

A black schist, 4x8 ins., 24 ins. long, set 16 ins. in the ground, chiselled 1-4071, and with mound of stones alongside; whence:

The $\frac{1}{4}$ section corner between Sections 2 and 35, Townships 5 and 6 North, Range 21 West of the Gila and Salt River Meridian bears S. 86° 09' 30" W. 638.5 feet.

Feet Thence S. 83° 30' W

1476.7 To cor. no. 2

This point falls on a very steep slope of loose, alluvial detrital. A permanent monument could not be established hereat.

Witness Corner, hereafter described, bears N. 0° 16' E. 152.27 ft. Thence, from true point, N. 0° 16' E.

152.27 Witness cor. to cor. no. 2

A granite, 6x7 ins., 24 ins. long, set 16 ins. in the ground, chiselled WC-2/4071, and with mound of stones alongside.

No bearing objects available.

595.00 Witness cor. to cor. no. 3

An andesite, 7x14 ins., 24 ins. long, set 12 ins. in the ground, chiselled WC-3/4071, and with mound of stones alongside.

No bearing objects available.

600.00 To cor. no. 3

Falls on bare, disintegrated granite too friable to mark with chisel. No monument established hereat. Witness Corner, heretofore described, bears S. 0° 16' W. 5 ft. Thence, from true point, N. 83° 30' E.

1476.7 To cor. no. 4

A black schist, 6x10 ins., 24 ins. long, set 17 inches in the ground chiselled 4-4071, and with mound of stones alongside.

No bearing objects available.

Thence N. 0° 16' E.

600.00 To cor. no. 5

A gneissic granite, 4x12 ins., 26 ins. long, set 16 ins. in the ground, chiselled 5-4071, and with mound of stones alongside.

No bearing objects available.

Feet

Thence S.83°20'E.

1332.5 To cor.no.6

A piece of petrified wood,4x6 ins.,30 ins.long,set 18 ins.in the ground,chiselled 6-4071,and with mound of stone and earth alongside.

No bearing objects available.

Thence S.0°16'W.

600.00 To cor.no.7

A rhyolite,5x10ins.,26 ins.long,set 14 ins.in the ground, chiselled 7-4071,and with mound of stones alongside.

No bearing objects available.

Thence S.68°19'E.

1500.00 To cor.no.8

An ironwood post,6 ins.in diameter,48 ins.long,set 32 ins.in the ground,scribed 8-4071.

No bearing objects available.

Thence S.0°16'W.

600.00 To cor.no.9

An ironwood post,6 ins,in diameter,48 ins.long,set 24 ins.in ground,scribed 9-4071.

No bearing objects available.

Thence N.68°19'W.

1500.00 To cor.no.10

An obsidian,5x12 ins.,26 ins.long,set 12 ins.in the ground, chiselled 10-4071,and with mound of stones alongside;whence:

The corner to Sections 1,2,35 and 36,Townships 5 and 6 North, Range 21 West bears N.81°26'30"E.695.1 feet.

Thence N.83°20'W.

1332.5 To cor.no.1,beginning.

All of the corners of this survey are identical with the corners of the locations as staked upon the ground.

Variation 15°30'E.

LOCATION

This survey is located in the NW $\frac{1}{4}$ of Section 1, the N $\frac{1}{2}$ of Section 2, Township 5 North, Range 21 West, the S $\frac{1}{2}$ of Section 35 and the SW $\frac{1}{4}$ of Section 36, Township 6 North, Range 21 West of the Gila and Salt River Meridian, Yuma County, Arizona, and within the Colorado River Indian Reservation.

Instrument

This survey was made with a C.L. Berger and Sons. mining transit #13427. The courses were deflected from the true meridian as determined by observation of polaris at elongation. The distances were measured with a 500-foot steel tape.

Area

The total area of this claim is 75.913 acres.

There are no adjoining or conflicting claims.

REPORT

The $\frac{1}{4}$ cor. between Sections 2 and 35, and the corner to Sections 1, 2, 35 and 36, Townships 5 and 6 North, Range 21 West are 1 inch iron posts, brass-capped and properly marked. (See + below)

In this survey, where stone monuments are used the exact corner point is marked by a cross(x) chiselled in the rock, where posts are used, the exact corner point is a nail driven in the top of the post.

Edgar C. Kinderman

U.S. Mineral Surveyor

+ The ties to the $\frac{1}{4}$ Cor. and the section corner indicate that the east half of the line between Secs. 2 and 35 is in error. The rugged topography traversed by this part of the section line is favorable for error.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Edgar C. Kinderman

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of _____

Dan W. Driggs

known as the Shveaha Nos. 1, 2, 3 and 4 lodes

and showing the respective capacities in which they acted.

J.W. Scott, Chainman.

_____, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, J.W. Scott

~~and~~ _____, do solemnly swear that ~~we~~ assisted _____

Edgar C. Kinderman, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Dan W. Driggs

known as the Shveaha Nos. 1, 2, 3 and 4 lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the ~~corner~~ ^{exterior} boundary monuments established according to law and the instruc-

tions furnished by the ~~United States Surveyor General for~~ Office Cadastral Engineer at Phoenix, Arizona

J.W. Scott, Chainman. *OK*

_____, Chainman.

_____, Axman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 13th

day of July, 19 28

Olive A. Rauch

Notary Public, Maricopa County, Arizona

My commission expires

9/15/31

FINAL OATH OF U. S. MINERAL SURVEYOR

I, Edgar C. Kinderman, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer,
at Phoenix, Arizona, dated June 23, 1928,
I have, in strict conformity to the laws of the United States, the official regulations and instruc-
tions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly
executed the survey of the exterior boundaries of the Mining Claim of Dan W. Driggs,
known as the
Ahveaha Nos. 1, 2, 3 and 4 lodes,
situate in the Colorado River Indian Reservation - Mining District,
Yuma County, Arizona, in Section 6
1, 2, 35 and 36, Township Nos. 5 and 6 North, Range No. 21 West
and designated as Survey No. 4071, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly
marked by monuments on the ground, and described in the attached copy of the location certifi-
cate, which was received by me from the Office Cadastral Engineer with said instructions, and
that all corners of said survey have been established and perpetuated in strict accordance with
the law, official regulations and instructions thereunder; and I do further solemnly swear that the
foregoing are the true and original field notes of said survey and my report therein, and that the
~~labor expended and improvements made upon said mining claim by claimant or~~
~~grantors are as therein fully stated, and that the character, extent, location, and itemized value~~
~~thereof are specified therein with particularity and full detail, and that no portion of said labor~~
~~or improvements so credited to this claim has been included in the estimate of expenditures upon~~
~~any other claim.~~

Edgar C. Kinderman
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Edgar C. Kinderman
U. S. Mineral Surveyor, before me a notary public

this 13th
day of July, 1928

My commission expires 9/15/31

Olive A. Ranch
Notary Public

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

PUBLIC SURVEY OFFICE
~~OFFICE OF U. S. SURVEYOR-GENERAL~~

~~Phoenix, Arizona,~~

August 18, 1928.

I, ~~U. S. Surveyor-General for~~ OFFICE CADASTRAL ENGINEER, ~~at Phoenix, Arizona,~~

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

~~-----~~
Dan W. Briggs

known as the ~~-----~~
AHVEBAHA NOS. 1, 2, 3, and 4 lodes,

situate in ~~-----~~
Colorado River Indian Reservation

~~Mining District,~~ Yuma County, ~~Arizona~~

in Section ~~1, 2, 35, 36~~, Township No. ~~5 & 6 N.~~, Range No. ~~21 W.~~, and

designated as Survey No. ~~-----~~ 4071, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a ~~patent~~ ^{lease & describe} serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

~~And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or grantors, and that said improvements consist of~~

~~and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.~~

I further certify that the plat thereof, filed in the U. S. Land Office at ~~-----~~ Phoenix, ~~-----~~ Arizona, is correct and in conformity with the foregoing Field Notes.

~~-----~~
John D. Adams

~~United States Surveyor-General for~~ OFFICE CADASTRAL ENGINEER

4-687

~~SURVEYOR GENERAL'S~~ CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
~~OFFICE OF U. S. SURVEYOR GENERAL~~
PUBLIC SURVEY OFFICE

Phoenix, Arizona,

August 18, 1928

I, ~~U. S. Surveyor General for~~ OFFICE CADASTRAL ENGINEER, at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Dan W. Driggs

, known as the

AHVEAHA NOS. 1, 2, 3, and 4 lodes

situate in Colorado River Indian Reservation mining district,

Yuma County, Arizona

in Section s 1, 2, 35 & 36, Township No. 5 and 6 N., Range No. 21 W.

, designated as Survey No. 4071

executed by Edgar C. Kinderman, U. S. Mineral

Surveyor, July 6 - 9, 1928, under my instructions dated


June 23, 1928, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.



~~U. S. Surveyor General for~~ OFFICE CADASTRAL ENGINEER

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 4071
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Aveaha No. 1, Aveaha No. 2, Aveaha No. 3 and Aveaha No. 4 lodes, Mineral Survey No. 4071, located in sections 1 and 2, Township 5 North, Range 21 West, and sections 35 and 36, Township 6 North, Range 21 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Aveaha No. 1, Aveaha No. 2, Aveaha No. 3 and Aveaha No. 4 lodes, M.S. 4071, were canceled April 2, 2002, by memo 9605 (956) M.S. 4071, which is now a part of the original field notes."

April 2, 2002
Date



Chief Cadastral Surveyor of Arizona