

4-683

MINERAL SURVEY No. 4076

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mrs. Hazel Buell Wright.

KNOWN AS THE

SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN and GREAT ARIZONA SOUTHERN EXTENSION. lodes.

Riverside Mining District,

Pinal County, Arizona.

Section 3 and 4, Township 4 S., Range 13 E.,

Surveyed under instructions dated September 7, 19 28

by T. N. Stevens U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced October 10, 1928, 19

Survey completed October 16, 1928, 19

Address of claimant Thos. D. Derry, Florence, Arizona. Atty. for claimant.

DATES OF AMENDED LOCATIONS.

See location notices.

see letter from atty 11-13-28 1-17-30

DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE

APPLICATION FOR REPAYMENT OF EXCESS OR UNUSED MINING SURVEY DEPOSIT

(UNDER ACT OF FEBRUARY 24, 1909, 35 STAT., 645.)

THE DISTRICT CADASTRAL ENGINEER,

Phoenix, Arizona.

I hereby make application for the repayment of Twenty-eight

dollars and fifty cents (\$ 28.50)

being the excess or unused mining survey deposit made in connection with my application for official survey of the Southern Gold, Walter, Mabel, Uncle Sam, Hazel, Great Arizona Southern, and Great Arizona Southern Extension lodes

mining claim, mineral survey No. 4276, as per receipt No. 26342 issued by the

OFFICE CADASTRAL ENGINEER Bank of at Phoenix, Arizona, September 7, 1928,

in the amount of \$ 85.00, and on oath declare that I am the identical person who made said payment (or legal representative or duly authorized agent, as evidenced by authorization hereto attached).

\_\_\_\_\_  
(Signature.)

\_\_\_\_\_  
(Post Office address.)

STATE OF \_\_\_\_\_ }  
COUNTY OF \_\_\_\_\_ } ss.

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

*Cancelled, by  
Applic for repayment  
11 file plat in signed  
300. not appl.*

*ing to acty  
1-28-20*


OFFICE OF DISTRICT CADASTRAL ENGINEER

Phoenix, Arizona.

I CERTIFY that the foregoing claim is correct as appears from the records of this office.


## FINAL OATH OF U. S. MINERAL SURVEYOR

I, T.N. Stevens, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the Office Cadastral  
Engineer, at Phoenix, Arizona., dated September 7, 1928,  
I have, in strict conformity to the laws of the United States, the official regula-  
tions and instructions thereunder, and the instructions of said Office Cadastral  
Engineer, faithfully and correctly executed the survey of the Mining Claim of  
Mrs. Hazel Buell Wright, known as the  
SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN and  
GREAT ARIZONA SOUTHERN EXTENSION lode.  
situate in Riverside Mining District,  
Pinal County, Arizona., in Sections  
3 and 4, Township No. 4 S., Range No. 13 E.  
and designated as Survey No. 4076, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Office Cadastral Engi-  
neer with said instructions, and that all corners of said survey have been established  
and perpetuated in strict accordance with the law, official regulations and instruc-  
tions thereunder; and I do further solemnly swear that the foregoing are the true and  
orginal field notes of said survey and my report therein, and that the labor expended  
and improvements made upon said mining claim by claimant or her  
grantors are as therein fully stated, and that the character, extent, location, and  
itemized value thereof are specified therein with particularity and full detail, and  
that no portion of said labor or improvements so credited to this claim has been in-  
cluded in the estimate of expenditures upon any other claim.

  
.....  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said T. N. Stevens  
U. S. Mineral Surveyor, before me Maebelle Hess. A Notary Public  
in and for the County of Pima, State of Arizona this 7th  
day of November, 1928

My Commission expires Feb. 7, 1932.

  
.....  
Notary Public

MINERAL SURVEY NO. 4076

INSTRUMENT.

This survey was made with a Gurley mountain transit, the courses were deflected from the true meridian as determined by direct Solar Observations. The distances were measured with a 500 ft. steel tape.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the corners were established by running around the claims.

The 1/4 Cor. bet. Secs. 3 and 10 and the witness cor. to 1/4 Cor. bet. Secs. 3 and 4 T.4 S. R. 13E. are iron posts 1 in. diam. with brass caps, stamped 1/4 with the number of the sections.

The Cor. to Secs. 3, 4 9 and 10, T.4 S. R.13 E., consists of an iron post 2 ins. diam. with brass cap on top, showing 24 ins. above ground, stamped T.4 S. R. 13E., S.3, S.4, S. 9, S. 10. -1922.

ADJOINING CLAIMS.

On the South by Butterfly and Josephine lodes, unsurveyed, belonging to claimant herein.

SOLAR OBSERVATION.

Direct solar observation taken Saturday October 13, 1928 at 2:40 P.M. Solar time. Sun bisected. Lat. 33°06'10"- Lon. 111°

Difference in time 10h 04 m.

App't Dec'l = 7°46' 51.5"

$$\text{Dec'l} = \frac{7^{\circ}56' 16.8''}{90^{\circ}} = 97^{\circ}56' 16.8'' \text{ p}$$


$$\text{Sin } 1/2 A = \frac{\sqrt{\text{Sin}(S-L) \text{Cos } H}}{\text{Cos } L}$$

L = 33°06'10"  
H = 32°02'28" (Appt H - 32°04'. Refraction - 0° 01' 32")  
P = 97°56'16.8"  
2) 163°04'54.8  
S = 81°32'27"

S - L = 48°26'17"      17"      9.8740403  
S - H = 49°29'59"      59"      9.8810437  
0.0769155  
0.0717744  
2) 19.9037739      21 19.9037739 = 63°31'30"  
9.9518869 = 63°31'30" = 1/2 A.  
127°03'00" = A

180° - 127°03'00" = S.52°57'00"W. - Bearing of sun.  
5°18' - Ang. to left from sun.  
S.47°39' W., Course of line.

Set up at Cor. No.1 Uncle Sam lode, F.S. to Cor. No.2



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by T.N. Stevens

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Mrs. Hazel Buell Wright

known as the SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN  
and GREAT ARIZONA SOUTHERN EXTENSION lode.  
and showing the respective capacities in which they acted.

E.C. Ellis, Chainman.

Chainman.

Acman.

Flagman.

## FINAL OATHS OF ASSISTANTS.

We, I, E. C. Ellis,

I

and \_\_\_\_\_, do solemnly swear that we assisted

T.N. Stevens, United States Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Mrs. Hazel Buell Wright

known as the SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN  
and GREAT ARIZONA SOUTHERN EXTENSION LODE.

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully

and correctly executed, and the corner and boundary monuments established according to law and the instruc-

tions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

E. C. Ellis, Chainman.

Chainman.

Acman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 16. th

day of October, 1928.

Geo. J. O'Connell  
Notary Public

My Commission Exp. for 17. 19 30  
(Jan)



## MINERAL SURVEY NO. 4076

## LODE LINES.

As near as can be determined from the present developments, the veins of the several locations embraced in this claim, extend as follows from their respective discoveries:

Southern Gold lode, --	300.0ft. S.78°27'W., and 1200 ft., N.78°27'E.
Walter lode, --	150.0 ft, S.47°39'W., and 1350. ft., N.47°39'E.
Mabel lode - ----	150. ft. S.78°27'W., and 1350. ft., N.78°27'E.
Uncle Sam lode --	250. ft. S.42°21'E., and 1250. ft., N.42°21'W.
Hazel lode ---	300. ft. S.47°39'W., and 1200. ft., N.47°39'E.
Great Arizona Southern lode-	750. ft. S.78°27'W., and 750. ft., N.78°27'E.
Great Arizona Southern Extension lode-	200. ft. S.47°39'W., and 1300. ft., N.47°39'E.

## AREA.

	Acres.
Total area, Southern Gold lode -----	20.661 ✓
Total area, Walter lode -----	17.747 ✓
Total area, Mabel lode -----	20.661 ✓
Total area, Uncle Sam lode -----	20.661 ✓
Total area, Hazel lode -----	17.747 ✓
Total area, Great Arizona Southern lode -----	20.661 ✓
Total area, Great Arizona Southern Extension lode ---	17.747 ✓

## LOCATION.

This survey is located in the W. 1/2 Sec. 3 and the E. 1/2 Sec. 4 T.4. S., R. 13 E. *in the NE 1/4*

## EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or her grantors is not less than five hundred dollars, and that said improvements consist of:

## SOUTHERN GOLD Lode.

No.1 The discovery cut, the mouth of which being the discovery point, on the center line, 300 ft. from the center of line 1-2, 4 1/2 ft. wide, 8 ft. face running east 15 ft. to face.  
Value \$100.0

No.2 A cut, the mouth of which is on the center line, 460 ft. from the center of line 1-2, 4 1/2 ft. wide, 8 ft. face, running west. 15 ft. to face.  
Value \$100.0

MINERAL SURVEY NO. 4076

EXPENDITURE OF FIVE HUNDRED DOLLARS - Cont'd.

Southern Gold Lode, Cont'd.

No.3 A shaft, the center of which hrs. from Cor. No.2, N. 50° E.,  
590.0 ft. 4 x 6 ft. 10 ft. deep.

Value \$100.0

An undivided 1/7 th interest in improvement No. 1 , Great Arizona  
Southern lode, hereinafter described, credited to this lode.

Value \$642.0

WALTER Lode.

No.1 The discovery cut, the face of which being the discovery  
point, on the center line, 150.0 ft. from the center of line 1-2  
4 1/2 ft. wide, 8 ft. face, running S. 47° W. 15 ft. to mouth.

Value \$100.0

No.2 A shaft, on the center line , 180 ft. from the center of  
line 1-2 , 4 x 6 ft., 8 ft. deep .

Value \$100

No.3 A shaft, the center of which hrs. from Cor. No.3, S.24°W.,  
100.0 ft. 4 x 6 ft. 10 ft. deep.

Value \$100.0

An undivided 1/7 th interest in improvement No.1, Great Arizona  
Southern lode, hereinafter described, credited to this lode.

Value \$642.0

MABEL LODE.

No.1 The discovery point on the center line (on cropping) 150.0  
ft. from the center of line 1-2 . A md. of stone.

No value.

No.2 A shaft, the center of which hrs. from Cor. No.1 S.37°30'E.,  
325.0 ft. 4 x 6 ft. 8 ft. deep.

Value \$100.0

An undivided 1/7 th interest in improvement No.1, Great Arizona  
Southern lode, hereinafter described, credited to this lode.

Value \$642.0

UNCLE SAM Lode.

No.1, the discovery shaft, the center of which being the discovery  
point, on the center line 250.0 ft. from the center of line 1-2,

6 x 8 ft. 40 ft. deep. at 30 ft. from the collar of shaft. is  
a drift, 4 x 6 ft. running N.83°W., 83 ft. to face. From same point  
is a drift 4 x 6 ft. running S. 66°W., 36 ft. to face. Also another  
drift from same point , 4 x 6 ft. running N.61°W., 20 ft. to face.

From the face of this drift is an upraise 4 x 6 ft. 30 ft. to surface.

## MINERAL SURVEY NO. 4076.

## EXPENDITURE OF FIVE HUNDRED DOLLARS - Cont'd.

## UNCLE SAM Lode, Cont'd.

Value \$2400.0

No.2 A shaft, the center of which brs. from Cor. No. 1, N.65°W.,  
580.0 ft. 4 x 6 ft. 8 ft. deep.

Value \$100.0

An undivided 1/7 th interest in improvement No.1, Great Arizona  
Southern lode, hereinafter described, credited to this lode.

Value \$ 642.0

## HAZEL Lode.

No.1, the discovery shaft, the center of which being the discovery  
point, on the center line, 300.0 ft. from the center of line 1-2,  
4 x 6 ft. 30 ft. deep.

Value \$300.0

No.2 A shaft, the center of which brs. from Cor. No.3, S.62°30'W.  
475.0 ft. 4 x 6 ft. 8 ft. deep.

Value \$100.0

No.3 A shaft, the center of which brs. from Cor. No.3 S.50°30'W.,  
540.0 ft. 4 x 6 ft. 8 ft. deep.

Value \$100.0

No.4 A cut, the mouth of which brs. from Cor. No.3, S.56°45'W.,  
350.0 ft. 4 1/4 ft. wide, 8 ft. face, running north 30 ft. to face.

Value \$150.0

An undivided 1/7 th interest in improvement No.1 Great Arizona  
Southern lode, hereinafter described, credited to this lode.

Value \$642.0

## GREAT ARIZONA SOUTHERN Lode.

No.1 The discovery shaft, the center of which being the discovery  
point, on the center line 750.0 ft. from the center of line 1-2,  
6 x 8 ft. 120.0 ft. deep. At the bottom of shaft is a drift 4 x 6  
ft. running N.78°30'E., 30 ft. to point. At this point is an upraise  
6 x 8 ft. 120 ft. to surface (timbered) Total value \$4494.0

An undivided 1/7 th interest is assigned to this claim.

This shaft is a practicable and feasible main working shaft in the  
course of construction for the development of the seven claims of  
this sur. consisting of the Southern Gold, Walter, Mabel, Uncle  
Sam, Hazel, Great Arizona Southern and Great Arizona Southern  
Extension lodes, as by drifting and cross-cutting therefrom in

MINERAL SURVEY NO. 4076  
EXPENDITURE OF FIVE HUNDRED DOLLARS - Cont'd.  
GREAT ARIZONA SOUTHERN Lode, Cont'd.

different directions, towards and under the above mentioned claims, the entire group may be advantageously developed and ore extracted therefrom, as all the discoveries are above the present bottom of this shaft.

This improvement is therefore a common improvement for the benefit of each of the seven mentioned claims.

An undivided  $\frac{1}{7}$  th interest in this improvement value \$642.0 is properly accredited to each of the above mentioned claims.

No.2 A shaft, on the center line, 640. ft. from the center of line 1-2, 4 x 6 ft. 50 ft. deep.

Value \$500.0

No.3 A shaft, the center of which brs. from Cor. No.1, N.67°30'E., 650.0 ft. 4 x 6 ft. 8 ft. deep.

Value \$100.0

No.4 A trench 4 ft. the West end of which brs. from Cor. No. 1, N.58°45'E., 890.0 ft. 4 ft. wide, 7 ft. deep, running N.78°E., 40 ft.

Value \$500.0

GREAT ARIZONA SOUTHERN EXTENSION Lode.

No.1 The discovery point, on the center line, 200 ft. from the center of line 1-2, A md. of stone on cropping.

No Value.

No.2 A cut, the mouth of which brs. from Cor. No.1 S.48° E., 250.0 ft. 4 1/2 ft. wide, 10 ft. face, running N. 47°30'E. 12 ft. to face.

Value \$100.0

No.3 A shaft, the center of which brs. from Cor. No.1, S.74°30'E., 140.0 ft. 4 x 6 ft. 10 ft. deep.

Value \$100.0

No.4 A shaft, the center of which brs. from Cor. No.1, S.83°30'E., 600.0, 4 x 6 ft. 8 ft. deep.

Value \$100.0

An undivided  $\frac{1}{7}$  th interest in improvement No.1, Great Arizona Southern lode, heretofore described, credited to this lode.

Value \$642.0

Other Improvements.

A frame cabin, the N.W. Cor. of which brs. from Cor. No.1, Great Arizona Southern Extension lode, N.72°45'E., 293 ft. 12 x 14 ft. course of long sides N. 51° E.

Feet.	MINERAL SURVEY NO. 4076 GREAT ARIZONA SOUTHERN Lode- Cont'd. Thence S.78°27'W. Va. 13°45'E.
850.0	Road brs. southerly
1500.0	To Cor. No.1, the place of beginning. GREAT ARIZONA SOUTHERN EXTENSION Lode. Beginning at Cor. No.1, identical with Loc. Mon. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 1 G.A.S. Ex - 4076 with md. of stone alongside, whence the witness Cor. for the 1/4 Cor. bet. Secs. 3 and 4 , T. 4 S., R. 13 E., brs. N. 68°25'E., 390.50 ft. No other bearings are available. Thence S. 11°33'E. Va. 13°45' E.
300.0	To W. end center, identical with Loc. Mon. A Palo Verde post 4 ins. diam. by 4 ft. high , set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high scribed W. Cr. G.A.S. Ex.
310.0	Gulch brs. southwesterly.
600.0	To Cor. No.2, identical with Loc. Mon. and Cor. No.1 Hazel lode of this Sur. heretofore described. Thence N.47°39'E. Va. 13°45'E.
980.0	Gulch brs. southwesterly.
1500.0	To Cor. No.3, identical with Loc. Mon. and Cor. Nos. 1, 1 and 4 Great Arizona Southern , Southern Gold and Hazel lodes respectively of this Sur., heretofore described. Thence N. 11°33'W. Va. 13°45'E.
110.0	Road brs. southwesterly.
275.0	Gulch brs. southwesterly.
300.0	To E. end center, identical with Loc. Mon. and W. end center Great Arizona Southern Lode of this Sur. heretofore described.
600.0	To Cor. No.4, identical with Loc. Mon. and Cor. No.2 Great Arizona <i>southern</i> lode of this Sur., heretofore described. Thence S.47°39'W. Va. 13°45'E
900.0	Gulch brs. southwesterly.
1500.0	To Cor. No.1, the place of beginning.

## MINERAL SURVEY NO. 4076

Feet.

## GREAT ARIZONA SOUTHERN Lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. Nos. 1, 4 and 3, Southern Gold, Hazel and Great Arizona Southern Extension lodes respectively of this Sur., heretofore described, whence the witness Cor., for the 1/4 Cor. Bet. Secs. 3 and 4, T. 4 S. R. 13 E., brs. S.  $72^{\circ}08'W.$ , 909.42 ft.

Thence N.  $11^{\circ}33'W.$   
Va.  $13^{\circ}45'E.$

110.0 Old road brs. southwesterly.

275.0 Gulch brs. southwesterly.

300.0 To W. end center, identical with Loc. Mon. and E. end center Great Arizona Southern Extension lode of this Sur.

A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high scribed W. Cr. G.A. S., E. Cr. G.A.S. Ex.

600.0 To Cor. No.2, identical with Loc. Mon. and Cor. No.4 Great Arizona Southern Extension lode of this Sur.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 2 G.A.S, 4 G.A.S Ex-4076 with md of stone alongside.

No bearings are available .

Thence N.  $78^{\circ}27'E.$   
Va.  $13^{\circ}45'E.$

1500.0 To Cor. No.3, identical with Loc. Mon.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 3 G.A.S. - 4076 with md of stone alongside.

No bearings are available.

Thence S.  $11^{\circ}33'E.$   
Va.  $13^{\circ}45'E.$

300.0 To E. end center, identical with Loc. Mon.

A Palo Verde Post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high scribed E. Cr. G.A.S.

600.0 To Cor. No.4, identical with Loc. Mon. and Cor. No.4 Southern Gold lode of this Sur. heretofore described.

Feet.

## MINERAL SURVEY NO. 4076.

## HAZEL Lode, Cont'd.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 1 H, 2 G.A.S. Ex - 4076 with md. of stone alongside, whence the witness Cor. for 1/4 Cor. bet. Secs. 3 - 4 T. 4 S., R. 13 E. brs. N. 18°22'30" E., 770.8 ft.

No other bearings are available.

Thence S. 11°33'E.

Va. 13°45'E.

50.0 Gulch brs. westerly.

300.0 To W. end center, identical with Loc. Mon.

A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. H.

600.0 To Cor. No.2, identical with Loc. Mon. and Cor. No.2 Walter lode of this Sur., heretofore described.

Thence N. 47°39'E.

Va. 13°45'E.

1120.0 Gulch brs. northwesterly.

1500.0 To Cor. No.3, identical with Loc. Mon. and Cor. Nos. 2,1 and 3 Southern Gold, Mabel and Walter lodes respectively of this Sur. heretofore described.

Thence N. 11°33'W.

Va. 13°45'E.

300.0 To E. end center, identical with Loc. Mon. and W. end center Southern Gold lode of this Sur., heretofore described.

350.0 Gulch brs. westerly.

600.0 To Cor. No 4, identical with Loc. Mon. and Cor. Nos. 3, 1 and 1 Great Arizona Southern Extension, Great Arizona Southern and Southern Gold lodes respectively of this Sur., heretofore described.

Thence S. 47°39'W.,

Va. 13°45'E.

520.0 Gulch brs. southwesterly.

1500.0 To Cor. No.1, the place of beginning.

Feet.

## MINERAL SURVEY NO. 4076.

## UNCLE SAM Lode, Cont'd.

Thence S. 47°39'W.  
Va. 13°45'E.

- 75.0 Gulch and old road brs. southerly.
- 300.0 To S. end center, identical with Loc. Mon.  
A Palo Verde post. 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed S. Cr. U.S.
- 600.0 To Cor. No.2, identical with Loc. Mon.  
An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 2 U.S - 4076, with md of stone alongside.  
No bearings are available.  
Thence N. 42°21'W.  
Va. 13°45'E.
- 1500.0 To Cor. No.3, identical with Loc. Mon. On line 1-4 Walter lode of th this Sur. at N.47°39'E., 900.0 ft. from Cor. No.1  
An iron pipe 1 in. diam. with brass cap on top 24 ins. above ground, set 18 ins. in the ground, stamped 3 U.S.- 4076, with md of stone alongside.  
No bearings are available.  
Thence N.47°39'E.  
Va. 13°45'E.
- 300.0 To N. end center, identical with Loc. Mon.  
A Palo Verde post 5 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high scribed N. Cr. U.S.
- 600.0 To Cor. No.4, identical with Loc. Mon. and Cor. Nos. 2 and 4, Mabel and Walter lodes respectively of this Sur., heretofore described  
Thence S. 42°21'E.  
Va. 13°45'E.
- 1420.0 Gulch and old road brs. southerly.
- 1500.0 To Cor. No.1, the place of beginning.  
HAZEL Lode.  
Beginning at Cor. No.1, identical with Loc. Mon. and Cor. No.2  
Great Arizona Southern Extension lode of this Sur.

MINERAL SURVEY NO. 4076

Mabel lode, Cont'd.

600.0 To Cor. No.2, identical with Loc. Mon. and Cor. Nos. 4,4 Walter and Uncle Sam lodes of this Sur., heretofore described.

Thence N. 78°27'E.,  
Va. 13°45'E.

600.0 Gulch and old road brs. southerly.

1425.0 Gulch brs. southwesterly.

1500.0 To Cor. No.3, identical with Loc. Mon.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 3 M - 4076, with md. of stone alongside.

No bearings are available.

Thence N. 11°33'W.  
Va. 13°45'E.

120.0 Gulch brs. southwesterly.

300.0 To E. end center, identical with Loc. Mon.

A palo Verde post 5 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. M.

500.0 Gulch brs. southwesterly.

600.0 To Cor. No.4, identical with Loc. Mon. and Cor. No.3 Southern Gold lode of this Sur., heretofore described.

Thence S. 78°27'W.  
Va. 13°45'E.

950.0 Gulch and old road brs. southerly.

1500.0 To Cor. No.1, the place of beginning.

UNCLE SAM Lode.

Beginning at Cor. No.1, identical with Loc. Mon.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 1 U.S. - 4076 with md of stone alongside, whence the 1/4 Cor. bet. Secs. 3 and 10 , T. 4 S., R. 13 E., brs. S. 40°41' E., 794.47 ft.

A mesquite tree 8 ins. diam. brs. S. 80°30'E., 4.8 ft.

Blazed and scribed 1- 4076 B.T.

No other bearings are available.

Feet.	MINERAL SURVEY NO. 4076
	WALTER Lode - Cont'd.
	Thence N. 47°39'E. Va. 13°45'E.
1120.0	Gulch brs. northwesterly.
1500.0	To Cor. No.3, identical with Loc. Mon. and Cor. Nos. 1,2 and 3, Mabel, Southern Gold and Hazel lodes respectively, of this Sur., heretofore described.
	Thence S. 11°33'E. Va. 13°45'E.
300.0	To E. end center, identical with Loc. Mon. and W. end center Mabel lode of this Sur.
	A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. W., W. Cr. M.
600.0	To Cor. No.4, identical with Loc. Mon. and Cor. Nos. 2 and 4, Mabel and Uncle Sam lodes respectively of this Sur.
	An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 4 W., 2 M., 4 U.S.-4076 with md. of stone alongside.
	No bearings are available.
	Thence S. 47°39'W., Va. 13°45'E.
300.0	To N. end center Uncle Sam lode of this Sur., hereinafter described.
600.0	To Cor. No.3 Uncle Sam lode of this Sur., hereinafter described.
1225.0	Gulch brs. westerly.
1500.0	To Cor. No.1, the place of beginning.
	MABEL Lode.
	Beginning at Cor. No.1, identical with Loc. Mon. and Cor. Nos., 2, 3 and 3, Southern Gold, Hazel and Walter lodes respectively of this Sur., heretofore described, whence the witness Cor. for the 1/4 Cor. bet. Secs. 3-4, T. 4 S., R. 13 E. brs. N. 72°36'W., 1032.97 ft.
	Thence S. 11°33'E. Va. 13°45'E.
300.0	To W. end center, identical with Loc. Mon. and E. end center Walter lode of this Sur., heretofore described.

Feet.

MINERAL SURVEY NO. 4076

SOUTHERN GOLD Lode, Cont'd.

A palo verde post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. S. G.

525.0

Gulch brs. southwesterly.

600.0

To Cor. No.4, identical with Loc. Mon. and Cor. No.4 Great Arizona Southern lode of this Sur.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 4 S. G., 4 G.A. S.- 4076, with md of stone alongside, whence a Palo Verde tree 6 ins. diam. brs. S. 78°30'W., 5 ft., blazed and scribed 4,4-4076 B.T.

No other bearings are available.

Thence S. 78°27'W.  
Va. 13°45'E.

850.0

Old road brs. southerly.

1500.0

To Cor. No.1, the place of beginning.

WALTER Lode.

Beginning at Cor. No.1, identical with Loc. Mon.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 1 W- 4076 with md. of stone alongside, whence the Cor. to Secs. 3,4,9 and 10, T. 4 S., R. 13 E., brs. S. 0°31'W., 699.9 ft.

No other bearings are available.

Thence N. 11°33'W.,  
Va. 13°45'E.

170.0

Gulch brs. southwesterly.

300.0

To W. end center, identical with Loc. Mon.

A Palo Verde post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. W.

600.0

To Cor. No.2, identical with Loc. Mon. and Cor. No.2 Hazel lode of this Sur.

An iron pipe 1 in. diam. with brass cap on top 24 ins. above ground set 18 ins. in the ground stamped 2 W., 2 H.- 4076 with md of stone alongside.

No bearings are available.

Feet.

## MINERAL SURVEY NO. 4076

## SOUTHERN GOLD Lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. Nos. 1, 3 and 4, Great Arizona Southern<sup>4</sup>, Great Arizona Southern Extension, and Hazel lodes respectively of this Sur.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 1 S.G., 1 G.A. S., 3 G.A. G. Ex., 4 H. - 4076 with md of stone alongside, whence the Witness Cor. for. 1/4 Cor. Bet. Secs. 3-4 T. 4 S. R. 13E., brs. S. 72°08'W., 909.42 ft.

No other bearings are available.

Thence S. 11°33'E.  
Va. 13°45'E.

250.0 Gulch brs. southwesterly.

300.0 To W. end center, identical with Loc. Mon. and E. end center Hazel lode of this Sur.

A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. S.G., E. Cr. H.

600.0 To Cor. No.2, identical with Loc. Mon. and Cor. Nos. 3, 3 and 1, Hazel, Walter and Mabel lodes respectively of this Sur.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 2 S.G., 3 H., 3 W., 1 M.-4076, with md of stone alongside. whence

No bearings are available.

Thence N. 78°27'E.,  
Va. 13°45'E.

550.0 Gulch and old road brs. southeasterly.

1500.0 To Cor. No.3, identical with Loc. Mon. and Cor. No.4 Mabel lode of this Sur.

An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 3 S.G., 4 M.- 4076 with md of stone alongside.

No bearings are available.

Thence N. 11°33'W.,  
Va. 13°45'E.

300.0 To E. end center, identical with Loc. Mon.

4-683

MINERAL SURVEY No. 4076

Arizona Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mrs. Hazel Buell Wright

KNOWN AS THE

SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN,  
and GREAT ARIZONA SOUTHERN EXTENSION lodes

Riverside Mining District,

Pinal County, Arizona

Sections 3 and 4, Township 4 S., Range 13 E.

Surveyed under instructions dated September 7, 19 28.

by T. N. Stevens

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced October 10, 19 28

Survey completed October 16, 19 28

Address of claimant's Atty.; Thos. D. Derry,  
Florence, Arizona.

DATES OF AMENDED LOCATIONS.

See location notices

Feet

Total area Great Arizona Southern lode,	20.661 Acres
Total area Great Arizona Southern Extension lode,	17.747 "

-----

LOCATION.

This survey is located in the  $W\frac{1}{2}$  Sec. 3 and the  $E\frac{1}{2}$  Sec. 4, T. 4 S., R. 13 E., in the Riverside Mining District, Pinal County, Arizona.

-----

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or her grantors is not less than five hundred dollars, and that said improvements consist of:

Feet  
 600.00 To Cor. No. 4, identical with Loc. Mon. and Cor. No. 2  
 Great Arizona Southern lode of this survey, heretofore  
 described.

Thence S. 47° 39' W.  
 Va. 13° 45' E.

900.00 Gulch brs. southwesterly.

1500.00 To Cor. No. 1, the place of beginning.

-----

LODE LINES.

As near as can be determined from the present develop-  
 ments, the veins of the several locations embraced in  
 this claim extend as follows from their respective dis-  
 coveries;

Southern Gold lode; 300 ft. S. 78° 27' W. and 1200  
 ft. N. 78° 27' E.

Walter lode, 150 ft. S. 47° 39' W. and 1350 ft. N.  
 47° 39' E.

Mabel lode, 150 ft. S. 78° 27' W. and 1350 ft. N.  
 78° 27' E.

Uncle Sam lode, 250 ft. S. 42° 21' E. and 1250 ft.  
 N. 42° 21' W.

Hazel lode, 300 ft. S. 47° 39' W. and 1200 ft. N.  
 47° 39' E.

Great Arizona Southern lode, 750 ft. S. 78° 27' W.  
 and 750 ft. N. 78° 27' E.

Great Arizona Southern Extension lode, 200 ft. S. 47°  
 39' W. and 1300 ft. N. 47° 39' E.

-----

AREA.

Total area Southern Gold lode,	20.661 Acres
Total area Walter lode,	17.747 "
Total area Mabel lode,	20.661 "
Total area Uncle Sam lode,	20.661 "
Total area Hazel lode,	17.747 "

Feet	
850.00	Road brs. southerly.
1500.00	To Cor. No. 1, the place of beginning.
	<p style="text-align: center;">-----</p> <p style="text-align: center;">GREAT ARIZONA SOUTHERN EXTENSION lode.</p>
	<p style="text-align: center;">Beginning at Cor. No. 1, identical with Loc. Mon.</p>
	<p>An iron pipe 1 in. diam. with brass cap on top, 24 ins.</p>
	<p>above ground, set 18 ins. in the ground, stamped 1 G.A.S.</p>
	<p>Ex - 4076, with md. of stone alongside, whence</p>
	<p>The Witness Cor. for the <math>\frac{1}{4}</math> Cor. between Secs, 3 and 4,</p>
	<p>T. 4 S., R. 13 E., brs. N. 68° 25' E. 390.50 ft.</p>
	<p>No other bearings are available.</p>
300.00	<p style="text-align: center;">Thence S. 11° 33' E. Va. 13° 45' E.</p>
300.00	<p>To W. End Center, identical with Loc. Mon. A palo verde</p>
310.00	<p>post 4 ins. diam. by 4 ft. high, set firmly in the ground</p>
600.00	<p>and surrounded with md. of stone <math>3\frac{1}{2}</math> ft. base by 3 ft.</p>
600.00	<p>high, scribed W. Cr. G.A.S.Ex.</p>
310.00	<p>Gulch brs. southwesterly.</p>
600.00	<p>To Cor. No. 2, identical with Loc. Mon. and Cor. No. 1</p>
980.00	<p>Hazel lode of this survey, heretofore described.</p>
980.00	<p style="text-align: center;">Thence N. 47° 39' E. Va. 13° 45' E.</p>
1500.00	<p>Gulch brs. southwesterly.</p>
1500.00	<p>To Cor. No. 3, identical with Loc. Mon. and Cor. Nos. 1,</p>
110.00	<p>1 and 4, Great Arizona Southern, Southern Gold and Hazel</p>
275.00	<p>lodes, respectively, of this survey, heretofore described.</p>
300.00	<p style="text-align: center;">Thence N. 11° 33' W. Va. 13° 45' E.</p>
110.00	<p>Road brs. southwesterly.</p>
275.00	<p>Gulch brs. southwesterly.</p>
300.00	<p>To E. End Center, identical with Loc. Mon. and W. End</p>
300.00	<p>Center Great Arizona Southern lode of this survey, here-</p>
300.00	<p>tofore described.</p>

T. 4 S., R. 13 E., brs. S. 72° 08' W. 909.42 ft.

Thence N. 11° 33' W.  
Va. 13° 45' E.

110.00 Old road brs. southwesterly.

275.00 Gulch brs. southwesterly.

300.00 To W. End Center, identical with Loc. Mon. and E. End Center Great Arizona Southern Extension lode of this survey. A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3½ ft. base by 3 ft. high, scribed W. Cr. G.A.S., E. Cr. G.A.S.Ex.

600.00 To Cor. No. 2, identical with Loc. Mon. and Cor. No. 4 Great Arizona Southern Extension lode of this survey. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 2 G.A.S., 4 G.A.S.Ex-4076, with md. of stone alongside.

No bearings are available.

Thence N. 78° 27' E.  
Va. 13° 45' E.

1500.00 To Cor. No. 3, identical with Loc. Mon. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 3 G.A.S.-4076, with md. of stone alongside.

No bearings are available.

Thence S. 11° 33' E.  
Va. 13° 45' E.

300.00 To E. End Center, identical with Loc. Mon. A palo verde post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3½ ft. base by 3 ft. high, scribed E. Cr. G.A.S.

600.00 To Cor. No. 4, identical with Loc. Mon. and Cor. No. 4 Southern Gold lode of this survey, heretofore described.

Thence S. 78° 27' W.  
Va. 13° 45' E.

Feet	
300.00	To W. End Center, identical with Loc. Mon. A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone $3\frac{1}{2}$ ft. base by 3 ft. high, scribed W. Cr. H.
600.00	To Cor. No. 2, identical with Loc. Mon. and Cor. No. 2 Walter lode of this survey, heretofore described.
	Thence N. $47^{\circ} 39'$ E. Va. $13^{\circ} 45'$ E.
1120.00	Gulch brs. northwesterly.
1500.00	To Cor. No. 3, identical with Loc. Mon. and Cor. Nos. 2, 1 and 3, Southern Gold, Mabel and Walter lodes, respectively of this survey, heretofore described.
	Thence N. $11^{\circ} 33'$ W. Va. $13^{\circ} 45'$ E.
300.00	To E. End Center, identical with Loc. Mon. and W. End Center Southern Gold lode of this survey, heretofore described.
350.00	Gulch brs. westerly.
600.00	To Cor. No. 4, identical with Loc. Mon. and Cor. Nos. 3, 1 and 1 Great Arizona Southern Extension, Great Arizona Southern and Southern Gold lodes, respectively, of this survey, heretofore described.
	Thence S. $47^{\circ} 39'$ W. Va. $13^{\circ} 45'$ E.
520.00	Gulch brs. southwesterly.
1500.00	To Cor. No. 1, the place of beginning.

-----

• GREAT ARIZONA SOUTHERN lode.

Beginning at Cor. No. 1, identical with Loc. Mon. and Cor. Nos. 1, 4 and 3, Southern Gold, Hazel and Great Arizona Southern Extension lodes, respectively, of this survey, heretofore described, whence

The witness Cor. for the  $\frac{1}{4}$  Cor. between Secs. 3 and 4,

Feet	
1500.00	<p>To Cor. No. 3, identical with Loc. Mon. On line 1-4 Walter lode of this survey, at N. 47° 39' E. 900 ft. from Cor. No. 1. An iron pipe 1 in. diam. with brass cap on top 24 ins. above ground, set 18 ins. in the ground, stamped 3 U.S. 4076, with md. of stone alongside.</p> <p>No bearings are available.</p> <p style="text-align: center;">Thence N. 47° 39' E. Va. 13° 45' E.</p>
300.00	<p>To N. End Center, identical with Loc. Mon. A palo verde post 5 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone 3½ ft. base by 3 ft. high, scribed N. Cr. U.S.</p>
600.00	<p>To Cor. No. 4, identical with Loc. Mon. and Cor. Nos. 2 and 4, Mabel and Walter lodes, respectively, of this survey, heretofore described.</p> <p style="text-align: center;">Thence S. 42° 21' E. Va. 13° 45' E.</p>
1420.00	<p>Gulch and old road brs. southerly.</p>
1500.00	<p>To Cor. No. 1, the place of beginning.</p> <p style="text-align: center;">-----</p> <p style="text-align: center;">HAZEL lode.</p> <p>Beginning at Cor. No. 1, identical with Loc. Mon. and Cor. No. 2 Great Arizona Southern Extension lode of this survey. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 1 H, 2 G.A.S.Ex-4076, with md. of stone alongside, whence</p> <p>The Witness Cor. for ¼ Cor. between Secs. 3-4, T. 4 S., R. 13 E., brs. N. 18° 22' 30" E. 770.8 ft.</p> <p>No other bearings are available.</p> <p style="text-align: center;">Thence S. 11° 33' E. Va. 13° 45' E.</p>
50.00	<p>Gulch brs. westerly.</p>

Feet

ground and surrounded with md. of stone  $3\frac{1}{2}$  ft. base by  
3 ft. high, scribed E. Cr. M.

500.00 Gulch brs. southwesterly.

600.00 To Cor. No. 4, identical with Loc. Mon. and Cor. No. 3  
Southern Gold lode of this Sur., heretofore described.

Thence S.  $78^{\circ} 27'$  W.  
Va.  $13^{\circ} 45'$  E.

950.00 Gulch and old road brs. southerly.

1500.00 To Cor. No. 1, the place of beginning.

-----  
UNCLE SAM lode.

Beginning at Cor. No. 1, identical with Loc. Mon.  
An iron pipe 1 in. diam. with brass cap on top, 24 ins.  
above ground, set 18 ins. in the ground, stamped 1 U.S.  
4076, with md. of stone alongside, whence

The  $\frac{1}{4}$  Cor. between Secs. 3 and 10, T. 4 S., R. 13 E.,  
brs. S.  $40^{\circ} 41'$  E. 794.47 ft.

A mesquite tree 8 ins. diam. brs. S.  $80^{\circ} 30'$  E. 4.8 ft.,  
blazed and scribed 1-4076 B.T.

No other bearings are available.

Thence S.  $47^{\circ} 39'$  W.  
Va.  $13^{\circ} 45'$  E.

75.00 Gulch and old road brs. southerly.

300.00 To S. End Center, identical with Loc. Mon. A palo verde  
post, 4 ins. diam. by 4 ft. high, set firmly in the  
ground and surrounded with md. of stone  $3\frac{1}{2}$  ft. base by  
3 ft. high, scribed S. Cr. U. S.

600.00 To Cor. No. 2, identical with Loc. Mon. An iron pipe  
1 in. diam. with brass cap on top, 24 ins. above ground,  
set 18 ins. in the ground, stamped 2 U.S - 4076, with md.  
of stone alongside.

No bearings are available.

Thence N.  $42^{\circ} 21'$  W.  
Va.  $13^{\circ} 45'$  E.

Feet	
600.00	To Cor. No. 3 Uncle Sam lode of this survey, hereinafter described.
1225.00	Gulch brs. westerly.
1500.00	To Cor. No. 1, the place of beginning.
	-----
	MABEL lode.
	Beginning at Cor. No. 1, identical with Loc. Mon. and Cor. Nos. 2, 3 and 3, Southern Gold, Hazel and Walter lodes, respectively of this survey, heretofore described, whence
	The Witness Cor. for the $\frac{1}{4}$ Cor. between Secs. 3-4, T. 4 S., R. 13 E., brs. N. $72^{\circ} 36'$ W. 1032.97 ft.
	Thence S. $11^{\circ} 33'$ E. Va. $13^{\circ} 45'$ E.
300.00	To W. End Center, identical with Loc. Mon. and E. End Center Walter lode of this survey, heretofore described.
600.00	To Cor. No. 2, identical with Loc. Mon. and Cor. Nos. 4, 4, Walter and Uncle Sam lodes of this survey, heretofore described.
	Thence N. $78^{\circ} 27'$ E. Va. $13^{\circ} 45'$ E.
600.00	Gulch and old road brs. southerly.
1425.00	Gulch brs. southwesterly.
1500.00	To Cor. No. 3, identical with Loc. Mon. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 3 M - 4076, with md. of stone alongside.
	No bearings are available.
	Thence N. $11^{\circ} 33'$ W. Va. $13^{\circ} 45'$ E.
120.00	Gulch brs. southwesterly.
300.00	To E. End Center, identical with Loc. Mon. A palo verde post 5 ins. diam. by 4 ft. high, set firmly in the

Feet	
300.00	To W. End Center, identical with Loc. Mon. A palo verde post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone $3\frac{1}{2}$ ft. base by 3 ft. high, scribed W. Cr. W.
600.00	To Cor. No. 2, identical with Loc. Mon. and Cor. No. 2 Hazel lode of this survey. An iron pipe 1 in. diam. with brass cap on top 24 ins. above ground, set 18 ins. in the ground, stamped 2 W, 2 H-4076, with md. of stone alongside.  No bearings are available.
	Thence N. $47^{\circ} 39'$ E. Va. $13^{\circ} 45'$ E.
1120.00	Gulch brs. northwesterly.
1500.00	To Cor. No. 3, identical with Loc. Mon. and Cor. Nos. 1, 2 and 3, Mabel, Southern Gold and Hazel lodes, respectively, of this survey, heretofore described.
	Thence S. $11^{\circ} 33'$ E. Va. $13^{\circ} 45'$ E.
300.00	To E. End Center, identical with Loc. Mon. and W. End Center Mabel lode of this survey. A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone $3\frac{1}{2}$ ft. base by 3 ft. high, scribed E. Cr. W., W. Cr. M.
600.00	To Cor. No. 4, identical with Loc. Mon. and Cor. Nos. 2 and 4, Mabel and Uncle Sam lodes, respectively, of this survey. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 4 W., 2 M., 4 U.S.-4076, with md. of stone alongside.  No bearings are available.
	Thence S. $47^{\circ} 39'$ W. Va. $13^{\circ} 45'$ E.
300.00	To N. End Center Uncle Sam lode of this survey, hereinafter described.

Feet

alongside.

No bearings are available.

Thence N.  $11^{\circ} 33'$  W.,  
 Va.  $13^{\circ} 45'$  E.

300.00 To E. End Center, identical with Loc. Mon. A palo verde post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone  $3\frac{1}{2}$  ft. base by 3 ft. high, scribed E. Cr. S.G.

525.00 Gulch brs. southwesterly.

600.00 To Cor. No. 4, identical with Loc. Mon. and Cor. No. 4 Great Arizona Southern lode of this survey. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 4 S.G., 4 G. A.S-4076, with md. of stone alongside, whence

A palo verde tree 6 ins. diam. brs. S.  $78^{\circ} 30'$  W. 5 ft. blazed and scribed 4,4-4076 B.T.

No other bearings are available.

Thence S.  $78^{\circ} 27'$  W.  
 Va.  $13^{\circ} 45'$  E.

850.00 Old road brs. southerly.

1500.00 To Cor. No. 1, the place of beginning.

-----

WALTER lode.

Beginning at Cor. No. 1, identical with Loc. Mon. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 1 W-4076, with md. of stone alongside, whence

The Cor. to Secs. 3, 4, 9 and 10, T. 4 S., R. 13 E., brs. S.  $0^{\circ} 31'$  W. 699.9 ft.

No other bearings are available.

Thence N.  $11^{\circ} 33'$  W.  
 Va.  $13^{\circ} 45'$  E.

170.00 Gulch brs. southwesterly.

Feet

## MINERAL SURVEY NO. 4076.

## SOUTHERN GOLD lode.

Beginning at Cor. No. 1, identical with Loc. Mon. and Cor. Nos. 1, 3 and 4, Great Arizona Southern, Great Arizona Southern Extension, and Hazel lodes, respectively, of this survey. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 1 S.G., 1 G.A.S., 3 G.A.S.Ex., 4 H-4076, with md. of stone alongside, whence

The Witness Cor. for  $\frac{1}{4}$  Cor. between Secs. 3-4, T. 4 S., R. 13 E., brs. S.  $72^{\circ} 08'$  W. 909.42 ft.

No other bearings are available.

Thence S.  $11^{\circ} 33'$  E.,  
Va.  $13^{\circ} 45'$  E.

250.00 Gulch brs. southwesterly.

300.00 To W. End Center, identical with Loc. Mon. and E. End Center Hazel lode of this Sur. A mesquite post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md. of stone  $3\frac{1}{2}$  ft. base by 3 ft. high, scribed W. Cr. S.G., E.Cr.H.

600.00 To Cor. No. 2, identical with Loc. Mon. and Cor. Nos. 3, 3 and 1, Hazel, Walter and Mabel lodes, respectively, of this survey. An iron pipe 1 in diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 2 S.G., 3 H., 3 W., 1 M-4076, with md. of stone alongside.

No bearings are available.

Thence N.  $78^{\circ} 27'$  E.  
Va.  $13^{\circ} 45'$  E.

550.00 Gulch and old road brs. southeasterly.

1500.00 To Cor. No. 3, identical with Loc. Mon. and Cor. No. 4 Mabel lode of this survey. An iron pipe 1 in. diam. with brass cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 3 S.G., 4 M-4076, with md. of stone

FINAL OATH OF U. S. MINERAL SURVEYOR

I, T. N. Stevens, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Phoenix, Arizona, dated September 7, 1928,

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the Mining Claim of

Mrs. Hazel Buell Wright, known as the SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN, and GREAT ARIZONA SOUTHERN EXTENSION lodes,

situate in Riverside Mining District,

Pinal County, Arizona, in Section 8

3 & 4, Township No. 4 S., Range No. 13 E.

and designated as Survey No. 4076, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim

as distinctly marked by monuments on the ground, and described in the attached copy

of the location certificate, which was received by me from the Office Cadastral Engineer

with said instructions, and that all corners of said survey have been established

and perpetuated in strict accordance with the law, official regulations and instructions

thereunder; and I do further solemnly swear that the foregoing are the true and

original field notes of said survey and my report therein, and that the labor expended

and improvements made upon said mining claim by claimant or her

grantors are as therein fully stated, and that the character, extent, location, and

itemized value thereof are specified therein with particularity and full detail, and

that no portion of said labor or improvements so credited to this claim has been included

in the estimate of expenditures upon any other claim.

T. N. Stevens U. S. Mineral Surveyor.

Subscribed and sworn to by the said T. N. Stevens

U. S. Mineral Surveyor, before me Maebelle Hess, a Notary Public in and

for the County of Pima, State of Arizona, this 7th

day of November, 1928

Maebelle Hess

My commission expires Feb. 7, 1932

Notary Public

(Seal)

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by T. N. Stevens

United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Mrs. Hazel Buell Wright

known as the SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN and GREAT ARIZONA SOUTHERN EXTENSION lodes and showing the respective capacities in which they acted.

E. C. Ells, *Chainman.*

*Chainman.*

*Arman.*

*Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, I, E. C. Ells

and I, do solemnly swear that we assisted

T. N. Stevens, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of

Mrs. Hazel Buell Wright

known as the SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN and GREAT ARIZONA EXTENSION lodes

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Phoenix, Arizona.

E. C. Ells, *Chainman.*

*Chainman.*

*Arman.*

*Flagman.*

Subscribed and sworn to by the above-named persons before me this 16th

day of October, 1928.

Grace J. O'Connell

Notary Public

(Seal)

My Commission Exp. Jan. 17, 1930.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,

, 19

I, Office Cadastral Engineer, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Mrs. Hazel Buell Wright

known as the SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN and GREAT ARIZONA SOUTHERN EXTENSION lodes

situate in Riverside

Mining District Pinal County Arizona

in Sections 3 & 4, Township No. 4 S., Range No. 13 E., and

designated as Survey No. 4076, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if neorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant

or her grantors,

and that said improvements consist of

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Office Cadastral Engineer.

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizona,

19

I, Office Cadastral Engineer, at Phoenix, Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Mrs. Hazel Buell Wright

known as the SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN and GREAT ARIZONA SOUTHERN EXTENSION lodes

situate in Riverside

Mining District Pinal County Arizona

in Sections 3 & 4, Township No. 4 S., Range No. 13 E., and

designated as Survey No. 4076, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant or her grantors,

and that said improvements consist of

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

John D. Adams Office Cadastral Engineer.

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

DEPARTMENT OF THE INTERIOR  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

....., 192

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of .....

Mrs. Hazel Buell Wright

....., known as the  
SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN,  
and GREAT ARIZONA SOUTHERN EXTENSION lodes

situate in ..... Riverside ..... mining district,

Pinal County, Arizona.

in Sections 3 and 4 ....., Township No. 4 S. ....., Range No. 14 E.

....., designated as Survey No. 4076

executed by T. N. Stevens ....., U. S. Mineral

Surveyor, October 10 - 16 ....., 1928, under my instructions dated

September 7 ....., 1928, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

.....  
*Office Cadastral Engineer.*

4-687

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF  
MINING CLAIM

DEPARTMENT OF THE INTERIOR  
PUBLIC SURVEY OFFICE

At Phoenix, Arizona,

....., 192

I, Office Cadastral Engineer at Phoenix, Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the  
Mining Claim of .....

Mrs. Hazel Buell Wright

....., known as the  
SOUTHERN GOLD, WALTER, MABEL, UNCLE SAM, HAZEL, GREAT ARIZONA SOUTHERN,  
and GREAT ARIZONA SOUTHERN EXTENSION lodes

situate in ..... Riverside ..... mining district,

Pinal County, Arizona.

in Section 3 and 4 ....., Township No. 4 S. ....., Range No. 14 E.

....., designated as Survey No. 4076

executed by T. N. Stevens ....., U. S. Mineral

Surveyor, October 10 - 16 ....., 1928, under my instructions dated

September 7 ....., 1928, have been critically examined and the necessary

corrections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and

made a part of the transcript of the field notes.

John D. Adams

*Office Cadastral Engineer.*